YATO®

2026



TOYA®









TOYA S.A. is one of Poland's leading distributors of industrial goods. It is a leader of the Polish hand and power tools market for both professional and DIY use.

The scope of the Group's business includes product design, outsourcing of production, supervision over production quality, and distribution of products under its own brands throughout an extensive sales network on the Polish market and abroad: in Europe, Asia, Africa, Australia, and Central and South America.

The Company has operated based on the Polish capital for more than 20 years. Over that time, it has gained excellent understanding of the industrial goods market, development directions and price trends. Drawing on its wealth of knowledge and experience, the it developed and keeps expanding a comprehensive range of products that meets the quality and price expectations of vast customer groups. Production of goods distributed by the Company is outsourced mainly in South-East Asia, where the Company produces finished products from where ships them to its logistic hubs, and then sells them onward through its own well-developed and highly effective distribution network. Toya Capital Group has offices in Poland, Romania and China and employs totally over 320 people all over the world.

Another feature which makes the company unique on the distribution market is the fact that its products are marketed under brands developed and owned by TOYA S.A.. Currently, the company's portfolio comprises more than 9,000 products marketed under eight own brands and one brand for which the company acts as the general distributor.



VOREL BY TOYA · POWER UP · STHOR · LUND · GAV · FALA · FLO



YATO originated in Europe as a brand for top-grade tools developed by TOYA Corporation. In order to better promote the business of TOYA ,in 2008, the Company launched direct production and trading operations on the Chinese market through a jointly controlled company YATO TOOLS (SHANGHAI) Co., Ltd.

Under the leadership of the headquarters, YATO TOOLS (SHANGHAI) Co., Ltd. has been operating in an efficient and increasingly consummate manner. Not only can it satisfy the needs of many retail customers, but also it can accommodate the massive demand of the online customers. With the admirable experiences in the fields of tools and services and high commitment and dedication to customers, the company makes every effort to win the unanimous recognition from customers both at home and abroad. What makes YATO really proud is the fact that more and more people are using the products of YATO brand to accomplish their professional tasks.

YATO TOOLS (SHANGHAI) Co., Ltd. unceasingly makes every effort to achieve its goals and continuously improves the quality of products. By enlarging the varieties of products, YATO has provided customized solutions to each and every single customer in line with their operational fields so that it can help customers to find products best suiting their needs.

Be our distinguished guests and let YATO witness your success!

YATO TOOLS - Best Cost-Performance Tools from Europe



ISO9001

华标认证
诚信致远

CSEC 华标认证

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No. : 22823Q15846R1M
Unified social credit code : 913100006778186997

We hereby certify that the Organization :

YATO tools (Shanghai) Co. , Ltd.

Is in conformity with Quality Management System Standard :

GB/T 19001-2016/ISO 9001:2015

The Certificate is valid to the following product(s)/service :Sales of electric tools, hand tools and pneumatic tools

Registered address : There are 8 and 9 factory buildings in No. 1300 Kangqiao East Road, Kangqiao, Pudong New Area, Shanghai

Audit address : Unit 101, Level 2, Level 3, Block 9, No. 1300 Kangqiao Road East, Kangqiao, Pudong New Area, Shanghai

Date of Issue :11 Aug.2023
Date of Expiry :10 Aug.2026
Date of Conversion :07 Aug.2024

This certificate will not remain valid only if the certified organization accepts at least one surveillance audit annually within the 3 years validity period of the certificate and used with the annual surveillance audit report and within the effective administrative licensing.

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

CNAS

中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C228-M

The effectiveness of the Certificate is subject to QR code on the left.
You can search the CNCA website:www.cnca.gov.cn
China Standards Excellent Certification (Beijing)Co.,Ltd. Website:www.hbrzchina.com

CHINA STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD.(CSEC)
F 25,Building 3,No.19 Yard,BeiYuan East Road,Chaoyang District,Beijing(100012)

ISO14001

华标认证
诚信致远

ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFICATE

Certificate No. : 22823E13206R1M

Unified social credit code : 913100006778186997

We hereby certify that the Organization :

YATO tools (Shanghai) Co. , Ltd.

Is in conformity with Environmental Management System Standard :

GB/T 24001-2016/ISO 14001:2015

The Certificate is valid to the following product(s)/service : Environmental management activities related to sales of electric tools, hand tools and pneumatic tools

Registered address: There are 8 and 9 factory buildings in No. 1300 Kangqiao East Road, Kangqiao, Pudong New Area, Shanghai

Audit address : Unit 101, Level 2, Level 3, Block 9, No. 1300 Kangqiao Road East, Kangqiao, Pudong New Area, Shanghai

Date of Issue :11 Aug.2023

Date of Expiry :10 Aug.2026

Date of Conversion :07 Aug.2024

This certificate will not remain valid only if the certified organization accepts at least one surveillance audit annually within the 3 years validity period of the certificate and used with the annual surveillance audit report and within the effective administrative licensing.

中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C228-M

The effectiveness of the Certificate is subject to QR code on the left.
You can search the CNCA website:www.cnca.gov.cn
China Standards Excellent Certification (Beijing)Co.,Ltd. Website:www.hbrzchina.com

CHINA STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD.(CSEC)

F 25,Building 3,No.19 Yard,BeiYuan East Road,Chaoyang District,Beijing(100012)

ISO45001

华标认证
诚信致远

OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEM CERTIFICATE

Certificate No. : 22823S12900R1M

Unified social credit code : 913100006778186997

We hereby certify that the Organization :

YATO tools (Shanghai) Co. , Ltd.

Is in conformity with Occupation Health and Safety Management System Standard:

GB/T 45001-2020/ISO 45001：2018

The Certificate is valid to the following product(s)/service : Occupational health and safety management activities related to sales of electric tools hand tools and pneumatic tools

Registered address : There are 8 and 9 factory buildings in No. 1300 Kangqiao East Road, Kangqiao, Pudong New Area, Shanghai

Audit address :Unit 101, Level 2, Level 3, Block 9, No. 1300 Kangqiao Road East, Kangqiao, Pudong New Area, Shanghai

Date of Issue :11 Aug.2023

Date of Expiry :10 Aug.2026

Date of Conversion :07 Aug.2024

This certificate will not remain valid only if the certified organization accepts at least one surveillance audit annually within the 3 years validity period of the certificate and used with the annual surveillance audit report and within the effective administrative licensing.

中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C228-M

The effectiveness of the Certificate is subject to QR code on the left.
You can search the CNCA website:www.cnca.gov.cn
China Standards Excellent Certification (Beijing)Co.,Ltd. Website:www.hbrzchina.com

CHINA STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD.(CSEC)
F 25,Building 3,No.19 Yard,BeiYuan East Road,Chaoyang District,Beijing(100012)

ISO9001

华标认证
诚信致远

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No. : 22824Q16565R1M
Unified social credit code : 91330424MA2CXUGF8N

We hereby certify that the Organization :

YATO TOOLS (JIAXING) CO., LTD.

Is in conformity with Quality Management System Standard :

GB/T 19001-2016/ISO 9001:2015

The Certificate is valid to the following product(s)/service :Manufaturing(outsourcing) of hand tools (sockets, tool cabinets, tool boxes) and sales of hand tools, power tools, and pneumatic tools

Registered address : No. 1033, Baibu Section, Salt Lake Highway, Baibu Town, Haiyan County, Jiaxing City, Zhejiang Province
Audit address : No. 1033, Baibu Section, Salt Lake Highway, Baibu Town, Haiyan County, Jiaxing City, Zhejiang Province； No.1 Nanmachang Avenue, Huai'an Economic and Technological Development Zone, Huai'an District, Huai'an City, Jiangsu Province

Date of Issue :16 May.2024
Date of Expiry :15 May.2027
Date of Initial Issue :24 May.2021

This certificate will not remain valid only if the certified organization accepts at least one surveillance audit annually within the 3 years validity period of the certificate and used with the annual surveillance audit report and within the effective administrative licensing.

中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C228-M

The effectiveness of the Certificate is subject to QR code on the left.
You can search the CNCA website:www.cnca.gov.cn
China Standards Excellent Certification (Beijing)Co.,Ltd. Website:www.hbrzchina.com

CHINA STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD.(CSEC)
F 25,Building 3,No.19 Yard,BeiYuan East Road,Chaoyang District,Beijing(100012)

1	SPANNERS 	1-22
2	SOCKETS, ACCESSORIES & SETS 	23-40
3	SOCKETS SETS & TOOLS SET 	41-64
4	IMPACT SOCKETS, ACCESSORIES & SETS 	65-74
5	TORQUE WRENCHES & TORQUE MULTIPLIERS 	75-84
6	SCREWDRIVERS & SCREWDRIVER BITS 	85-108
7	HEX & TORX KEY & SETS 	109-122
8	VDE TOOLS 	123-140
9	PLIERS 	141-154
10	ELECTRICIAN TOOLS 	155-174
11	HAMMERS, CHISELS, PUNCHES & AXES 	175-186
12	CLAMPS, VICES & HOLDERS 	187-192
13	TAP, DIE 	193-218
14	CUTTING TOOLS 	219-238
15	GRINDING TOOLS 	239-262

16 CONSTRUCTION TOOLS 263-282



17 PLUMBING TOOLS 283-294



18 FASTENING TOOLS 295-302



19 MEASURING TOOLS 303-320



20 PNEUMATIC TOOLS 321-334



21 TOOL BOX & CABINETS 335-384



22 SPECIAL AUTOMOTIVE TOOLS & EQUIPMENT 385-472



23 ACCESSORIES 473-478



24 HEALTH & SAFETY ARTICLES 479-502



25 GARDEN TOOLS 503-524



26 POWER TOOLS,GASOLINE & AGRICULTURAL EQUIPMENT 525-616



27 ELECTRIC PRODUCTS 617-632



28 NON-SPARKING TOOLS 633-648




14
14

Combination spanner

DIN 3113 | AS-DRIVE | CrV





- *Application: workshop*
- *Head offset: 15°*
- *Surface finish: chromed, satin*



YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-03349	5.5	110	14.8	10.5	3.7	4.9	10/300/600
YT-0335	6	110	14.8	10.5	3.7	4.9	10/300/600
YT-0336	7	120	16.1	11.3	4.0	5.3	10/300/600
YT-0337	8	130	18.5	12.9	4.2	5.0	10/180/360
YT-0338	9	140	20.5	14.6	4.2	5.0	10/180/360
YT-0339	10	150	22.2	16.2	4.9	6.4	10/180/360
YT-0340	11	160	25.5	17.3	4.9	7.0	10/180/360
YT-0341	12	170	26.7	18.7	5.3	7.6	10/120/240
YT-0342	13	180	28.0	19.6	5.5	8.2	10/120/240
YT-0343	14	190	30.3	21.4	5.9	7.7	10/50/100
YT-0344	15	200	32.8	22.8	6.2	8.5	10/50/100
YT-0345	16	210	33.9	23.7	6.1	9.1	10/50/100
YT-0346	17	220	35.9	24.7	6.5	9.1	10/50/100
YT-0347	18	230	37.8	26.9	6.9	10.0	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-0348	19	235	38.9	27.7	7.0	10.1	10/50/100
YT-0349	20	250	41.4	29.2	7.3	11.0	10/40/80
YT-0350	21	260	43.4	31.0	7.1	10.9	10/40/80
YT-0351	22	270	45.9	32.2	8.1	11.2	5/20/40
YT-0352	23	280	47.8	34.3	7.8	11.1	5/20/40
YT-0353	24	290	49.9	34.8	9.2	11.2	5/20/40
YT-0354	25	300	51.2	36.6	9.2	12.4	5/20/40
YT-0355	26	310	53.2	37.4	9.2	12.9	5/20/40
YT-0356	27	320	55.9	39.3	9.3	12.7	5/15/30
YT-0357	28	330	56.5	40.9	9.9	13.5	5/15/30
YT-0358	29	340	60.0	42.4	10.0	13.6	5/15/30
YT-0359	30	350	60.9	43.8	10.0	14.7	5/10/20
YT-0360	32	370	64.5	46.6	11.3	14.9	5/10/20

Combination spanner

AS-DRIVE





- *Application: workshop*
- *Head offset: 15°*
- *Surface finish: chromed, satin*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-00760	34	425	65.2	51.0	13.0	16.0	25/50
YT-00761	36	460	73.0	57.0	14.0	17.5	25/50
YT-00762	38	460	73.0	57.0	14.0	17.5	25/50
YT-00763	41	500	83.0	61.5	15.0	19.0	25/50

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-00764	46	540	88.3	69.0	16.5	21.0	5/10
YT-00765	48	570	92.0	72.0	16.5	22.0	5/10
YT-00766	50	598	96.0	74.0	18.0	23.5	2/8

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-00767	55	620	105.6	82.4	19.0	25.0	2/6
YT-00768	60	660	115.2	89.8	21.0	27.0	2/6
YT-00769	65	680	124.8	97.3	23.0	29.0	2/4

Combination spanner set

6 PCS | DIN 3113 | CrV | AS-DRIVE



8,10,12,13,14,15 mm

YATO	
YT-03605	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



8,10,12,13,14,17,19 mm

YATO	
YT-03608	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



8,10,12,14,17,19,22 mm

YATO	
YT-03610	6

Combination spanner set

8 PCS | DIN 3113 | AS-DRIVE | CrV



8, 10, 12, 13, 14, 15, 17, 19 mm

YATO	
YT-03611	6

Combination spanner set

10 PCS | DIN 3113 | AS-DRIVE | CrV



10, 11, 12, 13, 14, 15,16,17,18,19 mm

YATO	
YT-03615	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



10, 11, 12, 13, 14, 17, 19 mm

YATO	
YT-49125	6

Combination spanner set

9 PCS | DIN 3113 | AS-DRIVE | CrV



8, 10, 11, 12, 13, 14, 15, 17, 19 mm

YATO	
YT-03612	6

Combination spanner set

11 PCS | DIN 3113 | AS-DRIVE | CrV



8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm

YATO	
YT-03616	6

Combination spanner set

12 PCS | DIN 3113 | CrV | AS-DRIVE



8, 9, 10, 11, 12, 13,14,15,17, 19, 22, 24 mm

YATO	
YT-0362	6

Combination spanner set

10 PCS | DIN 3113 | AS-DRIVE | CrV



6, 8, 10, 11, 12, 13, 14, 15, 16, 17 mm

YATO	
YT-03613	6

Combination spanner set

13 PCS | DIN 3113 | AS-DRIVE | CrV



8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm

YATO	
YT-03617	6

Combination spanner set

12 PCS | DIN 3113 | CrV | AS-DRIVE



8, 9, 10, 11, 12, 13,14,15,16,17, 18,19 mm

YATO	
YT-03621	6

Combination spanner set

10 PCS | DIN 3113 | AS-DRIVE | CrV



8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm

YATO	
YT-03614	6

Combination spanner set

14 PCS | DIN 3113 | AS-DRIVE | CrV



8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm

YATO	
YT-03618	6

Combination spanner set

17 PCS | DIN 3113 | CrV | AS-DRIVE



8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32 mm

YATO	
YT-0363	3

Combination spanner set

25 PCS | DIN 3113 | CrV | AS-DRIVE



6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32 mm

YATO	
YT-0365	3

Combination spanner set

23 PCS | DIN 3113 | CrV | AS-DRIVE



6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 23, 24, 25, 27, 29, 30, 32 mm

YATO	
YT-03651	6

Combination spanner set

26 PCS | DIN 3113 | CrV | AS-DRIVE



6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

YATO	
YT-03652	6

Combination spanner

DIN 3113 | CrV | AS-DRIVE | SAE





- *Application: workshop*
- *Head offset: 15°*
- *Surface finish: chromed, satin / mirror*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4870	1/4"	110	13.9	10.7	4.0	4.9	10/300/600
YT-4871	5/16"	130	17.6	12.8	4.6	5.7	10/180/360
YT-4872	3/8"	150	21.5	15.5	4.8	6.1	10/180/360
YT-4873	7/16"	160	23.8	17.0	5.1	6.7	10/180/360
YT-4874	1/2"	180	27.6	19.9	5.6	8.0	10/120/240
YT-4875	9/16"	190	29.6	21.6	6.1	8.1	10/120/240
YT-4876	5/8"	210	33.6	23.9	6.3	9.2	10/50/100
YT-4877	11/16"	230	37.8	26.3	6.7	10.8	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4878	3/4"	240	40.1	27.9	7.2	10.6	10/50/100
YT-4879	13/16"	260	43.2	31.1	7.6	10.8	10/40/80
YT-4880	7/8"	270	46.5	32.9	8.4	11.6	5/20/40
YT-4881	15/16"	290	50.2	34.9	8.7	12.0	5/20/40
YT-4882	1"	300	51.9	36.2	8.8	12.7	5/20/40
YT-4883	1-1/16"	320	56.0	38.9	9.3	13.6	5/15/30
YT-4884	1-1/8"	340	59.7	42.2	9.8	14.2	5/15/30
YT-4885	1-1/4"	370	65.5	46.2	10.9	15.6	5/10/20

Combination spanner set

9 PCS | DIN 3113 | CrV | AS-DRIVE | SAE



1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

YATO	
YT-48861	6

Combination spanner set

14 PCS | DIN 3113 | CrV | AS-DRIVE | SAE



3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"1-1/16", 1-1/8", 1-1/4"

YATO	
YT-48862	6

Combination spanner set

11 PCS | CrV | DIN 3113 | AS-DRIVE | SAE



1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8"

YATO	
YT-48851	10

Combination spanner set

16 PCS | CrV | DIN 3113 | AS-DRIVE | SAE



1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8", 15/16",1",1-1/16",1-1/8",1-1/4"

YATO	
YT-48852	3

Combination spanner set

14 PCS



10,12,13,14,15,17,18,19,21,22,24,27,30,32 mm

YATO	
YT-01865	4

Stubby ratchet combination spanner set

8 PCS | 70T | CrV | HRC 42-46 | AS-DRIVE



YATO	[mm]	
YT-49123	10, 11, 12, 13, 14, 15, 17, 19	20

Combination spanner

AS-DRIVE





- *Surface: Mirror polished*
- *X-shaped design:the contact surface with the wrench is increased by 5 times*
- *More suitable for use in small spaces, labor-saving and durable*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01851	10	165	20.6	15.7	5.9	7.1	100/200
YT-01852	12	204	25.6	20.2	7.0	8.0	40/120
YT-01853	13	204	25.5	20.0	6.8	8.2	40/120
YT-01854	14	216	28.4	21.4	7.2	8.4	40/120
YT-01855	15	230	30.9	25.1	7.4	9.4	40/120
YT-01856	17	244	34.5	26.8	7.7	10.0	40/80
YT-01857	18	245	34.6	27.9	8.0	9.5	40/80

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01858	19	259	38.4	28.9	8.0	9.9	40/80
YT-01859	21	283	40.9	32.7	8.5	10.6	20/80
YT-01860	22	305	44.4	35.1	9.8	12.0	20/80
YT-01861	24	329	48.7	36.2	9.5	11.6	20/40
YT-01862	27	359	54.5	40.4	11.0	12.3	20/40
YT-01863	30	398	57.2	44.4	12.5	14.0	10/20
YT-01864	32	435	62.9	47.6	14.0	15.5	10/20

Combination spanner

AS-DRIVE



- *Application: workshop*
- *Head offset: 15°*
- *Surface finish: chromed, satin / mirror*

YATO	[mm]	
YT-00780	6	600
YT-00781	7	600
YT-00782	8	360
YT-00783	9	360
YT-00784	10	360
YT-00785	11	360
YT-00786	12	240

YATO	[mm]	
YT-00787	13	240
YT-00788	14	100
YT-00789	15	100
YT-00790	16	100
YT-00791	17	100
YT-00792	18	100
YT-00793	19	100

YATO	[mm]	
YT-00794	20	80
YT-00795	21	80
YT-00796	22	40
YT-00797	24	40
YT-00798	27	30
YT-00799	30	30
YT-00800	32	20

Combination ratchet wrench

72T | CrV 50BV30





- *X-shaped design:the contact surface with the wrench is increased by 5 times*
- *More suitable for use in small spaces, labor-saving and durable*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01870	8	153	20.0	21.2	5.0	8.2	25/200
YT-01871	9	160	20.1	22.5	5.3	8.0	25/200
YT-01872	10	167	24.8	24.9	6.3	9.0	25/200
YT-01873	11	172	25.1	25.7	6.0	9.0	25/200
YT-01874	12	177	27.7	27.1	6.5	9.5	25/150
YT-01875	13	182	29.5	28.3	7.1	9.5	25/150

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01876	14	192	32.3	31.5	7.7	9.6	25/100
YT-01878	16	228	38.9	35.6	8.2	10.6	20/80
YT-01879	17	228	38.7	35.3	8.0	10.7	20/80
YT-01880	18	240	40.8	35.9	9.0	10.8	20/60
YT-01881	19	239	39.6	36.2	8.6	11.0	20/60

Stubby combination spanner

CrV AS-DRIVE





- *Application: workshop*
- *Head offset: 15°*
- *Surface finish: chromed*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4901	8	91	19.2	13.9	5.0	6.3	10/120/240
YT-4902	9	97	21.7	16.4	5.4	6.4	10/120/240
YT-4903	10	97	21.9	16.6	5.2	6.4	10/120/240
YT-4904	11	100	23.2	18.3	5.9	7.2	10/120/240
YT-4905	12	108	27.4	20.2	6.4	7.6	10/120/240
YT-4906	13	109	27.9	20.7	6.7	7.7	10/120/240
YT-4907	14	115	29.3	22.1	6.1	8.3	10/60/120
YT-4908	15	120	31.2	24.0	6.8	9.6	10/60/120
YT-4909	16	121	32.0	24.3	6.8	9.6	10/60/120
YT-4910	17	128	36.6	27.1	7.4	9.9	10/60/120
YT-4911	18	127	36.2	26.8	7.4	9.9	10/60/120
YT-4912	19	135	39.2	29.5	8.8	10.8	10/60/120

Combination ratchet wrench

72T

CrV 6140 AS-DRIVE







- *Professional quick-release dual-purpose ratchet wrench*
- *CrV Forging, durable and wear-resistance*
- *Mirror polished surface, beautiful and anti-rust, comfortable to hold*
- *72-Teeth ratchet design, 5 degrees each turn, more labor saving*
- *Suit for 6 different shape screws*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01906	6	120	14.7	18.0	4.0	6.5	10/50/100
YT-01907	7	130	16.2	18.0	4.3	7.0	10/50/100
YT-01908	8	141	17.6	18.2	4.8	7.2	10/50/100
YT-01909	9	151	19.4	20.4	4.8	7.4	10/50/100
YT-0191	10	160	22.1	22.2	6.0	7.8	10/50/100
YT-0192	11	165	24.7	24.2	6.6	8.5	10/50/100
YT-0193	12	170	26.4	25.5	6.7	8.9	10/50/100
YT-0194	13	180	27.5	26.7	6.6	9.2	10/50/100
YT-0195	14	190	30.8	29.0	7.4	9.4	10/50/100
YT-0196	15	200	32.9	30.8	7.7	10.1	10/50/100
YT-0197	16	210	34.3	31.5	7.8	10.3	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-0198	17	225	36.8	33.6	8.4	10.6	10/50/100
YT-0199	18	235	39.2	35.6	9.1	10.8	10/50/100
YT-0200	19	245	40.1	37.3	9.5	11.3	10/50/100
YT-0189	21	290	45.2	43.0	9.9	13.3	6/30/60
YT-0201	22	290	45.6	44.2	10.5	13.4	6/24/48
YT-0202	24	335	52.8	50.0	11.3	14.5	0/48
YT-0203	25	335	52.0	47.4	10.2	14.3	6/30
YT-0204	27	355	55.6	52.7	10.9	15.7	6/30
YT-0205	30	400	62.5	57.7	12.2	17.1	6/6/24
YT-0206	32	420	65.0	61.7	13.2	17.9	6/24

Combination ratchet wrench set

7 PCS | 72T | CrV 6140 | AS-DRIVE



10,12,13,14,15,17,19 mm

YATO	
YT-0208	10/20

Combination ratchet wrench set

7 PCS | CrV | 72T | AS-DRIVE



8,10,12,13,14,15,18 mm

YATO	
YT-02066	6

Combination ratchet wrench set

8 PCS | CrV | 72T | AS-DRIVE



8,10,12,13,14,15,17,19 mm

YATO	
YT-02068	6

Combination ratchet wrench set

5 PCS | CrV | 72T | AS-DRIVE



8,10,12,13,14 mm

YATO	
YT-02063	6

Combination ratchet wrench set

7 PCS | CrV | 72T | AS-DRIVE



10,11,12,13,14,15,17mm

YATO	
YT-02067	6

Combination ratchet wrench set

12 PCS | CrV | 72T | AS-DRIVE



8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO	
YT-02069	6

Combination ratchet wrench set

5 PCS | CrV | 72T | AS-DRIVE



10,12,13,14,15 mm

YATO	
YT-02064	6

Double ratchet spanner

72T | CrV 6140





- *Mininum operation angle:5°*
- *72 teeth ratchet*
- *Surface finish: chromed, mirror*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-5030	8x9	125	18.4	20.2	7.2	7.5	5/100/200
YT-50305	8x10	130	18.3	21.5	7.2	7.8	5/100/200
YT-5031	10x11	150	21.9	23.9	8.0	8.5	5/100/200
YT-5032	12x13	170	25.4	26.5	8.9	9.0	5/100/200
YT-5033	14x15	190	27.7	29.6	9.5	9.8	5/50/100
YT-5034	16x18	210	31.2	34.8	10.0	10.8	5/50/100
YT-5035	17x19	235	32.5	35.7	10.5	11.8	5/50/100

Combination ratchet wrench set

6 PCS | CrV | 72T | AS-DRIVE



8,10,12,13,14,17 mm

YATO	
YT-02065	6

Double ratchet spanner set

6 PCS | 72T | CrV 6140



8x9,10x11,12x13,14x15,16x18,17x19 mm

YATO	
YT-50356	6

Double ratchet spanner set

5 PCS | 72T | CrV 6140



8x9, 10x11, 12x13, 14x15, 17x19 mm

YATO	
YT-5038	10/30

Combination ratchet wrench

72T CrV





- *Application: service*
- *Minimum operation angle: 5°*
- *Surface finish: chromed, satin*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1651	8	140	17.5	19.0	6.0	7.2	10/50/100
YT-1652	9	150	19.8	20.7	6.4	7.5	10/50/100
YT-1653	10	160	22.1	23.1	6.4	7.9	10/50/100
YT-1654	11	165	23.9	25.0	6.6	8.4	10/50/100
YT-1655	12	170	27.1	26.0	6.5	8.9	10/50/100
YT-1656	13	180	27.9	27.6	7.1	9.1	10/50/100
YT-1657	14	190	31.6	28.3	7.3	9.5	10/50/100
YT-1658	15	200	32.8	31.4	8.1	9.8	10/50/100
YT-1659	16	210	33.9	32.9	8.4	10.3	10/50/100
YT-1660	17	225	38.0	34.5	8.7	10.5	10/50/100
YT-1661	18	235	39.8	36.9	9.3	10.7	10/50/100
YT-1662	19	245	41.8	38.3	9.5	11.3	10/50/100
YT-1663	20	245	41.9	38.1	9.7	11.4	6/30/60
YT-1664	21	290	44.9	43.0	9.8	13.6	6/30/60
YT-1665	22	290	44.8	43.8	10.0	13.6	6/30/60
YT-1666	23	290	44.9	43.3	10.3	13.7	6/24/48
YT-1667	24	330	52.0	49.4	10.2	14.5	6/24/48
YT-1668	25	330	53.0	49.6	10.6	14.7	6/24/48
YT-1669	26	360	56.3	53.6	12.1	15.7	6/30
YT-1670	27	360	55.6	52.9	12.2	16.1	6/30
YT-1671	28	360	56.1	53.6	12.6	16.0	6/24
YT-1672	30	400	62.1	58.0	11.9	17.2	6/24
YT-1673	32	420	64.1	62.0	12.9	17.7	6/24

Combination ratchet wrench set

6 PCS CrV 72T AS-DRIVE





8,10,12,13,14,16 mm

YATO	
YT-16733	6

Combination ratchet wrench set

8 PCS CrV 72T AS-DRIVE





8,10,12,13,14,15,17,19 mm

YATO	
YT-16735	6

Combination ratchet wrench set

12 PCS CrV 72T AS-DRIVE





8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO	
YT-16737	6

Combination ratchet wrench set

8 PCS CrV 72T AS-DRIVE



10,11,12,13,14,15,17,19mm

YATO	Size [mm]	
YT-3908	265x160x60	8

Combination ratchet wrench set

8 PCS CrV 72T AS-DRIVE



10,11,12,13,14,15,17,19 mm

YATO	Size [mm]	
YT-3909	265x160x60	8

Combination ratchet wrench set

12 PCS 72T HRC 42-49 CrV AS-DRIVE



YATO	[mm]	
YT-16505	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	10

Flexible ratchet combination wrench

72T CrV





- *Application: service*
- *Minimum operation angle: 5°*
- *Surface finish: chromed, satin*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1674	8	140	18.0	19.6	6.3	7.3	10/50/100
YT-1675	9	145	19.7	21.1	4.7	7.6	10/50/100
YT-1676	10	160	22.8	23.2	6.3	7.8	10/50/100
YT-1677	11	160	24.0	24.7	5.4	8.5	10/50/100
YT-1678	12	170	26.4	26.7	6.8	8.8	10/50/100
YT-1679	13	180	28.4	27.3	7.2	9.1	10/50/100
YT-1680	14	185	29.5	28.7	6.8	9.4	10/50/100
YT-1681	15	195	32.9	30.8	7.2	9.8	10/50/100
YT-1682	16	210	34.4	33.3	7.6	10.3	10/50/100

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1683	17	230	36.7	35.7	8.3	10.5	10/50/100
YT-1684	18	235	39.0	35.9	8.0	10.8	10/50/100
YT-1685	19	245	40.8	37.6	9.5	11.2	10/50/100
YT-1686	20	245	40.9	38.2	8.8	11.1	6/30/60
YT-1687	21	290	45.0	42.8	9.8	13.6	6/30/60
YT-1688	22	290	45.2	42.7	9.8	13.5	6/30/60
YT-1689	23	290	45.3	42.8	9.6	13.6	6/30/60
YT-1690	24	330	51.3	48.7	10.4	14.5	6/24/48

Ratchet combination wrench set

6 PCS CrV 72T AS-DRIVE



8,10,12,13,14,17 mm

YATO	
YT-16965	6

Ratchet combination wrench set

7 PCS CrV 72T AS-DRIVE



10,12,13,14,15,17,19 mm

YATO	
YT-16966	6

Ratchet combination wrench set

8 PCS CrV 72T AS-DRIVE



8,10,12,13,14,15,17,19 mm

YATO	
YT-16967	6

Ratchet combination wrench set

12 PCS CrV 72T AS-DRIVE



8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO	
YT-16968	6

Flexible ratchet combination wrench set

12 PCS 72T HRC 42-49 CrV AS-DRIVE



YATO	⬡ [mm]	
YT-16973	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	10

Double open end spanner

DIN 3110 | CrV





YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-01320	36x41	321	82	70	12.2	12.2	5/20
YT-01321	41x46	371	92	82	13.2	13.2	5/15
YT-01322	46x50	403	102	92	13.8	13.8	5/15
YT-01323	50x55	443	112	102	15.2	15.2	5/10

Double open end spanner

DIN 3110 | CrV





- *Surface finish:*
- *Chromed, satin / mirror*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4800	5.5x7	120	14.3	16.6	4.0	4.0	10/300/600
YT-0367	6x7	120	15.1	16.8	3.5	3.6	10/360/720
YT-03671	7x9	140	18.7	20.8	3.7	3.6	10/180/360
YT-0368	8x9	140	18.7	20.8	3.7	3.6	10/180/360
YT-4801	8x10	140	18.1	20.6	4.5	4.5	10/150/300
YT-4802	9x11	155	22.2	24.8	4.8	4.8	10/150/300
YT-0369	10x11	155	22.4	25.5	4.6	4.6	10/150/300
YT-4803	10x12	155	22.7	25.4	4.9	5.0	10/150/300
YT-0332	10x13	170	22.5	29.3	4.6	5.3	10/150/300
YT-4804	11x13	170	25.3	28.2	5.2	5.2	10/80/160
YT-0370	12x13	170	27.1	29.3	4.9	5.3	10/80/160
YT-4805	12x14	170	26.7	29.4	5.3	5.0	10/80/160
YT-4806	13x15	185	31.2	33.4	6.0	5.9	10/80/160
YT-4807	13x16	185	31.0	33.3	6.0	5.8	10/80/160
YT-0333	13x17	180	29.3	37.5	5.3	6.3	10/50/100
YT-0371	14x15	180	31.0	33.0	5.3	5.4	10/80/160
YT-4808	14x17	190	28.9	37.0	5.7	5.7	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-0372	16x17	200	34.9	37.5	6.5	6.3	10/50/100
YT-4809	16x18	200	34.6	37.4	6.2	6.1	10/50/100
YT-0334	17x19	220	37.5	38.7	6.3	6.3	10/50/100
YT-0373	18x19	220	38.7	41.0	6.6	6.3	10/50/100
YT-4810	19x21	235	42.4	47.1	6.7	6.6	10/30/60
YT-4811	19x22	235	42.5	47.2	6.6	6.6	10/30/60
YT-0374	20x22	230	42.1	46.8	7.1	6.8	10/30/60
YT-0375	21x23	245	44.4	48.6	7.3	6.9	10/30/60
YT-4812	22x24	250	46.7	51.3	7.6	8.0	10/20/40
YT-4813	23x26	260	51.9	56.6	8.4	8.3	10/20/40
YT-0376	24x27	260	51.6	56.9	8.1	8.1	10/20/40
YT-0377	25x28	270	52.3	57.9	8.4	8.3	10/20/40
YT-4814	27x30	280	56.9	63.2	8.6	9.0	10/15/30
YT-0378	30x32	295	61.4	65.1	8.0	8.6	10/15/30
YT-4815	30x34	285	64.2	68.9	11.4	11.0	10/15/30
YT-4816	32x34	285	63.7	68.6	11.3	11.0	10/10
YT-4817	34x36	280	63.8	68.6	11.3	11.1	10/10

Double open end spanner set

6 PCS | CrV | DIN 3110



6x7, 8x10, 11x13, 12x14, 17x19, 21x23 mm

YATO	
YT-48180	6

Double open end spanner set

8 PCS | CrV | DIN 3110



5.5x7, 8x10, 10x12, 12x14, 14x17, 17x19, 19x22,22x24 mm

YATO	
YT-48181	6

Double open end spanner set

10 PCS | CrV | DIN 3110



5.5x7, 8x10, 9x11, 10x12, 12x14, 14x17, 17x19,19x22,24x27,30x32 mm

YATO	
YT-48182	6

Double open end spanner set

10 PCS | CrV | DIN 3110



6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm

YATO	
YT-0380	6

Double open end spanner set

12 PCS | CrV | DIN 3110



6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19,20x22, 21x23, 24x27, 25x28, 30x32 mm

YATO	
YT-0381	8

Double open end spanner set

13 PCS | CrV | DIN 3110



6x7, 8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21,21x23,22x24,23x26,24x27,30x32 mm

YATO	
YT-48183	6

Double open end spanner

DIN 3110 | CrV | SAE





- *Surface finish:*
- *Chromed, satin / mirror*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4830	1/4" x 5/16"	120	14.8	17.2	3.9	3.9	10/150/300
YT-4831	3/8" x 7/16"	155	22.0	25.1	4.8	4.8	10/150/300
YT-4832	1/2" x 9/16"	185	31.2	33.4	5.8	5.8	10/80/160
YT-4833	5/8" x 11/16"	200	34.6	37.2	6.0	6.1	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4834	11/16" x 3/4"	220	38.7	41.2	7.0	7.0	10/50/100
YT-4835	13/16" x 7/8"	235	42.7	47.0	7.0	7.0	10/20/40
YT-4836	15/16" x 1"	260	51.5	56.5	8.3	8.4	5/10
YT-4837	1-1/8"x1-1/4"	295	62.6	66.2	8.6	8.7	5/10

Double open end spanner set

16 PCS | CrV | DIN 3110



6x7, 8x9, 9x11, 10x13, 12x14, 13x17, 14x15, 16x18, 17x19, 19x22, 21x23, 23x26, 24x27, 25x28, 30x32, 34x36 mm

YATO	
YT-03813	1

Double open end spanner set

8 PCS | CrV | DIN 3110 | SAE



YATO	[mm]	L [mm]	
YT-48371	1/4" x 5/16"	120	1
	3/8" x 7/16"	155	
	1/2" x 9/16"	185	
	5/8" x 11/16"	200	

YATO	[mm]	L [mm]	
YT-48371	11/16" x 3/4"	220	1
	13/16" x 7/8"	235	
	15/16" x 1"	260	
	1-1/8" x 1-1/4"	295	

NON-SPARKING

Double open end spanner





- *Material:carbon steel*
- *Mirror chrome*

YATO	[mm]	
YT-00810	5.5x7	600
YT-00811	6X7	720
YT-00812	7X9	360
YT-00813	8x10	300
YT-00814	9x11	300
YT-00815	10x12	300
YT-00816	10X13	300
YT-00817	11x13	160
YT-00818	12x14	160

YATO	[mm]	
YT-00819	13x15	160
YT-00820	13x16	160
YT-00821	13X17	100
YT-00822	14X15	160
YT-00823	14x17	100
YT-00824	16x18	100
YT-00825	17X19	100
YT-00826	18X19	100
YT-00827	19x21	60

YATO	[mm]	
YT-00828	19x22	60
YT-00829	20X22	60
YT-00830	21X23	60
YT-00831	22x24	40
YT-00832	23x26	40
YT-00833	24X27	40
YT-00834	27x30	30
YT-00835	30X32	30
YT-00836	32x36	25

Bi-hexagonal ring spanner

AS-DRIVE



- *Material:carbon steel*
- *Surface: Mirror chrome*

YATO	[mm]	
YT-00850	5.5x7	600
YT-00851	8x10	300
YT-00852	9x11	300
YT-00853	10x12	300
YT-00854	11x13	160
YT-00855	12x14	160
YT-00856	13x15	160

YATO	[mm]	
YT-00857	13x16	160
YT-00858	14x17	100
YT-00859	16x18	100
YT-00860	17x19	60
YT-00861	19x21	60
YT-00862	19x22	60
YT-00863	21X23	40

YATO	[mm]	
YT-00864	22x24	40
YT-00865	23x26	40
YT-00866	24X27	40
YT-00867	27x30	30
YT-00868	30X32	30
YT-00869	34x36	20

Bi-hexagonal ring spanner

DIN 838 | CrV | AS-DRIVE







- *Application: industry*
- *Surface finish: chromed, satin / mirror*
- *Head offset: 75*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4840	5.5x7	165	11.1	12.4	5.4	4.9	10/300/600
YT-0383	6x7	165	11.0	12.7	5.4	5.5	10/200/400
YT-0384	8x9	185	13.9	15.5	6.8	7.2	10/100/200
YT-4841	8x10	180	13.6	15.3	6.1	6.4	10/150/300
YT-4842	9x11	200	16.4	17.8	7.7	7.4	10/150/300
YT-0385	10x11	200	16.3	17.6	6.8	7.2	10/100/200
YT-4843	10x12	195	16.6	18.1	7.0	7.7	10/150/300
YT-4844	11x13	215	19.3	20.8	8.4	8.6	10/80/160
YT-0386	12x13	220	19.6	21.5	7.2	7.7	10/60/120
YT-4845	12x14	215	19.4	21.3	7.6	8.1	10/80/160
YT-4846	13x15	230	22.0	23.6	8.5	9.4	10/80/160
YT-4847	13x16	225	21.9	23.8	8.9	8.8	10/80/160
YT-0387	14x15	230	23.6	21.9	8.9	9.1	10/50/100
YT-4848	14x17	240	21.4	25.4	8.5	9.3	10/50/100

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-0388	16x17	255	24.6	26.4	8.6	9.3	10/30/60
YT-4849	16x18	250	25.2	27.1	8.9	9.4	10/50/100
YT-4850	17x19	265	26.9	28.2	10.0	10.5	5/30/60
YT-0389	18x19	270	27.5	28.8	10.5	10.2	5/25/50
YT-4851	19x21	285	30.1	33.0	11.6	12.7	5/30/60
YT-0390	20x22	290	30.9	33.4	10.5	11.4	5/20/40
YT-0391	21x23	310	31.9	34.4	11.8	12.4	5/20/40
YT-4852	22x24	315	33.6	36.2	12.7	13.0	5/20/40
YT-4853	23x26	320	36.0	40.2	14.1	14.1	5/20/40
YT-0392	24x27	330	36.2	40.6	11.5	13.2	5/20/40
YT-0393	25x28	355	37.8	42.1	13.6	14.8	5/15/30
YT-4854	27x30	350	40.4	43.5	14.7	14.6	5/15/30
YT-0394	30x32	390	44.0	47.1	13.8	14.9	3/15/30

NON-SPARKING

Bi-hexagonal ring spanner

CARBON STEEL STAL WĘGLOWA | AS-DRIVE





- *Surface finish: chromed, satin*
- *Head offset 75°*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-02329	34x36	408	46	52	17.5	17.5	5/20
YT-02330	32x36	408	52	46	17.5	17.5	5/20
YT-02331	36x41	448	58	52	18	18	5/20

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-02332	41x46	483	65	58	18.5	18.5	5/15
YT-02333	46x50	495	71	65	19	19	5/10
YT-02334	50x55	538	78	71	19.5	19.5	5/10

Bi-hexagonal ring spanner

DIN 838 | CrV | AS-DRIVE





- *Application:industry*
- *Surface finish: chromed, satin / mirror*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-03950	6x7	165	11.0	12.7	5.4	5.5	10/400
YT-03951	8x9	185	13.9	15.5	6.8	7.2	10/200
YT-03952	10x11	200	16.3	17.6	6.8	7.2	10/200
YT-03953	12x13	220	19.6	21.5	7.2	7.7	10/120
YT-03954	14x15	230	23.6	21.9	8.9	9.1	10/100
YT-03955	16x17	255	24.6	26.4	8.6	9.3	10/60
YT-03956	18x19	270	27.5	28.8	10.5	10.2	5/50

Bi-hexagonal ring spanner

6 PCS | CrV | DIN 838 | AS-DRIVE



8x10, 11x13, 12x14, 17x19, 21x23, 22x24 mm

YATO	
YT-48184	6

Bi-hexagonal ring spanner

± 10 mm / 10 m | CrV | DIN 838 | AS-DRIVE



5.5x7,8x10, 9x11, 10x12,12x14, 14x17, 17x19, 19x21,24x27,30x32 mm

YATO	
YT-48186	6

Bi-hexagonal ring spanner

11 PCS | CrV | DIN 838 | AS-DRIVE



8x10,10x12,11x13,12x14,14x17, 17x19, 19x21,21x23, 22x24,23x26,24x27 mm

YATO	
YT-48187	6

NON-SPARKING

Bi-hexagonal ring spanner set

8 PCS | CrV | DIN 838 | AS-DRIVE



5.5x7,8x10, 9x11, 12x14, 14x17, 17x19, 19x21,24x27 mm

YATO	
YT-48185	6

Bi-hexagonal ring spanner set

11 PCS | CrV | DIN 838 | AS-DRIVE



6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,21x23, 24x27,30x32 mm

YATO	
YT-48188	6

Bi-hexagonal ring spanner set

8 PCS | CrV | DIN 838 | AS-DRIVE



6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

YATO	
YT-0396	6

Bi-hexagonal ring spanner

CrV | DIN 838 | AS-DRIVE | SAE





- *Application: industry*
- *Surface finish: chromed, satin / mirror*
- *Head offset: 75°*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-4860	3/8" x 7/16"	200	16.2	17.5	6.8	6.4	10/150/300
YT-4861	1/2" x 9/16"	235	21.8	23.3	8.4	8.3	10/80/160
YT-4862	11/16" x 3/4"	265	27.0	28.3	10.1	10.0	5/50/100
YT-4863	13/16" x 7/8"	280	30.5	33.3	11.1	11.9	10/20/40
YT-4864	7/8" x 15/16"	305	33.2	35.9	11.8	13.3	5/10
YT-4865	15/16" x 1"	325	35.8	40.0	13.6	13.7	5/10

Bi-hexagonal ring spanner set

6 PCS | CrV | DIN 838 | AS-DRIVE | SAE



YATO	[mm]	L [mm]	
YT-48651	3/8" x 7/16"	200	1
	1/2" x 9/16"	235	
	11/16" x 3/4"	265	
	13/16" x 7/8"	280	
	7/8" x 15/16"	305	
	15/16" x 1"	325	

Bi-hexagonal ring spanner set

12 PCS | CrV | DIN 838 | AS-DRIVE



6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

YATO	
YT-0398	4

Half-moon spanner

CrV 6140 | AS-DRIVE



- *Application: industry*
- *Excellent for work in tight spaces*
- *Used for dismantling of collector tubes, alternators and starters*
- *Surface finish: chromed, satin*

YATO	[mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-0170	10x12	145	16.8	19.2	6.8	6.8	10/60
YT-0171	11x13	170	18.5	21.2	8.4	8.6	10/60
YT-0172	14x15	195	22.8	25.8	9.2	9.9	10/60
YT-0173	16x17	220	26.2	28.6	9.9	10.5	10/60
YT-0175	19x22	260	28.7	32.9	10.4	10.9	10/60

Ring impact wrench

DROP FORGED KUTE | AS-DRIVE | CrV







- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Cold Forged*
- *Surface finish: black oxidised*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3500	75	326	113	62	33.0	18.0	1/10
YT-3501	80	350	124	65	34.0	19.0	1/8
YT-3502	85	355	130	68	36.0	20.0	1/7
YT-3503	90	390	142	72	39.0	23.0	1/5
YT-3504	95	390	142	72	39.0	23.0	1/4
YT-3505	100	420	155	78	43.0	25.0	2

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3506	105	420	155	78	43.0	25.0	1/5
YT-3507	110	450	168	85	45.0	28.0	1/4
YT-3508	115	450	168	85	45.0	28.0	1/4
YT-3509	120	480	182	90	50.0	30.0	1/3
YT-3510	125	480	182	90	50.0	30.0	1/3
YT-3511	130	520	200	95	57.0	31.0	1/2

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3512	135	520	200	95	57.0	31.0	1/2
YT-3513	140	520	220	95	57.0	31.0	1/2
YT-3514	145	565	220	104	58.0	32.0	1/2
YT-3515	150	565	220	104	58.0	32.0	1/2
YT-3516	155	565	220	104	58.0	32.0	1/2
YT-3517	160	585	240	113	58.0	33.0	1

Ring impact wrench

DROP FORGED KUTE | AS-DRIVE | CrV





- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Cold Forged*
- *Surface finish: black oxidised*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1601	24	160	41	31	15.0	10.0	5/25
YT-1602	27	185	47	33	15.0	12.0	5/25
YT-1603	30	190	51	35	16.5	14.0	5/25
YT-1604	32	195	54	37	16.5	15.0	5/25
YT-1605	36	210	60	39	20.0	17.0	5/10

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1606	38	210	60	39	20.0	17.0	5/10
YT-1607	41	225	66	42	20.0	18.0	5/10
YT-1608	46	240	74	44	22.0	19.0	1/10
YT-1609	50	250	80	45	23.0	20.0	5/10
YT-1610	55	270	86	55	25.0	22.0	5/10

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1611	58	270	86	55	25.0	22.0	5
YT-1612	60	270	92	60	25.0	23.0	5
YT-1613	65	290	100	65	30.0	24.0	5
YT-1614	70	310	108	70	32.0	25.0	5

Ring impact wrench

DROP FORGED KUTE | CrV





- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Cold Forged*
- *Surface finish: black oxidised*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-16148	22	163	45	20	7	14	5/50
YT-16149	24	176	51	24	9	14	5/50
YT-1615	27	180	55	33	15	12	5/25
YT-1616	30	187	63	35	17	14	5/25

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1617	32	195	67	37	18	15	5/25
YT-1617S	34	208	70	35	18	11	5/25
YT-1618	36	210	77	39	18	17	5/10
YT-16181	38	208	72	35	18	11	5/20

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-1619	41	225	89	42	20	18	5/10
YT-1620	46	255	98	44	20	19	5/10
YT-1621	50	280	107	45	22	20	5/10
YT-1622	55	310	118	55	25	22	5

Ring impact wrench

CrV | AS-DRIVE | SAE | DROP FORGED KUTE





- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Drop forged*
- *Surface finish: black oxidised*

YATO	Size [mm]	L [mm]	
YT-15982	1-7/16"	205	25
YT-15983	1-1/2"	205	10

YATO	Size [mm]	L [mm]	
YT-15984	1-5/8"	230	10

YATO	Size [mm]	L [mm]	
YT-15985	2"	255	10

Single end wrench

CrV | DROP FORGED KUTE





- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Drop forged*
- *Surface fi nish: black oxidised*

YATO	Size [mm]	L [mm]	
YT-49131	17	170	400
YT-49132	19	170	150
YT-49133	21	213	150
YT-49134	22	213	100
YT-49135	24	213	100
YT-49136	27	235	50
YT-49137	30	265	50

YATO	Size [mm]	L [mm]	
YT-49138	32	265	50
YT-49139	34	265	40
YT-49140	36	300	40
YT-49141	38	300	40
YT-49142	41	332	20
YT-49143	46	360	20

YATO	Size [mm]	L [mm]	
YT-49144	50	385	20
YT-49145	55	385	20
YT-49146	60	440	10
YT-49147	65	440	10
YT-49148	70	465	5
YT-49150	80	490	5

Open end impact wrench

CrV | DROP FORGED KUTE





- *Application: industry*
- *12 point profile*
- *AS-DRIVE system*
- *Drop forged*
- *Surface finish: black oxidised*

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3518	60	315	128	52.0	23.5	15	1/5
YT-3519	65	335	141	59.0	27.5	16	1/8
YT-3520	70	370	156	61.5	28.5	17	1/6
YT-3521	75	375	162	65.0	29.0	18	1/6
YT-3522	80	400	174	72.0	32.0	19	1/5
YT-3523	85	400	174	72.0	32.0	19	1/5

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3524	90	445	194	80.0	36.0	20	1/4
YT-3525	95	445	194	80.0	36.0	20	1/4
YT-3527	105	485	228	86.0	43.0	23	1/3
YT-3529	115	513	238	95.0	45.0	25	1/2
YT-3530	120	530	253	98.0	51.0	27	1/2
YT-3531	125	530	253	98.0	51.0	27	1/2

YATO	⬡ [mm]	L [mm]	B [mm]	D [mm]	S1 [mm]	S2 [mm]	
YT-3532	130	560	268	105.0	53.0	29	1/2
YT-3533	135	560	268	105.0	53.0	29	1/2
YT-3534	140	630	290	120.0	56.0	32	1
YT-3535	145	630	290	120.0	56.0	32	1
YT-3536	150	630	290	120.0	56.0	32	1

Flare nut ratchet wrench

72T | CrV | HRC 42-49 | AS-DRIVE | NEW



YATO	L [mm]	
YT-01330	8	10/50
YT-01331	9	10/50
YT-01332	10	10/50
YT-01333	11	10/50
YT-01334	12	10/50
YT-01335	13	10/50
YT-01336	14	10/50
YT-01337	15	10/50
YT-01338	16	10/50
YT-01339	17	10/50
YT-01340	18	10/50
YT-01341	19	10/50

Combination ratchet wrench

72T | HRC 42-48 | CrV 50BV30



YATO	[mm]	L [mm]	D [mm]	S [mm]	
YT-02372	10	145	23	8	10/200
YT-02375	13	190	30	9	10/100

Flare nut ratchet wrench set

6 PCS | 8-19 mm | 72T | CrV | HRC 42-49 | AS-DRIVE | NEW



YATO	
YT-01344	16

Flexible ratchet wrench with short handle

6 PCS | 8-17 mm | 90T | CrV | HRC 42-49 | AS-DRIVE | NEW



YATO	
YT-16977	20

Extra long double ring ratchet wrench

6 PCS | 8-19 mm | 90T | CrV | HRC 42-49 | AS-DRIVE | NEW



YATO	
YT-50385	10

Extra long flexible double ratchet wrench

6 PCS | 8-19 mm | 90T | CrV | HRC 42-49 | AS-DRIVE | NEW



YATO	
YT-50390	10

Flare nut wrench

CrV 6140





YATO	[mm]	L [mm]	B [mm]	B1 [mm]	D [mm]	D1 [mm]	S1 [mm]	S2 [mm]	
YT-0135	8x10	140	18.7	6.2	21.8	7.2	7.7	8.4	10/200/400
YT-0136	11x12	160	21.2	8.1	24.0	9.2	8.5	9.5	10/100/200
YT-0137	13x14	175	26.3	9.6	27.3	10.7	9.6	10.5	10/100/200
YT-0138	15x17	190	31.2	11.8	31.2	13.0	11.5	10.9	10/50/100
YT-01385	17x19	195	29.0	14.5	31.2	15.0	12.4	12.8	10/50/100
YT-0139	19x21	230	36.3	14.7	42.1	16.7	12.4	12.8	10/50/100
YT-0140	22x24	250	42.7	17.1	44.2	18.6	13.2	13.9	10/50/100

Flare nut wrench set

4 PCS | CrV 6140



8x10, 11x12, 13x14, 15x17mm

YATO	
YT-0143	25/50

Torx type double head flexible wrench

CrV



YATO	[mm]	L [mm]	D [mm]	
YT-05311	T15x20	202	12.4	25/100
YT-05312	T25x27	216	13.9	25/100
YT-05313	T30x40	229	17.8	25/100
YT-05314	T45x50	243	19.7	10/50
YT-05315	T55x60	255	21.8	10/50

Double flexible socket wrench

CrV 6140



- *Swivel head:180˚*
- *Surface:chromed,satin*

YATO	[mm]	L [mm]	D1 [mm]	D2 [mm]	
YT-4962	10x11	202	14.6	15.8	10/160
YT-4963	12x13	218	17.6	18.8	10/120

Flexible flare nut wrench set

7 PCS | CrV 6140 | AS-DRIVE





8, 10, 11, 12, 13, 14, 17 mm

YATO	
YT-0190	5/20

Double ended swivel socket wrench set

6 PCS | CrV 6140



- *Swivel head:180˚*
- *Surface:chromed,satin*

YATO	[mm]	L [mm]	
YT-4967	8x9	180	12
	10x11	200	
	12x13	220	
	14x15	242	
	16x17	254	
	18x19	275	

Torx type double head flexible wrench set

5 PCS | CrV



YATO	[mm]	L [mm]	
YT-05320	T15x20	202	5/20
	T25x27	216	
	T30x40	229	
	T45x50	243	
	T55x60	255	

Double socket ratchet handle

COLD FORGED KUTE NA ZIMNO | CrV





YATO	[mm]	L [mm]	
YT-4930	10x12	235	2/2/40
YT-4931	11x13	230	2/2/40
YT-4932	12x14	235	2/2/40
YT-4933	14x17	270	2/2/40
YT-4934	17x19	310	2/2/30
YT-4935	17x21	315	2/2/30

YATO	[mm]	L [mm]	
YT-4936	19x21	310	2/2/30
YT-4937	19x22	315	2/40
YT-4937S	19x22	305	2/2/30
YT-4938	19x24	360	2/2/20
YT-4939	21x26	370	2/2/20
YT-4940	22x24	370	2/2/20

YATO	[mm]	L [mm]	
YT-4941	24x27	360	2/2/20
YT-4942	24x30	450	2/2/8
YT-4943	27x32	450	2/2/8
YT-4944	30x32	450	2/2/8
YT-4945S	32x36	445	2/2/8
YT-4946	36x41	447	2/2/8

L-type socket wrench

CrV 6140





- *Cold forged body*
- *L-type wrench with a hole, designed to adapt to additional requirement*

YATO	[mm]	L [mm]	B [mm]	H1 [mm]	H2 [mm]	A [mm]	D [mm]	Ø [mm]	
YT-1626	6	102	25.0	10.0	11.0	16.0	10.0	7	12/60
YT-1627	7	106	27.0	10.2	10.1	21.0	10.7	7	12/60
YT-1628	8	110	29.5	12.3	11.9	18.5	12.2	9	12/60
YT-1629	9	121	31.7	13.4	12.8	19.1	13.2	10	12/60
YT-1630	10	131	35.1	16.4	16.9	23.3	15.0	10	12/60
YT-1631	11	138	36.0	16.5	16.8	24.7	16.3	11	12/60
YT-1632	12	147	42.5	17.9	18.2	17.9	18.0	12	12/60
YT-1633	13	154	44.2	18.5	19.1	30.1	19.3	12	12/60
YT-1634	14	162	47.0	19.3	20.3	30.2	20.8	13	12/60
YT-1635	15	173	48.9	20.6	21.6	31.6	22.3	13	12/60
YT-1636	16	182	55.0	23.2	23.1	37.3	23.6	14	12/60
YT-1637	17	188	57.0	25.1	25.5	37.9	25.1	14	12/36
YT-1638	18	192	57.1	25.1	24.6	40.1	26.0	14	12/36
YT-1639	19	207	62.3	26.9	27.4	41.6	28.2	16	12/36
YT-1644	24	253	78.2	32.3	31.7	53.5	33.6	17	6/18
YT-1650	32	339	99.2	40.4	40.5	66.8	43.8	22	6

Torx ring spanner set

4 PCS

CrV 6150



YATO		
YT-0530	E6xE8, E10xE12, E14xE18, E20xE24	10/60

Step wrench with ratchet

1/2" 12.7 mm | 30T | CrV



3/8" (9.5 mm), 29/68" (11.6 mm), 1/2" (12.7 mm), 21/32" (16.4 mm), 27/32" (21 mm)

YATO		
YT-03314	1/2" (12.7 mm)	6/24

Internal ratchet wrench

1/2" 12.7 mm | CrV | 30T



YATO		
YT-03315	1/2"(12.7mm)	6/24

Step wrench

1/2" 12.7 mm | CrV







For YT-03315

YATO		
YT-03316	1/2"(12.7mm)	100

Step wrench

1/2" 12.7 mm | CrV



For YT-03315

YATO		
YT-03317	1/2"(12.7mm)	100

NON-SPARKING

Step wrench

1/2-1⅛" CrV



YATO		
YT-03318		10/60

Double ratchet wrench

10x13 mm 17x19 mm 72T CrV



YATO	[mm]	L [mm]	D1 [mm]	D2 [mm]	S1 [mm]	S2 [mm]	
YT-4945	10x13x17x19	200	29	35	17	22	5/50

T-handle swivel socket wrench

CrV 50BV30



YATO	[mm]	L1 [mm]	L2 [mm]	
YT-15273	8	450	180	10/40
YT-15275	10	450	180	10/40
YT-15277	12	450	180	10/40
YT-15278	13	450	180	10/40
YT-15279	14	450	180	10/40
YT-15280	15	450	180	10/40
YT-15282	17	450	180	10/40

Insert adapter for gear wrench



YATO	Size [mm]	Fit for spanner [mm]	
YT-07531	1/4" (6.3mm)	10	1/300
YT-07532	3/8" (9.5mm)	13	1/300
YT-07533	1/2" (12.7mm)	19	1/300

T-type deep socket wrench set

CrV 6140 AS-DRIVE



YATO	[mm]	
YT-15791	8, 10, 13	4/16

T-handle swivel adapter

CrV 50BV30



YATO	H	L1 [mm]	L2 [mm]	
YT-15291	1/4" (6.3 mm)	450	180	10/40
YT-15292	3/8" (9.5 mm)	450	180	10/40
YT-15293	1/2" (12.7 mm)	450	180	10/40

Y-type deep socket wrench

CrV 6140 AS-DRIVE



YATO	H [mm]	L [mm]	Ø [mm]	
YT-1583	8-9-10	140	10	10/40
YT-1584	8-10-12	140	10	10/40
YT-1585	9-11-13	140	10	10/40
YT-1586	12-14-17	140	10	10/40

T-type deep socket wrench

CrV 6140 AS-DRIVE





YATO	[mm]	L1 [mm]	L2 [mm]	Ø [mm]	
YT-1571	8	310	200	10	10/40
YT-1572	9	310	200	10	10/40
YT-1573	10	310	200	10	10/40
YT-1574	11	310	200	10	10/40
YT-1575	12	310	200	10	10/40

YATO	[mm]	L1 [mm]	L2 [mm]	Ø [mm]	
YT-1576	13	310	200	10	10/40
YT-1577	14	310	200	10	10/40
YT-1578	15	310	200	10	10/40
YT-1580	17	310	200	10	10/40
YT-1582	19	310	200	10	10/40

T-type socket adaptor with rotary grip

1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | CrV 6140







- *Ergonomic handle*
- *Movable handle with position locking system*
- *Long bar for work in deeply set, difficult to reach places*

YATO	H	L1 [mm]	L2 [mm]	Ø [mm]	
YT-1565	1/4" (6.3 mm)	310	200	8	10/40
YT-1566	3/8" (9.5 mm)	310	200	10	10/40
YT-1567	1/2" (12.7 mm)	310	200	10	10/40

Adjustable wrench

DIN 3117 | DROP FORGED KUTE



YATO	L [mm]	Max. jaws range [mm]	
YT-21650	150	19.3	6/60
YT-21651	200	24.0	6/60
YT-21652	250	30.0	6/36
YT-21653	300	36.0	6/24
YT-21654	375	45.0	2/16

T-type deep socket wrench with rotary handle

CrV 6140 | AS-DRIVE









- *Ergonomic handle*
- *Movable handle with position locking system*
- *Long bar for work in deeply set, difficult to reach places*

YATO	[mm]	L1 [mm]	L2 [mm]	Ø [mm]	
YT-1552	8	310	200	10	10/40
YT-1553	9	310	200	10	10/40
YT-1554	10	310	200	10	10/40
YT-1555	11	310	200	10	10/40

YATO	[mm]	L1 [mm]	L2 [mm]	Ø [mm]	
YT-1556	12	310	200	10	10/40
YT-1557	13	310	200	10	10/40
YT-1558	14	310	200	10	10/40
YT-1559	15	310	200	10	10/40

Adjustable wrench

DIN 3117 | CARBON STEEL STAL WĘGLOWA



YATO	L [mm]	Max. jaws range [mm]	
YT-2176	375	43	4/16
YT-2177	450	55	2/12
YT-2178	600	63	6
YT-2179	750	85	4

Adjustable wrench

DIN 3117 | CrV



YATO	L [mm]	Max. jaws range [mm]	
YT-21649	100	15	6/120
YT-2165	150	20	6/120
YT-2166	200	27	6/60
YT-2167	250	30	6/36
YT-2168	300	34	6/24

Adjustable wrench



YATO	L [mm]	
YT-2071	150	6/60
YT-2072	200	6/60
YT-2073	250	6/36
YT-2074	300	6/24
YT-2075	375	6/12

NON-SPARKING

Adjustable wrench

DIN 3117 | CrV





YATO	L [mm]	
YT-2170	150	6/72
YT-2171	200	6/36
YT-2172	250	6/48
YT-2173	300	6/36

Flexible hook wrench

CrV



YATO	L [mm]	⌑ [mm]	
YT-01670	170	15-35	10/50
YT-01671	210	35-50	10/50
YT-01672	280	50-80	10/50
YT-01673	340	80-120	5/10
YT-01674	470	120-180	5/10

Tire lever

CrV



YATO	Size [mm]	
YT-0807	300x18.5	5/20
YT-0808	400x27	5/20
YT-0809	500x28.5	5/20
YT-0810	600x29	5/20

Flexible hook wrench

CrV



YATO	L [mm]	⌑ [mm]	
YT-01675	170	15-35	10/50
YT-01676	210	35-50	10/50
YT-01677	280	50-80	10/50
YT-01678	340	80-120	5/10
YT-01679	470	120-180	5/10

Adjust c-hook

CrV



YATO	size [mm]	L [mm]	
YT-49470	19-50	165	50
YT-49471	32-75	217	50
YT-49472	50-120	288	25

Tire lever

380 mm | CrMo





YATO	Size [mm]	
YT-0811	380	10/50


YATO
YT-0322
CR-V 21

Hexagonal socket

1/4" 6.3mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-14010	3.5	6.6	10.2	25	24/240/480
YT-1401	4.0	7.0	12.0	25	24/240/480
YT-1402	4.5	7.5	12.0	25	24/240/480
YT-1403	5.0	8.0	12.0	25	24/240/480
YT-1404	5.5	8.5	12.0	25	24/240/480
YT-1405	6.0	9.0	12.0	25	24/240/480
YT-1406	7.0	10.0	12.0	25	24/240/480
YT-1407	8.0	12.0	11.0	25	24/240/480
YT-1408	9.0	13.0	12.0	25	24/240/480
YT-1409	10.0	15.0	12.0	25	24/240/480
YT-1410	11.0	16.0	14.0	25	24/240/480
YT-1411	12.0	17.0	15.0	25	24/240/480
YT-1412	13.0	18.0	16.0	25	24/240/480
YT-14122	14.0	17.0	19.0	25	24/240/480

Hexagonal deep socket

1/4" 6.3mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1413	4.0	7.0	12.0	50	24/240/480
YT-1414	4.5	7.5	12.0	50	24/240/480
YT-1415	5.0	8.0	12.0	50	24/240/480
YT-1416	5.5	8.5	12.0	50	24/240/480
YT-1417	6.0	9.0	12.0	50	24/240/480
YT-1418	7.0	10.0	12.0	50	24/240/480
YT-1419	8.0	12.0	12.0	50	24/240/480
YT-1420	9.0	13.0	12.0	50	24/240/480
YT-1421	10.0	14.0	13.0	50	24/240/480
YT-1422	11.0	16.0	14.0	50	24/120/240
YT-1423	12.0	17.0	15.0	50	24/120/240
YT-1424	13.0	18.0	16.0	50	24/120/240
YT-14241	14.0	18.0	19.0	50	10/50/150

Hexagonal socket

1/4" 6.3mm | DIN 3121 | CrV 50BV30 | AS-DRIVE







- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-14120	5.0	8.0	12	25	12/360
YT-14121	5.5	8.5	12	25	12/360
YT-14123	6.0	9.0	12	25	12/360
YT-14124	7.0	10.0	12	25	12/360
YT-14125	8.0	12.0	12	25	6/360
YT-14126	9.0	13.0	12	25	6/360
YT-14127	10.0	15.0	12	25	6/360
YT-14128	12.0	17.0	15	25	6/360
YT-14129	13.0	18.0	16	25	6/360

Hexagonal socket

1/4" 6.3mm | DIN 3121 | SAE | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-5040	5/32"	7.0	12.0	25	20/200/1296
YT-5041	3/16"	8.0	12.0	25	20/200/1296
YT-5042	7/32"	9.0	12.0	25	20/200/1152
YT-5043	1/4"	10.0	12.0	25	20/240/480
YT-5044	9/32"	11.0	12.0	25	20/200/1200
YT-5045	5/16"	12.0	11.1	25	20/200/1320
YT-5046	11/32"	13.0	11.5	25	20/200/1300
YT-5047	3/8"	14.7	12.3	25	20/200/1280
YT-5048	7/16"	16.0	13.9	25	10/200/1140
YT-5049	1/2"	18.0	15.7	25	10/200/950

Hexagonal deep socket

1/4" 6.3mm | DIN 3121 | SAE | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-5055	11/32"	13.0	11.5	50	200/765
YT-5057	7/16"	16.0	13.9	50	100/570

Extension bar with wobble

1/4" 6.3mm | DIN 3121 | CrV 50BV30



- *Max wobble*
- *Angle: 15°*

YATO		D1 [mm]	D2 [mm]	L [mm]	
YT-1433	1/4" (6.3 mm)	12.4	8.3	50.8	30/150/300
YT-1434	1/4" (6.3 mm)	12.4	8.3	76.0	30/150/300
YT-1435	1/4" (6.3 mm)	12.4	8.3	101.6	20/100/200
YT-1436	1/4" (6.3 mm)	12.4	8.3	152.4	20/100/200

Extension bar

1/4" 6.3mm | DIN 3121 | CrV 50BV30



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1429	1/4" (6.3 mm)	12.4	8.3	50.8	30/150/300
YT-1430	1/4" (6.3 mm)	12.4	8.3	76.0	30/150/300
YT-1431	1/4" (6.3 mm)	12.4	8.3	101.6	20/100/200
YT-1432	1/4" (6.3 mm)	12.4	8.3	152.4	20/100/200

Bit adapter

1/4" 6.3mm | CrV 6140



YATO	○	○A	D [mm]	L [mm]	
YT-1297	1/4" (6.3 mm)	1/4" (6.3 mm)	11.8	24	250/1000

Flexible extension cord

1/4" 6.3mm | CrV 6140



YATO	○	D [mm]	L [mm]	
YT-1400	1/4" (6.3 mm)	11.6	150	25/250/500

Universal joint

1/4" 6.3mm | DIN 3121 | CrV 50BV30



YATO	○	D [mm]	L [mm]	
YT-1437	1/4" (6.3 mm)	14	35	120/240

Torx socket

1/4" 6.3mm | CrV 50BV30



YATO	☼A	D1 [mm]	D2 [mm]	L [mm]	
YT-05211	E4	11.9	6.7	25	24/240/480
YT-05212	E5	11.9	7.2	25	24/240/480
YT-05213	E6	11.9	8.3	25	24/240/480
YT-05214	E7	11.9	9.4	25	24/240/480
YT-05215	E8	11.9	10	25	24/240/480

Extension bar

1/4" 6.3mm | CrV 6140



YATO	○	○	D [mm]	L [mm]	
YT-14001	1/4" (6.3 mm)	1/4" (6.3 mm)	11.7	300	100

Adapter

1/4" 6.3mm | DIN 3121 | CrV 50BV30



YATO	○A	○B	D1 [mm]	D2 [mm]	
YT-1438	1/4" (6.3 mm) (F)	3/8" (9.5 mm) (M)	12	25	250/500

Torx socket

1/4" 6.3mm | DIN 2124 | CrV 50BV30



YATO	☼A	D1 [mm]	D2 [mm]	L [mm]	
YT-05244	E8	11.9	10	25	6/360

Flexible handle

1/4" 6.3mm | DIN 3121 | CrV 50BV30



YATO	○	D [mm]	L [mm]	
YT-1425	1/4" (6.3 mm)	13	140	100/200

NON-SPARKING

Sliding T-bar

1/4" 6.3mm | DIN 3121 | CrV 50BV30



YATO		D [mm]	D2 [mm]	L [mm]	
YT-1426	1/4" (6.3 mm)	13.3	6.3	152.4	100/200

Quick release ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135



- Minimum operation angle 5˚
- Quick release
- Surface finish: chromed, mirror
- Single hand steering function

YATO		L [mm]	
YT-0290	1/4" (6.3 mm)	144	12/48/96

Straight ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140 | NEW



YATO		L [mm]	
YT-07210	1/4" (6.3 mm)	150	10/100

Spinner handle

1/4" 6.3mm | CrV 50BV30



YATO		L [mm]	
YT-1427	1/4" (6.3 mm)	150	12/48

Quick release ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135



- Minimum operation angle 5˚
- Quick release
- Surface finish: chromed, mirror
- Single hand steering function

YATO		L [mm]	
YT-0307	1/4" (6.3 mm)	146	12/24/96

Straight ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 90T | CrV 6140 | NEW



YATO		L [mm]	
YT-07220	1/4" (6.3 mm)	150	10/100

Quick release ratchet handle

1/4" 6.3mm | DIN 3122 | CrV 6140 | QUICK RELEASE SZYBKO-ZŁĄCZE



- Minimum operation angle 5˚
- Quick release
- Surface finish: chromed, mirror
- Single hand steering function

YATO		L [mm]	
YT-07291	1/4" (6.3 mm)	155	12/24/96

Quick release ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



- Minimum operation angle 5˚
- Quick release
- Surface finish: chromed, mirror
- Single hand steering function

YATO		L [mm]	
YT-0313	1/4" (6.3 mm)	125	12/24/96

Telescopic ratchet handle

1/4" 6.3mm | 72T | CrV 6135 | QUICK RELEASE SZYBKO-ZŁĄCZE





- Minimum operation angle 5˚
- Quick release
- Surface finish: chromed, mirror
- Single hand steering function

YATO		L [mm]	
YT-0297	1/4" (6.3 mm)	150-200	12/48

NON-SPARKING

Ratchet handle and bit drive

1/4" 6.3 mm | 1/4" 6.3mm | DIN 3122 | 72T | CrV 6135 | QUICK RELEASE SZYBKO-ZŁĄCZE





YATO	○	L [mm]	
YT-0331	1/4" (6.3 mm)	107	12/48

Swivel ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV



YATO	○	L [mm]	
YT-07202	1/2" (12.7 mm)	255	5/20

Quick release ratchet handle

1/4" 6.3mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140





YATO	○	L [mm]	
YT-0730	1/4" (6.3 mm)	155	12/12/96

Swivel ratchet handle

1/4" 6.3mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV



YATO	○	L [mm]	
YT-07200	1/4" (6.3 mm)	145	10/50

Swivel ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV



YATO	○	L [mm]	
YT-07201	3/8" (9.5 mm)	195	5/25

Hexagonal socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3801	6	10	17	28	24/240/480
YT-3802	7	11	17	28	24/240/480
YT-3803	8	12	17	28	24/240/480
YT-3804	9	13	17	28	24/240/480
YT-3805	10	14	17	28	24/240/480
YT-3806	11	16	17	28	24/240/480
YT-3807	12	18	17	28	24/240/480
YT-3808	13	19	18	28	24/240/480
YT-3809	14	20	19	28	24/240/480
YT-3810	15	21	19	28	12/240/480
YT-3811	16	22	21	28	12/240/480
YT-3812	17	24	22	30	12/120/240
YT-3813	18	25	23	30	12/120/240
YT-3814	19	26	24	30	12/120/240
YT-3815	20	27	25	30	10/60/240
YT-3816	21	28	26	30	10/60/120
YT-3817	22	30	28	30	10/60/120
YT-3818	23	31	29	30	10/50/150
YT-3819	24	32	30	30	12/60/120

Hexagonal deep socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3820	6	10	17	63	24/48/96
YT-3821	7	10	17	63	24/48/96
YT-3822	8	12	17	63	24/48/96
YT-3823	9	13	17	63	24/48/96
YT-3824	10	14	17	63	24/48/96
YT-3825	11	16	17	63	24/48/96
YT-3826	12	18	17	63	24/48/96
YT-3827	13	19	17	63	24/48/96
YT-3828	14	20	19	63	24/48/96
YT-3829	15	21	19	63	12/60/120
YT-3830	16	22	20	63	12/60/120
YT-3831	17	24	23	63	12/60/120
YT-3832	18	25	23	63	12/60/120
YT-3833	19	26	24	63	12/60/120
YT-3834	20	28	25	63	10/50/100
YT-3835	21	28	26	63	10/60/120
YT-3836	22	28	26	63	10/50/100

Hexagonal deep socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE | SAE





- Drive locks
- Surface finish: chromed, satin / mirror

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-5078	7/8"	24.0	30.0	63	10/50/150

Hexagonal socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE | SAE





- Drive locks
- Surface finish: chromed, satin / mirror

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-5059	1/4"	17.0	10.0	28	10/250/684
YT-5060	5/16"	17.0	11.7	28	10/250/684
YT-5061	3/8"	17.0	14.2	28	10/250/684
YT-5062	7/16"	17.0	16.3	28	10/250/684
YT-5063	1/2"	17.0	18.0	28	10/150/760
YT-5064	9/16"	18.0	20.0	28	10/570

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-5065	5/8"	19.0	22.0	28	10/475
YT-5066	11/16"	19.0	24.0	30	10/304
YT-5067	3/4"	21.0	26.0	30	10/285
YT-5068	13/16"	23.0	28.0	30	10/228
YT-5069	7/8"	24.0	30.0	32	10/190

Torx socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30





YATO	⬡	⬡ A	L [mm]	
YT-05229	3/8" (9.5 mm)	E8	28	10/120/480
YT-05230	3/8" (9.5 mm)	E10	28	10/120/480
YT-05234	3/8" (9.5 mm)	E11	28	10/120/480
YT-05231	3/8" (9.5 mm)	E12	28	10/120/480
YT-05232	3/8" (9.5 mm)	E14	28	10/120/480
YT-05233	3/8" (9.5 mm)	E16	28	10/120/480
YT-05235	3/8" (9.5 mm)	E18	28	10/120/480
YT-05236	3/8" (9.5 mm)	E20	28	10/120/480

Flexible handle

3/8" 9.5 mm | DIN 3121 | CrV 50BV30



YATO	⬡	D [mm]	L [mm]	
YT-3839	3/8" (9.5 mm)	16	215	8/24/48

Universal joint

3/8" 9.5 mm | DIN 3121 | CrV 50BV30



YATO	⬡	D [mm]	L [mm]	
YT-3850	3/8" (9.5 mm)	18	58	10/50/200

Extension bar

3/8" 9.5 mm | DIN 3121 | CrV 50BV30



YATO	⬡	D1 [mm]	D2 [mm]	L [mm]	
YT-3842	3/8" (9.5 mm)	18	12.3	42.0	10/100/200
YT-3843	3/8" (9.5 mm)	18	12.3	76.0	10/100/200
YT-3844	3/8" (9.5 mm)	18	12.3	152.4	10/50/100
YT-3845	3/8" (9.5 mm)	18	12.3	254.0	10/50

Extension bar with wobble

3/8" 9.5 mm | DIN 3121 | CrV 50BV30



- Max wobble angle: 15°

YATO	⬡	D1 [mm]	D2 [mm]	L [mm]	
YT-3846	3/8" (9.5 mm)	18.0	12.3	40.0	10/100/200
YT-3847	3/8" (9.5 mm)	18.0	12.3	76.0	10/100/200
YT-3848	3/8" (9.5 mm)	18.0	12.3	152.4	10/50/100
YT-3849	3/8" (9.5 mm)	18.0	12.3	254.0	10/50

Adapter

3/8" 9.5 mm | DIN 3121 | CrV 50BV30



YATO	⬡ A	⬡ B	D [mm]	L [mm]	
YT-3853	3/8" (9.5 mm) (F)	1/4" (6.3 mm) (M)	17	27	10/250/500
YT-3854	3/8" (9.5 mm) (F)	1/2" (12.7 mm) (M)	17	35	10/100/200

Sliding T-bar

3/8" 9.5 mm | CrV 50BV30 | DIN 3121



YATO	⬡	D1 [mm]	D2 [mm]	L [mm]	
YT-3840	3/8" (9.5 mm)	20	10.7	198	10/50/100

3 way adaptor

3/8" 9.5 mm | CrV 50BV30



YATO	⬡	
YT-38541	3/8" (9.5 mm)	10/100/200

Joined glow plug socket set

6 PCS | 3/8" 9.5 mm | BLOCKING SYSTEM SYSTEM BLOKUJĄCY | CrV 50BV30





3/8" (9.5 mm): 8, 9, 10, 12, 14, 16 mm

YATO	⬡	
YT-0534	3/8" (9.5 mm)	10

Bit adapter

3/8" 9.5 mm | CrV 6140



YATO	⬡	⬡A [mm]	D [mm]	L [mm]	
YT-1296	3/8" (9.5 mm)	8	17.9	30	10/250/500

Bit adapter

3/8" 9.5 mm | CrV 6140



YATO	⬡	⬡A [mm]	D [mm]	L [mm]	
YT-12961	3/8" (9.5 mm)	8	17.9	30	5/300

Quick release ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO	⬡	L [mm]	
YT-0308	3/8" (9.5 mm)	185	6/24/48

Spark plug socket

3/8" 9.5 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





YATO	⬡	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3851	3/8" (9.5 mm)	16	22.0	19.0	64.0	10/50/100
YT-3841	3/8" (9.5 mm)	18	25.8	19.0	63.0	10/50/100
YT-3852	3/8" (9.5 mm)	21	27.8	22.0	64.0	10/50/100

Quick release ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | CrV 6140



- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO	⬡	L [mm]	
YT-07292	3/8" (9.5 mm)	200	6/24/48
YT-07295	3/8" (9.5 mm)	200	6/24/48

NON-SPARKING

Quick release ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO		L [mm]	
YT-0314	3/8" (9.5 mm)	170	24/48

Straight ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140 | NEW



YATO		L [mm]	
YT-07211	3/8" (9.5 mm)	200	5/50

Straight ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 90T | CrV 6140 | NEW



YATO		L [mm]	
YT-07221	3/8" (9.5 mm)	200	5/50

Quick release ratchet handle

3/8" 9.5 mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135



- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO		L [mm]	
YT-0291	3/8" (9.5 mm)	202	6/24/48

Quick release ratchet handle

3/8" 9.5 mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



YATO		L [mm]	
YT-0731	3/8" (9.5 mm)	200	6/6/48

Hexagonal deep socket

1/2" 12.7 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE



- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1221	8	13	22	76	12/60/120
YT-1222	9	14	22	76	12/60/120
YT-1223	10	15	22	76	12/60/120
YT-1224	11	17	22	76	12/60/120
YT-1225	12	18	22	76	12/60/120
YT-1226	13	19	22	76	12/60/120
YT-1227	14	20	22	76	12/60/120
YT-1228	15	21	22	76	12/60/120
YT-1229	16	24	22	76	12/60/120
YT-1230	17	24	22	76	12/60/120
YT-1231	18	25	23	76	12/60/120
YT-1232	19	27	24	76	12/60/120
YT-1233	20	28	24	76	12/60/120
YT-1234	21	29	24	76	12/60/120
YT-1235	22	30	26	76	12/60/120
YT-1236	23	31	28	76	12/60/120
YT-1237	24	32	28	76	12/60/120
YT-1238	27	36	30	76	12/36/72
YT-1239	30	40	36	76	12/24/48
YT-1240	32	42	38	76	6/24/48

Telescopic ratchet handle

3/8" 9.5 mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135





- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO		L [mm]	
YT-0298	3/8" (9.5 mm)	215-315	6/6/24

Extension bar

1/2" 12.7 mm | DIN 3121 | CrV 50BV30



YATO		D1 [mm]	D2 [mm]	L [mm]	
YT-1246	1/2" (12.7 mm)	24	14.5	76	15/30/120
YT-1247	1/2" (12.7 mm)	24	14.5	127	5/20/80
YT-1248	1/2" (12.7 mm)	24	14.5	254	5/20/40

Hexagonal socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30 | AS-DRIVE | SAE







- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A	D1 [mm]	D2 [mm]	L [mm]	
YT-5079	5/16"	12.4	22.0	38	20/380
YT-5080	3/8"	14.7	22.0	38	20/380
YT-5081	7/16"	17.0	22.0	38	20/380
YT-5082	1/2"	19.0	22.0	38	120/240
YT-5083	9/16"	20.8	22.0	38	120/240
YT-5084	5/8"	22.0	21.2	38	20/380
YT-5085	11/16"	24.0	23.5	38	16/304
YT-5086	3/4"	26.0	24.0	38	14/266

YATO	A	D1 [mm]	D2 [mm]	L [mm]	
YT-5087	13/16"	28.0	24.0	38	12/228
YT-5088	7/8"	30.0	26.0	38	10/190
YT-5089	15/16"	32.0	26.0	40	9/171
YT-5090	1"	34.0	27.5	43	8/152
YT-5091	1-1/16"	36.0	29.0	43	6/114
YT-5092	1-1/8"	38.0	30.5	44	6/114
YT-5093	1-1/4"	42.0	34.0	45	5/95

Torx socket

1/2" 12.7mm | CrV 50BV30





YATO	A	D1 [mm]	D2 [mm]	L [mm]	
YT-05220	E10	21.8	13.1	38	12/120/240
YT-05221	E11	21.8	13.9	38	12/120/240
YT-05222	E12	21.8	14.9	38	12/120/240
YT-05223	E14	21.8	16.3	38	12/120/240
YT-05224	E16	21.8	18.2	38	12/120/240

YATO	A	D1 [mm]	D2 [mm]	L [mm]	
YT-05225	E18	23.8	19.4	38	12/120/240
YT-05226	E20	21.8	23.9	38	12/120/240
YT-05227	E22	23.2	25.7	38	12/120/240
YT-05228	E24	23.8	27.8	38	12/60/120

Hexagonal socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1201	8	12	22	38	12/120/240
YT-1202	9	14	22	38	12/120/240
YT-1203	10	15	22	38	12/120/240
YT-1204	11	16	22	38	12/120/240
YT-1205	12	18	22	38	12/120/240
YT-1206	13	19	22	38	12/120/240
YT-1207	14	20	22	38	12/120/240
YT-1208	15	21	22	38	12/120/240
YT-1209	16	23	22	38	12/120/240
YT-1210	17	24	23	38	12/120/240
YT-1211	18	25	23	38	12/120/240
YT-1212	19	27	24	38	12/120/240
YT-1213	20	28	24	38	12/120/240
YT-1214	21	29	24	38	12/120/240
YT-1215	22	30	26	38	12/120/240
YT-1216	23	31	28	38	12/60/120
YT-1217	24	32	28	38	12/60/120
YT-1218	27	36	30	42	12/60/120
YT-1219	30	40	34	42	12/60/120
YT-1220	32	42	36	42	6/24/48
YT-1199	34	44	37	45	6/36
YT-1200	36	48	43	45	5/20

Bi-hexagonal socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30 | AS-DRIVE







- *Drive locks*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1270	8	12	22	38	12/120/240
YT-1271	9	14	22	38	12/120/240
YT-1272	10	15	22	38	12/120/240
YT-1273	11	16	22	38	12/120/240
YT-1274	12	17	22	38	12/120/240
YT-1275	13	19	22	38	12/120/240
YT-1276	14	20	22	38	12/120/240

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1277	15	21	22	38	12/120/240
YT-1278	16	23	22	38	12/120/240
YT-1279	17	24	22	38	12/120/240
YT-1280	18	25	23	38	12/120/240
YT-1281	19	27	24	38	12/120/240
YT-1282	20	28	24	38	12/120/240
YT-1283	21	29	24	38	12/120/240

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1284	22	30	26	38	12/120/240
YT-1285	23	31	28	38	12/60/120
YT-1286	24	32	28	38	12/60/120
YT-1289	27	36	30	42	12/60/120
YT-1291	30	40	34	42	6/48/96
YT-1292	32	42	36	42	6/48/96
YT-12921	34	46	38	44	8/8/40

Bi-hexagonal deep socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30 | AS-DRIVE







YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-12930	8	22	14	77	12/60/120
YT-12931	9	22	16	77	12/60/120
YT-12932	10	22	16	77	12/60/120
YT-12933	11	22	18	77	12/60/120
YT-12934	12	22	18	77	12/60/120
YT-12935	13	22	19	77	12/60/120
YT-12936	14	22	19	77	12/60/120
YT-12937	15	21	22	77	12/60/120
YT-12938	16	21	22	77	12/60/120
YT-12939	17	22	24	77	12/60/120

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-12940	18	22	26	77	12/60/120
YT-12941	19	22	26	77	12/60/120
YT-12942	20	24	28	77	12/60/120
YT-12943	21	24	28	77	12/60/120
YT-12944	22	26	30	77	12/60/120
YT-12945	23	27	32	77	12/60/120
YT-12946	24	28	32	77	12/60/120
YT-12947	27	30	36	77	12/36/72
YT-12948	30	34	40	77	6/24/48
YT-12949	32	36	42	77	6/24/48

Spline socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30





- *Drive locks*
- *Enables to undo 5 types of screws*
- *Surface finish: chromed, satin / mirror*

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1460	8	13	22	38	12/120/240
YT-1461	9	15	22	38	12/120/240
YT-1462	10	16	22	38	12/120/240
YT-1463	11	17	22	38	12/120/240
YT-1464	12	18	22	38	12/120/240
YT-1465	13	19	22	38	12/120/240
YT-1466	14	20	22	38	12/120/240
YT-1467	15	22	23	38	12/120/240
YT-1468	16	23	22	38	12/120/240
YT-1469	17	25	23	38	12/120/240
YT-1470	18	26	23	38	12/120/240
YT-1471	19	27	24	38	12/120/240
YT-1472	20	28	24	38	12/120/240
YT-1473	21	30	24	38	12/120/240
YT-1474	22	31	26	38	12/120/240
YT-1475	23	32	28	38	12/60/120
YT-1476	24	34	28	38	12/60/120
YT-1478	27	37	30	42	12/60/120
YT-1480	30	41	34	42	6/60/120
YT-1481	32	44	36	42	6/60/120

Torx socket

1/2" 12.7mm | DIN 2124 | CrV 50BV30





YATO	A	D1 [mm]	D2 [mm]	L [mm]	
YT-05245	E10	21.8	13.1	38	6/180
YT-05246	E11	21.8	13.9	38	6/180
YT-05247	E12	21.8	14.9	38	6/180
YT-05248	E14	21.8	16.3	38	6/180
YT-05249	E16	21.8	18.2	38	6/180
YT-05250	E18	23.8	19.4	38	6/180
YT-05251	E20	21.8	23.9	38	6/180

Extension bar with wobble

1/2" 12.7mm | DIN 3121 | CrV 50BV30





YATO		D1 [mm]	D2 [mm]	L [mm]	
YT-1249	1/2" (12.7 mm)	24	14.5	76	15/30/120
YT-1250	1/2" (12.7 mm)	24	14.5	127	5/20/80
YT-1251	1/2" (12.7 mm)	24	14.5	254	5/20/40

Spline socket

1/2" 12.7mm | CrV 50BV30









YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-14820	8	13	22	38	10/200
YT-14821	9	15	22	38	10/200
YT-14822	10	16	22	38	10/200
YT-14824	12	18	22	38	10/200
YT-14825	13	19	22	38	10/200
YT-14826	14	20	22	38	10/200
YT-14827	15	22	22	38	10/200
YT-14828	16	23	22	38	10/200

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-14829	17	25	23	38	10/200
YT-14830	18	26	23	38	10/200
YT-14831	19	27	24	38	10/200
YT-14833	21	30	24	38	10/160
YT-14834	22	31	26	38	10/160
YT-14836	24	34	28	38	10/160
YT-14838	30	41	34	42	5/60
YT-14839	32	44	36	45	5/60

Universal joint

1/2" 12.7mm | DIN 3121 | CrV 50BV30





YATO		D [mm]	L [mm]	
YT-1252	1/2" (12.7 mm)	25	69	5/50/100

Sliding T-bar

1/2" 12.7mm | DIN 3121 | CrV 50BV30



YATO	⬡	L [mm]	
YT-1243	1/2" (12.7 mm)	250	36

Flexible handle

1/2" 12.7mm | DIN 3121 | CrV 50BV30



YATO	⬡	D [mm]	L [mm]	
YT-1241	1/2" (12.7 mm)	19	360	5/15/30
YT-1242	1/2" (12.7 mm)	20	457	5/10/20

L-type handle

1/2" 12.7mm | DIN 3121 | CrV 50BV30



YATO	⬡	D [mm]	D [mm]	L2 [mm]	
YT-1244	1/2" (12.7 mm)	16	330	62	3/36

Adapter

1/2" 12.7mm | 3/4" 19mm | DIN 3121 | CrV 50BV30



YATO	⬡A	⬡B	D [mm]	L [mm]	
YT-1255	1/2" (12.7 mm) (F)	3/8" (9.5 mm) (M)	22	34.0	10/100/200
YT-1258	1/2" (12.7 mm) (F)	3/4" (19.0 mm) (M)	27	45.5	10/50/100
YT-1356	1/2" (12.7 mm) (F)	3/4" (19.0 mm) (M)	26	48.0	12/48

L-type handle

1/2" 12.7mm | DIN 3121 | CrV 50BV30



YATO	⬡	L [mm]	
YT-12438	1/2" (12.7 mm)	250	36

Quick release ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



- *Minimum operation angle 5˚*
- *Quick release*
- *Single hand steering function*

YATO	⬡	L [mm]	
YT-07293	1/2" (12.7 mm)	255	6/24

Bit adapter

1/2" 12.7mm | CrV 6140



YATO	⬡	D1 [mm]	D2 [mm]	L [mm]	
YT-12951	1/2" (12.7 mm)	8	21.9	38	5/300

L-type handle

1/2" 12.7mm | DIN 3122 | CrV 50BV30



YATO	⬡	D1 [mm]	D2 [mm]	L [mm]	
YT-12439	1/2" (12.7 mm)	16	282	55	10/20
YT-12445	1/2" (12.7 mm)	16	585	190	4/12

Quick release ratchet handle

1/2" 12.7mm | DIN 3122 | 72T | CrV 6140 | QUICK RELEASE SZYBKO-ZŁĄCZE



YATO	⬡	T	L [mm]	
YT-0309	1/2" (12.7 mm)	72	278	6/24

NON-SPARKING

Quick release ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135



YATO		T	L [mm]	
YT-0292	1/2" (12.7 mm)	72	257	6/24

Quick release ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135



YATO		L [mm]	
YT-0315	1/2" (12.7 mm)	250	6/24

Straight ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 90T | CrV 6140 | NEW



YATO		L [mm]	
YT-07222	1/2" (12.7 mm)	250	4/24

Telescopic ratchet handle

1/2" 12.7mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6135





- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO		L [mm]	
YT-0299	1/2" (12.7 mm)	305-445	6/24

Quick release ratchet handle

1/2" 12.7mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 90T | 1000 Nm | CrV 6140 | CrMo



YATO		L [mm]	
YT-07355	1/2" (12.7 mm)	256	6/24

Spark plug socket

1/2" 12.7mm | DIN 3121 | CrV 50BV30 | AS-DRIVE



YATO		A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1253	1/2" (12.7 mm)	16	22	19	64	10/50/100
YT-1254	1/2" (12.7 mm)	21	27.8	24	64	10/50/100

Quick release ratchet handle

1/2" 12.7mm | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140



- *Minimum operation angle 5°*
- *Quick release*
- *Single hand steering function*

YATO		T	L [mm]	
YT-0732	1/2" (12.7 mm)	72	255	24

Straight ratchet handle

1/2" 12.7mm | DIN 3122 | QUICK RELEASE SZYBKO-ZŁĄCZE | 72T | CrV 6140 | NEW



YATO		L [mm]	
YT-07212	1/2" (12.7 mm)	260	4/24

Spark plug socket

1/2" 12.7mm | CrV 50BV30 | AS-DRIVE



YATO		A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-12531	1/2" (12.7 mm)	16	22	19	64	10/160
YT-12541	1/2" (12.7 mm)	21	27.8	24	64	10/120

Extension bar

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1340	3/4" (19.0 mm)	36	22	100	36
YT-1341	3/4" (19.0 mm)	36	22	200	20
YT-1342	3/4" (19.0 mm)	36	22	400	10

Adapter

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○A	○B	D [mm]	L [mm]	
YT-1355	3/4" (19.0 mm) (F)	1/2" (12.7 mm) (M)	36	53	12/48

Extension wrench

340 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | 1/4" 6.3 mm | ○ 1/4" (6.3 mm)



YATO	L [mm]	
YT-07370	340	10

Universal joint

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○	D [mm]	L [mm]	
YT-1352	3/4" (19 mm)	40	106	12/36

Hexagonal socket

3/4" 19 mm | DIN 3121 | CrV 50BV30 | AS-DRIVE





YATO	○A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1301	19	30	36	50	12/96
YT-1302	21	32	36	50	12/96
YT-1303	22	32	36	50	12/96
YT-1304	23	34	36	50	12/96
YT-1305	24	34	36	50	12/96
YT-1306	25	36	36	50	12/96
YT-1307	26	37	34	50	12/96
YT-1308	27	38	34	50	12/96
YT-1309	28	40	34	50	12/96
YT-1310	29	40	35	50	12/96
YT-1311	30	42	36	55	8/48
YT-1312	32	44	37	55	8/48
YT-1313	33	46	38	55	8/48
YT-1314	34	47	38	55	8/48
YT-1315	35	48	42	60	6/36
YT-1316	36	50	42	60	6/36
YT-1317	38	52	45	60	6/36
YT-1318	41	56	45	65	4/32
YT-1319	42	57	45	65	4/32
YT-1320	43	58	45	65	4/32
YT-1322	46	62	48	70	4/32
YT-1323	48	64	48	70	4/24
YT-1324	50	68	48	70	4/24
YT-1326	52	70	48	70	4/20
YT-1328	55	73	48	75	4/20
YT-1330	60	80	48	80	4/20

Sliding T-bar

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1350	3/4" (19 mm)	37	20	500	5/10

Adapter

1/2" 12.7 mm | 3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○A	○B	D [mm]	L [mm]	
YT-1259	3/4" (19.0 mm) (F)	1/2" (12.7 mm) (M)	35	51.0	5/50/100

Flexible handle

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO	○	D [mm]	L [mm]	
YT-1345	3/4" (19 mm)	25	507	5/10

NON-SPARKING

Quick release ratchet handle

3/4" 19 mm | DIN 3112 | QUICK RELEASE SZYBKO-ZŁĄCZE | 24T | CrV 6140



YATO		L [mm]	
YT-1360	3/4" (19.0 mm)	615	10

L-type handle

3/4" 19 mm | DIN 3121 | CrV 50BV30



YATO		D [mm]	L1 [mm]	L2 [mm]	
YT-1347	3/4" (19 mm)	25	360	75	5/10
YT-1348	3/4" (19 mm)	25	410	75	5/10

L-type handle

3/4" 19 mm | DIN 3122 | CrV 50BV30



YATO		D [mm]	L1 [mm]	L2 [mm]	
YT-13465	3/4" (19.0 mm)	25	300	100	2/12
YT-13475	3/4" (19.0 mm)	25	400	100	2/8
YT-13490	3/4" (19.0 mm)	25	600	100	2/8

Bit socket

1/4" 6.3 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO		[mm]	L [mm]	[Nm]	
YT-7679	1/4" (6.3 mm)	4	37	5.2	10/100
YT-7680	1/4" (6.3 mm)	5.5	37	8.8	10/100
YT-7681	1/4" (6.3 mm)	6	37	16.8	10/100

Bit socket

1/4" 6.3 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-04411	1/4" (6.3 mm)	PH1	37	3.5	150/600
YT-04412	1/4" (6.3 mm)	PH2	37	8.2	150/600
YT-04413	1/4" (6.3 mm)	PH3	37	19.5	150/600

Bit socket

1/4" 6.3 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-04417	1/4" (6.3 mm)	PZ1	37	3.5	150/600
YT-04418	1/4" (6.3 mm)	PZ2	37	8.2	150/600

Bit socket

3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-7700	3/8" (9.5 mm)	PH1	50	7.4	10/100
YT-7701	3/8" (9.5 mm)	PH2	50	22.1	10/100
YT-7702	3/8" (9.5 mm)	PH3	50	45.1	10/100

Bit socket

3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO		[mm]	L [mm]	[Nm]	
YT-7706	3/8" (9.5 mm)	5.5	50	9.0	10/100
YT-7707	3/8" (9.5 mm)	6.5	50	17.2	10/100
YT-7708	3/8" (9.5 mm)	8	50	20.1	10/100

Bit socket

1/2" 12.7 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO		[mm]	L [mm]	[Nm]	
YT-7723	1/2" (12.7 mm)	4	55	26.3	10/100
YT-04381	1/2" (12.7 mm)	5	55	30	10/40
YT-04382	1/2" (12.7 mm)	6	55	52	10/40
YT-04383	1/2" (12.7 mm)	7	55	78	40/240
YT-04384	1/2" (12.7 mm)	8	55	120	40/240
YT-76596	1/2" (12.7 mm)	9	50	120	25/100
YT-04385	1/2" (12.7 mm)	10	55	220	40/160
YT-76597	1/2" (12.7 mm)	11	90	120	30/120
YT-04386	1/2" (12.7 mm)	12	50	370	40/160
YT-04387	1/2" (12.7 mm)	14	55	590	40/160
YT-04388	1/2" (12.7 mm)	17	55	1000	40/160

Bit socket

1/2" 12.7mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-7732	1/2" (12.7 mm)	M5	50	33.9	10/100
YT-04341	1/2" (12.7 mm)	M6	55	30.0	40/240
YT-04342	1/2" (12.7 mm)	M8	55	52.0	40/240
YT-04343	1/2" (12.7 mm)	M10	55	120.0	40/160
YT-04344	1/2" (12.7 mm)	M12	55	220.0	40/160
YT-04345	1/2" (12.7 mm)	M14	55	370.0	40/160
YT-04346	1/2" (12.7 mm)	M16	55	590.0	40/160

Bit socket

1/4" 6.3mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





YATO		[mm]	L [mm]	[Nm]	
YT-04370	1/4" (6.3 mm)	3	37	6.6	150/600
YT-04371	1/4" (6.3 mm)	4	37	16.0	150/600
YT-04372	1/4" (6.3 mm)	5	37	30.0	150/600
YT-04373	1/4" (6.3 mm)	6	37	52.2	150/600
YT-04374	1/4" (6.3 mm)	7	37	78.0	150/600
YT-04375	1/4" (6.3 mm)	8	37	120.0	150/600

Bit socket

1/2" 12.7mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





YATO			L [mm]	[Nm]	
YT-04310	1/2" (12.7 mm)	T20	55	12.7	40/240
YT-04311	1/2" (12.7 mm)	T25	55	19.0	40/240
YT-04312	1/2" (12.7 mm)	T27	55	27.0	40/240
YT-04313	1/2" (12.7 mm)	T30	55	37.4	40/240
YT-04314	1/2" (12.7 mm)	T40	55	65.0	40/240
YT-04315	1/2" (12.7 mm)	T45	55	103.5	40/240
YT-04316	1/2" (12.7 mm)	T50	55	159.0	40/240
YT-04317	1/2" (12.7 mm)	T55	55	257.0	40/240
YT-04318	1/2" (12.7 mm)	T60	55	445.0	40/160
YT-04319	1/2" (12.7 mm)	T70	55	700.0	40/160

Bit socket

3/8" 9.5mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO		[mm]	L [mm]	[Nm]	
YT-7693	3/8" (9.5 mm)	3	50	14.2	10/100
YT-7694	3/8" (9.5 mm)	4	50	27.0	10/100
YT-7695	3/8" (9.5 mm)	5	50	53.9	10/100
YT-7696	3/8" (9.5 mm)	6	50	89.2	10/100
YT-76594	3/8" (9.5 mm)	7	36	122.4	100/400
YT-7697	3/8" (9.5 mm)	7	50	122.4	10/100
YT-7698	3/8" (9.5 mm)	8	50	174.5	10/100
YT-76595	3/8" (9.5 mm)	9	92	174.5	20/120
YT-7699	3/8" (9.5 mm)	10	50	220.0	10/100

Bit socket

1/2" 12.7mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-04320	1/2" (12.7 mm)	T20	100	12.7	20/120
YT-04321	1/2" (12.7 mm)	T25	100	19.0	20/120
YT-04322	1/2" (12.7 mm)	T27	100	27.0	20/120
YT-04323	1/2" (12.7 mm)	T30	100	37.4	20/120
YT-04324	1/2" (12.7 mm)	T40	100	65.0	20/120
YT-04325	1/2" (12.7 mm)	T45	100	103.5	20/120
YT-04326	1/2" (12.7 mm)	T50	100	159.0	20/120

YATO			L [mm]	[Nm]	
YT-77170	1/2" (12.7 mm)	T50	200	159.0	20/120
YT-77171	1/2" (12.7 mm)	T55	200	257.0	20/120
YT-04327	1/2" (12.7 mm)	T55	100	257.0	20/120
YT-77172	1/2" (12.7 mm)	T60	200	446.0	20/120
YT-04328	1/2" (12.7 mm)	T60	100	445.0	20/120
YT-04329	1/2" (12.7 mm)	T70	100	700.0	20/120

Bit Socket

5 PCS | 1/4" 6.3mm | 3/8" 9.5mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





○ 1/4" (6.3 mm): M5, M6 (L=37 mm);
○ 3/8" (9.5 mm): M8, M10, M12 (L=48 mm)

YATO	
YT- 04360	12/48

Bit socket

1/2" 12.7mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





YATO			L [mm]	[Nm]	
YT-04350	1/2" (12.7 mm)	M5	100	16.0	20/120
YT-04351	1/2" (12.7 mm)	M6	100	30.0	20/120
YT-04352	1/2" (12.7 mm)	M8	100	52.0	20/120
YT-04353	1/2" (12.7 mm)	M10	100	120.0	20/120

YATO			L [mm]	[Nm]	
YT-04354	1/2" (12.7 mm)	M12	100	220.0	20/120
YT-04355	1/2" (12.7 mm)	M14	100	370.0	20/120
YT-04356	1/2" (12.7 mm)	M16	100	590.0	20/120
YT-04357	1/2" (12.7 mm)	M17	100	590.0	20/120

NON-SPARKING

Bit socket

1/2" 12.7mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120



YATO			L [mm]	[Nm]	
YT-04390	1/2" (12.7 mm)	4	100	16.0	20/120
YT-04391	1/2" (12.7 mm)	5	100	30.0	20/120
YT-04392	1/2" (12.7 mm)	6	100	52.0	20/120
YT-04393	1/2" (12.7 mm)	7	100	78.0	20/120
YT-04394	1/2" (12.7 mm)	8	100	120.0	20/120

YATO			L [mm]	[Nm]	
YT-04395	1/2" (12.7 mm)	10	100	220.0	20/120
YT-76597	1/2" (12.7 mm)	11	90	220.0	20/120
YT-04396	1/2" (12.7 mm)	12	100	370.0	20/120
YT-04397	1/2" (12.7 mm)	14	100	590.0	20/120
YT-04398	1/2" (12.7 mm)	17	100	1000.0	20/120

Star bit sockets

7 PCS | 1/4" 6.3mm | 21.8 Nm (max.) | HRC 58-62 | DIN 3120 | CrV 6150 | AISI S2





1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=35 mm)

YATO	
YT-0461	12/48

Bit socket

3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





YATO			L [mm]	[Nm]	
YT-7682	3/8" (9.5 mm)	T10	50	6.1	10/100
YT-7683	3/8" (9.5 mm)	T15	50	11.0	10/100
YT-7684	3/8" (9.5 mm)	T20	50	18.1	10/100
YT-7685	3/8" (9.5 mm)	T25	50	27.0	10/100
YT-7686	3/8" (9.5 mm)	T27	50	34.8	10/100
YT-7687	3/8" (9.5 mm)	T30	50	41.8	10/100

YATO			L [mm]	[Nm]	
YT-7688	3/8" (9.5 mm)	T40	50	77.9	10/100
YT-7689	3/8" (9.5 mm)	T45	50	120.6	10/100
YT-7690	3/8" (9.5 mm)	T50	50	175.5	10/100
YT-7691	3/8" (9.5 mm)	T55	50	205.9	10/100
YT-7692	3/8" (9.5 mm)	T60	50	379.0	10/100

Star bit sockets

9 PCS | 1/4" 6.3mm | 3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=37 mm);
3/8" (9.5 mm): 7, 8, 10, 12 mm (L=48 mm)

YATO	
YT-04401	6/36

Bit socket

1/4" 6.3mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120







YATO			L [mm]	[Nm]	
YT-76590	1/4" (6.3 mm)	T6	37	3.9	150/600
YT-76591	1/4" (6.3 mm)	T7	37	3.9	150/600
YT-04301	1/4" (6.3 mm)	T8	37	2.6	150/600
YT-76592	1/4" (6.3 mm)	T9	37	3.9	150/600
YT-04302	1/4" (6.3 mm)	T10	37	4.6	150/600
YT-04303	1/4" (6.3 mm)	T15	37	7.7	150/600

YATO			L [mm]	[Nm]	
YT-04304	1/4" (6.3 mm)	T20	37	12.7	150/600
YT-04305	1/4" (6.3 mm)	T25	37	19.0	150/600
YT-76593	1/4" (6.3 mm)	T27	37	26.5	150/600
YT-04306	1/4" (6.3 mm)	T30	37	37.4	150/600
YT-04307	1/4" (6.3 mm)	T40	37	65.0	150/600

Star bit sockets

12 PCS | 1/4" 6.3mm | 3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30 (L=37 mm);
3/8" (9.5 mm): T40, T45, T47, T50, T55 (L=48 mm)

YATO	
YT-04332	10/40

Bit socket set

12 PCS | 1/4" 6.3 mm | 3/8" 9.5 mm | AISI S2 | CrV 6150 | HRC 58-62 | DIN 3120





1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30 (L=37 mm);
3/8" (9.5 mm): T40, T45, T47, T50, T55 (L=48 mm)

YATO		
YT-04331		10/40

Bit socket set

18 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | AISI S2 | CrV 6150 | DIN 3120 | HRC 58-62





1/2" (12.7 mm): M5, M6, M8, M10, M12, M14 (L=50 mm),
M5, M6, M8, M10, M12, M14 (L=100 mm),
1/4" (6.3 mm): PH1, PH2, PH3, SL: 4, 5.5, 6.5;

YATO		
YT-7750	1/2" (12.7 mm), 1/4" (6.3 mm)	10

Damaged bolt removal set

19 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | 3/8" 9.5 mm | CrV

NEW



1/4" (6.3 mm): H1.5, H2, H2.5, H3, H4, H5, H6 (L=50 mm);
3/8" (9.5 mm): H8, H10 (L=38 mm);
1/4" (6.3 mm): TE10, TE15, TE20, TE25, TE27, TE30, TE40 (L=50 mm);
3/8" (9.5 mm): TE50, TE55 (L=38 mm);
1/2" (12.7 mm) x 3/8" (9.5 mm)

YATO		
YT-04584		20

Bit socket set

18 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | AISI S2 | CrV 6150 | DIN 3120 | HRC 58-62





1/2" (12.7 mm): T30, T40, T45, T50, T55, T60 (L=50 mm);
T30, T40, T45, T50, T55, T60 (L=100 mm),
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150

YATO		
YT-7751	1/4" (6.3 mm), 1/2" (12.7 mm)	10

Go through socket set

17 PCS | 1/2" 12.7 mm | 3/8" 9.5 mm | QUICK RELEASE SZYBKO-ZŁĄCZE | CrV 50BV30

NEW



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
(L=397 mm); 72T;
(L=76 mm)
1/2" (12.7 mm), 3/8" (9.5 mm)

YATO		
YT-38645	1/2" (12.7 mm), 3/8" (9.5 mm)	10

Bit socket set

18 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | AISI S2 | CrV 6150 | DIN 3120 | HRC 58-62





1/2" (12.7 mm): 5, 6, 7, 8, 10, 12 mm (L=50 mm);
5, 6, 7, 8, 10, 12 mm (L=100 mm),
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150

YATO		
YT-7752	1/4" (6.3 mm), 1/2" (12.7 mm)	10

Bit socket set

12 PCS | 1/2" 12.7mm | AISI S2 | CrV 6150 | DIN 3120 | HRC 58-62





1/2" (12.7 mm): M12, M17 (L=50 mm); M6 (L=70 mm);
M7, M8 (L=100 mm); M8, M10 (L=120 mm);
M6, M10, M12 (L=140 mm); M5 (L=180 mm);
M6 (L=250 mm); AISI S2 / CrV 6150

YATO		
YT-7753	1/2" (12.7 mm)	10

Bit socket set

30 PCS | 1/2" 12.7mm | S2 | CrV





1/2" (12.7 mm): 5, 6, 7, 8, 10, 12, 14, 17, 19 mm (L=55 mm); 1/2" (12.7 mm):
5, 6, 7, 8, 10, 11, 12, 13 mm (L=100 mm); 1/2" (12.7 mm): 5, 6, 7, 8, 10, 12, 14 mm
(L=140 mm); 1/2" (12.7 mm): 5, 6, 7, 8, 10, 12 mm (L=200 mm); S2 / CrV

YATO		
YT-77540	1/2" (12.7 mm)	3

Bit socket set

26 PCS | 1/2" 12.7mm | S2 | CrV





1/2" (12.7 mm): M5, M6, M8, M9, M10, M12, M14, M16 (L=55 mm);
1/2" (12.7 mm): M5, M6, M8, M9, M10, M12, M14 (L=100 mm);
1/2" (12.7 mm): M5, M6, M8, M9, M10, M12, M14 (L=140 mm);
1/2" (12.7 mm): M8, M10, M12, M14 (L=200 mm); S2 / CrV

YATO		
YT-77542	1/2" (12.7 mm), 1/4" (6.3 mm)	10

Bit socket set

32 PCS | 1/2" 12.7mm | S2 | CrV





1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 (L=55 mm);
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 (L=100 mm);
1/2" (12.7 mm): T40, T45, T50, T55, T60, T70 (L=140 mm);
1/2" (12.7 mm): T40, T45, T50, T55, T60, T70 (L=200 mm); S2 / CrV

YATO		
YT-77541	1/2" (12.7 mm)	3


YATO
YATO
YATO

Tool Set

10 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2; 9 mm; SK2; 180 mm; CrV; 160 mm; CrV; 200 mm; 3 m x 16 mm; 225 g;

YATO	Size [mm]	
YT-39002	320x180x50	1

Tool Set

7 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2; 9 mm; SK2; 200 mm; CrV; 200 mm; 3 m x 16 mm

YATO	Size [mm]	
YT-39006	225x150x45	1

Tool Set

8 PCS



125-250V; 5.5x100 mm, PH1x100 mm; SVCM55; 9 mm; SK5; 180 mm; CrV; 160 mm; CrV; 200 mm; CrV; 3 m x 16 mm

YATO	Size [mm]	
YT-3904	265x160x60	1

Tool Set

12 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2; 9 mm; SK2; 180 mm; CrV; 160 mm; CrV; 200 mm; 3 m x 16 mm; 225 g; PVC 0.13 mm 19 mm x 20 m; 190 mm

YATO	Size [mm]	
YT-39003	320x180x50	1

Tool Set

13 PCS



140 mm; 3x75 mm, PH0x75 mm; S2; 2x50 mm, PH00x50 mm; S2; 12-220V; 115 mm; 115 mm; 140 mm; 30W; 205 mm; 19.5x190 mm; 1,0 mm;

YATO	Size [mm]	
YT-39007	300x180x55	1

Tool Set

8 PCS



125-250V; 5x100 mm, PH1x100 mm; S2; 9 mm; SK5; 180 mm; CrV; 160 mm; CrV; 200 mm; 3 m x 16 mm

YATO	Size [mm]	
YT-3906	265x160x60	1

Tool Set

6 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2; 9 mm; SK2; 160 mm; CrV; 3 m x 16 mm

YATO	Size [mm]	
YT-39005	225x110x45	1

Tool Set

22 PCS





185 mm; 12-220V; 3x75 mm, 5x100 mm, PH0x75 mm, PH1x100 mm; S2; 205 mm; 3CR13; 2x50 mm, PH00x50 mm; S2; 150 mm; PVC 0.13 mm 19 mm x 20 m; 30W; 3 m x 16 mm; 19.5x190 mm; 1.0 mm; 9 mm, SK2; 130 mm; 115 mm; 115 mm; 140 mm; 140 mm;

YATO	Size [mm]	
YT-39008	310x230x55	1

NON-SPARKING

Socket set

14 PCS | 1" 25mm | CrV 50BV30 | CrV 6140 | QUICK ADJUSTMENT SZYBKA REGULACJA | 24T





1" (25mm): 46,48,50,55,60,65,70,75,80;CrV50BV30;
1" (25mm); (L=200, 400 mm); CrV 50BV30;
1" (25mm); (L=550 mm); CrV 50BV30;
1" (25mm); (L=650 mm); CrV 50BV30;
1" (25mm); (L=500 mm); CrV 50BV30;

YATO		
YT-13630	1" (25mm)	1

Torx Socket set

9 PCS | 1/4" 6.3mm | 3/8" 9.5mm | CrV 50BV30





1/4" (6.3 mm): E5, E6, E7, E8, 3/8" (9.5 mm): E10, E12, E14, E16;
1/4" (6.3 mm) (M) x 3/8" (9.5 mm) (F)

YATO		
YT-0520	1/4" (6.3 mm)	10/40

Tool set

15 PCS | 3/4" 19mm | CrV 50BV30 | CrV 6140 | QUICK ADJUSTMENT SZYBKA REGULACJA | 24T | AS-DRIVE





3/4" (19.0 mm): 30, 32, 34 (L=55 mm); 36, 38 (L=60 mm); 41 (L=65 mm); 46, 50 (L=70 mm); 55 (L=75 mm); 60 mm (L=80 mm); CrV 50BV30;
3/4" (19.0 mm); (L=100, 200 mm); CrV 50BV30;
3/4" (19.0 mm); (L=106 mm); CrV 50BV30;
3/4" (19.0 mm); (L=500 mm); CrV 50BV30;
3/4" (19.0 mm); (L=500 mm); 24T; CrV 6140

YATO		
YT-1334	3/4" (19mm)	1

Torx Socket set

9 PCS | 1/2" 12.7mm | CrV 50BV30





1/2" (12.7 mm): E10, E11, E12, E14, E16, E18, E20, E22, E24

YATO		
YT-0521	1/2" (12.7 mm)	20

Socket set

20 PCS | 3/4" 19mm | CrV 50BV30 | CrV 6140 | QUICK ADJUSTMENT SZYBKA REGULACJA | 24T | AS-DRIVE





3/4" (19.0 mm): 19, 21, 22, 24 mm (L=50 mm); 26, 27, 28 mm (L=52 mm); 30, 32 mm (L=53 mm); 33, 34 mm (L=56 mm); 36 mm (L=58 mm); 38 mm (L=60 mm); 41 mm (L=64 mm); 46 mm (L=68 mm); 50 mm (L=72mm); CrV 50BV30;
3/4" (19.0 mm); (L=100, 200 mm); CrV 50BV30;
3/4" (19.0 mm); (L=500 mm); CrV 50BV30;
3/4" (19.0 mm); (L=620 mm); CrV 6140

YATO		
YT-1335	3/4" (19mm)	1

External torx plug socket set

19 PCS | 1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | CrV 50BV30



6-point: 1/4" (6.3 mm): EP4, EP5, EP6, EP7, EP8; 3/8" (9.5 mm): EP10, EP11, EP12, EP14, EP16; 1/2" (12.7 mm): EP18, EP20, EP22, EP24, EP26, EP28, EP30, EP32;
5-point: 1/2" (12.7 mm): EP8.8

YATO		
YT-05197	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	10

Tool set

44 PCS | 1/4" 6.3mm | CrV | S2 | SK2





6x7, 8x9, 10x11, 12x13, 14x15 mm;
1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
160 mm; 160 mm; 200 mm;
300 g (L=300 mm); 3 m x 16 mm;
18 mm; SK2;
1/4" (6.3 mm); CrV;
5x75, 6x100, PH2x100 mm; S2;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO		
YT-39280	1/4" (6.3 mm)	4

Socket set

21 PCS | 3/4" 19mm | CrV 50BV30 | 24T | AS-DRIVE



3/4" (19.0 mm): 19,21,22,23,24,26,27,29,30,32,35,36,38,41,46,50 mm CrV 50BV30;
3/4" (19.0 mm); (L=100, 200,400 mm); CrV 50BV30;
3/4" (19.0 mm); (L=450 mm); CrV 50BV30;
3/4" (19.0 mm); (L=500 mm); 24T; CrV 6140

YATO		
YT-13351	3/4" (19mm)	1

Go through socket set

29 PCS | 1/4" 6.3mm | CrV 50BV30 | S2 | 72T | QUICK ADJUSTMENT SZYBKA REGULACJA





4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm; CrV 50BV30;
1/4" (6.3 mm); (L=100 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
(L=142 mm); 72T; CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
(L=50 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 7 mm; S2;
1/4" (6.3 mm): PH1, PH2; S2;
1/4" (6.3 mm): PZ1, PZ2; S2;
1/4" (6.3 mm): T10, T15, T20; S2

YATO		
YT-38650	1/4" (6.3 mm)	20

Socket set

15 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/4" :4.5.6.7.8.9.10.12.13 mm (L=25 mm); CrV 50BV30;
1/4" (50.8,152.4 mm); (L=100 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4";72T; CrV 6140;
1/4" (150 mm); CrV 50BV30

YATO		
YT-14411	1/4" (6.3 mm)	10

Go through socket set

17 PCS | 1/2" 12.7mm | 3/8" 9.5mm | QUICK RELEASE SZYBKO-ZŁĄCZE | CrV 50BV30

NEW



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
(L=397 mm); 72T;
(L=76 mm)
1/2" (12.7 mm), 3/8" (9.5 mm)

YATO		
YT-38645	1/2" (12.7 mm), 3/8" (9.5 mm)	10

Tool set

23 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 152.4 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (127 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30

YATO		
YT-14421	1/4" (6.3 mm)	10

NON-SPARKING

Tool set

46 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE



- 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm); (50.8 , 101.6 mm); CrV 50BV30;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm); CrV 50BV30;
- 1/4" (6.3 mm); (152.4 mm); CrV 40;
- 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm): 4, 5.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150
- 1.27, 1.5, 2.0, 2.5 mm; CrV 6150

YATO		
YT-14474	1/4" (6.3 mm)	10

Socket set and accessories

12 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



- 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm); (101.6 mm); CrV 50BV30;
- 1/4" (6.3 mm); (155 mm); 72T; CrV 6140

YATO		
YT-14432	1/4" (6.3 mm)	5/20

Tool set

38 PCS | 1/4" 6.3mm | CrV 50BV30 | CrMo 440 | CrV 6150 | CrV 40 | S2 | 72T | AS-DRIVE





- 1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
- 1/4" (6.3 mm); CrV 50BV30;
- 1/4" (6.3 mm); (152.4 mm); CrV 40;
- 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 8 mm (L=37 mm); AISI S2 / CrV 6150

YATO		
YT-14471	1/4" (6.3 mm)	10

Socket set and accessories

28 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | 72T | AS-DRIVE



- 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/4" (6.3 mm); (101.6 mm); CrV 50BV30;
- 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
- 1/4" (6.3 mm): 5.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T10, T15, T20, T25, T30 (L=37 mm); AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150

YATO		
YT-14433	1/4" (6.3 mm)	5/10

Go through socket set

17 PCS | 1/2" 12.7mm | 3/8" 9.5mm | CrV 50BV30 | 72T | QUICK ADJUSTMENT SZYBKA REGULACJA





- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV 50BV30;
- (L=195 mm); 72T; CrV 50BV30;
- (L=76 mm); CrV 50BV30;
- 1/2" (12.7 mm), 3/8" (9.5 mm); CrV 50BV30

YATO		
YT-38653	3/8" (9.5 mm), 1/2" (12.7 mm)	10

Deep socket set

8 PCS | 1/4" 6.3mm | CrV 50BV30 | AS-DRIVE



- 1/4" (6.3 mm): 5.5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30

YATO		
YT-14431	1/4" (6.3 mm)	10/20

NON-SPARKING

Tool set

24 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (125, 250 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 6140;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); CrV 6140

YATO		
YT-12662	1/2" (12.7 mm)	5

Tool set

20 PCS | 1/4" 6.3mm | CrV 50BV30 | CrMo 440 | 72T | AS-DRIVE



1/4":3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm (L=25 mm); CrV 50BV30;
1/4" (51.6,151.5 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4" (152.4 mm); CrV 50BV30;
1/4";72T; CrMo 440;
1/4" (150 mm); CrV 50BV30;



YATO		
YT-14491	1/4" (6.3 mm)	10

Tool set

34 PCS | 3/8" 9.5mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | S2 | 72T | AS-DRIVE



3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm), 17, 18, 19, 20, 22 mm (L=30 mm); CrV 50BV30;
3/8" (9.5 mm); (75, 150 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 21 mm (L=64 mm), CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 7 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1, PH2, PH3, PH4; (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; (L=25 mm); S2

YATO		
YT-38700	1/4" (6.3 mm), 3/8" (9.5 mm)	5

Tool set

23 PCS | 1/4" 6.3mm | CrV 50BV30 | CrMo 440 | 72T | AS-DRIVE



1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 152.4 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30



YATO		
YT-14451	1/4" (6.3 mm)	10

Tool set

25 PCS | 1/4" 6.3mm | CrV 50BV30 | CrMo 440 | CrV 40 | 72T | AS-DRIVE



1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm);CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30



YATO		
YT-14461	1/4" (6.3 mm)	10

Tool set

41 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 19, 21, 24 mm (L=38 mm),
1/4" (6.3 mm): 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (125, 250 mm), 1/4" (6.3 mm); (50, 150 mm); 72T; CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (100 mm); 72T; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV

YATO		
YT-38742	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Tool set

42 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE



1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8 , 101.6 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40; 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 6140;
1/4" (6.3 mm): 3,4,5 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): 6, 7, 8 mm (L=25 mm); AISI S2;
1.5, 2.0, 2.0, 2.5 mm; CrV 6150

YATO		
YT-14481	1/4" (6.3 mm)	6

Tool set

25 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); (317 mm); CrV 50BV30;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30

YATO		
YT-38741	1/2" (12.7 mm)	2

Tool set

27 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140

YATO		
YT-3875	1/2" (12.7 mm)	6

Socket set

10 PCS | 1/2" 12.7mm | CrV 50BV30 | AS-DRIVE



1/2" (12.7 mm): 10, 12, 13, 14, 15, 17, 19, 21, 22, 24 mm (L=76 mm); CrV 50BV30

YATO		
YT-38861	1/2" (12.7 mm)	5/10

Socket set

51 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=38 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm), 1/4" (6.3 mm); (101.6 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/4" (6.3 mm): 6-8, 8-10 x2, 10-12 (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): S1, S2, S3 (L=25 mm); AISI S2

YATO		
YT-38680	1/4" (6.3 mm), 1/2" (12.7 mm)	6

Socket set

12 PCS | 1/2" 12.7mm | CrV 50BV30 | CrMo 440 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38mm);CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrMo 440

YATO		
YT-38821	1/2" (12.7 mm)	5/10

Tool set

26 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 250 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); 72T; CrV 6140;
1/2" (12.7 mm); CrV 50BV30

YATO		
YT-38752	1/2" (12.7 mm)	6

Tool set

18 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (457 mm);CrV 50BV30;
1/2" (12.7 mm); 72T; CrV 6140

YATO		
YT-3870	1/2" (12.7 mm)	6

Tool set

12 PCS | 1/2" 12.7mm | CrV 50BV30 | CrMo 440 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrMo 440

YATO		
YT-38671	1/2" (12.7 mm)	10

Socket set

19 PCS | 1/2" 12.7mm | CrV 50BV30 | CrMo 440 | 72T | AS-DRIVE



1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrMo 440

YATO		
YT-38681	1/2" (12.7 mm)	3/6

Tool set

22 PCS | 3/8" 9.5 mm | CrV 50BV30 | CrV 40 | CrMo 440 | 72T | AS-DRIVE



3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22 mm (L=30 mm); CrV 50BV30;
3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (198 mm); CrV 40;
3/8" (9.5 mm); (200 mm); 72T; CrMo 440



YATO		
YT-38561	3/8" (9.5 mm)	10

Socket set

23 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (125, 250 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); 72T; CrV 6140

YATO		
YT-12651	1/2" (12.7 mm)	5

Socket set

12 PCS | 3/8" 9.5 mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=28 mm); CrV 50BV30;
3/8" (9.5 mm); (152.4 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140

YATO		
YT-38683	3/8" (9.5 mm)	5/10

Tool set

19 PCS | 3/8" 9.5 mm | CrV 50BV30 | CrV 6140



3/8" (9.5 mm): 10, 11, 13, 14, 15 mm (L=28 mm); 17,19 mm (L=30 mm), CrV 50BV30;
3/8" (9.5 mm); (75 mm); CrV 50BV30;
3/8" (9.5 mm):10,11,12,13 mm (L=46 mm); 14,15,17,19 mm(L=63mm), CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm);72T;CrV 6140;
3/8" (9.5 mm); (215 mm);CrV 50BV30

YATO		
YT-38641	3/8" (9.5 mm)	8

Socket set

24 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (125 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); 72T; Crv 6140;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;

YATO		
YT-12661	1/2" (12.7 mm)	5

Socket set

8 PCS | 3/8" 9.5 mm | CrV 50BV30 | AS-DRIVE



3/8" (6.3 mm): 8, 10, 11, 12, 13, 14, 16, 17, 19 mm (L=63 mm); CrV 50BV30

YATO		
YT-3855	3/8" (6.3 mm)	10

Socket set

25 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (50, 125 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (250 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); 72T; CrV 6140;
1/2" (12.7 mm); (317 mm); CrV 50BV30

YATO		
YT-12671	1/2" (12.7 mm)	5

Socket set

93 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/4" (6.3 mm); (115 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 6140;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (60 mm);
5/16" (7.9 mm): T45, T50, T55 (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 7 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3, PH4 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6, 8, 10 mm (L=25 mm); AISI S2;
1/4" (6.3 mm) x 1/4" (6.3 mm) (L=25 mm); AISI S2;
8, 10, 12, 13, 14, 17 mm; CrV;
8x9, 10x11, 12x13, 14x15 mm; CrV 50BV30;
1.5, 2, 2.5 mm; CrV 6150

YATO	O	
YT-38784	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Socket set

68 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | 72T | AS-DRIVE



NEW

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm); (50, 100 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (115 mm); CrV 40;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); (30 mm); CrV 6140;
1/4" (6.3 mm); (60 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3mm); (30 mm); CrV 6140;
1/4" (6.3 mm): 2.5, 3, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): PZ2 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
1.27, 1.5, 2, 2.5 mm; CrV 6150

YATO	O	
YT-14502	1/4" (6.3 mm)	10

Tool set

65 PCS | 1/4" 6.3mm | 3/8" 9.5mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE | METRIC SAE | CrMo 440 | S2



1/4" (6.3 mm): 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13(L=25 mm); CrV 50BV30;
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16(L=28 mm);
17, 18, 19 mm (L=30 mm), CrV 50BV30;
1/4" (6.3 mm) x 5/32" (4.0 mm), 1/4" (6.3 mm) x 3/16" (4.8 mm),
1/4" (6.3 mm) x 7/32" (5.6 mm), 1/4" (6.3 mm) x 1/4" (6.3 mm),
1/4" (6.3 mm) x 9/32" (7.1 mm), 1/4" (6.3 mm) x 15/16" (23.8 mm),
1/4" (6.3 mm) x 11/32" (8.7 mm), 1/4" (6.3 mm) x 3/8" (9.5 mm),
1/4" (6.3 mm) x 7/16" (11.1 mm), 1/4" (6.3 mm) x 1/2" (12.7 mm),
3/8" (9.5 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 7/16" (11.1 mm),
3/8" (9.5 mm) x 1/2" (12.7 mm), 3/8" (9.5 mm) x 9/16" (14.3 mm),
3/8" (9.5 mm) x 5/8" (15.9 mm), 3/8" (9.5 mm) x 11/16" (17.5 mm),
3/8" (9.5 mm) x 3/4" (19.0 mm),
3/8" (9.5 mm) x 13/16" (20.6 mm); CrV 50BV30;

1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm); (78 mm); CrV 50BV30;
3/8" (9.5 mm);: 16 mm; CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/4" (6.3 mm) : 4, 5.5, 6.5 mm (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm) : PH1, PH2, PH3 (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm) : T10, T15, T20, T30,
T40 (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm) : HEX2, HEX2.5, HEX3, HEX4,
HEX5, HEX6 (L=20 mm); AISI S2 / CrV 6150;

YATO	O	
YT-14415	1/4" (6.3 mm), 3/8" (9.5 mm)	1

NON-SPARKING

Tool set

24 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE | METRIC SAE | CrMo 440



1/2" (12.7 mm) x 5/16" (7.9 mm),
1/2" (12.7 mm) x 3/8" (9.5 mm),
1/2" (12.7 mm) x 7/16" (11.1 mm),
1/2" (12.7 mm) x 1/2" (12.7 mm) ,
1/2" (12.7 mm) x 9/16" (14.3 mm),
1/2" (12.7 mm) x 5/8" (15.9 mm),
1/2" (12.7 mm) x 11/16" (17.5 mm),
1/2" (12.7 mm) x 3/4" (19.0 mm),
1/2" (12.7 mm) x 13/16" (20.6 mm),
1/2" (12.7 mm) x 7/8" (22.2 mm),
1/2" (12.7 mm) x 15/16" (23.8 mm),
1/2" (12.7 mm) x 7/8" (22.2 mm),
1/2" (12.7 mm) x 1-1/16" (27.0 mm),
1/2" (12.7 mm) x 1-1/16" (28.5 mm),
1/2" (12.7 mm) x 1-1/4" (31.8 mm),CrV 50BV30;
1/2" (12.7 mm):10, 12, 13, 14, 15, 17, 19 mm (L=76 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): (360 mm);CrV 50BV30
1/2" (12.7 mm); (255 mm); 72T; CrV 6140

YATO		
YT-12622	1/2" (12.7 mm)	1

Tool set

147 PCS | S2 | CrV | SK2 | NYLON COATED POWŁOKA NYLONOWA



1/4" (6.3 mm); CrV;
200 mm;
180 mm;
160 mm; CrV 55;
160 mm;CrV 55;
3 m x 16 mm;
300 g;
9 mm; SK2;
PVC 0.13 mm; 19 mm x 20 m;
150 mm;
12-220V;
8 oz;
190 mm

YATO		
YT-39000		1

Socket set

198 PCS | 1/2" 12.7mm | 3/8" 9.5 mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 18 mm (L=76 mm), 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm (L=63 mm),
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E20, E24, 3/8" (9.5 mm): E10, E11, E12, E14, E16, E18, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
1/2" (12.7 mm): 17, 19, 21 mm (L=87 mm); CrMo;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (152.4 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm, 3/8" (9.5 mm): 18 mm; CrV 50BV30;
1/4" (6.3 mm); (115 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): T55, T60, T70 (L=30 mm); AISI S2;
3/8" (9.5 mm), T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50 (L=30 mm); AISI S2;
5/16" (7.9 mm): 7, 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 6-8, 8-10 x2, 10-12 (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): S1, S2, S3 (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH0, PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ0, PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): M8, M10, M12 (L=37 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm, T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150

YATO		
YT-38850	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Tool set

169 PCS | S2 | CrV | SK2 | ⊖ | ⊕ | II | NYLON COATED | LED



1/4" (6.3 mm); CrV;
200 mm; 140 mm;
160 mm; Cr-Ni; 1,0 mm;
160 mm; CrV 55; LED;
160 mm;CrV 55; 30W;
300 g; 3 m x 16 mm;
9 mm; SK2;
PVC 0.13 mm; 19 mm x 20 m;
150 mm;
12-220V;
8 oz;
190 mm;
1/4" (6.3 mm) : 3, 4, 5.5, 6 mm (L=25 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm) : PH1, PH2, PH3 (L=25 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm) : T8, T10, T15, T20, T25, T27 (L=25 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm) : 2, 2.5, 3, 4, 5, 6 mm (L=20 mm);
AISI S2 / CrV 6150;

YATO		
YT-39291		4

Tool set

60 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm; 254 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17,
18, 19 mm (L=76 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm); 2, 3, 4, 5, 6, 7, 8 mm (L=25 mm); AISI S2;
1/4" (6.3 mm); PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm); T8, T10, T15, T20, T25, T27,
T30, T40 (L=25 mm); AISI S2;
1/4" (6.3 mm); 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm); PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV
6150

YATO		
YT-12660	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Tool set

68 PCS | 1/4" 6.3mm | S2 | CrV | SK2 | ⊖ | ⊕ | II | NYLON COATED | LED | PTFE



1/4" (6.3 mm): 4, 4.5, 5, 5.4, 6, 7, 8, 9, 10,
11, 12, 13(L=25 mm); 3/8" (9.5 mm): 10,
11, 12, 13, 14, 15, 16(L=28 mm); CrV 50BV30;
1/4" (6.3 mm); CrV;
1.4x50 mm, 2.0x50 mm, 2.4x50 mm;
150 mm;
160 mm; CrV 55;
160 mm; CrV 55;
250 mm; CrV;
2.6 mm; 205 mm;
12-220V;
30W;
19.5x190 mm;
140 mm;
PVC 0.13 mm; 19 mm x 20 m;
9 mm; SK2;
LED;
1.5, 2, 2.5, 3, 4, 5, 6, 8 mm;
3 m x 16 mm;
3 m x 16 mm;
205 mm; 3CR13
1/4" (6.3 mm): 3, 4, 5.5, 6 mm (L=25 mm); AISI S2
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2

YATO		
YT-39004	1/4" (6.3 mm)	2

NON-SPARKING

Tool set

68 PCS | 1/4" 6.3mm | 1000 V | CrV 50BV30 | CrV 6150 | S2



1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
140 mm; 190 mm; 3CRB;
150 mm;
160 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
3 m x 16 mm;
175 mm;
19.5 x 190 mm;
1.5 V; 9 LED;
9 mm;
19 mm x 20 m;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
10 g;
1.4, 2.0, 2.4 mm; PH00, PH0, PH1; S2;
4x100, 5.5x125, PH1x80, PH2x100 mm; 1000V; S2;
1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 (L=25 mm); AISI S2;
1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150





YATO	O	
YT-39009	1/4" (6.3 mm)	2

Tool set

29 PCS | S2 | CrV | SK2 | NYLON COATED POWLOKA NYLONOWA | LED

1.4x50 mm, 2.2x50 mm, 2.4x50 mm;
200 mm;
2.6 mm; 205 mm;
160 mm; CrV 55;
160 mm; CrV 55;
LED;
300 g;
3 m x 16 mm;
9 mm; SK2;
PVC 0.13 mm; 19 mm x 20 m;
150 mm;
12-220V;
250 mm; CrV
8 oz;
190 mm;
1.5, 2, 2.2, 3, 4, 5, 5.5, 6 mm; CrV 6150



YATO	
YT-39001	1

Tool set

88 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | 65Mn | AS-DRIVE

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140
1/4" (6.3 mm): 3, 4, 5 mm (L=50 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=50 mm); AISI S2
1/4" (6.3 mm): PZ1, PZ2 (L=50 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=50 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=50 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T15, T20 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4 mm (L=37 mm); AISI S2 / CrV 6150;

2x50, 2.4x50, 6x38, 6x100, PH0x50, PH1x50, PH2x38, PH2x100 mm; S2;
140 mm;
160 mm;
160 mm;
160 mm;
250 mm;
300 g; 230 mm;
125 mm, 65 Mn; 3 m x 16 mm;
1.5, 2, 2.5; CrV 6150





YATO	O	
YT-38928	1/4" (6.3 mm)	2

Tool set

111 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8, 152.4 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M),
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
5/16" (7.9 mm): 6, 6.5, 8 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH2, PH3 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ2, PZ3 (L=30 mm); AISI S2;
5/16" (7.9 mm): T27, T30, T35, T40, T45 (L=30 mm); AISI S2;
5/16" (7.9 mm): 5.5, 6, 6.5 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
1.5, 2, 2.5 mm; CrV 6150

YATO		
YT-38831	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

46 PCS | 1/2" 12.7mm | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE | METRIC SAE



1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21,
22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2" (12.7 mm) x 3/8" (9.5 mm), 1/2" (12.7 mm) x 7/16" (11.1 mm),
1/2" (12.7 mm) x 1/2" (12.7 mm), 1/2" (12.7 mm) x 9/16" (14.3 mm),
1/2" (12.7 mm) x 5/8" (15.9 mm), 1/2" (12.7 mm) x 11/16" (17.5 mm),
1/2" (12.7 mm) x 3/4" (19.0 mm), 1/2" (12.7 mm) x 13/16" (20.6 mm),
1/2" (12.7 mm) x 7/8" (22.2 mm), 1/2" (12.7 mm) x 15/16" (23.8 mm),
1/2" (12.7 mm) x 1" (25.4 mm), CrV 50BV30;

1/2" (12.7 mm):10, 12, 13, 14, 15, 17, 19 mm (L=76 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): (254 mm);CrV 50BV30
1/2" (12.7 mm); (255 mm); 72T; CrV 6140

YATO		
YT-3877	1/2" (12.7 mm)	6

Tool set

72 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | 72T | AS-DRIVE





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm);
27 mm (L=42 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm): 4, 5, 5.5, 6, 7 mm (L=25 mm); CrV 6150;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); CrV 6150;
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25,
T27, T30, T40 (L=25 mm); CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=25 mm); CrV 6150;
1/4" (6.3 mm): S0, S1, S2, S3 (L=25 mm); CrV 6150;
1.25, 1.5, 2.5, 3 mm; CrV 6150

YATO		
YT-38782	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Tool set

92 PCS | 3/8" 9.5 mm | 1/4" 6.3 mm | CrV 50BV30 | CrV 6140 | CrV 40 | S2 | 72T | AS-DRIVE



3/8" (9.5 mm): 13, 14, 15, 16 mm (L=28 mm), 17, 18, 19, 20, 21, 22 mm (L=30 mm), 24 mm (L=32 mm),
1/4" (6.3 mm): 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 mm (L=25 mm); CrV 50BV30;
3/8" (9.5 mm): 14, 15, 17, 19 mm (L=63 mm), 1/4" (6.3 mm): 7, 8, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
3/8" (9.5 mm); (75, 150 mm), 1/4" (6.3 mm); (75 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 18, 21 mm (L=64 mm), CrV 50BV30;
3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (115 mm); 72T; CrV 40;
3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10 mm (L=30 mm); S2;
5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); S2;
5/16" (7.9 mm): 6, 7, 8, 10 mm (L=30 mm); S2;
1/4" (6.3 mm): 4.5, 6.5, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
6, 8, 10, 12, 13, 14, 15, 17, 19 mm; CrV;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm); CrV

YATO		
YT-38785	1/4" (6.3 mm), 3/8" (9.5 mm)	4

Tool set

77 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11,
12 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (76, 101.6 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm): 3, 4, 5.5, 7 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
8x9, 10x11, 12x13, 14x15 mm; CrV 50BV30;
1.5, 2, 2.5, 5, 6, 8, 10 mm; CrV 6150

YATO		
YT-38781	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

82 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | CrV 50BV30 | CrV 40 | CrV 6150 | S2 | 72T | AS-DRIVE | CrMo 440



1/2" (12.7 mm): 14, 15, 16, 17, 18, 19, 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); AISI S2;
5/16" (7.9 mm): 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 10, 11, 12, 13, 14, 17, 19, 22 mm; CrV

YATO		
YT-12691	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

94 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 14, 15, 17, 19 mm (L=76 mm), 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): (127, 254 mm), 1/4" (6.3 mm): (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30; 1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); AISI S2;
5/16" (7.9 mm): 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
1.5, 2, 2.5 mm; CrV 6150



YATO		
YT-12681	1/4" (6.3 mm), 1/2" (12.7 mm)	4

Tool set

56 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (6.3 mm): E4, E5, E6, E7, E8, E10; CrV 6150;
1/4" (6.3 mm); (76, 152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150



YATO		
YT-14501	1/4" (6.3 mm)	10

Tool set

58 PCS | 3/8" 9.5mm | CrV 50BV30 | CrMo | 40Cr | 72T | AS-DRIVE | S2

3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22, 24 mm(L=30mm); 27, 30, 32 mm(L=30mm), CrV 50BV30;
3/8" (9.5 mm): 10, 11, 12, 13 mm (L=63 mm), 14, 15, 17, 19 mm (L=63mm), CrV 50BV30;
3/8" (9.5 mm); (76,254 mm); CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
3/8" (9.5 mm); (255 mm); CrMo; 40Cr; 72T;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
3/8" (9.5 mm): 8 mm (L=30 mm); AISI S2; CrV 6150;
3/8" (9.5 mm): PH1, PH2, PH2 (L=30 mm); AISI S2; CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, (L=30 mm); AISI S2; CrV 6150;
3/8" (9.5 mm): 4, 5, 6, 8 mm (L=30 mm); AISI S2; CrV 6150



YATO		
YT-3857	3/8" (9.5 mm)	6

Tool set

100 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 40 | CrV 6150 | S2 | 72T | AS-DRIVE

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (12.7 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30; 1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6150;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); AISI S2;
5/16" (7.9 mm): 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4 mm (L=50 mm);3, 4, 5.5, 7 (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1 (L=50 mm); PH0, PH1, PH2, PH3 (L=25 mm);AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T30 (L=25 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2 / CrV 6150;
1.5, 2, 2.5 mm; CrV 6150

3.6V;

5V; 300mA



YATO		
YT-12685	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

120 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | METRIC SAE | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE

1/2" (12.7 mm): 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm), 3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm);
17, 18, 19 mm (L=30 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
3/8" (9.5 mm): 13, 14, 15, 17 mm (L=63 mm), 1/4" (6.3 mm): 8, 9, 10, 12 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm) x 15/16" (23.8 mm), 1/2" (12.7 mm) x 1" (25.4 mm), 1/2" (12.7 mm) x 1-1/16" (27.0 mm),
1/2" (12.7 mm) x 1-1/4" (31.8 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 7/16" (11.1 mm),
3/8" (9.5 mm) x 1/2" (12.7 mm), 3/8" (9.5 mm) x 9/16" (14.3 mm), 3/8" (9.5 mm) x 5/8" (15.9 mm),
3/8" (9.5 mm) x 11/16" (17.5 mm), 3/8" (9.5 mm) x 3/4" (19.0 mm), 3/8" (9.5 mm) x 13/16" (20.6 mm),
3/8" (9.5 mm) x 7/8" (22.2 mm), 1/4" (6.3 mm) x 5/32" (4.0 mm), 1/4" (6.3 mm) x 3/16" (4.8 mm),
1/4" (6.3 mm) x 7/32" (5.6 mm), 1/4" (6.3 mm) x 1/4" (6.3 mm), 1/4" (6.3 mm) x 9/32" (7.1 mm),
1/4" (6.3 mm) x 5/16" (7.9 mm), 1/4" (6.3 mm) x 11/32" (8.7 mm), 1/4" (6.3 mm) x 3/8" (9.5 mm),
1/4" (6.3 mm) x 7/16" (11.1 mm), 1/4" (6.3 mm) x 1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 17, 19, 21, 23 mm; CrV 50BV30; 1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 6150; 3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PH1, PH2 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PZ1, PZ2 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T30, T40, T45, T50, T55, T60 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 3, 4, 5, 6 mm (L=50 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm; CrV



YATO		
YT-38801	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

150 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | METRIC SAE | CrV 50BV30 | CrV 6150 | CrV 6140 | CrMo 440 | S2 | 72T | AS-DRIVE

1/2" (12.7 mm): 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm), 3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm), 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm (L=63 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm) x 15/16" (23.8 mm), 1/2" (12.7 mm) x 1" (25.4 mm), 1/2" (12.7 mm) x 1-1/16" (27.0 mm), 1/2" (12.7 mm) x 1-1/4" (31.8 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 7/16" (11.1 mm), 3/8" (9.5 mm) x 1/2" (12.7 mm), 3/8" (9.5 mm) x 9/16" (14.3 mm), 3/8" (9.5 mm) x 5/8" (15.9 mm), 3/8" (9.5 mm) x 11/16" (17.5 mm), 3/8" (9.5 mm) x 3/4" (19.0 mm), 3/8" (9.5 mm) x 13/16" (20.6 mm), 3/8" (9.5 mm) x 7/8" (22.2 mm), 1/4" (6.3 mm) x 5/32" (4.0 mm), 1/4" (6.3 mm) x 3/16" (4.8 mm), 1/4" (6.3 mm) x 7/32" (5.6 mm), 1/4" (6.3 mm) x 1/4" (6.3 mm), 1/4" (6.3 mm) x 9/32" (7.1 mm), 1/4" (6.3 mm) x 5/16" (7.9 mm), 1/4" (6.3 mm) x 11/32" (8.7 mm), 1/4" (6.3 mm) x 3/8" (9.5 mm), 1/4" (6.3 mm) x 7/16" (11.1 mm), 1/4" (6.3 mm) x 1/2" (12.7 mm); CrV 50BV30; 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/2" (12.7 mm): 17, 19, 21, 23 mm; CrV 50BV30; 3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30; 3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): 4, 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PH1, PH2, PH3 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PZ1, PZ2, PZ3 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T30, T40, T45, T50, T55, T60 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 3, 4, 5, 6, 8, 10 mm (L=50 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV; 8x10, 12x13, 17x19 mm; CrV 6140;
1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150



YATO		
YT-38811	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

109 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E10, E12, E14, E16, E18, E20, E22, E24; CrV 6150;
1/2" (12.7 mm); (254 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30; 1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
8x9, 10x11, 12x13, 14x15 mm; CrV 50BV30;
8x10, 12x13, 17x19 mm; CrV 6140;
3x75, 4x100, 6x150, PH1x75, PH2x100, PH3x150 mm; S2;
180 mm; 160 mm; 300 g

YATO		
YT-38891	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

122 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E10, E12, E14, E16, E18, E20, E22, E24; CrV 6150;
1/2" (12.7 mm); (254 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30; 1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
4x100, 6x150, PH2x100, PH3x150 mm; S2;
180 mm; 160 mm; 160 mm; 250 mm; CrV; 300 g;
2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150

YATO		
YT-38901	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

79 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140 | CrV 60
CrMo | SK5 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 16, 17, 19, 22, 24, 26 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 17, 19 mm (L=76 mm); CrV 50BV30;
1/2" (12.7 mm); (125 mm), 1/4" (6.3 mm); (50 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm); (457 mm);
6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 22, 24 mm; CrV;
2.0x50, 2.4x75 mm, S2;
3.0x75, 4.0x100, 6.5x150, 8.0x150 mm; S2;
PH0x75 mm; S2;
PH1x75, PH2x100 mm; S2;
180 mm; 160 mm; 160, 200 mm; 250 mm;
300 g; 300 mm; 180 mm; CrMo;
120 mm; CrV 60;
SK5; 2.5, 3, 4, 5, 6, 8, 10 mm; CrV

YATO		
YT-38911	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

108 PCS | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40
CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 14, 15, 17, 19, 22 mm (L=76 mm),
1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E10, E11, E12, E14, E16, E18, E20, E24, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60 (L=30 mm); AISI S2;
5/16" (7.9 mm): 7, 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 50BV30;
1.5, 2, 2.5 mm; CrV 6150

YATO		
YT-38791	1/4" (6.3 mm), 1/2" (12.7 mm)	2

Tool set

128 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 5/16" 8mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18 mm (L=30 mm),
1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 17, 18, 19, 22 mm (L=76 mm), 3/8" (9.5 mm): 8, 10, 12, 13, 14, 15 mm (L=63 mm),
1/4" (6.3 mm): 6, 7, 8, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): 17, 19, 21, 22 mm; CrV 50BV30;
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (152.4, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
3/8" (9.5 mm); (198 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm); (250 mm); CrV 50BV30;
3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): 5.5, 6.5 mm (L=70 mm); AISI S2;
3/8" (9.5 mm): PH1, PH2, PH3 (L=70 mm); AISI S2;
3/8" (9.5 mm): T20, T30, T40, T45, T50, T55 (L=70 mm); AISI S2;
3/8" (9.5 mm): 6, 7, 8, 10, 12 mm (L=70 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10 (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
1.5, 2, 2.5 mm; CrV 6150

YATO		
YT-38872	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

126 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
3/8" (9.5 mm): 13, 14, 15, 17 mm (L=63 mm), 1/4" (6.3 mm): 8, 9, 10, 12 (L=50 mm); CrV 50BV30;
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30; 1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M),
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm): 4, 5, 6.5 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH1, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PH1, PH2 x2 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T30, T40 (L=50 mm), 1/2" (12.7 mm): T52 (L=125 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T45, T50, T55, T60 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 3, 4, 5, 6, 7 mm (L=50 mm); AISI S2 / CrV 6150;
8, 10, 12, 13, 14, 16, 17, 18, 19 mm; CrV;
8x10 mm, 11x12 mm; CrV 6140;
6x100 mm, PH2x100 mm; CrV 6150;
6-24 V;
150 mm;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; S2

YATO		
YT-38875	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

173 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm
CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440
S2 | 72T | AS-DRIVE

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 17, 18, 19, 22 mm (L=76 mm), 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm (L=63 mm),
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E18, E20, E24, 3/8" (9.5 mm): E10, E11, E12, E14, E16, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (152.4 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm, 3/8" (9.5 mm): 18 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): 7, 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): T5, T6, T7 (L=25 mm); AISI S2;
1/4" (6.3 mm): T7, T10, T15, T20, T25, T27, T30, T40, T45 (L=25 mm); AISI S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); AISI S2;
1/4" (6.3 mm): RM5, RM6, RM7, RM8, RM9 (L=25 mm); AISI S2;
1/4" (6.3 mm) 4, 5.5, 6.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH0, PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm) PZ0, PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
1.25, 1.5, 2, 2.5, 3, 4, 5 mm; CrV 6150



YATO		
YT-38931	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

129 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm
CrV 50BV30 | CrV 6150 | CrMo 440 | S2
72T | AS-DRIVE

1/2" (12.7 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm), 1/4" (6.3 mm): 4, 5, 6, 7, 8, 9 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): 17, 19, 21, 23 mm; CrV 50BV30;
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
3/8" (9.5 mm): 4, 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PH1, PH2, PH3 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): PZ1, PZ2, PZ3 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T30, T40, T45, T50, T55, T60 (L=50 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 3, 4, 5, 6, 8, 10 mm (L=50 mm); AISI S2 / CrV 6150;
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm; CrV;
3x75, 4x100, 6x150, PH1x75, PH2x100, PH3x150 mm; S2;
160 mm;
160 mm;
160 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150



YATO		
YT-38881	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

216 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 17, 18, 19, 22 mm (L=76 mm), 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm (L=63 mm),
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E20, E22, E24, 3/8" (9.5 mm): E10, E11, E12, E14, E16, E18,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (125 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm, 3/8" (9.5 mm): 18 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (200 mm);
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 6, 6.5, 8 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T25, T27, T30, T35, T40 x2, T45, T50 (L=30 mm); AISI S2;
5/16" (7.9 mm): T27, T30, T35, T40, T45, T50 (L=30 mm); AISI S2;
5/16" (7.9 mm): 5.5, 6, 6.5, 7, 8 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): M5, M6, M8, M10 (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10 x2, T15 x2, T20 x2, T25 x2, T40 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); AISI S2;
1/4" (6.3 mm): S1, S2 (L=25 mm); AISI S2;
1/4" (6.3 mm): 1, 2, 3 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 6, 8 mm (L=25 mm); AISI S2;
1/2" (12.7 mm): T55, T60 (L=50 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): 6, 6.5, 8 mm (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): PH3, PH4 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): PZ3, PZ4 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): T25, T27, T30, T35, T40 x2, T45, T50 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): T27, T30, T35, T40, T45, T50 (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): 5.5, 6, 6.5, 7, 8 mm (L=37 mm); AISI S2 / CrV 50BV30;
1/4" (6.3 mm): M5, M6, M8, M10 (L=37 mm); AISI S2 / CrV 50BV30;
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm; CrV;
1.27, 1.5, 2, 2.5, 3, 4, 5 mm; CrV 6150

YATO		
YT-38841	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Tool set

225 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | METRIC SAE | CrV 50BV30 | CrV 6150 | CrV 6140 | CrV 40 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 10, 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19, 21 mm (L=76 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10 mm (L=63 mm); CrV 50BV30;
1/2" (12.7 mm) x 7/16" (11.1 mm), 1/2" (12.7 mm) x 1/2" (12.7 mm), 1/2" (12.7 mm) x 9/16" (14.3 mm),
1/2" (12.7 mm) x 5/8" (15.9 mm), 1/2" (12.7 mm) x 11/16" (17.5 mm), 1/2" (12.7 mm) x 3/4" (19.0 mm),
1/2" (12.7 mm) x 13/16" (20.6 mm), 1/2" (12.7 mm) x 7/8" (22.2 mm), 1/4" (6.3 mm) x 1/4" (6.3 mm),
1/4" (6.3 mm) x 9/32" (7.1 mm), 1/4" (6.3 mm) x 5/16" (7.9 mm), 1/4" (6.3 mm) x 11/32" (8.7 mm),
1/4" (6.3 mm) x 3/8" (9.5 mm); CrV 50BV30;
1/2" (12.7 mm): 17, 19, 21 mm; CrV 50BV30;
1/2" (12.7 mm): E16, E18, E20, E22, E24, 3/8" (9.5 mm): E10, E11, E12, E14,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm (L=64 mm); 3/8" (9.5 mm): 18 mm (L=63 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (200 mm); CrV 6140;
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm) x 3/8" (9.5 mm) (L=50 mm), 1/4" (6.3 mm) x 1/4" (6.3 mm) (L=50 mm), 1/4" (6.3 mm) x 1/4" (6.3mm) (L=25 mm); CrV 50BV30;
1/4" (6.3 mm) (L=60 mm);
5/16" (7.9 mm): T20, T25, T27, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
5/16" (7.9 mm): 8, 10 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5.5, 6.5, 7, 8, 9 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5, 6, 7, 8 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 1, 2, 3, 4 (L=25 mm); AISI S2;
1/4" (6.3 mm): 6, 8, 10 (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); AISI S2;
8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm; CrV;
6x38, PH2X38; S2;
180 mm;
250 mm; CrV;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

YATO		
YT-38941	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	2

Brushless cordless power drill set

126 PCS | 18 V Li-Ion | 42 Nm | 0-600 min⁻¹ 0-2000 min⁻¹ | 0-10000 min⁻¹ 0-30000 min⁻¹ | 13 mm | 2.0 Ah | CONCRETE BETON | CERAMIC CERAMIKA | STEEL STAL | WOOD DREWNO | ALUMINIUM ALUMINIUM | PVC | 1/4" 6.3 mm | 1/4" 6.3 mm | DIN 338 | HRC 58-62 | HRC 89-91 | YG6X | 45° | 118° | 135° | HSS | HSS M2 | HSS 4241 | HSS 6542 | 5 BLADES OSTRZA | FULLY GROUND WIERTŁO SZLIFOWANE | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | TITANIUM COATED POWŁOKA TYTANOWA | GRINDING SZLIFOWANIE





59 PCS | 1/4" 6.3 mm | S2



- 1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
- 1/4" (6.3 mm): PH0, PH1 x2, PH2 x2, PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): PZ1 x2, PZ2 x2, PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 0, 1, 2, 3 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
- 1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
- 1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
- 1/4" (6.3 mm): (L=70 mm); CrV;
- 1/4" (6.3 mm); CrV

5 PCS | 1/4" 6.3 mm | HSS 4241



0-6, 1-8, 2-10, 3-12, 4-14

1/4" 6.3 mm | 155 mm | 400 min⁻¹ | 90° | 13 Nm



18V Li-Ion







YATO	
YT-44250	1

NON-SPARKING

Cordless power drill set





1/4" (6.3 mm): 4 x2, 5 x2, 6 x2 mm (L=25 mm); 6 mm (L=65 mm); S2;
1/4" (6.3 mm): PH1 x3, PH2 x3, PH3 x3, (L=25 mm); PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): PZ1 x3, PZ2 x3, PZ3 x3 (L=25 mm); PZ1,PZ2 (L=65 mm); S2;
1/4" (6.3 mm): T10 x2, T15 x2, T20 x2, T25 x2, T27 x2, T30 x2, T40 x2 (L=25 mm); T20, T25 (L=65 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm): (L=70 mm); CrV;





18V Li-Ion







YATO	
YT-44251	1


YATO
YT-1143
CR-MO 43mm

Hexagonal impact socket

3/8" 9.5 mm | CrMo SCM440 | AS-DRIVE





YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3750	6	12	18	30	36/432
YT-3751	7	13	18	30	36/432
YT-3752	8	14.5	18	30	36/432
YT-3753	9	15	18	30	36/432
YT-3754	10	16	18	30	36/432
YT-3755	11	17.5	18	30	36/432
YT-3756	12	19	19	30	36/432
YT-3757	13	20	22	30	32/384
YT-3758	14	21	22	30	32/384

YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3759	15	22	22	30	24/288
YT-3760	16	24	22	30	24/288
YT-3761	17	25	22	30	24/288
YT-3762	18	26	22	30	16/192
YT-3763	19	27.5	22	30	16/192
YT-3764	20	28	22	30	16/192
YT-3765	21	30	22	30	16/192
YT-3766	22	32	22	30	16/192
YT-3767	23	33	22	30	16/192

Impact adapter

3/8" 9.5 mm | CrMo SCM440 | AS-DRIVE





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-3790	3/8" (9.5 mm)	22	6.3	32	32/384
YT-3791	3/8" (9.5 mm)	24	12.7	54	20/240

Hexagonal deep impact socket

3/8" 9.5 mm | CrMo SCM440 | AS-DRIVE





YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3770	6	12.0	18.0	63	18/216
YT-3771	7	13.0	18.0	63	18/216
YT-3772	8	14.5	18.0	63	18/216
YT-3773	9	15.8	18.0	63	18/216
YT-3774	10	16.0	18.0	63	18/216
YT-3775	11	17.5	18.0	63	18/216
YT-3776	12	19.0	19.0	63	18/216

YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-3777	13	20.0	22.0	63	16/192
YT-3778	14	21.0	22.0	63	16/192
YT-3779	15	22.0	22.0	63	12/144
YT-3780	16	24.0	22.0	63	12/144
YT-3781	17	25.0	22.0	63	12/144
YT-3782	18	26.0	26.0	63	12/144
YT-3783	19	27.0	27.5	63	12/144

Impact universal joint

3/8" 9.5 mm | CrMo SCM440 | AS-DRIVE





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-3792	3/8" (9.5 mm)	22	6.3	50	12/144

Impact extension bar

3/8" 9.5 mm | CrMo SCM440 | AS-DRIVE





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-3793	3/8" (9.5 mm)	19.0	12.3	75	22/264
YT-3794	3/8" (9.5 mm)	19.0	12.3	150	12/144

YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-3795	3/8" (9.5 mm)	19.0	12.3	250	20/80

Impact universal joint

3/8" 9.5 mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-10632	3/8" (9.5 mm)	24.6	12.8	48	20/100

Impact universal joint

1/4" 6.3 mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH



YATO		D1 [mm]	D2 [mm]	L [mm]	
YT-10630	1/4" (6.3 mm)	17	8.3	34.5	100

Hexagonal impact socket set

10 PCS | 1/2" 12.7 mm | CrMo SCM440 | AS-DRIVE



1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm (L=39 mm)

YATO		
YT-1025	1/2" (12.7 mm)	20

Impact socket set

11 PCS | 1/2" 12.7 mm | CrMo SCM440 | AS-DRIVE



1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm (L=78 mm)

YATO		
YT-1054	1/2" (12.7 mm)	10

Impact socket set

15 PCS | 1/2" 12.7 mm | CrMo SCM440 | AS-DRIVE



1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm (L=78 mm)

YATO		
YT-1055	1/2" (12.7 mm)	4

Hexagonal impact socket

1/2" 12.7 mm | CrMo SCM440 | AS-DRIVE





YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1000	10	17.5	25	39	60/240
YT-1001	11	18.5	25	39	60/240
YT-1002	12	20.0	25	39	60/240
YT-1003	13	21.0	25	39	60/240
YT-1004	14	22.5	25	39	60/240
YT-1005	15	23.5	30	39	40/160
YT-1006	16	24.0	23	39	40/160
YT-1007	17	26.0	25	39	40/160
YT-1008	18	27.5	30	39	40/160
YT-1009	19	28.0	30	39	40/160
YT-1010	20	30.0	30	39	40/160

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1011	21	30.0	30	39	40/160
YT-1012	22	32.0	30	39	30/120
YT-1013	23	32.0	30	40	30/120
YT-1014	24	34.0	30	43	30/120
YT-1015	25	35.0	30	43	30/120
YT-1016	26	38.0	30	43	24/96
YT-1017	27	38.0	30	43	24/96
YT-1018	28	40.0	30	48	24/96
YT-1019	29	41.0	30	48	22/88
YT-1020	30	42.0	30	48	24/96
YT-1022	32	44.0	30	44	20/80

Hexagonal deep impact socket

1/2" 12.7 mm | CrMo SCM440 | AS-DRIVE





YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1030	10	17.5	24	78	30/120
YT-1031	11	18.5	24	78	30/120
YT-1032	12	20.0	24	78	30/120
YT-1033	13	21.0	24	78	30/120
YT-1034	14	22.0	24	78	30/120
YT-1035	15	23.7	24	78	30/120
YT-1036	16	24.0	24	78	30/120
YT-1037	17	26.0	26	78	25/100
YT-1038	18	28.0	28	78	24/96
YT-1039	19	28.0	28	78	24/96
YT-1040	20	30.0	30	78	20/80

YATO	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1041	21	30.0	30	78	20/80
YT-1042	22	32.0	30	78	18/72
YT-1043	23	32.0	30	78	15/60
YT-1044	24	34.0	30	78	15/60
YT-1045	25	35.0	30	78	15/60
YT-1046	26	38.0	30	78	12/48
YT-1047	27	38.0	30	78	12/48
YT-1048	28	40.0	30	78	12/48
YT-1049	29	41.0	30	78	10/40
YT-1050	30	42.0	30	78	10/40
YT-1052	32	44.0	30	78	10/40

Impact extension bar

1/2" 12.7mm | CrMo SCM440





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1060	1/2" (12.7 mm)	16.6	25	75	40/160
YT-1061	1/2" (12.7 mm)	18.5	25	125	28/112
YT-1062	1/2" (12.7 mm)	16.5	25	250	30/60

Impact universal joint

1/2" 12.7mm | CrMo SCM440





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1064	1/2" (12.7 mm)	31	17	63	25/100

Hexagonal impact socket

5/8" 15.9mm | CrMo SCM440 | AS-DRIVE





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1037S	5/8" (15.9 mm)	29.0	35.0	113	6/40

Impact adapter

1/2" 12.7mm | CrMo SCM440





YATO	○ A	○ B	D [mm]	L [mm]	
YT-10670	1/2" (12.7 mm)	3/4"(9.5 mm)	22	36	24/192
YT-1067	1/2" (12.7 mm)	3/8" (19.0 mm)	30	48	40/160

Hexagonal impact socket cover



• For:YT-1037S

YATO	L [mm]	
YT-1037S1	59	6/40

Impact universal joint

1/2" 12.7mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH





YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-10640	1/2" (12.7 mm)	31.2	16.7	63	10/100

Impact universal joint set

3 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH



YATO	○	
YT-10642	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	5/20

Impact universal joint set

3 PCS | 1/2" 12.7mm | 3/8" 9.5mm | 1/4" 6.3mm | CrMo



YATO	○	
YT-10643	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	10/60

Hexagonal impact socket

3/4" 19mm | CrMo SCM440 | AS-DRIVE





YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1081	18	31	40	50	16/64
YT-1070	19	32	40	50	16/64
YT-1071	21	35	40	50	16/64
YT-1072	22	38	40	50	16/64
YT-1073	23	38	40	50	16/64
YT-1074	24	40	40	50	16/64
YT-1075	25	40	40	50	16/64
YT-1076	26	40	40	50	16/64
YT-1077	27	42	42	53	16/64
YT-1078	28	44	44	53	16/64
YT-1079	29	46	44	53	12/48
YT-1080	30	46	44	53	12/48
YT-1082	32	48	44	56	12/48
YT-1083	33	48	44	56	8/32
YT-1084	34	50	44	56	8/32
YT-1085	35	50	44	56	6/24
YT-1086	36	52	44	56	6/24
YT-1088	38	56	44	57	6/24
YT-1091	41	60	44	57	5/20
YT-1092	42	61	44	57	4/16
YT-1093	43	63	44	57	4/16
YT-1096	46	66	44	62	3/12
YT-1098	48	68	44	67	3/12
YT-1100	50	71	54	72	3/12
YT-1102	52	74	54	72	2/8
YT-1105	55	78	54	74	2/8
YT-1110	60	84	54	74	2/8

Impact adapter

3/4" 19 mm | CrV 50BV30 | AS-DRIVE



YATO	○	○	D [mm]	L [mm]	
YT-11671	3/4" (19.0 mm) (F)	1/2" (12.7 mm) (M)	44	55	12/48

Impact extension bar

3/4" 19 mm | CrMo SCM440



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1160	3/4" (19.0 mm)	44	24	100	8/32
YT-1161	3/4" (19.0 mm)	44	24	175	10/20
YT-1162	3/4" (19.0 mm)	44	24	250	8/16
YT-1163	3/4" (19.0 mm)	44	24	330	6/12

Impact extension bar with adapter

3/4" 19 mm | CrMo SCM440



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1343	3/4" (19 mm)	25	44	33	3/12

Hexagonal deep impact socket

3/4" 19 mm | CrMo SCM440 | AS-DRIVE



YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1118	18	31	44	90	9/36
YT-1119	19	32	44	90	9/36
YT-1121	21	35	44	90	9/36
YT-1122	22	38	44	90	9/36
YT-1123	23	38	44	90	9/36
YT-1124	24	40	44	90	9/36
YT-1125	25	40	44	90	9/36
YT-1126	26	40	44	90	9/36
YT-1127	27	42	44	90	9/36
YT-1128	28	44	44	90	8/32
YT-1129	29	44	44	90	8/32
YT-1130	30	46	44	90	7/28
YT-1132	32	48	44	90	7/28
YT-1133	33	50	44	90	6/24
YT-1134	34	51	44	90	6/24
YT-1135	35	52	44	90	6/24
YT-1136	36	54	44	90	6/24
YT-1138	38	56	44	90	6/24
YT-1141	41	60	44	90	5/20
YT-1142	42	61	44	90	4/16
YT-1143	43	63	44	90	3/12
YT-1146	46	66	44	90	3/12
YT-1148	48	68	44	90	2/8
YT-1150	50	71	54	90	2/8

Impact universal joint

3/4" 19 mm | CrMo SCM440



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-1164	3/4" (19.0 mm)	31	44	99	8/32

Hexagonal deep impact socket

1" 25 mm | CrMo SCM440 | AS-DRIVE



YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1175	27	44	47.5	90	6/24
YT-1176	30	48.5	48.5	90	6/24
YT-1177	32	51	49	90	6/24
YT-1178	33	52	50	90	6/24
YT-1179	36	54.5	51	90	6/24

Impact universal joint

3/4" 19 mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-11641	3/4" (19.0 mm)	45.6	25.3	93.3	5/20

Impact adapter

3/4" 19 mm | CrMo SCM440



YATO	○A	○B	D [mm]	L [mm]	
YT-1168	3/4" (19.0 mm) (F)	1" (25.4 mm) (M)	44	63	12/48

NON-SPARKING

Impact socket set

8 PCS | 3/4" 19 mm | CrMo SCM440 | AS-DRIVE



3/4" (19.0 mm): 22, 24 mm (L=50 mm); 27, 30 mm (L=53 mm); 32, 36 mm (L=55 mm); 38, 41 mm (L=57 mm)

YATO	○	
YT-1115	3/4" (19.0 mm)	6

Impact socket

3/4" 19 mm | CrMo SCM440 | NEW



YATO	○ A	D1 [mm]	D2 [mm]	L [mm]	
YT-11510	1"(25.4 mm)	44	48	50	6/24

Impact universal joint

1" 25 mm | CrMo SCM440 | FOR IMPACT TOOLS DO NARZĘDZI UDAROWYCH



YATO	○	D1 [mm]	D2 [mm]	L [mm]	
YT-11999	1" (25.4 mm)	54.3	33.9	110	3/12

Impact socket set

8 PCS | 3/4" 19 mm | CrMo SCM440 | AS-DRIVE



3/4" (19.0 mm): 22, 24, 27, 30, 32, 36, 38, 41 mm (L=90 mm)

YATO	○	
YT-1155	3/4" (19.0 mm)	4

Impact extension bar with adapter

1" 25 mm | CrMo SCM440



YATO	○ A	○ B	D1 [mm]	D2 [mm]	L [mm]	
YT-1169	1" (25.4 mm)	3/4" (19.0 mm)	33	53	250	6/12

Impact bit socket set

9 PCS | 1/2" 12.7 mm | CrMo | S2



1/2" (12.7 mm): 6, 7, 8, 10, 12, 14, 17, 19 mm; (L=35 mm)

YATO	○	
YT-10662	1/2" (12.7 mm)	6/36

Hexagonal impact socket

1" 25 mm | CrMo SCM440 | AS-DRIVE





YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1180	24	40	51	59	6/24
YT-1181	25	41	51	59	6/24
YT-1182	26	42.5	51	59	6/24
YT-1183	27	44	51	59	6/24
YT-1184	28	45	51	59	6/24
YT-1185	29	46	51	60	6/24
YT-1186	30	50	51	60	6/24
YT-1187	32	51	51	61	6/24
YT-1188	33	53	53	61	6/24
YT-1189	34	54	54	61	6/24

YATO	○ A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-1190	35	54	54	61	6/24
YT-1191	36	56	54	61	6/24
YT-1192	37	57	54	65	6/24
YT-1193	38	58	54	65	5/20
YT-1194	41	61.5	54	65	4/16
YT-1195	43	64	54	68	4/16
YT-1196	46	68	54	73	3/12
YT-1197	48	72	54	73	2/8
YT-1198	50	75	54	73	2/8

Impact bit socket set

9 PCS | 1/2" 12.7 mm | CrMo | S2





1/2" (12.7 mm): M6, M8, M9, M10, M12, M14, M16, M18; (L=35 mm)

YATO	○	
YT-10663	1/2" (12.7 mm)	6/36

NON-SPARKING

Impact bit with holder set

9 PCS | 1/2" 12.7mm | CrMo | S2





1/2" (12.7 mm): T30, T40, T45, T47, T50, T55, T60, T70; (L=35 mm)

YATO		
YT-10664	1/2" (12.7 mm)	6/36

Impact bit socket set

8 PCS | 1/2" 12.7mm | HRC 54 | CrMo



1/2" (12.7 mm): RM5, RM6, RM7, RM8, RM10, RM11, RM12, RM13

YATO		
YT-1068	1/2" (12.7 mm)	15

Impact bit socket set

9 PCS | 1/2" 12.7mm | CrMo



1/2" (12.7 mm): RM5, RM6, RM7, RM8, RM9, RM10, RM12, RM13, RM14

YATO		
YT-10681	1/2" (12.7 mm)	10

Impact bit socket set

8 PCS | 1/2" 12.7mm | HRC 54 | CrMo



1/2" (12.7 mm): T30, T40, T45, T50, T55, T60, T70, T80

YATO		
YT-1065	1/2" (12.7 mm)	15

Impact bit socket set

8 PCS | 1/2" 12.7mm | HRC 54 | CrMo



1/2" (12.7 mm): M5, M6, M8, M10, M12, M14, M16, M18

YATO		
YT-1069	1/2" (12.7 mm)	15

Impact bit socket set

6 PCS | 3/4" 19mm | CrMo





3/4" (19.0 mm): M16, M18;
3/4" (19.0 mm): T70, T80, T90, T100

YATO		
YT-10653	3/4" (19.0 mm)	10

Impact bit socket set

8 PCS | 1/2" 12.7mm | HRC 54 | CrMo



1/2" (12.7 mm): M6, M8, M9, M10, M12, M14, M16, M18; (L=35 mm)

YATO		
YT-1066	1/2" (12.7 mm)	10

Impact bit socket set

6 PCS | 1/2" 12.7mm | CrMo



1/2" (12.7 mm): M14, M16, M18 (L=43 mm); M14, M16, M18 (L=78 mm)

YATO		
YT-10652	1/2" (12.7 mm)	20

Impact socket set

13 PCS | 1/2" 12.7mm | CrMo | AS-DRIVE



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm (L=38 mm); CrMo

YATO		
YT-10251	1/2" (12.7 mm)	10

NON-SPARKING

Impact socket set

15 PCS | 1/2" 12.7mm | 3/8" 9.5mm | CrMo | AS-DRIVE

NEW



1/2" (12.7 mm): 10, 11, 12,13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27 mm

3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M);

YATO		
YT-10253	1/2" (12.7 mm)	10

Impact socket set

11 PCS | 1/2" 12.7mm | CrMo | AS-DRIVE



1/2" (12.7 mm): 10, 13, 14, 17, 19, 21, 22, 24, 27 mm (L=38 mm); CrMo;

1/2" (12.7 mm); (L=125 mm); CrMo;

1/2" (12.7 mm) x 1/2" (12.7 mm); (L=60 mm); CrMo

YATO		
YT-10255	1/2" (12.7 mm)	10

Impact bit socket set

9 PCS | 1/2" 12.7mm | CrMo



1/2" (12.7 mm): M4, M5, M6, M8, M9, M10, M12, M14, M16

YATO		
YT-10691	1/2" (12.7 mm)	10

Adaptor set

6 PCS | CrV



3/8" (9.5 mm) (M) x 1/4" (6.3 mm) (F), 1/4" (6.3 mm) (M) x 3/8" (9.5 mm) (F), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/4" (19.0 mm) (M) x 1/2" (12.7 mm) (F), 1/2" (12.7 mm) (M) x 3/4" (19.0 mm) (F)



YATO		
YT-10671		20

Impact socket set

10 PCS | 1/2" 12.7mm | AS-DRIVE | CrMo

NEW



1/2" (12.7 mm): 10, 12, 13, 14, 15, 17, 19, 22, 24, 27 mm

YATO		
YT-10252	1/2" (12.7 mm)	10

Impact bit socket set

9 PCS | 1/2" 12.7mm | CrMo



1/2" (12.7 mm): T20, T25, T30, T40, T45, T50, T55, T60, T70



YATO		
YT-10654	1/2" (12.7 mm)	10

Impact bit socket set

19 PCS | 1/2" 12.7mm | 1/4" 6.3 mm | AS-DRIVE | CrMo





1/2" (12.7 mm): 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; CrMo;
1/2" (12.7 mm): (L=125, 250 mm); CrMo;
1/4" (6.3 mm) x 1/2" (12.7 mm); (L=70 mm); CrMo

YATO		
YT-10556		1

Impact socket set

40 PCS | 1/2" 12.7mm | CrMo | AS-DRIVE



1/2" (12.7 mm): 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30 mm (L=38 mm); CrMo;
1/2" (12.7 mm): 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30 mm (L=78 mm); CrMo;
1/2" (12.7 mm); (L=125 mm); CrMo;
1/2" (12.7 mm) x 1/2" (12.7 mm); (L=60 mm); CrMo

YATO		
YT-10555	1/2" (12.7 mm)	2

Impact bit socket set

10 PCS | 1/2" 12.7mm | AS-DRIVE | CrMo



1/2" (12.7 mm): 10, 12, 13, 14, 15, 17, 19, 22, 24, 27 mm

YATO		
YT-10557		1

Deep aluminium wheel nut socket set

3 PCS | 1/2" 12.7mm | 150 mm | 17 19 21 mm | AS-DRIVE | CrMo 42



17, 19, 21 mm (L=150 mm)

YATO		
YT-10565		2

Adaptor set

12 PCS | 1/2" 12.7mm | 3/4" 19mm | CrMo



3/4" (19 mm) (F); CrMo; 1/2" (12.7 mm) (M); CrMo;
3/4" (19 mm) (M) (L=200 mm); CrMo; T70, T80, T90, T100 (L=67 mm); CrMo;
14, 17, 19, 21, 22 mm (L=67 mm); CrMo; 3 mm

YATO		
YT-10655	1/2"(12.7mm), 3/4"(19.0mm)	5

Impact bit socket set

18 PCS | 1/2" 12.7mm | AS-DRIVE | CrMo



1/2" (12.7 mm): 17, 19, 21 mm; CrMo;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 23, 24 mm; CrMo;
1/2" (12.7 mm): (L=75, 125, 250 mm); CrMo

YATO		
YT-10566		5

NON-SPARKING

Impact adaptor and universal joint set

11 PCS | 1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | 3/4" 19mm | 1" 25mm | CrMo



1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm);
1/4" (6.3 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M), 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 1/2" (12.7 mm) (F) × 3/4" (19.0 mm) (M), 3/4" (19.0 mm) (F) x 1/2" (12.7 mm) (M), 3/4" (19.0 mm) (F) x 1" (25.4 mm) (M), 1" (25.4 mm) (F) x 3/4" (19.0 mm) (M)

YATO		
YT-10646	1/4"(6.3mm), 3/8"(9.5mm), 1/2"(12.7mm), 3/4"(19.0mm), 1"(25.0mm)	10


DONT USE IMPACT WRENCH

Torque wrench

1/2" 12.7mm | +/- CW 3% CCW 3% | CrV 6140 | CrMo 3042



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Ratchet head:45t*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	○	[Nm]	L [mm]	
YT-07740	1/2" (12.7 mm)	10-60	360-385	12
YT-07741	1/2" (12.7 mm)	20-100	420-440	12
YT-07742	1/2" (12.7 mm)	25-125	415-440	12
YT-07743	1/2" (12.7 mm)	40-200	445-465	12
YT-07744	1/2" (12.7 mm)	65-335	505-525	9

Torque wrench

3/4" 19mm | ≤500 Nm +/- 3% CW CCW | >500 Nm +/- 4% CW CCW | CrV 6140 | CrMo 3042



- *High precision and durability*
- *Ratchet head:45t*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	○	[Nm]	L [mm]	
YT-07750	3/4" (19.0 mm)	80-400	685-704	4
YT-07751	3/4" (19.0 mm)	100-500	825-845	2
YT-07752	3/4" (19.0 mm)	160-800	1030-1050	2
YT-07753	3/4" (19.0 mm)	200-1000	1030-1050	2

Torque wrench

1" 25mm | ≤500 Nm +/- 3% CW CCW | >500 Nm +/- 4% CW CCW | CrV 6140 | CrMo 3042



- *High precision and durability*
- *Ratchet head:45t*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*



YATO	○	[Nm]	L [mm]	
YT-07761	1" (25.0 mm)	200-1000	1055	2
YT-07762	1" (25.0 mm)	300-1500	2160-2190	1
YT-07763	1" (25.0 mm)	400-2000	2530	1
YT-07764	1" (25.0 mm)	600-3000	2780	1

Torque wrench

3/8" 9.5mm | 1/2" 12.7mm | CrV 6140



- *Measurement tolerance +/- 4%*
- *Can measure the torque in two directions*
- *The head will be slightly deflected when the preset torsion value is reached*

YATO	○	[Nm]	L [mm]	
YT-0750	3/8" (9.5 mm)	20-110	342-360	20
YT-0760	1/2" (12.7 mm)	42-210	445-465	12

Torque wrench

1/4" 6.3mm | CrV 6140 | +/- CW 3% CCW 3% | CrMo 3042



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Ratchet head:45t*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	○	[Nm]	L [mm]	
YT-07720	1/4" (6.3 mm)	1-5	230-236	16
YT-07721	1/4" (6.3 mm)	2-10	240-246	16
YT-07722	1/4" (6.3 mm)	2.5-12	280-305	16
YT-07723	1/4" (6.3 mm)	4-20	280-305	16

Torque wrench

3/8" 9.5mm | +/- CW 3% CCW 3% | CrV 6140 | CrMo 3042



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Ratchet head:45t*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	○	[Nm]	L [mm]	
YT-07730	3/8" (9.5 mm)	6-30	295-316	12
YT-07731	3/8" (9.5 mm)	10-60	362-385	12
YT-07732	3/8" (9.5 mm)	20-100	420-440	12
YT-07733	3/8" (9.5 mm)	25-125	415-440	12

Torque wrench

1" 25mm | ≤500 Nm +/- 3% CW CCW | CrV 6140



- *Can measure the torque in two directions*
- *Warning sound when the preset torque value is reached*
- *Measurement tolerance +/- 3%*



YATO	○	[Nm]	L [mm]	
YT-07760	1" (25.0 mm)	160-800	1055	2

Torque wrench

3/8" 9.5mm | 10-60 Nm | 378-400 mm | +/- CW 4% CCW 4% | ALLOY STEEL STAL STOPOWA



YATO	○	[Nm]	L [mm]	
YT-07500	3/8" (9.5 mm)	10-60	378-400	12

NON-SPARKING

Dial torque wrench

3/8" 9.5 mm | 1/2" 12.7 mm | +/- 3%



YATO	□	[Nm]	L [mm]	
YT-07833	3/8" (9.5 mm)	5-50	335	12
YT-07834	1/2" (12.7 mm)	0-100	390	12
YT-07836	1/2" (12.7 mm)	30-300	590	10

Interchangeable torque handle

+/- 3% | CrV 6140 | CrMo 30



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	□	[Nm]	L [mm]	
YT-07850	9x12 (mm)	2.5-12	260-282	16
YT-07851	9x12 (mm)	4.0-20	262-280	16
YT-07852	9x12 (mm)	6.0-30	280-300	12
YT-07853	9x12 (mm)	10-60	345-370	12
YT-07854	9x12 (mm)	20-100	405-425	12
YT-07855	9x12 (mm)	25-125	400-425	12

Torque wrench

+/- 3% | CrMo 30



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	□	[Nm]	L [mm]	
YT-07856	14x18 (mm)	40-200	438-458	12
YT-07857	14x18 (mm)	65-335	495-518	9
YT-07858	14x18 (mm)	80-400	675-698	4

Torque wrench

CrV 6140



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	□	[Nm]	L [mm]	
YT-07859	24x32 (mm)	100-500	855	1
YT-07860	24x32 (mm)	160-800	1055	1
YT-07861	24x32 (mm)	200-1000	1055	1

Torque wrench

CrV 6140



- *Measurement tolerance +/- 3%*
- *High precision and durability*
- *Teflon handle*
- *Warning sound when the preset torque value is reached*

YATO	□	[Nm]	L [mm]	
YT-07862	27x36 (mm)	300-1500	1260	1
YT-07863	27x36 (mm)	400-2000	2200	1
YT-07864	27x36 (mm)	600-3000	2780	1

Torque wrench

1/4" 6.3 mm | 1/2" 12.7 mm | 3/4" 19 mm | +/- 4% | ALLOY STEEL STAL STOPOWA



- *Measurement tolerance +/- 4%*
- *Can measure the torque in two directions*

YATO	□	[Nm]	L [mm]	
YT-07511	1/4" (6.3 mm)	2.5-20	240-250	16
YT-07611	1/2" (12.7 mm)	10-60	378-400	12
YT-07601	1/2" (12.7 mm)	65-335	518-540	10
YT-07712	3/4" (19.0 mm)	80-400	676-697	4

Torque wrench

1/4" 6.3 mm | 5-25 Nm | 230-240 mm | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%



YATO	□	[Nm]	L [mm]	
YT-07670	1/4" (6.3 mm)	5-25	230-240	40

Torque wrench

3/8" 9.5 mm | 10-60 Nm | 285-295 mm | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%



YATO	□	[Nm]	L [mm]	
YT-07672	3/8" (9.5 mm)	10-60	285-295	20

Torque wrench

3/8" 9.5 mm | 10-120 Nm | 390-405 mm | 72T | ALLOY STEEL STAL STOPOWA | +/− CW 3% CCW 5%



YATO	○	[Nm]	L [mm]	
YT-07673	3/8" (9.5 mm)	10-120	390-405	10

Torque wrench

1/4" 6.3 mm | 2-26 Nm | 250 mm | 72T | CrMo SCM440 | 40Cr | +/− CW 3% CCW 5% | SETTINGS WINDOW OKNO USTAWIEŃ



YATO	○	[Nm]	L [mm]	
YT-07690	1/4" (6.3 mm)	2-26	250	10

Torque wrench

1/2" 12.7 mm | 40-220 Nm | 485-505 mm | 72T | ALLOY STEEL STAL STOPOWA | +/− CW 3% CCW 5%



YATO	○	[Nm]	L [mm]	
YT-07676	1/2" (12.7 mm)	40-220	485-505	6

Torque wrench

3/8" 9.5 mm | 10-60 Nm | 310 mm | 72T | CrMo SCM440 | 40Cr | +/− CW 3% CCW 5% | SETTINGS WINDOW OKNO USTAWIEŃ



YATO	○	[Nm]	L [mm]	
YT-07692	3/8" (9.5 mm)	10-60	310	10

Torque wrench

1/2" 12.7 mm | 60-330 Nm | 545-565 mm | 72T | ALLOY STEEL STAL STOPOWA | +/− CW 3% CCW 5%



YATO	○	[Nm]	L [mm]	
YT-07677	1/2" (12.7 mm)	60-330	545-565	6

Torque wrench

3/8" 9.5 mm | 20-120 Nm | 425 mm | 72T | CrMo SCM440 | 40Cr | +/− CW 3% CCW 5% | SETTINGS WINDOW OKNO USTAWIEŃ



YATO	○	[Nm]	L [mm]	
YT-07693	3/8" (9.5 mm)	20-120	425	6

Torque wrench

3/4" 19 mm | 100-500 Nm | 585-605 mm | 72T | ALLOY STEEL STAL STOPOWA | +/− CW 3% CCW 5%



YATO	○	[Nm]	L [mm]	
YT-07680	3/4" (19.0 mm)	100-500	585-605	6

Torque wrench

1/2" 12.7 mm | 40-220 Nm | 500 mm | 72T | CrMo SCM440 | 40Cr | +/− CW 3% CCW 5% | SETTINGS WINDOW OKNO USTAWIEŃ



YATO	○	[Nm]	L [mm]	
YT-07696	1/2" (12.7 mm)	40-220	500	6

Torque wrench

1/4" 6.3mm | 5-25 Nm | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	O	[Nm]	
YT-07713	1/4" (6.3 mm)	5-25	20

Torque wrench

1/2" 12.7mm | 50-330 Nm | 550 mm | 72T | CrMo SCM440 | 40Cr | +/- CW 3% CCW 5% | SETTINGS WINDOW OKNO USTAWIEŃ



YATO	O	[Nm]	L [mm]	
YT-07697	1/2" (12.7 mm)	50-330	550	6

Torque wrench

3/8" 9.5mm | 10-60 Nm | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	O	[Nm]	
YT-07714	3/8" (6.3 mm)	10-60	20

Digital torque wrench

CrV 6140 | +/- 2%







YATO	O	[Nm]	
YT-07903	14x18 (mm)	10-200	10
YT-07904	14x18 (mm)	17-340	10

Torque wrench

1/2" 12.7mm | 40-220 Nm | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	O	[Nm]	
YT-07715	1/2" (12.7 mm)	40-220	12

Digital torque adaptor set

1/2" 12.7mm | 20-220 Nm | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	O	[Nm]	
YT-07534	1/2" (12.7 mm)	20-220	30

Torque wrench set

9 PCS | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	O	
YT-07716	1/4" (6.3 mm), 3/8" (6.3 mm), 1/2" (12.7 mm)	4

NON-SPARKING

Torque wrench set

32 PCS | 72T | ALLOY STEEL STAL STOPOWA | +/- CW 3% CCW 5%

NEW



YATO	○	
YT-07717	1/4" (6.3 mm), 3/8" (6.3 mm), 1/2" (12.7 mm)	3

Torque Wrench Set

6 PCS | 10-70 Nm | +/- CW 3% CCW 3% | 17 mm | 22 mm | 24 mm | 26 mm | 27 mm | 29 mm

NEW



YATO	[Nm]	
YT-24771	10-70	8

Torque wrench

1/2" 12.7mm | CrV 6140 | 40-200 Nm | CrMo 4140



- *Measurement tolerance +/- 3%*
- *Insert size: 13,14,15,17,19,22,24,27,30mm*

YATO	○	[Nm]	L [mm]	
YT-0767	1/2" (12.7 mm)	40-200	500	4

Digital torque adapter

1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | 10-200 Nm | +/- 2% | LCD | 2x AAA





YATO	○	[Nm]	
YT-07535	1/4" (6.3 mm), 3/8" (9.5mm), 1/2" (12.7mm)	10-200	10/20

Torque wrench

7 PCS | 10-100 Nm | +/- CW 3% CCW 3% | 17 mm | 22 mm | 24 mm | 26 mm | 27 mm | 29 mm



YATO	⊠ [mm]	Tmax. [Nm]	
YT-24770	14x18	10-100	8

Digital torque wrench

CrV 6140 | +/- 2%



YATO	○	[Nm]	
YT-07900	1/2" (12.7 mm)	6.8-135	10
YT-07901	1/2" (12.7 mm)	10-200	10
YT-07902	1/2" (12.7 mm)	17-340	10
YT-07910	3/4" (19.0 mm)	25-550	2
YT-07911	3/4" (19.0 mm)	42.5-850	2

Torque wrench set

11 PCS | 2-24 Nm | +/- CW 3% CCW 3% | S2

NEW



YATO	○	[Nm]	
YT-07841	1/4" (6.3 mm)	2-24	20

Digital torque wrench

1/4" 6.3mm | 3/8" 9.5mm | CrV 6140 | +/- 2%



YATO	○	[Nm]	
YT-07890	1/4" (6.3 mm)	0.6-12	12
YT-07893	1/4" (6.3 mm)	1.5-30	10
YT-07894	3/8" (9.5 mm)	3-60	10
YT-07896	3/8" (9.5 mm)	4.2-85	10

Digital torque wrench

CrV 6140 | +/- 2%







YATO	O	[Nm]	
YT-07892	9x12 (mm)	1.5-30	10
YT-07895	9x12 (mm)	3-60	10

Torque wrench

1/2" 12.7mm | 3/8" 9.5mm | SETTINGS WINDOW OKNO USTAWIEŃ | +/- CW 4% CCW 4% | CrMo 42



YATO	O	[Nm]	L [mm]	
YT-07735	3/8" (9.5 mm)	10-60	415	10
YT-07736	3/8" (9.5 mm)	10-100	470	10
YT-07612	1/2" (12.7 mm)	10-60	415	12
YT-07605	1/2" (12.7 mm)	20-220	481	10
YT-07607	1/2" (12.7 mm)	10-100	470	10
YT-07609	1/2" (12.7 mm)	65-350	550	10

Mechanical torque screwdriver

1/4" 6.3mm | +/- 5%

- *Idling when the preset torque value is reached*
- *Material: alloy steel*
- *Measurement tolerance +/- 5%*





YATO	O	[Nm]	L [mm]	
YT-07517	1/4" (6.3 mm)	0.1-1.2	180	24
YT-07518	1/4" (6.3 mm)	1-6	248	24

Digital torque wrench

1/2" 12.7mm | LCD | LED DISPLAY WYŚWIETLACZ | QUICK RELEASE SZYBKO-ZŁĄCZE | BEEP



- *application: industry, service stations*
- *precise digital torque measurement*
- *internal memory*
- *can measure the torque in two directions*
- *accuracy +/-2%*

YATO	O	[Nm]	L [mm]	
YT-0762	1/2" (12.7 mm)	10-200	450	6

Torque wrench

1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | 3/4" 19mm | 1" 25mm | CrV 6140 | +/- 4%



- *Warning sound when the preset torque value is reached*
- *Measurement tolerance +/- 4%*

YATO	O	[Nm]	L [mm]	
YT-07410	1/4" (6.3 mm)	6-30	330	10
YT-07411	3/8" (9.5 mm)	10-60	430	10
YT-07412	3/8" (9.5 mm)	10-100	405	10
YT-07413	1/2" (12.7 mm)	20-100	480	10
YT-07414	1/2" (12.7 mm)	40-200	500	10

YATO	O	[Nm]	L [mm]	
YT-07415	1/2" (12.7 mm)	60-300	550	10
YT-07416	1/2" (12.7 mm)	80-400	715	6
YT-07417	3/4" (19.0 mm)	100-550	970	2
YT-07418	3/4" (19.0 mm)	160-800	1113-1120	2
YT-07420	1" (25 mm)	200-1000	1250	2

Torque wrench

1/2" 12.7mm | CrV 6140



YATO	O	[Nm]	L [mm]	it·fb	
YT-0761	1/2" (12.7 mm)	40-210	516-534	29.5-147.51	10

Torque multiplier

1/2" 12.7mm | 3/4" 19mm | CrMo 4140 | +/- 5%



YATO	F O	Tmax. [Nm]	M O	Tmax. [Nm]	L [mm]	
YT-0780	1/2" (12.7 mm)	500	3/4" (19.0 mm)	1400	420	4
YT-0781	3/4" (19.0 mm)	1000	1" (25.4 mm)	2700	500	2

NON-SPARKING

Mechanical torque screwdriver

1/4" 6.3mm | +/- 2%

•Idling when the preset torque value is reached
• Material: alloy steel
• Measurement tolerance +/- 5%





YATO	⬡	[Nm]	L [mm]	
YT-07520	1/4" (6.3 mm)	0.3-3	215	20
YT-07521	1/4" (6.3 mm)	0.6-6	215	10/20

Torque screwdriver

1/4" 6.3mm | +/- 6%



• Idling when the preset torque value is reached
• Material: alloy steel
• Measurement tolerance +/- 6%

YATO	⬡	[Nm]	L [mm]	
YT-07526	1/4" (6.3 mm)	1-8	235	30

Beam torque wrench

1/2" 12,7mm | 3/4" 19mm | CrV 6140



YATO	⬡	[Nm]	
YT-07641	1/2" (12.7 mm)	0-300	16
YT-07642	3/4" (19.0 mm)	0-500	9

Insert reversible ratchet

1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12,7mm | 3/4" 19mm | CrV 6140



YATO	⬡	Size	
YT-07495	1/4" (6.3mm)	9x12	220
YT-07496	3/8" (9.5mm)	9x12	100
YT-07497	1/2" (12.7mm)	9x12	40
YT-07498	1/2" (12.7mm)	14x18	30
YT-07499	3/4" (19.0mm)	14x18	50

Removable head for torque wrench

1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12,7mm | 3/4" 19mm | RATCHET SYSTEM SYSTEM ZAPADKOWY | CrMo 42



YATO	⬡	Size	
YT-07870	1/4" (6.3mm)	9x12	50
YT-07871	3/8" (9.5mm)	9x12	50
YT-07872	1/2" (12.7mm)	9x12	50
YT-07873	1/2" (12.7mm)	14x18	50
YT-07874	3/4" (19.0mm)	14x18	50

Torque multiplier

3/8" 9.5mm | 1/2" 12,7mm | 3/4" 19mm | 1" 25mm | CrV 6140 | +/- 5%



• Measurement tolerance +/- 5%
• With reaction arm

YATO	F ⬡	Tmax. [Nm]	M ⬡	Tmax. [Nm]
YT-07880	1/2" (12.7 mm)	303	3/4" (19.0 mm)	1000
YT-07881	1/2" (12.7 mm)	200	3/4" (19.0 mm)	1000
YT-07882	1/2" (12.7 mm)	300	1" (25 mm)	1500
YT-07883	1/2" (12.7 mm)	100	1" (25 mm)	2500
YT-07884	1/2" (12.7 mm)	140	1" (25 mm), 1/2" (12.7 mm)	3500
YT-07885	1/2" (12.7 mm)	160	1" (25 mm), 1/2" (12.7 mm)	4000
YT-07886	1/2" (12.7 mm)	240	1" (25 mm), 1/2" (12.7 mm)	6000
YT-07887	1/2" (12.7 mm)	320	1" (25 mm), 1/2" (12.7 mm)	8000
YT-07888	1/2" (12.7 mm)	400	1" (25 mm), 1/2" (12.7 mm)	10000

Torque multiplier

1" 25mm | 330 mm | 4200 Nm (max.) | I-1:3.8 II-1:58 | CrV



YATO	⬡	Tmax. [Nm]	L [mm]	
YT-0782	1" (25 mm)	4200	330	1

Torque multiplier

1" 25mm | 380 mm | 5800 Nm (max.) | 1:66 | CrV



YATO	⬡	Tmax. [Nm]	L [mm]	
YT-07822	1" (25 mm)	5800	380	1

Box-End Insert Tool

CrV 6140



YATO	Size [mm]	Size	
YT-07465	7	9x12	300
YT-07466	8	9x12	300
YT-07467	10	9x12	300
YT-07468	11	9x12	300
YT-07469	12	9x12	300
YT-07470	13	9x12	300
YT-07471	14	9x12	300
YT-07472	15	9x12	300
YT-07473	16	9x12	300
YT-07474	17	9x12	280

YATO	Size [mm]	Size	
YT-07475	18	9x12	280
YT-07476	19	9x12	220
YT-07477	21	9x12	220
YT-07478	22	9x12	220
YT-07479	13	14x18	120
YT-07480	14	14x18	120
YT-07481	15	14x18	120
YT-07482	16	14x18	120
YT-07483	17	14x18	120
YT-07484	18	14x18	120

YATO	Size [mm]	Size	
YT-07485	19	14x18	20
YT-07486	21	14x18	100
YT-07487	22	14x18	100
YT-07488	24	14x18	100
YT-07489	27	14x18	100
YT-07490	30	14x18	20
YT-07491	32	14x18	80
YT-07492	34	14x18	20
YT-07493	36	14x18	80
YT-07494	41	14x18	60

Open Box-End Insert Tool

CrV 6140



YATO	Size [mm]	Size	
YT-07432	7	9x12	300
YT-07433	8	9x12	300
YT-07434	9	9x12	300
YT-07435	10	9x12	300
YT-07436	11	9x12	40
YT-07437	12	9x12	300
YT-07438	13	9x12	150
YT-07439	14	9x12	300
YT-07440	15	9x12	300
YT-07441	16	9x12	250

YATO	Size [mm]	Size	
YT-07442	17	9x12	100
YT-07443	18	9x12	220
YT-07444	19	9x12	100
YT-07445	13	14x18	120
YT-07446	14	14x18	120
YT-07447	15	14x18	120
YT-07448	16	14x18	120
YT-07449	17	14x18	120
YT-07450	18	14x18	50
YT-07451	19	14x18	50

YATO	Size [mm]	Size	
YT-07452	21	14x18	20
YT-07453	22	14x18	100
YT-07454	24	14x18	100
YT-07455	27	14x18	70
YT-07456	30	14x18	60
YT-07457	32	14x18	60
YT-07458	34	14x18	60
YT-07459	36	14x18	30
YT-07460	38	14x18	60
YT-07461	41	14x18	20


CrMo
VDE
NON-SPARKING


YATO
YATO
YATO CVM55

Screwdriver

HRC 58-60 | S2



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊖ [mm]	L [mm]	
YT-25900	2	75	12/96/384
YT-25901	3	75	12/96/384
YT-25902	3	100	12/96/384
YT-25903	3	150	12/60/240
YT-25891	3	200	12/60/240
YT-25904	4	100	12/96/384
YT-25905	4	150	12/96/384
YT-25906	4	200	12/96/384
YT-25899	5	38	12/60/240
YT-25907	5	75	12/60/240
YT-25908	5	100	12/60/240
YT-25909	5	150	12/60/240
YT-25892	5	200	12/36/144
YT-25893	5	250	6/36/144
YT-25894	5	300	6/24/96
YT-25910	6	38	12/60/240
YT-25911	6	100	12/36/144
YT-25912	6	150	12/36/144
YT-25913	6	200	12/36/144
YT-25895	6	250	6/36/144
YT-25896	6	300	6/24/96
YT-25914	8	150	6/24/96
YT-25915	8	200	6/24/96
YT-25916	8	250	6/24/96
YT-25917	8	300	6/24/96

Screwdriver

HRC 58-60 | S2



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊕	L [mm]	
YT-25919	PH00	65	12/96/384
YT-25920	PH0	75	12/96/384
YT-25921	PH0	100	12/96/384
YT-25918	PH0	150	12/60/240
YT-25937	PH0	200	12/60/240
YT-25922	PH1	38	12/60/240
YT-25923	PH1	75	12/60/240
YT-25924	PH1	100	12/60/240
YT-25925	PH1	150	12/60/240
YT-25926	PH1	200	12/36/144
YT-25938	PH1	250	6/36/144
YT-25927	PH1	300	6/24/96
YT-25928	PH2	38	12/60/240
YT-25929	PH2	100	12/36/144
YT-25930	PH2	150	12/36/144
YT-25931	PH2	200	12/36/144
YT-25939	PH2	250	6/36/144
YT-25932	PH2	300	6/24/96
YT-25933	PH3	150	6/24/96
YT-25934	PH3	200	6/24/96
YT-25935	PH3	250	6/24/96
YT-25936	PH3	300	6/24/96

Screwdriver

HRC 58-60 | S2



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊛	L [mm]	
YT-25950	T5	75	12/96/384
YT-25951	T6	75	12/96/384

Go-through screwdriver

HRC 52 | CrV 6150



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊕	L [mm]	
YT-25993	PH2	100	6/24/96
YT-25994	PH2	150	6/24/96
YT-25995	PH3	150	6/24/72
YT-25996	PH3	200	6/24/72
YT-25997	PH3	250	6/24/72

Screwdriver

HRC 58-60 | S2



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊛	L [mm]	
YT-25952	T7	75	12/96/384
YT-25953	T8	75	12/96/384
YT-25954	T9	75	12/96/384
YT-25955	T10	100	12/60/240
YT-25956	T15	100	12/60/240

YATO	⊛	L [mm]	
YT-25957	T20	100	12/60/240
YT-25958	T25	100	12/36/144
YT-25959	T27	100	12/36/144
YT-25960	T30	100	12/36/144
YT-25961	T40	100	6/24/96

Screwdriver set

2 PCS | ⊖ | ⊕ | HRC 52 | CrV 6150



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊖ [mm]	⊕ [mm]	
YT-25998	6.0 mm (L=150 mm)	PH2 (L=150 mm)	6/36

Go-through screwdriver

HRC 52 | CrV 6150



- PP+TPR 3 colour handle
- Satin finish, sanded tip

YATO	⊖ [mm]	L [mm]	
YT-25985	6	100	6/24/96
YT-25986	6	150	6/24/96
YT-25987	6	200	6/24/96
YT-25988	6	250	6/24/96

YATO	⊖ [mm]	L [mm]	
YT-25989	8	150	6/24/72
YT-25990	8	200	6/24/72
YT-25991	8	250	6/24/72
YT-25992	8	300	6/24/72

Screwdriver

HRC 58 | S2



YATO	⊕	L [mm]	
YT-25940	PZ1	75	12/60/240
YT-25941	PZ1	100	12/60/240
YT-25942	PZ2	100	12/36/144
YT-25943	PZ2	150	12/36/144

Screwdriver

CrV 6150



YATO	⊕	L [mm]	
YT-25670	PH0	100	24/288
YT-25671	PH0	150	24/288
YT-25672	PH0	75	24/288
YT-25673	PH1	100	12/180
YT-25674	PH1	150	12/180

YATO	⊕	L [mm]	
YT-25675	PH1	200	12/180
YT-25676	PH1	75	12/180
YT-25677	PH2	100	12/180
YT-25678	PH2	125	12/180
YT-25679	PH2	150	12/180

YATO	⊕	L [mm]	
YT-25680	PH2	200	12/180
YT-25681	PH2	250	12/108
YT-25683	PH3	150	12/108
YT-25684	PH3	200	12/108
YT-25685	PH3	250	12/108

Screwdriver

CrV 6150



YATO	⊖ [mm]	L [mm]	
YT-25650	3	100	24/288
YT-25651	3	150	24/288
YT-25652	3	75	24/288
YT-25653	5	100	12/180
YT-25654	5	150	12/180

YATO	⊖ [mm]	L [mm]	
YT-25655	5	200	12/180
YT-25656	5	75	12/180
YT-25657	6	100	12/180
YT-25658	6	125	12/180
YT-25659	6	150	12/180

YATO	⊖ [mm]	L [mm]	
YT-25660	6	200	12/180
YT-25661	6	250	12/108
YT-25663	8	150	12/108
YT-25664	8	200	12/108
YT-25665	8	250	12/108

Screwdriver set

8 PCS; HRC 58-60; S2



⊖ 5.0, 6.0 mm (L=100 mm), 8.0 mm (L=150 mm);
⊕ PH0 (L=75 mm), PH1, PH2 (L=100 mm), PH2 (L=38 mm), PH3 (L=150 mm)

YATO	
YT-25966	6/12

Precision screwdriver with bits

31 PCS; 215 mm; 1/4" 6.3mm; CrV 6150; S2



1/4" (6.3 mm): 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=25 mm); 1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); 1/4" (6.3 mm): T10, T15 (L=25 mm);
1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); 1/4" (6.3 mm): 5, 6, 7, 8 x2, 9, 10, 11, 12, 13 mm



YATO	
YT-25972	6/24

Screwdriver set

6 PCS; HRC 58-60; S2



⊖ 3.0 mm (L=75 mm), 5.0, 6.0 mm (L=100 mm);
⊕ PH0 (L=75 mm), PH1, PH2 (L=100 mm)

YATO	
YT-25965	6/24

Screwdriver set

18 PCS; HRC 58-60; S2





⊖ 2.4, 3.0 mm (L=50 mm), 5.0 mm (L=75 mm), 6.0 mm (L=38 mm), 6.0 mm (L=100 mm), 8.0 mm (L=150 mm);
⊕ PH00, PH0 (L=50 mm), PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH3 (L=150 mm);
T5, T6, T7, T8, T9, T10 (L=50 mm)

YATO	
YT-25982	6/12

6 in 1 Interchangeable screwdriver set

HRC 58-60 | S2



5.0 mm x PH1, 6.0 mm x PH2;
1/4" (6.3 mm) x 5/16" (8 mm)

- *PP+TPR 3 colour handle*
- *Satin finish, sanded tip*

YATO	
YT-25971	12/96

Screwdriver set

12 PCS | HRC 52 | CrV 6150



3.0, 5.0 mm (L=75 mm), 6.0 mm (L=38 mm), 6.0, 8.0 mm (L=150 mm);
PH0, PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH3 (L=150 mm);
SQ1, SQ2 (L=100 mm)

YATO	
YT-25967	6/12

Screwdriver set

8 PCS | HRC 58-60 | S2



T8 (L=75 mm), T10, T15, T20,
T25, T27, T30, T40 (L=100 mm)

YATO	
YT-25975	6/12

Screwdriver set

6 PCS | HRC 58-60 | S2



5.0 mm (L=75 mm), 5.0 mm (L=100 mm),
6.0 mm (L=150 mm);
PH1 (L=75 mm), PH2 (L=100 mm),
PH2 (L=150 mm)

YATO	
YT-25977	6/12

Screwdriver set

8 PCS | HRC 58-60 | S2



2.0, 2.4 mm (L=50 mm), 6.0 mm (L=38 mm), 6.0 mm (L=100 mm);
PH0, PH1 (L=50 mm), PH2 (L=38 mm), PH2 (L=100 mm)

YATO	
YT-25980	6/24

Screwdriver set

15 PCS | HRC 58 | S2



1.5, 2.0 mm (L=50 mm), 5.0 mm (L=75 mm),
6.0 mm (L=38 mm), 6.0 mm (L=100 mm), 6.0 mm (L=125 mm);
PH00, PH0 (L=50 mm), PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm);
T5, T6, T7, T8 (L=50 mm)

YATO	
YT-25981	6/24

Screwdriver set

8 PCS | HRC 58-60 | S2



5.0 mm (L=75 mm), 6.0 mm (L=38 mm),
6.0 mm (L=100 mm) 6.0 mm (L=150 mm);
PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH2 (L=150 mm)

YATO	
YT-25976	6/12

Screwdriver set

9 PCS | HRC 58 | S2



3.0, 5.0 mm (L=75 mm), 6.0 mm (L=100 mm), 6.0, 8.0 mm (L=150 mm);
PH0, PH1 (L=75 mm), PH2 (L=100 mm), PH2 (L=150 mm)

YATO	
YT-25968	6/12

Screwdriver

HRC 58-60 | S2



YATO		L [mm]	
YT-2624	T9	75	12/96/384
YT-2631	T40	100	12/24/96

Screwdriver

HRC 58-60 | S2



YATO	⊛	L [mm]	
YT-2620	T5	75	12/96/384
YT-2621	T6	75	12/96/384

Straight cut screwdriver

HRC 58 | S2



YATO	⊖ [mm]	L [mm]	
YT-2841	5	200	12/36/144
YT-2842	5	250	12/36/144
YT-2843	5	300	6/24/96
YT-2845	6	200	12/36/144

Screwdriver set

8 PCS | ⊖ | ⊕ | HRC 58 | S2



⊖ 5.0 mm (L=75 mm), 6.0 mm (L=100 mm), 8.0 mm (L=150 mm);
⊕ PH0 (L=75 mm), PH1 (L=100 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH3 (L=150 mm)

YATO	
YT-2784	6/12

Screwdriver

HRC 58 | S2



YATO	⊖ [mm]	L [mm]	
YT-2760	3	75	12/96/384
YT-2761	3	100	12/96/384
YT-2762	5	75	12/60/240
YT-2763	5	100	12/60/240
YT-2764	5	150	12/60/240
YT-2765	6	38	12/60/240
YT-2766	6	100	12/36/144

YATO	⊖ [mm]	L [mm]	
YT-2767	6	150	12/36/144
YT-2768	6	200	12/36/144
YT-2769	8	150	6/24/96
YT-2720	6	250	6/36/144
YT-2722	8	200	6/24/96
YT-27198	6	125	6/36/144

Screwdriver set

6 PCS | ⊖ | ⊕ | HRC 58 | S2



⊖ 3.0 mm (L=75 mm), 5.0 mm (L=100 mm), 6.0 mm (L=100 mm);
⊕ PH0 (L=75 mm), PH1 (L=100 mm), PH2 (L=100 mm)

YATO	
YT-2783	6/24

Screwdriver

HRC 58-60 | S2



YATO	⊕	L [mm]	
YT-2770	PH0	75	12/96/384
YT-2771	PH0	100	12/96/384
YT-2772	PH1	75	12/60/240
YT-2773	PH1	100	12/60/240
YT-2774	PH1	150	12/60/240
YT-2775	PH2	38	12/60/240

YATO	⊕	L [mm]	
YT-2776	PH2	100	12/36/144
YT-27298	PH2	125	12/36/144
YT-2777	PH2	150	12/36/144
YT-2778	PH2	200	12/36/144
YT-2730	PH2	250	6/36/144
YT-2779	PH3	150	6/24/96

Screwdriver set

8 PCS | ⊖ | ⊕ | HRC 58 | S2



⊖ 2.0 mm (L=50 mm), 2.4 mm (L=50 mm), 6.0 mm (L=38 mm) 6.0 mm (L=100 mm);
⊕ PH0 (L=50 mm), PH1 (L=50 mm), PH2 (L=38 mm), PH2 (L=100 mm)

YATO	
YT-2782	6/24

Screwdriver set

12 PCS | ⊖ | ⊕ | ▣ | HRC 58 | S2



⊖ 3.0 mm (L=75 mm), 5.0 mm (L=75 mm), 6.0 mm (L=38 mm), 6.0 mm (L=150 mm), 8.0 mm (L=150 mm);
⊕ PH0 (L=75 mm), PH1 (L=75 mm), PH2 (L=38 mm), PH2 (L=100 mm), PH2 (L=100 mm), PH3 (L=150 mm);
▢ SQ1, SQ2 (L=100 mm)

YATO	
YT-2787	6/12

Spinner handle with bit adapter

1/4" 6.3mm | HRC 58 | S2



YATO	L [mm]	
YT-27975	215	24/96

Precision screwdriver set

6 PCS | HRC 58 | S2



2.0 mm (L=150 mm), 2.5 mm (L=150 mm), 3.0 mm (L=150 mm);

PH00 (L=150 mm), PH0 (L=150 mm), PH1 (L=150 mm)

YATO		
YT-2575		12/120

Screwdriver

HRC 58-62 | SVCM 55 | HIGH INDUSTRIAL



YATO	⊕	L [mm]	
YT-2667	PZ3	150	12/120

Screwdriver

HRC 58-62 | SVCM 55 | HIGH INDUSTRIAL



YATO	⊕	L [mm]	
YT-2642	PH1	75	12/240

Precision screwdriver

HRC 57-61 | S2



YATO	⊖	L [mm]	
YT-25802	1.4	50	50/400
YT-25803	1.6	50	50/400
YT-25804	1.8	50	50/400
YT-25805	2.0	50	50/400
YT-25806	2.0	75	50/400
YT-25807	2.4	50	50/400
YT-25808	2.4	75	50/400
YT-25809	3.0	50	50/400
YT-25810	3.0	75	50/400
YT-25811	3.0	100	50/400

Screwdriver

HRC 58-62 | SVCM 55 | HIGH INDUSTRIAL



YATO	⊖	L [mm]	
YT-2610	5.5	200	12/240

Precision screwdriver

HRC 57-61 | S2



YATO		L [mm]	
YT-25852	T5	50	50/400
YT-25854	T7	50	50/400
YT-25855	T8	50	50/400
YT-25856	T9	50	50/400

Precision screwdriver

HRC 57-61 | S2



YATO	⊕	L [mm]	
YT-25831	PH000	50	50/400
YT-25832	PH000	75	50/400
YT-25833	PH00	50	50/400
YT-25834	PH00	75	50/400
YT-25835	PH0	50	50/400
YT-25836	PH0	75	50/400
YT-25837	PH0	100	50/400
YT-25838	PH1	50	50/400
YT-25839	PH1	100	50/400
YT-25840	PH1	150	50/400

Screwdriver

HRC 58-62 | SVCM 55 | HIGH INDUSTRIAL



YATO	⊖	L [mm]	
YT-2601	3.0	75	12/240
YT-2603	4.0	38	12/240
YT-2606	4.0	100	12/240

Screwdriver

HRC 58-62 | SVCM 55 | HIGH INDUSTRIAL



YATO		L [mm]	
YT-2743	T7	75	12/240
YT-2745	T9	75	12/240
YT-2748	T15	100	12/240
YT-2750	T20	100	12/240
YT-2753	T27	100	12/240
YT-2756	T40	100	12/240
YT-2757	T45	100	12/240

Socket wrench with handle

CrV | HRC 44





YATO	⬡ [mm]	D [mm]	L1 [mm]	L2 [mm]	
YT-1545	9	13.0	125	242	6/120
YT-1547	11	15.9	125	242	6/120

Precision screwdriver set

6 PCS | HRC 57-61 | S2



1.4, 2.0, 2.4 mm (L=50 mm);
PH00, PH0, PH1 (L=50 mm)

YATO	
YT-25861	6/36

22 in 1 interchangeable screwdriver set

12 PCS | 22in1 22w1 | SVCM



4 mm x 5.5 mm (L=175/115 mm)
6.5 mm x PH3 (L=175/115 mm)
PH1 x PH2 (L=175/115 mm)
PZ1 x PZ2 (L=175/115 mm)
3 mm x 3 mm (L=175/115 mm)
4 mm x 4 mm (L=175/115 mm)
5 mm x 5 mm (L=175/115 mm)
6 mm x 6 mm (L=175/115 mm)
T10 x T15 (L=175/115 mm)
T20 x T25 (L=175/115 mm)
T30 x T40 (L=175/115 mm)

YATO	
YT-2797	6/12

Precision screwdriver set

7 PCS | HRC 57-61 | S2



2.0, 3.0 mm (L=50 mm);
PH00, PH0 (L=50 mm);
T5, T6, T7 (L=50 mm)

YATO	
YT-25863	6/36

Drawer insert

13 PCS | S2



3x75, 5x75, 4x100, 6x100; PH0x75, PH1x75, PH2x100 mm; S2;
1.4x50, 2x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; S2

YATO	
YT-55455	8

Cordless precision screwdriver with bits

39 PCS | LED | 3.6 V 750mAh Li-ion | Micro USB | CrV



2.5, 3.0, 3.5, 4.0, 4.5 mm; CrV;
1.2, 1.6, 2.0, 2.4, 3.0 mm (L=28 mm); CrV;
PH000, PH00, PH0, PH1 x2 (L=28 mm); CrV;
PZ0 x2, PZ1 x2 (L=28 mm); CrV;
T4, T5, T6, T7, T8, T9, T10 (L=28 mm); CrV;
S0, S1, S2, S3 (L=28 mm); CrV;
1.5, 2.0, 2.5, 3.0, 4.0 mm (L=28 mm); CrV;
120 mm; CrV
LpA = 49 ± 3,0 dB; LwA = 57 ± 3,0 dB; ah = 0,21 ± 1,5 m/s2

YATO	
YT-27930	8

Precision screwdriver set

6 PCS | HRC 57-61 | S2



T5, T6, T7, T8, T9, T10 (L=50 mm)

YATO	
YT-25862	6/36

Precision screwdriver bit set with handle

61 PCS | 5/32" 4.0 mm | S2



(L=100 mm);
(L=145 mm);
1/4" (6.3 mm); (L=46 mm); S2;
(L=60 mm);
(L=85 mm);
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 mm; PH2 (magnetic); S2;
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm (L=25 mm); S2;
PH000, PH00, PH0, PH1, PH2 (L=25 mm); S2;
T2, T3, T4, T5, T6, T7 (L=25 mm); S2;
T8, T9, T10, T15, T20 (L=25 mm), S2;
0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 6.0 mm (L=25 mm); S2;
0.8, 1.2, 1.5 mm (L=25 mm); S2;
S0, S1, S2 (L=25 mm); S2;
0.6, 2.0, 2.5 mm (L=25 mm); S2;
2.0, 3.0 mm (L=25 mm); S2;
2.6, 3.0 mm (L=25 mm); S2;
0.8 mm (L=25 mm); S2

YATO	
YT-25760	25/50

NON-SPARKING

Flexible screwdriver with bits

31 PCS | 1/4" 6.3mm | S2 | CrV 6150





215 mm;
1/4" (6.3 mm): 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm);
1/4" (6.3 mm): T10, T15 (L=25 mm);
1/4" (6.3 mm): 2.0, 3.0, 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): 5.0, 6.0, 7.0, 8.0(x2), 9.0, 10.0, 11.0, 12.0, 13.0 mm

YATO	
YT-2780	6/24

Ratchet screwdriver set

13 PCS | CrV 6150 | 1/4" 6.3mm



1/4" (6.3 mm): 3.0, 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): T10, T15, T20, T25 mm (L=25 mm);

YATO	
YT-27951	6/24

Ratchet screwdriver set

14 PCS | 1/4" 6.3mm



5, 6 mm;
PH1, PH2;
T15, T20;
5, 6, 7, 8, 10, 12, 13 mm

YATO	
YT-2804	6/36

Ratchet screwdriver set

7 PCS | CrV 6150 | 1/4" 6.3mm



5.0 mm x PH1 (L=85 mm);
6.0 mm x PH2 (L=85 mm);
3 mm x 4 mm (L=85 mm);
5 mm x 6 mm (L=85 mm);
T10 x T15 (L=85 mm);
T20 x T25 (L=85 mm);

YATO	
YT-27953	6/36

Ratchet screwdriver set

7 PCS | CrV 6150 | 1/4" 6.3mm



1/4" (6.3 mm): 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm);

YATO	
YT-27950	6/24

Ratchet screwdriver set

29 PCS | 1/4" 6.3mm | S2 | CrV 6150





1/4" (6.3 mm): 3.5, 4.0, 5.5, 6.5 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm);
1/4" (6.3 mm): 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): 5, 6(x2), 7(x2), 8, 9(x2), 10(x2), 11, 13 mm; CrV 6150;

YATO	
YT-2808	6/36

Geared ratcheting speed screwdriver set

14 PCS | S2 | LOCK BLOKADA





YATO	
YT-2805	12/48

Ratchet screwdriver set

39 PCS | CrV 6150



1/4" (6.3 mm): 3.0, 4.0, 5.0(x2), 6.0(x2), 7.0 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1(x2), PH2(x2), PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm);
1/4" (6.3 mm): 3.0, 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm);
1/4" (6.3 mm): S0, S1, S2, S3 (L=25 mm);
1/4" (6.3 mm): 5, 6, 7, 8, 9, 10 mm; CrV 6150;

YATO	
YT-27952	6/24

Impact screwdriver set

8 PCS | CrV 6150



5/16" (7.9 mm) x 1/2" (12.7 mm);
8 mm (L=80 mm); 8, 10 mm (L=35 mm);
PH2 (L=80 mm); PH2, PH3 (L=35 mm)

YATO	
YT-2800	20

Ratchet screwdriver with bits

11 PCS | 1/4" 6.3 mm | 72T | CrV 6150 | S2







1/4" (6.3 mm): 4, 5, 6 mm; S2;
1/4" (6.3 mm): PH0, PH1, PH2; S2;
1/4" (6.3 mm): S1, S2, S3; S2;

YATO		
YT-14390	1/4" (6.3 mm)	25/50

Impact screwdriver

7 PCS | 175 mm | 1/2" 12.7 mm | 5/16" 8 mm | CrV 6150



5/16" (7.9 mm) x 1/2" (12.7 mm);
7, 8 mm (L=35 mm); 8 mm (L=75 mm);
PH2, PH3 (L=35 mm); PH3 (L=75 mm)

YATO	
YT-28003	8/16

Impact screwdriver

32 PCS | 168 mm | 1/2" 12.7mm | CrV 6150 | S2





1/2" (12.7 mm); 10, 13, 15 mm; CrV 6150;
0.8x5.5, 1.2x6.5, 1.2x8, 1.6x10, 2x12, 2.5x14 mm (L=35 mm); S2;
PH1, PH2, PH3, PH4 (L=35 mm); PH2, PH3 (L=75 mm); S2;
T25, T27, T30, T40, T45, T50, T55 (L=35 mm); S2;
4, 5, 6, 7, 8, 10, 12 mm (L=35 mm); S2;
#3, #4

YATO	
YT-28000	10

Impact screwdriver set

15 PCS | 160 mm | 1/2" 12.7 mm | 5/16" 8 mm | CrV 6150 | S2



5/16" (7.9 mm) x 1/2" (12.7 mm);
4, 5, 6, 8, 9 mm (L=35 mm); S2;
PH1, PH2, PH3, PH4 (L=35 mm); S2;
4, 5, 6, 8 (L=35 mm); S2

YATO	
YT-28015	16

Impact screwdriver set

7 PCS | 1/2" 12.7 mm | 5/16" 8 mm | CrV 6150



5/16" (7.9 mm) x 1/2" (12.7 mm);
7, 8 mm (L=35 mm); 8 mm (L=75 mm);
PH2, PH3 (L=35 mm); PH2 (L=75 mm)

YATO	
YT-2801	5/20

Impact screwdriver

7 PCS | 160 mm | 1/2" 12.7 mm | 5/16" 8 mm | CrV 6150



5/16" (7.9 mm) x 1/2" (12.7 mm);
8 mm (L=35 mm); 8 mm (L=75 mm);
PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm)

YATO	
YT-2802	20

Screwdriver bit set

CrV 6150



YATO	⊕	L [mm]	⬡	
YT-2810	PH2	36	5/16" (7.9 mm)	5/10/100
YT-2811	PH3	36	5/16" (7.9 mm)	5/10/100

NON-SPARKING

Screwdriver bit set

CrV 6150



YATO	⊕	⊖ [mm]	L [mm]	⬡	
YT-2812	PH2, PH3	8,10	36	5/16" (7.9 mm)	4/10/100

Screwdriver bit set

10 PCS | ⬡ 1/4" 6.3 mm | 21.8 Nm (max.) | HRC 58-62 | AISI S2 | COLD FORGED KUTE NA ZIMNO | NON-SLIP SYSTEM



1/4" (6.3 mm): 5, 6 mm (L=50 mm); AISI S2;
1/4" (6.3 mm): PH1 x2, PH2 x2 (L=50 mm); AISI S2;
1/4" (6.3 mm): PZ1 x2, PZ2 x2 (L=50 mm); AISI S2

YATO	L [mm]	⬡	
YT-0483	25	1/4" (6.3 mm)	25/100

Screwdriver bits

10 PCS | ⊕ | ⬡ 1/4" 6.3 mm | HRC 58-61 | AISI S2 | COLD FORGED KUTE NA ZIMNO | NON-SLIP SYSTEM



YATO	⊕	L [mm]	⬡	
YT-04742	PH1	25	1/4" (6.3 mm)	10/25/200
YT-04752	PH2	25	1/4" (6.3 mm)	10/25/200
YT-04762	PH3	25	1/4" (6.3 mm)	10/25/200

Screwdriver bit set

10 PCS | 21.8 Nm (max.) | AISI S2 | HRC 58-62 | ⊕



YATO	⊕	L [mm]	⬡	
YT-0480	PH2	75	1/4" (6.3 mm)	25/100

Screwdriver bit set

10 PCS | ⬡ 1/4" 6.3 mm | HRC 58-61 | AISI S2 | COLD FORGED KUTE NA ZIMNO | NON-SLIP SYSTEM



5, 6 mm;
PH1, PH1, PH2, PH2;
PZ1, PZ1, PZ2, PZ2

YATO	L [mm]	⬡	
YT-04822	25	1/4" (6.3 mm)	10/25/200

Screwdriver bits

10 PCS | PH2xPH2 x65mm | ⬡ 1/4" 6.3 mm | 19.6 Nm (max.) | HRC 58-61 | AISI S2 | COLD FORGED KUTE NA ZIMNO | NON-SLIP SYSTEM



YATO	⊕	L [mm]	⬡	[Nm]	
YT-04812	PH2xPH2	65	1/4" (6.3 mm)	19.6 / 19.6	10/25/100

Screwdriver bit set

10 PCS | ⬡ 1/4" 6.3 mm | 21.8 Nm (max.) | HRC 58-62 | AISI S2 | COLD FORGED KUTE NA ZIMNO | ⊕ | NON-SLIP SYSTEM



YATO	⊕	L [mm]	⬡	
YT-0481	PH2xPH2	65	1/4" (6.3 mm)	25/100

Screwdriver bits

10 PCS | ⊕ | ⬡ 1/4" 6.3 mm | HRC 58-61 | AISI S2 | COLD FORGED KUTE NA ZIMNO | NON-SLIP SYSTEM



YATO	⊕	L [mm]	⬡	[Nm]	
YT-04772	PH1	50	1/4" (6.3 mm)	6.4	10/25/100
YT-04782	PH2	50	1/4" (6.3 mm)	19.6	10/25/100
YT-04792	PH3	50	1/4" (6.3 mm)	45.1	10/25/100

Screwdriver bit set

10 PCS | ⬡ 1/4" 6.3 mm | HRC 58-61 | AISI S2 | COLD FORGED KUTE NA ZIMNO



5, 6 mm;
PH1, PH1, PH2, PH2;
PZ1, PZ1, PZ2, PZ2

YATO	L [mm]	⬡	
YT-04832	50	1/4" (6.3 mm)	10/25/100

Screwdriver bit

2 PCS | PH | 1/4" 6.3 mm | S2



YATO	PH	L [mm]	1/4" (6.3 mm)	50/500
YT-77930	PH1	25	1/4" (6.3 mm)	50/500
YT-77931	PH2	25	1/4" (6.3 mm)	50/500
YT-77932	PH3	25	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PH | 1/4" 6.3 mm | S2



YATO	PH	L [mm]	1/4" (6.3 mm)	50/500
YT-77960	T8	50	1/4" (6.3 mm)	50/500
YT-77961	T10	50	1/4" (6.3 mm)	50/500
YT-77962	T15	50	1/4" (6.3 mm)	50/500
YT-77963	T20	50	1/4" (6.3 mm)	50/500
YT-77964	T25	50	1/4" (6.3 mm)	50/500
YT-77965	T30	50	1/4" (6.3 mm)	50/500
YT-77966	T40	50	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PZ | 1/4" 6.3 mm | CrMo



YATO	PZ	L [mm]	1/4" (6.3 mm)	50/500
YT-77973	PZ1	50	1/4" (6.3 mm)	50/500
YT-77974	PZ2	50	1/4" (6.3 mm)	50/500
YT-77975	PZ3	50	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PZ | 1/4" 6.3 mm | S2



YATO	PZ	L [mm]	1/4" (6.3 mm)	50/500
YT-77933	PZ1	25	1/4" (6.3 mm)	50/500
YT-77934	PZ2	25	1/4" (6.3 mm)	50/500
YT-77935	PZ3	25	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PH | 1/4" 6.3 mm | S2



YATO	PH	L [mm]	1/4" (6.3 mm)	50/500
YT-77950	PH1	50	1/4" (6.3 mm)	50/500
YT-77951	PH2	50	1/4" (6.3 mm)	50/500
YT-77952	PH3	50	1/4" (6.3 mm)	50/500

Screwdriver bit

25 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE



YATO		L [mm]	1/4" (6.3 mm)	50/1000/2000
YT-7800	3.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7801	4.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7802	5.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7804	6.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7805	6.5	25	1/4" (6.3 mm)	50/1000/2000

Screwdriver bit

2 PCS | PZ | 1/4" 6.3 mm | S2



YATO	T	L [mm]	1/4" (6.3 mm)	50/500
YT-77940	T8	25	1/4" (6.3 mm)	50/500
YT-77941	T10	25	1/4" (6.3 mm)	50/500
YT-77942	T15	25	1/4" (6.3 mm)	50/500
YT-77943	T20	25	1/4" (6.3 mm)	50/500
YT-77944	T25	25	1/4" (6.3 mm)	50/500
YT-77945	T30	25	1/4" (6.3 mm)	50/500
YT-77946	T40	25	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PH | 1/4" 6.3 mm | CrMo



YATO	PH	L [mm]	1/4" (6.3 mm)	50/500
YT-77970	PH1	50	1/4" (6.3 mm)	50/500
YT-77971	PH2	50	1/4" (6.3 mm)	50/500
YT-77972	PH3	50	1/4" (6.3 mm)	50/500

Screwdriver bit

25 mm | 1/4" 6.3 mm | S2 | HRC 58-62 | NICKEL PLATED NIKLOWANE | NON-SLIP SYSTEM



YATO	PH	L [mm]	1/4" (6.3 mm)	20/40
YT-7806	PH0	25	1/4" (6.3 mm)	20/40
YT-7807	PH1	25	1/4" (6.3 mm)	20/40
YT-7808	PH2	25	1/4" (6.3 mm)	20/40

Screwdriver bit

2 PCS | PZ | 1/4" 6.3 mm | S2



YATO	PZ	L [mm]	1/4" (6.3 mm)	50/500
YT-77953	PZ1	50	1/4" (6.3 mm)	50/500
YT-77954	PZ2	50	1/4" (6.3 mm)	50/500
YT-77955	PZ3	50	1/4" (6.3 mm)	50/500

Screwdriver bit

2 PCS | PH | 1/4" 6.3 mm | CrMo



YATO	PH	L [mm]	1/4" (6.3 mm)	50/500
YT-77980	T8	50	1/4" (6.3 mm)	50/500
YT-77981	T10	50	1/4" (6.3 mm)	50/500
YT-77982	T15	50	1/4" (6.3 mm)	50/500
YT-77983	T20	50	1/4" (6.3 mm)	50/500
YT-77984	T25	50	1/4" (6.3 mm)	50/500
YT-77985	T27	50	1/4" (6.3 mm)	50/500
YT-77986	T40	50	1/4" (6.3 mm)	50/500

Screwdriver bit

10 PCS | PH | 25 mm | 1/4" 6.3 mm | S2 | HRC 58-61 | NICKEL PLATED NIKLOWANE



YATO	PH	L [mm]	1/4" (6.3 mm)	[Nm]	10/20/100
YT-78141	T10	25	1/4" (6.3 mm)	5.9	10/20/100
YT-78142	T15	25	1/4" (6.3 mm)	8.4	10/20/100
YT-78143	T20	25	1/4" (6.3 mm)	14.7	10/20/100
YT-78144	T25	25	1/4" (6.3 mm)	21.6	10/20/100
YT-78145	T27	25	1/4" (6.3 mm)	29.4	10/20/100
YT-78146	T30	25	1/4" (6.3 mm)	45.1	10/20/100
YT-78147	T40	25	1/4" (6.3 mm)	76.5	10/20/100

Screwdriver bit

10 PCS | PH | 1/4" 6.3 mm | HRC 58-61 | AISI S2





YATO	PH	L [mm]	1/4" (6.3 mm)	[Nm]	
YT-78130	PH0	25	1/4" (6.3 mm)	2.1	10/20/100
YT-78131	PH1	25	1/4" (6.3 mm)	7.8	10/20/100
YT-78132	PH2	25	1/4" (6.3 mm)	19.6	10/20/100
YT-78133	PH3	25	1/4" (6.3 mm)	45.6	10/20/100

Screwdriver bit

AISI S2 | HRC 58-62 | SL | 1/4" 6.3 mm





YATO	SL	L [mm]	1/4" (6.3 mm)	
YT-7840	3.0	50	1/4" (6.3 mm)	50/500/1000
YT-7841	4.0	50	1/4" (6.3 mm)	50/500/1000
YT-7842	5.0	50	1/4" (6.3 mm)	50/500/1000
YT-7843	5.5	50	1/4" (6.3 mm)	50/500/1000
YT-7844	6.0	50	1/4" (6.3 mm)	50/500/1000
YT-7845	6.5	50	1/4" (6.3 mm)	50/500/1000

Screwdriver bit

AISI S2 | HRC 58-62 | T | 1/4" 6.3 mm





YATO	T	L [mm]	1/4" (6.3 mm)	
YT-7853	T8	50	1/4" (6.3 mm)	50/500/1000
YT-7854	T10	50	1/4" (6.3 mm)	50/500/1000
YT-7855	T15	50	1/4" (6.3 mm)	50/500/1000
YT-7856	T20	50	1/4" (6.3 mm)	50/500/1000
YT-7857	T25	50	1/4" (6.3 mm)	50/500/1000
YT-7858	T27	50	1/4" (6.3 mm)	50/500/1000
YT-7859	T30	50	1/4" (6.3 mm)	50/500/1000
YT-7860	T40	50	1/4" (6.3 mm)	50/500/1000

Screwdriver bit

10 PCS | T | 1/4" 6.3 mm | HRC 58-61 | AISI S2





YATO	PZ	L [mm]	1/4" (6.3 mm)	[Nm]	
YT-78134	PZ1	25	1/4" (6.3 mm)	6.4	10/20/100
YT-78135	PZ2	25	1/4" (6.3 mm)	19.6	10/20/100
YT-78136	PZ3	25	1/4" (6.3 mm)	45.1	10/20/100

Screwdriver bit

AISI S2 | HRC 58-61 | PH | 1/4" 6.3 mm





YATO	PH	L [mm]	1/4" (6.3 mm)	
YT-78150	PH0	50	1/4" (6.3 mm)	10/20/100
YT-78151	PH1	50	1/4" (6.3 mm)	10/20/100
YT-78152	PH2	50	1/4" (6.3 mm)	10/20/100
YT-78153	PH3	50	1/4" (6.3 mm)	10/20/100

Screwdriver bit

AISI S2 | HRC 58-62 | T | 1/4" 6.3 mm





YATO	T	L [mm]	1/4" (6.3 mm)	
YT-7861	T8	50	1/4" (6.3 mm)	50/500/1000
YT-7863	T15	50	1/4" (6.3 mm)	50/500/1000
YT-7864	T20	50	1/4" (6.3 mm)	50/500/1000
YT-7865	T25	50	1/4" (6.3 mm)	50/500/1000
YT-7866	T27	50	1/4" (6.3 mm)	50/500/1000
YT-7867	T30	50	1/4" (6.3 mm)	50/500/1000

Screwdriver bit

T | 1/4" 6.3 mm | HRC 58-62 | AISI S2





YATO	T	L [mm]	1/4" (6.3 mm)	
YT-7821	T8	25	1/4" (6.3 mm)	50/1000/2000
YT-7822	T10	25	1/4" (6.3 mm)	50/1000/2000
YT-7823	T15	25	1/4" (6.3 mm)	50/1000/2000
YT-7824	T20	25	1/4" (6.3 mm)	50/1000/2000
YT-7825	T25	25	1/4" (6.3 mm)	50/1000/2000
YT-7826	T27	25	1/4" (6.3 mm)	50/1000/2000
YT-7827	T30	25	1/4" (6.3 mm)	50/1000/2000
YT-7828	T40	25	1/4" (6.3 mm)	50/1000/2000

Screwdriver bit

AISI S2 | HRC 58-62 | PH | 1/4" 6.3 mm





YATO	PH	L [mm]	1/4" (6.3 mm)	[Nm]	
YT-78154	PZ1	50	1/4" (6.3 mm)	6.4	10/20/100
YT-78155	PZ2	50	1/4" (6.3 mm)	19.6	10/20/100
YT-78156	PZ3	50	1/4" (6.3 mm)	45.1	10/20/100

Screwdriver bit

AISI S2 | HRC 58-62 | HEX | 1/4" 6.3 mm





YATO	HEX	L [mm]	1/4" (6.3 mm)	
YT-7869	2.0	50	1/4" (6.3 mm)	50/500/1000
YT-7870	2.5	50	1/4" (6.3 mm)	50/500/1000
YT-7871	3.0	50	1/4" (6.3 mm)	50/500/1000
YT-7872	4.0	50	1/4" (6.3 mm)	50/500/1000
YT-7873	5.0	50	1/4" (6.3 mm)	50/500/1000
YT-7874	6.0	50	1/4" (6.3 mm)	50/500/1000

Screwdriver bit

HEX | 1/4" 6.3 mm | HRC 58-62 | AISI S2





YATO	HEX	L [mm]	1/4" (6.3 mm)	
YT-7829	2.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7830	2.5	25	1/4" (6.3 mm)	50/1000/2000
YT-7831	3.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7832	4.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7833	5.0	25	1/4" (6.3 mm)	50/1000/2000
YT-7834	6.0	25	1/4" (6.3 mm)	50/1000/2000

Screwdriver bit

AISI S2 | HRC 58-62 | PH | 1/4" 6.3 mm





YATO	PH	L [mm]	1/4" (6.3 mm)	
YT-7848	PH2	50	1/4" (6.3 mm)	50/500/1000

Double end screwdriver bit

AISI S2 | HRC 58-62 | PH | 1/4" 6.3 mm





YATO	PH	L [mm]	1/4" (6.3 mm)	
YT-7881	PH2	65	1/4" (6.3 mm)	50/500/1000

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	◎	L [mm]	⬡	
YT-7962	4.0	70	5/16" (8 mm)	20/200/400
YT-7963	5.0	70	5/16" (8 mm)	20/200/400
YT-7964	6.0	70	5/16" (8 mm)	20/200/400
YT-7965	7.0	70	5/16" (8 mm)	20/200/400
YT-7966	8.0	70	5/16" (8 mm)	20/200/400

Impact screwdriver bit

AISI S2 | HRC 58-62 | ◎ | 5/16" 8 mm



YATO	◎	L [mm]	⬡	
YT-78190	M5	30	5/16" (8 mm)	20/100
YT-78191	M6	30	5/16" (8 mm)	20/100
YT-78192	M8	30	5/16" (8 mm)	20/100
YT-78193	M10	30	5/16" (8 mm)	10/50
YT-78194	M12	30	5/16" (8 mm)	10/50

Impact screwdriver bit

AISI S2 | HRC 58-62 | ⊖ | 5/16" 8 mm



YATO	⊖	L [mm]	⬡	
YT-7891	5.5	30	5/16" (8 mm)	500/1000
YT-7892	6.5	30	5/16" (8 mm)	500/1000
YT-7893	8.0	30	5/16" (8 mm)	500/1000

Double end screwdriver bit

AISI S2 | HRC 58-62 | ⊕ | 1/4" 6.3 mm



YATO	⊕	⊕	L [mm]	⬡	
YT-7888	PH1	PH1	110	1/4" (6.3 mm)	20/200/400
YT-7889	PH2	PH2	110	1/4" (6.3 mm)	20/200/400
YT-7890	PH3	PH3	110	1/4" (6.3 mm)	20/200/400

Screwdriver bit

⊕ | 1/4" 6.3 mm | S2 | HRC 58-60 | NEW



YATO	⊕	L [mm]	⬡	
YT-78060	PH1	100	1/4" (6.3 mm)	50/300
YT-78061	PH2	100	1/4" (6.3 mm)	50/300
YT-78062	PH3	100	1/4" (6.3 mm)	50/300
YT-78066	PH1	150	1/4" (6.3 mm)	50/100
YT-78067	PH2	150	1/4" (6.3 mm)	50/100

YATO	⊕	L [mm]	⬡	
YT-78068	PH3	150	1/4" (6.3 mm)	50/100
YT-78069	PH1	200	1/4" (6.3 mm)	50/100
YT-78070	PH2	200	1/4" (6.3 mm)	50/100
YT-78071	PH2	250	1/4" (6.3 mm)	25/100

Double end screwdriver bit

AISI S2 | HRC 58-61 | ⊕ | 1/4" 6.3 mm



YATO	⊕	⊕	L [mm]	⬡	
YT-78160	PH1	PH1	65	1/4" (6.3 mm)	20/100
YT-78161	PH2	PH2	65	1/4" (6.3 mm)	20/100
YT-78162	PH3	PH3	65	1/4" (6.3 mm)	20/100
YT-78163	PH1	PH2	65	1/4" (6.3 mm)	20/100
YT-78164	PH2	PH3	65	1/4" (6.3 mm)	20/100

Screwdriver bit

✱ | 100 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NEW



YATO	⊕	L [mm]	⬡	
YT-78063	PZ1	100	1/4" (6.3 mm)	50/300
YT-78064	PZ2	100	1/4" (6.3 mm)	50/300
YT-78065	PZ3	100	1/4" (6.3 mm)	50/300

Impact bit set

10 PCS | ⊕ PH2 | 1/4" 6.3 mm | S2 | HRC 58-60 | NEW



YATO	◎	⬡	
YT-78073	PH2	1/4" (6.3 mm)	8/32

Double end screwdriver bit

AISI S2 | HRC 58-62 | ⊕ | ⊖ | 1/4" 6.3 mm



YATO	⊕	⊖	L [mm]	⬡	
YT-78165	PH1	4.5	65	1/4" (6.3 mm)	1/20/100
YT-78166	PH2	5.5	65	1/4" (6.3 mm)	1/20/100
YT-78167	PH3	6.5	65	1/4" (6.3 mm)	1/20/100

Impact screwdriver bit

AISI S2 | HRC 58-62 | ⬡ | 5/16" 8 mm



YATO	◎	L [mm]	⬡	
YT-7919	4.0	30	5/16" (8 mm)	50/500/1000
YT-7920	5.0	30	5/16" (8 mm)	50/500/1000
YT-7922	7.0	30	5/16" (8 mm)	50/500/1000
YT-7923	8.0	30	5/16" (8 mm)	50/500/1000

Impact screwdriver bit

AISI S2 | HRC 58-62 | ⊕ | 5/16" 8 mm



YATO	⊕	L [mm]	⬡	
YT-7894	PH1	30	5/16" (8 mm)	50/500/1000
YT-7895	PH2	30	5/16" (8 mm)	50/500/1000
YT-7896	PH3	30	5/16" (8 mm)	50/500/1000

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	⌀	L [mm]	⬡	
YT-7897	T10	30	5/16" (8 mm)	50/500/1000
YT-7898	T15	30	5/16" (8 mm)	50/500/1000
YT-7899	T20	30	5/16" (8 mm)	50/500/1000
YT-7900	T25	30	5/16" (8 mm)	50/500/1000
YT-7901	T27	30	5/16" (8 mm)	50/500/1000
YT-7902	T30	30	5/16" (8 mm)	50/500/1000

YATO	⌀	L [mm]	⬡	
YT-7903	T40	30	5/16" (8 mm)	50/500/1000
YT-7904	T45	30	5/16" (8 mm)	50/500/1000
YT-7905	T50	30	5/16" (8 mm)	50/500/1000
YT-7906	T55	30	5/16" (8 mm)	20/400/800
YT-7907	T60	30	5/16" (8 mm)	20/200/400

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	◎	L [mm]	⬡	
YT-7929	M5	30	5/16" (8 mm)	500/1000
YT-7931	M8	30	5/16" (8 mm)	500/1000
YT-7932	M10	30	5/16" (8 mm)	200/800

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	⌀	L [mm]	⬡	
YT-7908	T10	30	5/16" (8 mm)	50/500/1000
YT-7909	T15	30	5/16" (8 mm)	50/500/1000
YT-7910	T20	30	5/16" (8 mm)	50/500/1000
YT-7912	T27	30	5/16" (8 mm)	50/500/1000

YATO	⌀	L [mm]	⬡	
YT-7915	T45	30	5/16" (8 mm)	50/500/1000
YT-7916	T50	30	5/16" (8 mm)	50/500/1000
YT-7917	T55	30	5/16" (8 mm)	20/400/800
YT-7918	T60	30	5/16" (8 mm)	20/400/400

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	◎	L [mm]	⬡	
YT-7971	M5	70	5/16" (8 mm)	20/200/400
YT-7972	M6	70	5/16" (8 mm)	20/200/400
YT-7973	M8	70	5/16" (8 mm)	20/200/400
YT-7974	M10	70	5/16" (8 mm)	20/100/200
YT-7975	M12	70	5/16" (8 mm)	20/100/200

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm



YATO	⌀	L [mm]	⬡	
YT-7940	T10	70	5/16" (8 mm)	20/200/400
YT-7941	T15	70	5/16" (8 mm)	20/200/400
YT-7942	T20	70	5/16" (8 mm)	20/200/400
YT-7943	T25	70	5/16" (8 mm)	20/200/400
YT-7944	T27	70	5/16" (8 mm)	20/200/400

YATO	⌀	L [mm]	⬡	
YT-7945	T30	70	5/16" (8 mm)	20/200/400
YT-7946	T40	70	5/16" (8 mm)	20/200/400
YT-7947	T45	70	5/16" (8 mm)	20/200/400
YT-7948	T50	70	5/16" (8 mm)	20/200/400
YT-7949	T55	70	5/16" (8 mm)	20/200

Screwdriver bit

21.8 Nm (max.) | HRC 58-62 | AISI S2 | COLD FORGED KUTE NA ZIMNO

NON-SLIP SYSTEM





YATO	⊕	L [mm]	⬡	
YT-0485	PH2	100	1/4" (6.3 mm)	25/100
YT-0486	PH2	150	1/4" (6.3 mm)	25/100
YT-0487	PH2	200	1/4" (6.3 mm)	25/100

Impact screwdriver bit

AISI S2 | HRC 58-62 | ⊕ | 5/16" 8 mm



YATO	⊕	L [mm]	⬡	
YT-7937	PH1	70	5/16" (8 mm)	20/200/400
YT-7938	PH2	70	5/16" (8 mm)	20/200/400
YT-7939	PH3	70	5/16" (8 mm)	20/200/400

Impact screwdriver bit

AISI S2 | HRC 58-62 | ⊖ | 5/16" 8 mm



YATO	⊖	L [mm]	⬡	
YT-7934	5.5	70	5/16" (8 mm)	200/400
YT-7935	6.5	70	5/16" (8 mm)	200/400
YT-7936	8.0	70	5/16" (8 mm)	200/400

Screwdriver bit

HRC 58-62 | AISI S2 | COLD FORGED KUTE NA ZIMNO



YATO	⌀	L [mm]	⬡	
YT-0404	T25	30	10	10/100
YT-0405	T25	75	10	10/100
YT-04051	T30	30	10	10/100
YT-04052	T30	75	10	10/100
YT-0406	T40	30	10	10/100
YT-0407	T40	75	10	10/100
YT-0408	T45	30	10	10/100
YT-0409	T45	75	10	10/100

Impact screwdriver bit

AISI S2 | HRC 58-62 | 5/16" 8 mm





YATO	L [mm]		
YT-7953	T20	70	5/16" (8 mm)	20/200/400
YT-7954	T25	70	5/16" (8 mm)	20/200/400
YT-7955	T27	70	5/16" (8 mm)	20/200/400
YT-7956	T30	70	5/16" (8 mm)	20/200/400
YT-7957	T40	70	5/16" (8 mm)	20/200/400

YATO	L [mm]		
YT-7958	T45	70	5/16" (8 mm)	20/200/400
YT-7959	T50	70	5/16" (8 mm)	20/200/400
YT-7960	T55	70	5/16" (8 mm)	20/100/200
YT-7961	T60	70	5/16" (8 mm)	20/100/200

Impact screwdriver bits

2 PCS | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60





YATO	L [mm]		
YT-78040	PH1	50	1/4" (6.3 mm)	2/10/200
YT-78041	PH2	50	1/4" (6.3 mm)	2/10/200
YT-78042	PH3	50	1/4" (6.3 mm)	2/10/200

Impact screwdriver bits

2 PCS | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60





YATO	L [mm]		
YT-78050	T8	50	1/4" (6.3 mm)	2/10/200
YT-78051	T10	50	1/4" (6.3 mm)	2/10/200
YT-78052	T15	50	1/4" (6.3 mm)	2/10/200
YT-78053	T20	50	1/4" (6.3 mm)	2/10/200

YATO	L [mm]		
YT-78054	T25	50	1/4" (6.3 mm)	2/10/200
YT-78055	T27	50	1/4" (6.3 mm)	2/10/200
YT-78056	T30	50	1/4" (6.3 mm)	2/10/200
YT-78057	T40	50	1/4" (6.3 mm)	2/10/200

Impact screwdriver bits

2 PCS | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60





YATO	L [mm]		
YT-78043	PZ1	50	1/4" (6.3 mm)	2/10/200
YT-78044	PZ2	50	1/4" (6.3 mm)	2/10/200
YT-78045	PZ3	50	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | 25 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE





YATO	L [mm]		
YT-78010	T8	25	1/4" (6.3 mm)	2/10/200
YT-78011	T10	25	1/4" (6.3 mm)	2/10/200
YT-78012	T15	25	1/4" (6.3 mm)	2/10/200
YT-78013	T20	25	1/4" (6.3 mm)	2/10/200

YATO	L [mm]		
YT-78014	T25	25	1/4" (6.3 mm)	2/10/200
YT-78015	T30	25	1/4" (6.3 mm)	2/10/200
YT-78016	T40	25	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | 25 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE





YATO	L [mm]		
YT-78003	PZ1	25	1/4" (6.3 mm)	2/10/200
YT-78004	PZ2	25	1/4" (6.3 mm)	2/10/200
YT-78005	PZ3	25	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE





YATO	L [mm]		
YT-78030	T8	50	1/4" (6.3 mm)	2/10/200
YT-78031	T10	50	1/4" (6.3 mm)	2/10/200
YT-78032	T15	50	1/4" (6.3 mm)	2/10/200
YT-78033	T20	50	1/4" (6.3 mm)	2/10/200

YATO	L [mm]		
YT-78034	T25	50	1/4" (6.3 mm)	2/10/200
YT-78035	T30	50	1/4" (6.3 mm)	2/10/200
YT-78036	T40	50	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE





YATO	L [mm]		
YT-78020	PH1	50	1/4" (6.3 mm)	2/10/200
YT-78021	PH2	50	1/4" (6.3 mm)	2/10/200
YT-78022	PH3	50	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | ⊕ | 25 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE



YATO	⊕	L [mm]	⬡	
YT-78000	PH1	25	1/4" (6.3 mm)	2/10/200
YT-78001	PH2	25	1/4" (6.3 mm)	2/10/200
YT-78002	PH3	25	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | ⊕ | ⌀5:6 mm | 1/4" 6.3 mm | S2



YATO	⊕	L [mm]	⬡	
YT-0489	PH1, PH2	150	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊕ | ⌀5:6 mm | 1/4" 6.3 mm | S2



YATO	⊕ [mm]	L [mm]	⬡	
YT-0497	2, 4	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊕ | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NICKEL PLATED NIKLOWANE



YATO	⊕	L [mm]	⬡	
YT-78023	PZ1	50	1/4" (6.3 mm)	2/10/200
YT-78024	PZ2	50	1/4" (6.3 mm)	2/10/200
YT-78025	PZ3	50	1/4" (6.3 mm)	2/10/200

Screwdriver bit

2 PCS | ⊛ | ⌀5 mm | 1/4" 6.3 mm | S2



YATO	⊛	L [mm]	⬡	
YT-0490	T10, T25	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊛ | ⌀5 mm | 1/4" 6.3 mm | S2



YATO	⊛ [mm]	L [mm]	⬡	
YT-0498	4, 8	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊕ PH2 | 50 mm | 1/4" 6.3 mm | S2 | HRC 58-60 | NEW



YATO	⊕	L [mm]	⬡	
YT-78170	PZ1	50	1/4" (6.3 mm)	50/300

Screwdriver bit

2 PCS | ⊛ | ⌀5:6 mm | 1/4" 6.3 mm | S2



YATO	⊛	L [mm]	⬡	
YT-0491	T15, T27	100	1/4" (6.3 mm)	25/100
YT-0492	T20, T30	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊛ | ⌀5:6 mm | 1/4" 6.3 mm | S2



YATO	⊛ [mm]	L [mm]	⬡	
YT-0499	6, 10	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊕ | ⌀5:6 mm | 1/4" 6.3 mm | S2



YATO	⊕	L [mm]	⬡	
YT-0488	PH1, PH2	100	1/4" (6.3 mm)	25/100

Screwdriver bit

2 PCS | ⊛ | ⌀5 mm | 1/4" 6.3 mm | S2



YATO	⊛ [mm]	L [mm]	⬡	
YT-0493	0, 1	100	1/4" (6.3 mm)	25/100
YT-0496	1, 3	100	1/4" (6.3 mm)	25/100

Screwdriver bits with limiter

20 PCS | 1/4" 6.3 mm | 25 mm



YATO	L [mm]	⬡	
YT-7980	25	1/4" (6.3 mm)	20/40

Magnetic nut setter

48 mm | ⬡ | CrV 6150



YATO	○ [mm]	
YT-1501	6	200/600
YT-1502	7	200/600
YT-1503	8	200/600
YT-1505	10	200/600
YT-1507	12	200/600
YT-1508	13	200/600

Screwdriver bit holder

1/4" 6.3mm | 60 mm



YATO	L [mm]	⬡	
YT-0466	60	1/4" (6.3 mm)	20/200

Flexible bit extension

1/4" 6.3mm | 300 mm | ABS



YATO	L [mm]	⬡	
YT-04677	300	1/4" (6.3 mm)	10/40

Magnetic nut setter

48 mm | ⬡ | CrV 6150



YATO	○ [mm]	
YT-1511	6	100/200
YT-1512	7	100/200
YT-1513	8	100/200
YT-1515	10	100/200
YT-1517	12	100/200
YT-1518	13	100/200

Screwdriver bit holder

80 mm | ELASTIC COVER ELASTYCZNA OSŁONA



YATO	L [mm]	⬡	
YT-0467	80	1/4" (6.3 mm)	20/200

Screwdriver bit holder

1/4" 6.3mm | 60 mm | QUICK RELEASE SZYBKO-ZŁĄCZE | SS STAINLESS STEEL STAL NIERDZEWNA



YATO	L [mm]	⬡	
YT-0468	60	1/4" (6.3 mm)	20/200

Magnetic nut setter set

4 PCS | ⬡ 1/4" 6.3 mm | 150 mm | CrV | NEW



YATO	○ [mm]	
YT-04642	1/4" (6.3 mm)	10/40

Screwdriver bit holder

⬡ 1/4" 6.3 mm | 75 mm | 2500 min⁻¹ | NEW



YATO	L [mm]	⬡	
YT-04665	75	1/4" (6.3 mm)	25/100

Screwdriver bit holder

1/4" 6.3mm | 150 mm | CrV



YATO	L [mm]	⬡	
YT-04695	150	1/4" (6.3 mm)	100

Screwdriver bit holder

1/4" 6.3mm | 60 mm | SS STAINLESS STEEL STAL NIERDZEWNA





YATO	L [mm]	⬡	
YT-0465	60	1/4" (6.3 mm)	20/200

Screwdriver bit holder

1/4" 6.3mm | 120 mm



YATO	L [mm]	⬡	
YT-04671	120	1/4" (6.3 mm)	100

Swivel bit holder

⬡ 1/4" 6.3 mm | 100 mm | CrV





YATO	⬡	
YT-04635	1/4" (6.3 mm)	60/120

Keyless chuck snap-out

1/4" 6.3 mm | 0.5-3.0 mm | 50 mm



YATO	⬡	
YT-04644	1/4" (6.3 mm)	50/150

Screwdriver bit holder

1/4" 6.3mm | 50 mm | CrV



YATO	L [mm]	⬡	
YT-0469	50	1/4" (6.3 mm)	20/200

Angle adapter with drill chuck

0.8-10mm | 8 mm | 90° | 3000 min⁻¹ | NEW



YATO		
YT-04637		6/24

Keyless chuck snap-out

1/4" 6.3 mm | 0.5-6.5 mm | 75 mm



YATO	⬡	
YT-04645	1/4" (6.3 mm)	10/60

Adapter

1/4" 6.3 mm | SDS PLUS | 60 mm



YATO	L [mm]	
YT-04690	60	50/100

Angle adapter

1/4" 6.3 mm | 155 mm | 400 min⁻¹ | 90° | 13 Nm



YATO	L [mm]	⬡	
YT-04631	155	1/4" (6.3 mm)	50

Universal joint bit adapter set

3 PCS | 1/4" 6.3 mm | 1/4" 6.3mm | 3/8" 9.5 mm | 1/2" 12.7mm | 125 mm | CrV 50BV30



YATO	⬡	
YT-04641	1/4" (6.3 mm)	12/36

Angled screwdriver bit holder

1/4" 6.3 mm | 105 mm | 90°



YATO	L [mm]	⬡	
YT-04630	105	1/4" (6.3 mm)	60/240

Impact adaptor

1/4" 6.3mm | 1/2" 12.7mm | 50 mm



YATO	L [mm]	⬡	
YT-04691	50	1/4" (6.3 mm)	10/60

Screwdriver bit holder

1/4" 6.3mm



YATO	⬡	L [mm]	
YT-04681	1/4" (6.3 mm)	150	50/100
YT-04682	1/4" (6.3 mm)	200	50/100
YT-04683	1/4" (6.3 mm)	250	50/100
YT-04684	1/4" (6.3 mm)	300	50/100

Angle adapter with extension

1/4" 6.3 mm | 325 mm | 400 min⁻¹ | 90° | 13 Nm



YATO	L [mm]	⬡	
YT-04636	325	1/4" (6.3 mm)	10/60

Adapter

1/4" 6.3 mm | 1/4" 6.3mm | 65 mm | CrV



YATO	L [mm]	⬡	
YT-04625	65	1/4" (6.3 mm)	40/120

Adapter

1/4" 6.3 mm | 3/8" 9.5 mm | 65 mm | CrV



YATO	L [mm]	⬡	📦
YT-04626	65	1/4" (6.3 mm)	40/120

Adapter set

6 PCS | 1/4" 6.3 mm | NEW



1/2" (12.7 mm): 70 mm; 3/8" (9.5 mm): 65 mm;
1/4" (6.3 mm): 65, 150 mm

YATO	⬡	📦
YT-04640	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	10/40

Angle adapter

1/4" 6.3 mm | 37 mm | 105° | 12 Nm | 1200 min⁻¹ | SS



YATO	L [mm]	⬡	📦
YT-04632	37	1/4" (6.3 mm)	100

Adapter

1/4" 6.3 mm | 1/2" 12.7 mm | 70 mm | CrV



YATO	L [mm]	⬡	📦
YT-04627	70	1/4" (6.3 mm)	40/120

Adapter set

1/4" 6.3 mm | 1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | 65 mm | 73 mm



YATO	⬡	📦
YT-04685	1/4" (6.3 mm)	20/100

Screwdriver bit holder set

3 PCS | 1/4" 6.3 mm



1/4" (6.3 mm): 75, 100, 150 mm

YATO	⬡	📦
YT-04699	1/4" (6.3 mm)	20/120

Adapter set

6 PCS | 1/4" 6.3 mm | 1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | 50 mm | 150 mm | CrV



YATO	L [mm]	⬡	📦
YT-04629	50, 150	1/4" (6.3 mm)	24

Adapter set

SDS PLUS | 1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | 65 mm



YATO	📦
YT-04686	20/100

Screwdriver bit set

7 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



⬡ 3/8" (9.5 mm): 4, 5, 6, 8, 10, 12 mm (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	📦
YT-0410	24/72

Adapter set

8 PCS | 1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm



1/2" (12.7 mm): 50, 72 mm; 3/8" (9.5 mm): 50, 65 mm;
1/4" (6.3 mm): 25, 30, 50, 65 mm

YATO	⬡	📦
YT-04639	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm)	20/100

Screwdriver bit set

40 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
3/8" (9.5 mm): 4, 5, 6, 7, 8, 10, 12 mm (L=30 mm);
4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm); CrV 6150

YATO	📦
YT-0400	10

Screwdriver bit set

15 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0411	20

Impact bit set

24 PCS | 1/4" 6.3 mm | S2 | HRC 58-60



1/4" (6.3 mm): PH1, PH2 x3, PH3 x2 (L=25 mm); PH1, PH2 x3, PH3 (L=50 mm); S2;
1/4" (6.3 mm): PZ1, PZ2 (L=25 mm); S2;
1/4" (6.3 mm): T15, T20 x2, T25 x2, T30 x2 (L=50 mm); S2;
1/4" (6.3 mm): S2 x2, S3 (L=50 mm); S2;
1/4" (6.3 mm): (L=60 mm); CrV

YATO	
YT-78075	10/20

Screwdriver bit set

15 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): 4, 5, 6, 7, 8, 10, 12 (L=30 mm); 4, 5, 6, 7, 8, 10, 12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0413	20

Impact bit set

39 PCS | 1/4" 6.3 mm | S2 | HRC 58-60



1/4" (6.3 mm): 4, 6 mm (L=90 mm); S2;
1/4" (6.3 mm): PH1, PH2 x3, PH3 (L=25 mm); PH1 x2, PH2 x4, PH3 x2 (L=50 mm); PH2 (L=90 mm); S2;
1/4" (6.3 mm): T15, T20, T25, T30 (L=25 mm); T20 x3, T25 x3, T30 x2 (L=50 mm); T20 (L=90 mm); S2;
1/4" (6.3 mm): S2 x4, S3 x2 (L=50 mm); S2 (L=90 mm); S2;
1/4" (6.3 mm): 6, 8 mm (L=48 mm); 40 Cr;
1/4" (6.3 mm): (L=60 mm); CrV

YATO	
YT-78076	2/20

Screwdriver bit set

6 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0414	24/72

Impact bit set

68 PCS | 1/4" 6.3 mm | S2 | HRC 58-60



1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1 x2, PH2 x6, PH3 x2 (L=25 mm); S2;
1/4" (6.3 mm): PZ1 x2, PZ2 x8, PZ3 x2 (L=25 mm); S2;
1/4" (6.3 mm): T10 x2, T15 x4, T20 x6, T25 x6, T27 x2, T30 x4, T40 x2 (L=25 mm); S2;
1/4" (6.3 mm): T15 x2, T20 x2, T25 x2, T30 x2 (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8 mm (L=48 mm); 40 Cr;
1/4" (6.3 mm): (L=60 mm); CrV;
1/4" (6.3 mm) x 1/4" (6.3 mm) (L=50 mm); CrV

YATO	
YT-78077	2/20

Screwdriver bit set

7 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): T25, T30, T40, T45, T50, T55 (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0416	24/72

Screwdriver bit set

42 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55, T60, T70 (L=30 mm); T20, T25, T30, T40, T45, T50, T55, T60, T70 (L=75 mm); AISI S2;
3/8" (9.5 mm): M4, M5, M6, M7, M8, M9, M10, M11, M12, M13, M14 (L=30 mm); M4, M5, M6, M7, M8, M9, M10, M11, M12, M13, M14 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0420	10

Screwdriver bit set

15 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): M5, M6, M7, M8, M10, M12, M14 (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0417	20

Impact bit set

18 PCS | CONCRETE BETON | CERAMIC CERAMIKA | STEEL STAL | WOOD DŘEVO | ALUMINIUM ALUMINIUM | PVC | Ø 4-10 mm | 1/4" 6.3 mm | YG6X | 1/4" 6.3 mm | S2



1/4" (6.3 mm): PH1, PH2, PH3 (L=50 mm); S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=50 mm); S2;
1/4" (6.3 mm): T15, T20, T25, T30 (L=50 mm); S2;
Ø 4, 5, 6, 8, 10 mm; YG6X;
1/4" (6.3 mm): 8, 10 mm (L=48 mm); CrV;
1/4" (6.3 mm): (L=60 mm); CrV

YATO	
YT-04615	10/20

Screwdriver bit set

7 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): 4, 5, 6, 8, 10, 12 mm (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0412	24/72

Impact bit set

37 PCS | 1/4" 6.3mm | S2



1/4" (6.3 mm): PH1, PH2, PH3 (L=50 mm); S2;
1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=50 mm); S2;
1/4" (6.3 mm): T15, T20, T25, T30 (L=50 mm); S2;
Ø 4, 5, 6, 8, 10 mm; YG6X;
1/4" (6.3 mm): 8, 10 mm (L=48 mm); CrV;
1/4" (6.3 mm): (L=60 mm); CrV

YATO	
YT-04616	10/20

Screwdriver bit set

15 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): M6, M7, M8, M9, M10, M12, M14 (L=30 mm);
M6, M7, M8, M9, M10, M12, M14 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0419	20

Impact bit set

54 PCS | 1/4" 6.3mm | S2



1/4" (6.3 mm): 6 mm x2, 8 mm x2 (L=25 mm);
8 mm (L=50 mm); S2;
1/4" (6.3 mm): PH1 x2, PH2 x6, PH3 x2 (L=25 mm);
PH2 x2, PH3 (L=50 mm); S2;
1/4" (6.3 mm): PZ1 x2, PZ2 x4, PZ3 x2 (L=25 mm);
PZ1, PZ2 x2 (L=50 mm); S2;
1/4" (6.3 mm): T10 x2, T15 x2, T20 x4, T25 x5,
T27 x2, T30 x2, T40 (L=25 mm); T20, T25 x2 (L=50 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=48 mm); CrV;
1/4" (6.3 mm): (L=60 mm); CrV

YATO	
YT-04617	10/20

Screwdriver bit set

11 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0415	20

Screwdriver bit set

8 PCS | 21.8 Nm (max.) | HRC 58-62 | AISI S2



3/8" (9.5 mm): M5, M6, M7, M8, M10, M12, M14 (L=30 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm); CrV 6150

YATO	
YT-0418	24/72

Precision screwdriver set

130 PCS | 5/32" 4,0 mm | CrV | S2

NEW





(L=135 - 180 mm);
(L=130 mm);
1/4" (6.3 mm); (L=46.8 mm);
(L=80 mm);
x1
G3.8, G4.5 (L=28 mm); Crv;
PH2 (L=28 mm); Crv;
magnet;
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm (L=28 mm); Crv;
scraper
pry bar
1.0 x3, 1.3mm x3, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0,4.5, 5.0 mm (L=28 mm); Crv;
PH0000 x3, PH000 x3, PH00 x2, PH0 x2,PH1 x2, PH2 x2 (L=22 mm); Crv;
PH0000 (L=35mm); S2;
PZ0, PZ1, PZ2 (L=28 mm); Crv;
T1, T2 x3, T3, T4, T5 x2, (L=28 mm); Crv;
T6 x2, T7, T8 x2, T9, T10 x2, T15, T20, T25 (L=28 mm), Crv;
0.7 x2, 0.9 x2, 1.3, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 6.0 mm
1/16", 5/64", 3/32",7/64", 1/8", 9/64", 5/32", 3/16"(L=28 mm); Crv;
S0, S1, S2 (L=28 mm); Crv;
P2 x3, P5 x2, P6 (L=28 mm); Crv; P2 (L=35mm); S2;
Y000 x3, Y00 x2, Y0, Y1, Y2 (L=28 mm); Y000 (L=35 mm); S2;
2.0, 2.3, 2.6, 3.0 mm (L=28 mm); Crv;
U4, U6, U8, U10 (L=28 mm); Crv;
0,1, 0.3, 0.8, 1.0 mm (L=28 mm); Crv;
2.0, 2.5 mm (L=28 mm); Crv;

YATO		
YT-25761	5/32" (4.0mm)	20

Precision screwdriver set

49 PCS | 5/32" 4,0 mm | S2

NEW





(L=107 mm);
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm (L=28 mm); S2;
PH000, PH00, PH0, PH1, (L=28 mm); S2;
T2, T3, T4, (L=28 mm); S2;
T5, T6, T7, T8, T9, T10, T15, T20, (L=28 mm), S2;
0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 (L=28 mm); S2;
S0, S1, S2 (L=28 mm); S2;
P2, P5, P6 (L=28 mm); S2;
Y0.6, Y1, Y2, Y2.5 (L=28 mm); S2;
2.0, 2.3, 3.0 mm (L=28 mm); S2;
U2.6, U3 (L=28 mm); S2;
0.8 mm (L=28 mm); S2;
2.5 mm (L=28 mm); S2;

YATO		
YT-25762	5/32" (4.0mm)	50

Precision screwdriver set

51 PCS | 5/32" 4,0 mm | S2 | 3.7 V 350mAh Li-ion | USB | LED

NEW





(L=180 mm);
1.0, 1.5, 2.5, 3.0, 3.5, 4.0 mm (L=28 mm); 2.0 mm (L=45 mm);S2;
PH000, PH00, PH2, (L=28 mm); PH0, PH1 (L=45 mm);S2;
T2, T3, T4, (L=28 mm); S2;
T5, T6, T7, T9 (L=28 mm); T8, T10, T15, T20, (L=45 mm), S2;
0.7, 0.9, 1.3, 3.0, 3.5, 4.0 (L=28 mm); 1.5, 2.0, 2.5 (L=45 mm); S2;
S0, S1 (L=28 mm); S2;
P2, P5, P6 (L=28 mm); S2;
Y0.6, Y1, Y2, Y2.5 (L=28 mm); S2;
2.0, 2.3 (L=28 mm); 3.0 mm (L=45 mm); S2;
U3 (L=28 mm); U2.6 (L=45 mm);,S2;
1.5 mm (L=28 mm); S2;
0.8 mm (L=28 mm); S2;

YATO		
YT-25763	5/32" (4.0mm)	30

Precision screwdriver set

35 PCS | 5/32" 4.0 mm | S2 | 3.7 V 350mAh LI-ION | USB | LED

NEW





(L=180 mm);
(L=80 mm);
1.0, 2.0, 3.0, 4.0 mm (L=28 mm); S2;
PH000, PH00, PH0, PH1 PH2, (L=28 mm); S2;
T2, T3, T4, (L=28 mm); S2;
T5, T6, T7, T8, T10, T1 5(L=28 mm); S2;
1.5, 2.0, 3.0, 4.0 (L=28 mm); S2;
P2, P5, P6 (L=28 mm); S2;
Y0.6, Y1, Y2.5 (L=28 mm); S2;
2.3 (L=28 mm); S2;
U2.6 (L=28 mm);,S2;
2.5 mm (L=28 mm); S2;

YATO	○	
YT-25764	5/32" (4.0mm)	50

Screwdriver bit set

45 PCS | 1/4" 6.3mm | S2





1/4" (6.3 mm): 3, 4, 5, 6, 7 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); PH1, PH2 (L=50 mm); S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); PZ1, PZ2 (L=50 mm); S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 5.5, 6 x2 mm (L=25 mm); S2;
1/4" (6.3 mm): S1, S2, S3 (L=25 mm); S2;
1/4" (6.3 mm): 5 mm x PH1,
6 mm x PH2, 6 mm x PH3 (L=65 mm); S2;
1/4" (6.3 mm): PH2 x PH2, PH2 x PH3 (L=65 mm); S2;
1/4" (6.3 mm): PZ1 x PZ1, PZ2 x PZ2, PZ3 x PZ3 (L=65 mm); S2;
1/4" (6.3 mm); (L=60 mm); S2

YATO	○	
YT-04620	1/4" (6.3mm)	20

Screwdriver bit set

23 PCS | 1/4" 6.3mm | S2





1/4" (6.3 mm): PH0, PH2 x2, PH3 (L=25 mm); PH2 (L=50 mm); S2;
1/4" (6.3 mm): PZ0, PZ2 x2, PZ3 (L=25 mm); PZ2 (L=50 mm); S2;
1/4" (6.3 mm): T20 x2, T25 x2, T30 x2, T40 (L=25 mm); T20, T30 (L=50 mm); S2;
1/4" (6.3 mm): 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm); (L=60 mm); CrV

YATO		
YT-04621		20

Screwdriver bit set

32 PCS | 1/4" 6.3mm | S2





1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1, PH2 x2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): PZ1, PZ2 x2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); (L=25 mm); S2

YATO		
YT-04622	1/4" (6.3mm)	20

Screwdriver bit set

34 PCS | 1/4" 6.3mm | S2





1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12 mm (L=25 mm);
1/4" (6.3 mm); (L=75 mm);
1/4" (6.3 mm): 3, 4, 5.5 x2, 6.5 x2 mm (L=25 mm); S2;
1/4" (6.3 mm): PH1 x2, PH2 x2, PH3 x2 (L=25 mm); S2;
1/4" (6.3 mm): PZ1 x2, PZ2 x2, PZ3 x2 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); S2;
1/4" (6.3 mm); (L=60 mm); CrV

YATO		
YT-04623	1/4" (6.3mm)	20

Screwdriver bit set

59 PCS | 1/4" 6.3mm | S2



1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, PH1 x2, PH2 x2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): PZ1 x2, PZ2 x2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 mm (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm): (L=70 mm); CrV;
1/4" (6.3 mm); CrV

YATO		
YT-04624	1/4" (6.3mm)	20


YATO
YT-5877
10
8
6
5 4 3 2.5 2 1.5
YATO
YT-5877

Long hex key

LONG DŁUGI | CrV | HRC 58-62 | S2



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-5840	1.5	14	77	12/240/960
YT-5841	2.0	16	82	12/240/960
YT-5842	2.5	18	89	12/240/960
YT-5843	3.0	20	99	12/240/960
YT-5844	4.0	25	104	6/120/480
YT-5845	5.0	28	116	6/120/480
YT-5846	6.0	32	138	6/120/240
YT-5847	7.0	34	148	6/120/240
YT-5848	8.0	36	158	6/120/240
YT-5849	10.0	40	167	6/120/240
YT-57261	12.0	44	209	3/18/72
YT-57262	14.0	54.5	233	2/12/48
YT-57263	16.0	58.5	240	2/12/48
YT-57264	17.0	61.5	246	1/6/24
YT-57265	18.0	64.5	261	1/6/24
YT-57266	19.0	68.5	276	1/6/24
YT-57267	22.0	78	330	1/1/12
YT-57268	24.0	88	370	1/1/12
YT-57269	27.0	97.5	410	1/1/6

Hex key

CrV | HRC 58-62 | S2



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-57250	1.5	14	45	12/240/960
YT-57251	2.0	16	50	12/240/960
YT-57252	2.5	18	56	12/240/960
YT-57253	3.0	20	63	12/240/960
YT-57254	4.0	25	70	6/120/480
YT-57255	5.0	28	80	6/120/480
YT-57256	6.0	32	90	6/120/240
YT-57258	8.0	36	100	6/120/240
YT-57259	10.0	40	112	6/120/240

Hex key with ball

HRC 58-62 | S2 | 25°



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-58731	1.5	14	45	12/240/960
YT-58732	2.0	16	50	12/240/960
YT-58733	2.5	18	56	12/240/960
YT-58734	3.0	20	63	12/240/960
YT-58735	4.0	25	70	6/120/480
YT-58736	5.0	28	80	6/120/480
YT-58737	6.0	32	90	6/120/240
YT-58738	7.0	34	95	6/120/240
YT-58739	8.0	36	100	6/120/240
YT-58740	10.0	40	112	6/120/240

Long hex key with ball

LONG DŁUGI | HRC 58-62 | S2 | 25°



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-58800	1.5	14	77	12/240/960
YT-58801	2.0	16	82	12/240/960
YT-58802	2.5	18	89	12/240/960
YT-58803	3.0	20	90	12/240/960
YT-58804	4.0	25	104	6/120/480
YT-58805	5.0	28	116	6/120/480
YT-58807	6.0	32	138	6/120/240
YT-58808	7.0	34	148	6/120/240
YT-58809	8.0	36	158	6/120/240
YT-58810	10.0	40	167	6/120/240

Extra long hex key

EXTRA LONG EKSTRA DŁUGI | CrV | HRC 58-62 | S2



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-58811	1.5	14	90	12/240/960
YT-58812	2.0	16	100	12/240/960
YT-58813	2.5	18	112	12/240/960
YT-58814	3.0	20	126	12/240/960
YT-58815	4.0	25	140	6/120/480
YT-58816	5.0	28	160	6/120/480
YT-58817	6.0	32	180	6/60/120
YT-58818	7.0	34	190	6/60/120
YT-58819	8.0	36	200	6/60/120
YT-58820	10.0	40	224	6/60/120

Extra long hex key with ball

EXTRA LONG EKSTRA DŁUGI | HRC 58-62 | S2 | 25°



YATO	⌀ [mm]	a [mm]	b [mm]	
YT-5863	1.5	14	90	12/240/960
YT-5865	2.0	16	100	12/240/960
YT-5866	2.5	18	112	12/240/960
YT-5867	3.0	20	126	12/240/960
YT-5868	4.0	25	140	6/120/480
YT-5869	5.0	28	160	6/120/480
YT-5870	6.0	32	180	6/60/120
YT-5872	8.0	36	200	6/60/120
YT-5873	10.0	40	224	6/60/120

Extra long hex key with ball

EXTRA LONG EKSTRA-DŁUGI | HRC 58-62 | S2 | 25° | SAE



YATO	◎	a [mm]	b [mm]	
YT-5851	1/16" (1.6 mm)	13	89	12/240/960
YT-5852	5/64" (2.0 mm)	15	99	12/240/960
YT-5853	3/32" (2.4 mm)	17	111	12/240/960
YT-5854	7/64" (2.8 mm)	18	119	12/240/960
YT-5855	1/8" (3.2 mm)	19	125	12/240/960
YT-5856	9/64" (3.6 mm)	21	136	12/240/960
YT-5857	5/32" (4.0 mm)	24	139	6/60/120
YT-5858	3/16" (4.8 mm)	27	159	6/60/120
YT-5859	7/32" (5.6 mm)	30	170	6/60/120
YT-5860	1/4" (6.3 mm)	31	179	6/60/120
YT-5861	5/16" (7.9 mm)	35	199	6/60/120
YT-5862	3/8" (9.5 mm)	39	223	6/60/120

Hex key set

9 PCS | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58821	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Long hex key set

9 PCS | LONG DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5877	1.5	14	77	6/48
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Torx Tamperproof Key

CrV | S2 | HRC 58-62



YATO	✲	a [mm]	b [mm]	
YT-58181	T7	14	74	12/240/960
YT-58182	T8	15	78	12/240/960
YT-58183	T9	16	82	12/240/960
YT-58184	T10	17	86	12/240/960
YT-58185	T15	18	90	6/120/480
YT-58186	T20	19	95	6/120/480
YT-58187	T25	20	100	6/120/480
YT-58188	T27	21	105	6/120/480
YT-58189	T30	24	114	6/120/240
YT-58190	T40	26	124	6/120/240
YT-58191	T45	29	133	6/120/240
YT-58192	T50	32	152	6/120/240
YT-58193	T55	35	171	6/36/144
YT-58194	T60	38	190	3/18/72

Hex key with ball set

9 PCS | HRC 58-62 | S2 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58825	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Long hex key with ball set

9 PCS | LONG DŁUGI | HRC 58-62 | S2 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58823	1.5	14	77	6/48
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Extra long hex key set

9 PCS | EXTRA LONG / EKSTRA DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58822	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Extra long hex key with ball set

12 PCS | EXTRA LONG / EKSTRA DŁUGI | HRC 58-62 | S2 | 25° | SAE



YATO	◎	a [mm]	b [mm]	
YT-5875	1/16" (1.6 mm)	13	89	6/36
	5/64" (2.0 mm)	15	99	
	3/32" (2.4 mm)	17	111	
	7/64" (2.8 mm)	18	119	
	1/8" (3.2 mm)	19	125	
	9/64" (3.6 mm)	21	136	
	5/32" (4.0 mm)	24	139	
	3/16" (4.8 mm)	27	159	
	7/32" (5.6 mm)	30	170	
	1/4" (6.3 mm)	31	179	
	5/16" (7.9 mm)	35	199	
	3/8" (9.5 mm)	39	223	

Long hex key set

7 PCS | LONG / DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58826	1.5	14	77	10/60
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Extra long hex key with ball set

9 PCS | EXTRA LONG / EKSTRA DŁUGI | HRC 58-62 | S2 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5878	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Long torx tamperproof key set

9 PCS | LONG / DŁUGI | S2 | HRC 58-62



YATO	✲	a [mm]	b [mm]	
YT-58827	T10	17	86	6/48
	T15	18	90	
	T20	19	95	
	T25	20	100	
	T27	21	105	
	T30	24	114	
	T40	26	124	
	T45	29	133	
	T50	32	152	

Long hex key with ball set

7 PCS | HRC 58-62 | S2 | LONG / DŁUGI | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58824	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Hex key set

9 PCS | LONG DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05631	1.5	14.5	78.5	10/50
	2	16	83	
	2.5	17.5	90.5	
	3	21	99	
	4	23	110	
	5	27	122	
	6	30	138	
	8	33	152	
	10	38	166	

Hex key set

9 PCS | 25° | LONG DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05632	1.5	14.5	78.5	10/50
	2	16	83	
	2.5	17.5	90.5	
	3	21	99	
	4	23	110	
	5	27	122	
	6	30	138	
	8	33	152	
	10	38	166	

Torx key set

9 PCS | LONG DŁUGI | HRC 58-62 | S2



YATO	⛭ [mm]	a [mm]	b [mm]	
YT-05633	T10	15	83	10/50
	T15	17.7	90.7	
	T20	19.2	98.2	
	T25	20.75	106.75	
	T27	23.25	113.25	
	T30	25.5	129.5	
	T40	28.2	139.2	
	T45	34.2	149.2	
	T50	36.2	161.2	

Hex key set

9 PCS | EXTRA LONG EKSTRA DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05634	1.5	16	97	10/50
	2	18	106	
	2.5	21	116	
	3	25	128	
	4	28	142	
	5	34	157	
	6	36	175	
	8	42	198	
	10	50	225	

Hex key with ball set

9 PCS | 25° | EXTRA LONG EKSTRA DŁUGI | HRC 58-62 | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05635	1.5	16	97	10/50
	2	18	106	
	2.5	21	116	
	3	25	128	
	4	28	142	
	5	34	157	
	6	36	175	
	8	42	198	
	10	50	225	

Extra long torx set

9 PCS | EXTRA LONG EKSTRA DŁUGI | HRC 58-62 | S2



YATO	⛭ [mm]	a [mm]	b [mm]	
YT-05636	T10	19	97	10/50
	T15	21	101	
	T20	24	116	
	T25	27	130	
	T27	30	142	
	T30	32	161	
	T40	36	178	
	T45	42	199	
	T50	50	224	

Hex key

CrV 6150 | HRC 52-55



• *Chamfered end to be easy for insert*

YATO	◎ [mm]	a [mm]	b [mm]	
YT-5730	1.5	13	45	12/240/960
YT-5731	2.0	15	50	12/240/960
YT-5732	2.5	17	56	12/240/960
YT-5733	3.0	19	63	12/240/960
YT-5734	4.0	23	70	6/120/480
YT-5735	5.0	27	80	6/120/480
YT-5736	6.0	29	90	6/120/240
YT-5737	7.0	34	95	6/120/240
YT-5738	8.0	35	100	6/120/240
YT-5739	10.0	36	112	6/120/240
YT-57270	12.0	38	120	6/20/40
YT-57271	14.0	40	131	6/20/40
YT-57272	17.0	45	145	6/20/40
YT-57273	19.0	48	152	6/20/40

Long hex key with ball

LONG DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5795	1.5	13	62	12/240/960
YT-5796	2.0	15	75	12/240/960
YT-5797	2.5	17	85	12/240/960
YT-5798	3.0	19	89	12/240/960
YT-5799	4.0	23	99	6/120/480
YT-5800	5.0	26	115	6/120/480
YT-58001	5.5	28	134	6/120/480
YT-5801	6.0	29	135	6/120/240
YT-5802	7.0	33	140	6/120/240
YT-5803	8.0	34	150	6/120/240
YT-5804	10.0	36	172	6/60/120
YT-58141	12.0	45	190	1/30/60
YT-58142	14.0	56	215	1/30/60
YT-58144	17.0	63	245	1/10

Extra long hex key with ball

EXTRA LONG EKSTRA DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5805	1.5	14	89	12/240/960
YT-5806	2.0	15	99	12/240/960
YT-5807	2.5	18	110	12/240/960
YT-5808	3.0	20	124	12/240/960
YT-5809	4.0	24	138	6/120/480
YT-5810	5.0	26	158	6/120/480
YT-5811	6.0	30	179	6/60/120
YT-5812	7.0	31	187	6/60/120
YT-5813	8.0	34	198	6/60/120
YT-5814	10.0	38	220	6/60/120

Long hex key

LONG DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5740	1.5	13	61	12/240/960
YT-5741	2.0	15	75	12/240/960
YT-5742	2.5	17	84	12/240/960
YT-5743	3.0	18	88	12/240/960
YT-5744	4.0	23	115	6/120/480
YT-5745	5.0	26	115	6/120/480
YT-57451	5.5	28	130	6/240/960
YT-5746	6.0	31	132	6/120/240
YT-5747	7.0	32	139	6/120/240
YT-5748	8.0	33	150	6/120/240
YT-5749	10.0	37	170	6/60/120
YT-5750	12.0	41	185	3/30/60
YT-5751	14.0	52	213	3/30/60
YT-5752	16.0	55	235	3/3/30
YT-5753	17.0	60	250	1/10
YT-5754	18.0	65	250	1/10
YT-5755	19.0	68	280	1/10
YT-5756	22.0	78	329	1/10
YT-57561	24.0	90	370	1/2
YT-57563	27.0	100	410	1/2
YT-57565	30.0	112	430	1/2
YT-57566	32.0	125	450	1/2
YT-57568	36.0	140	470	1/2

Extra long hex key

EXTRA LONG EKSTRA DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5760	1.5	14	81	12/240/960
YT-5761	2.0	16	99	12/240/960
YT-5762	2.5	17	110	12/240/960
YT-5763	3.0	19	124	12/240/960
YT-5764	4.0	23	137	6/120/480
YT-5765	5.0	26	158	6/120/240
YT-5766	6.0	30	177	6/120/240
YT-5767	7.0	32	186	6/60/120
YT-5768	8.0	34	197	6/60/120
YT-5769	10.0	38	221	6/60/120

Extra long hex key with ball

EXTRA LONG EKSTRA DŁUGI | CrV 6150 | HRC 52-55 | 25° | SAE



YATO	◎ [mm]	a [mm]	b [mm]	
YT-5770	1/16"	14.0	90	12/240/960
YT-5771	5/64"	16.0	100	12/240/960
YT-5773	7/64"	18.0	116	12/240/960
YT-5774	1/8"	19.0	123	12/240/960
YT-5776	5/32"	21.0	137	6/60/120
YT-5779	1/4"	28.0	183	6/60/120
YT-5780	5/16"	32.0	202	6/60/120

Long torx tamperproof key

LONG / DŁUGI | CrV 6150 | HRC 52-55



YATO		a [mm]	b [mm]	
YT-5820	T6	16	69	12/240/960
YT-5824	T10	17	86	12/240/960
YT-5825	T15	18	89	6/120/480
YT-5826	T20	19	96	6/120/480
YT-5827	T25	20	102	6/120/480
YT-5828	T27	22	104	6/120/480
YT-5829	T30	24	114	6/120/240
YT-5830	T40	26	127	6/120/240
YT-5831	T45	27	135	6/120/240
YT-5832	T50	32	155	6/120/240

Long hex key with ball set

10 PCS | LONG / DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58201	3.0	19	89	8
	4.0	23	99	
	5.0	26	115	
	5.5	28	134	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Long hex key with ball set

10 PCS | LONG / DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58203	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	

Long hex key set

10 PCS | LONG / DŁUGI | CrV 6150 | HRC 52-55





YATO	◎ [mm]	a [mm]	b [mm]	
YT-58200	3.0	18	88	8
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Long hex key set

10 PCS | LONG / DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58202	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	

Long hex key set

11 PCS | LONG / DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58204	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Long hex key with ball set

11 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58205	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Long hex key with ball set

12 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58207	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Long hex key set

14 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58209	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Long hex key set

12 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58206	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Long hex key set

13 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58208	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Hex key with ball set

14 PCS | CrV 6150 | HRC 52-55 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-58210	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	5.5	28	130	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Long hex key set

15 PCS | LONG DŁUGI | CrV 6150 | HRC 52-55 | 25°





YATO	◎ [mm]	a [mm]	b [mm]	
YT-58211	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Extra long hex key set

12 PCS | EXTRA LONG EKSTRA DŁUGI | CrV 6150 | SAE



YATO	◎	a [mm]	b [mm]	
YT-5836	1/16" (1.6 mm)	14	91	6/36
	5/64" (2.0 mm)	16	100	
	3/32" (2.4 mm)	17	110	
	7/64" (2.8 mm)	18	116	
	1/8" (3.2 mm)	19	123	
	9/64" (3.6 mm)	20	130	
	5/32" (4.0 mm)	21	132	
	3/16" (4.8 mm)	24	150	
	7/32" (5.6 mm)	25	165	
	1/4" (6.3 mm)	28	185	
	5/16" (7.9 mm)	32	200	
	3/8" (9.5 mm)	35	233	

Extra long hex key set

12 PCS | EXTRA LONG EKSTRA DŁUGI | CrV 6150 | 25° | SAE



YATO	◎	a [mm]	b [mm]	
YT-5838	1/16" (1.6 mm)	14	91	6/36
	5/64" (2.0 mm)	16	100	
	3/32" (2.4 mm)	17	110	
	7/64" (2.8 mm)	18	116	
	1/8" (3.2 mm)	19	123	
	9/64" (3.6 mm)	20	130	
	5/32" (4.0 mm)	21	132	
	3/16" (4.8 mm)	24	150	
	7/32" (5.6 mm)	25	165	
	1/4" (6.3 mm)	28	185	
	5/16" (7.9 mm)	32	200	
	3/8" (9.5 mm)	35	233	

Long hex key set

12 PCS | LONG DŁUGI | CrV 6150 | SAE



YATO	◎	a [mm]	b [mm]	
YT-5835	1/16" (1.6 mm)	14	74	6/36
	5/64" (2.0 mm)	16	79	
	3/32" (2.4 mm)	17	83	
	7/64" (2.8 mm)	18	88	
	1/8" (3.2 mm)	19	93	
	9/64" (3.6 mm)	20	99	
	5/32" (4.0 mm)	21	105	
	3/16" (4.8 mm)	24	113	
	7/32" (5.6 mm)	25	122	
	1/4" (6.3 mm)	28	132	
	5/16" (7.9 mm)	32	150	
	3/8" (9.5 mm)	35	170	

Long hex key with ball set

12 PCS | LONG DŁUGI | CrV 6150 | 25° | SAE



YATO	◎	a [mm]	b [mm]	
YT-5837	1/16" (1.6 mm)	14	74	6/36
	5/64" (2.0 mm)	16	79	
	3/32" (2.4 mm)	17	83	
	7/64" (2.8 mm)	18	88	
	1/8" (3.2 mm)	19	93	
	9/64" (3.6 mm)	20	99	
	5/32" (4.0 mm)	21	105	
	3/16" (4.8 mm)	24	113	
	7/32" (5.6 mm)	25	122	
	1/4" (6.3 mm)	28	132	
	5/16" (7.9 mm)	32	150	
	3/8" (9.5 mm)	35	170	

Long hex key set

9 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0500	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
	10.0	39	174	

Extra long hex key set

9 PCS | EXTRA LONG EKSTRA-DŁUGI | HRC 52-56 | CrV 6150



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0501	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
	10.0	39	225	

Long hex key set

9 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0505	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
	10.0	39	174	

Long hex key set

9 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0507	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	

Long hex key set

9 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0502	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	

Extra long hex key set

9 PCS | EXTRA LONG EKSTRA-DŁUGI | HRC 52-56 | CrV 6150 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0506	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
	10.0	39	225	

Long hex key set

10 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0508	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	
	12.0	42	180	

Long hex key set

10 PCS | LONG DŁUGI | HRC 52-56 | CrV 6150 | 25°



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0509	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	
	12.0	42	180	

Torx key set

9 PCS | HRC 52-56 | CrV 6150



YATO	✡	a [mm]	b [mm]	
YT-0511	T10	15	72	6/36
	T15	16	79	
	T20	17	86	
	T25	21	94	
	T27	24	107	
	T30	27	122	
	T40	32	133	
	T45	36	155	
	T50	38	174	

Hex key set

10 PCS | 25° | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0560	1.27	12	73	12/48
	1.5	14	76	
	2	16	82	
	2.5	18	89	
	3	18	99	
	4	21	104	
	5	27	115	
	6	32	138	
	8	35	161	
	10	38	179	

Hex key set

10 PCS | CrV 6150 | HRC 52-55



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0519	3.0	20	125	1/5
	4.0	25	140	
	5.0	28	160	
	5.5	30	170	
	6.0	32	180	
	8.0	35	200	
	10.0	42	220	
	12.0	49	250	
	14.0	57	285	
	17.0	65	320	

Torx key set

9 PCS | HRC 52-56 | CrV 6150



YATO	✡	a [mm]	b [mm]	
YT-0512	T10	15	78	6/36
	T15	16	95	
	T20	19	109	
	T25	23	124	
	T27	26	143	
	T30	27	153	
	T40	32	180	
	T45	36	200	
	T50	41	222	

Hex key set

10 PCS | 25° | S2



YATO	◎ [mm]	a [mm]	b [mm]	
YT-0561	1.27	10	78	12/48
	1.5	12	89	
	2	15	98	
	2.5	17	110	
	3	19	124	
	4	23	140	
	5	28	159	
	6	32	179	
	8	36	198	
	10	50	232	

Torx key set

7 PCS | S2



YATO		a [mm]	b [mm]	
YT-0562	T9	18	78	12/48
	T10	19	85	
	T15	19	93	
	T20	19	103	
	T25	22	113	
	T27	24	123	
	T30	26	132	

Torx key set

9 PCS | S2



YATO		a [mm]	b [mm]	
YT-0563	T10	14	87	12/48
	T15	14	97	
	T20	16	108	
	T25	18	123	
	T27	23	137	
	T30	27	158	
	T40	30	177	
	T45	35	197	
	T50	41	216	

Hex key set

8 PCS | CrV 6150



YATO	⬡ [mm]	a [mm]	b [mm]	
YT-0503	2, 2.5, 3, 4, 5, 6, 8, 10	14, 16, 17, 21, 22, 27, 32, 38	50, 53, 60, 66, 74, 81, 93, 104	12/72

Hex key set

10 PCS | CrV 6150



YATO	⬡ [mm]	a [mm]	b [mm]	
YT-0504	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10	12, 14, 16, 17, 21, 22, 27, 31, 32, 38	43, 50, 53, 60, 66, 74, 81, 86, 93, 104	12/72

Hex and Torx key set

26 PCS | CrV





⬡ 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6 mm; 5/64" (2.0 mm), 3/32" (2.4 mm), 7/64" (2.8 mm), 1/8" (3.2 mm), 9/64" (3.6 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 7/32" (5.6 mm), 1/4" (6.3 mm); CrV;

T9, T10, T15, T20, T25, T27, T30, T40; CrV

YATO	
YT-05644	6/20

Hex and Torx key set

24 PCS | CrV





⬡ 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm; 1/16" (1.6 mm), 5/64" (2.0 mm), 3/32" (2.4 mm), 1/8" (3.2 mm), 9/64" (3.6 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.3 mm); CrV;

T6, T7, T8, T9, T10, T15, T20, T25; CrV

YATO	
YT-05640	10/40

Long torx tamperproof key



YATO		a [mm]	b [mm]	
YT-05514	T10	17	86	250/500
YT-05515	T15	17	90	250/500
YT-05516	T20	19	95	250/500
YT-05517	T25	20	100	250/500
YT-05518	T27	21	105	250/500
YT-05519	T30	24	114	50/600
YT-05520	T40	28	121	50/400

Long hex key with ball



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05450	1.5	14	78	250/500
YT-05451	2.0	16	83	250/500
YT-05452	2.5	18	90	250/500
YT-05453	3.0	20	100	250/500
YT-05454	4.0	25	105	250/500
YT-05456	5.0	27	116	100/600
YT-05458	6.0	32	137	100/500
YT-05459	7.0	34	150	100/300
YT-05460	8.0	36	155	50/200
YT-05461	9.0	38	165	25/125
YT-05462	10.0	40	170	25/125
YT-05463	12.0	47	210	25/75
YT-05464	14.0	57	236	25/50
YT-05465	17.0	63	250	15/30
YT-05466	19.0	70	280	10/20

Torx key



YATO	✪ [mm]	a [mm]	b [mm]	
YT-05490	T6	16	66	250/500
YT-05491	T7	16	71	250/500
YT-05492	T8	16	80	250/500
YT-05493	T9	16	80	250/500
YT-05494	T10	17	86	250/500
YT-05495	T15	17	90	250/500
YT-05496	T20	19	95	100/1000
YT-05497	T25	20	100	250/500
YT-05498	T27	21	105	100/1000
YT-05499	T30	24	114	50/600
YT-05501	T40	28	121	50/400

Long hex key



YATO	◎ [mm]	a [mm]	b [mm]	
YT-05430	1.5	14	78	250/500
YT-05431	2.0	16	83	250/500
YT-05432	2.5	18	90	250/500
YT-05433	3.0	20	100	250/500
YT-05434	4.0	25	105	250/500
YT-05436	5.0	27	116	100/600
YT-05438	6.0	32	137	100/500
YT-05439	7.0	34	150	100/300
YT-05440	8.0	36	155	50/200
YT-05441	9.0	38	165	25/125
YT-05442	10.0	40	170	25/125
YT-05443	12.0	47	210	25/75
YT-05444	14.0	57	236	25/50
YT-05445	17.0	63	250	15/30
YT-05446	19.0	70	280	10/20

Torx key set



YATO	✪	a [mm]	b [mm]	
YT-05123	T9	18	85	10/100
	T10	18	90	
	T15	19	95	
	T20	20	100	
	T25	21	107	
	T27	23	115	
	T30	25	123	
	T40	27	132	

T-handle hex key with ball



YATO	◎ [mm]	a [mm]	b [mm]	c [mm]	
YT-05584	2.0	13	76	100	12/240
YT-05585	2.5	13	76	100	12/240
YT-05586	3.0	13	76	100	12/240
YT-05588	4.0	13	76	140	12/240
YT-05590	5.0	17	92	140	12/144
YT-05591	6.0	17	92	170	12/144
YT-05592	7.0	17	92	170	12/144
YT-05593	8.0	22	102	200	12/96
YT-05594	10.0	22	102	200	12/96

T-handle key

HRC 52-56 | S2



YATO	⌀	a [mm]	b [mm]	c [mm]	
YT-05601	T8	13	76	100	12/240
YT-05602	T9	13	76	100	12/240
YT-05603	T10	13	76	100	12/240
YT-05604	T15	13	76	100	12/240
YT-05605	T20	13	76	130	12/240
YT-05606	T25	13	76	130	12/240
YT-05607	T27	17	92	140	12/144
YT-05608	T30	17	92	170	12/144
YT-05609	T40	17	92	170	12/144
YT-05610	T45	22	102	200	12/96
YT-05611	T50	22	102	200	12/96

T-handle key set

8 PCS | S2



YATO	⌀ [mm]	a [mm]	b [mm]	c [mm]	
YT-05583	2.5, 3, 4, 5, 6, 7, 8, 10	13, 13, 13, 17, 17, 17, 22, 22	76, 76, 76, 92, 92, 92, 102, 102	100, 100, 140, 140, 170, 170, 200, 200	12/24

T-handle key set

8 PCS | S2 | 25°



YATO	⌀ [mm]	a [mm]	b [mm]	c [mm]	
YT-05597	2.5, 3, 4, 5, 6, 7, 8, 10	13, 13, 13, 17, 17, 17, 22, 22	76, 76, 76, 92, 92, 92, 102, 102	100, 100, 140, 140, 170, 170, 200, 200	12/24

T-handle Torx key set

9 PCS | S2



YATO	⌀ [mm]	a [mm]	b [mm]	c [mm]	
YT-05615	T10, T15, T20, T25, T27, T30, T40, T45, T50	13, 13, 13, 13, 17, 17, 17, 22, 22	76, 76, 76, 76, 92, 92, 92, 102, 102	100, 100, 100, 140, 140, 170, 170, 200, 200	12/24

Hex key set

8 PCS | HRC 58-62 | S2



1.5, 2, 2.5, 3, 4, 5, 6, 8 mm

YATO	
YT-58830	6/36

Hex key set

9 PCS | HRC 58-62 | S2 | SAE



5/64" (2.0 mm), 3/32" (2.4 mm), 7/64" (2.8 mm), 1/8" (3.2 mm), 9/64" (3.6 mm), 5/32" (4.0 mm), 3/16"(4.8 mm), 7/32" (5.6 mm), 1/4" (6.3 mm); 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm;

YATO	
YT-58831	6/36

Hex key set

8 PCS | S2 | HRC 58-62



T9, T10, T15, T20, T25, T27, T30, T40

YATO	
YT-58832	6/36


540B2 YATO PH2X100
YT-2823
YATO
YT-28142
1000V IEC60900:2007

Insulated combination plier

CrV | 1000 V | DIN 5746 | GERMANY | HIGH INDUSTRIAL



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test
- Suitable for clamping and cutting steel wire below 2.0mm

YATO	L [mm]	
YT-21131	180	6/60
YT-21132	200	6/72

Insulated diagonal side cutting plier

1000 V | DIN 5749 | GERMANY | HIGH INDUSTRIAL



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test
- Suitable for cutting copper, aluminum wire, hard plastic, fine iron wire below 1.0mm

YATO	L [mm]	
YT-21135	140	6/60
YT-21136	160	6/60
YT-21137	180	6/30

Insulated plier set

4 PCS | 1000 V | GERMANY | HIGH INDUSTRIAL



- The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39623	Combination plier	200	1/12
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Cable cutter	160	

Insulated long nose plier

1000 V | DIN 5745 | GERMANY | HIGH INDUSTRIAL



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	L [mm]	
YT-21133	160	6/60
YT-21134	200	6/48

Insulated wire stripping plier

1000 V | DIN 5745 | GERMANY | HIGH INDUSTRIAL



YATO	L [mm]	Cutting Size	
YT-21140	160	0.5-2.6mm	6/60

Insulated plier set

8 PCS | 1000 V | GERMANY | HIGH INDUSTRIAL



- The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39630	Combination plier	8"(200mm)	1/8
	Long nose plier	8"(200mm)	
	Diagonal side cutting pliers	6"(160mm)	
	Screwdriver	PH1x80mm	
	Screwdriver	PH2x100mm	
	Screwdriver	4.0x100mm	
	Screwdriver	5.5x125mm	
	VDE tester	4x190mm	

Insulated water pump plier

1000 V | GERMANY | HIGH INDUSTRIAL



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test
- The head can be adjusted to clamp the range

YATO	L [mm]	
YT-21138	250	6/30

Insulated plier set

3 PCS | 1000 V | GERMANY | HIGH INDUSTRIAL



- The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39604	Combination plier	200	1/20
	Long nose plier	160	
	Diagonal side cutting pliers	160	

Insulated cable cutter

1000 V | DIN 5746 | GERMANY | HIGH INDUSTRIAL



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test
- Applicable to cut cables

YATO	L [mm]	
YT-21139	175	6/60

Insulated plier set

4 PCS | 1000 V | GERMANY | HIGH INDUSTRIAL



- The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39622	Combination plier	200	1/12
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Water pump plier	250	

Insulated plier set

4 PCS | 1000 V | GERMANY | HIGH INDUSTRIAL



- The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39626	Combination plier	180	1/8
	Diagonal side cutting pliers	160	
	Long nose plier	160	
	Wire stripping plier	160	

NON-SPARKING

Insulated combination plier

CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21151	160	6/36
YT-21152	180	6/36
YT-21153	200	6/36

Insulated wire stripper

160 mm | CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21160	160	6/36

Insulated plier set

4 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39625	Combination plier	200	1/8
	Long nose plier	200	
	Diagonal side cutting pliers	180	
	Cable cutter	160	

Insulated long nose plier

CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21154	160	6/36
YT-21155	200	6/36

Insulated water pump plier

250 mm | CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21161	250	6/24

Insulated plier set

4 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39627	Combination plier	200	1/8
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Wire stripping plier	160	

Insulated bent nose plier

160 mm | CrV | 1000 V



YATO	L [mm]	
YT-21156	160	6/36

Insulated bent nose plier

CrV | 1000 V | DIN 5745



• Eccentric design, shearing saves labor than traditional

YATO	L [mm]	
YT-2128	160	4/48
YT-2129	200	4/48

Insulated plier set

8 PCS | 1000 V | DIN 5745



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39631	Combination plier	200	1/8
	Long nose plier	200	
	Diagonal side cutting pliers	160	
	Screwdriver	PH1x80	
	Screwdriver	PH2x100	
	Screwdriver	4.0x100	
	Screwdriver	5.5x125	
	VDE tester	3x140	

Diagonal side cutting pliers

CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21158	160	6/36
YT-21159	180	6/36

Insulated bent nose plier

CrV | 1000 V | DIN 5745



YATO	L [mm]	
YT-2107	200	6/60

Insulated plier set

4 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39629	Combination plier	180	1/8
	Long nose plier	200	
	Diagonal side cutting pliers	180	
	Water pump plier	250	

Insulated plier set

4 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39620	Combination plier	200	1/12
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Wire stripping plier	160	

Insulated screwdriver

1000 V | HIGH INDUSTRIAL



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊕	L [mm]	
YT-28140	PH0	60	12/240
YT-28141	PH1	80	12/204
YT-28142	PH2	100	12/156
YT-28143	PH2	150	12/132
YT-28144	PH3	150	12/120

Insulated plier set

3 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39601	Combination plier	180	1/20
	Long nose plier	200	
	Diagonal side cutting pliers	180	

Insulated plier set

4 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39621	Combination plier	200	1/12
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Water pump plier	250	

Insulated screwdriver

HRC 56-60 | S2 | 1000 V



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊕	L [mm]	
YT-2821	PH0	60	12/120
YT-2822	PH1	80	12/120
YT-2823	PH2	100	12/120
YT-2824	PH3	150	12/120

Insulated plier set

3 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39602	Combination plier	200	1/20
	Long nose plier	160	
	Diagonal side cutting pliers	160	

Insulated plier set

3 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39603	Combination plier	200	1/20
	Long nose plier	160	
	Wire stripping plier	160	

Insulated screwdriver

1000 V



YATO	⊛	L [mm]	
YT-28201	T8	70	12/144
YT-28202	T10	70	12/144
YT-28203	T15	80	12/144
YT-28204	T20	100	12/144
YT-28205	T25	125	12/144
YT-28206	T27	125	12/144
YT-28207	T30	130	12/144
YT-28208	T40	175	6/72
YT-28209	T45	175	6/72

Insulated plier set

3 PCS | CrV | 1000 V



• The pliers body adopts two-color processing, with novel style

YATO	Product Name	L [mm]	
YT-39600	Combination plier	180	1/20
	Long nose plier	200	
	Diagonal side cutting pliers	160	

Insulated screwdriver

1000 V | HIGH INDUSTRIAL



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊖ [mm]	L [mm]	
YT-28130	2.5	75	12/300
YT-28131	3.0	100	12/288
YT-28132	3.5	100	12/252
YT-28133	4.0	100	12/204
YT-28134	5.5	125	12/180
YT-28135	6.5	150	12/120
YT-28136	8.0	175	12/96

Insulated screwdriver

HRC 56-60 | S2 | 1000 V



• Tool bar hardness up to HRC56-60, high strength, good toughness

YATO	⊕	L [mm]	
YT-28245	PZ0	60	12/360
YT-2825	PZ1	80	12/120
YT-2826	PZ2	100	12/120
YT-28263	PZ3	150	12/96

Insulated screwdriver

HRC 56-60 | S2 | 1000 V



YATO	⊖ [mm]	L [mm]	
YT-28150	2.5	75	12/360
YT-28153	3.0	100	12/360
YT-28174	3.5	100	12/360
YT-2817	4.0	100	12/120
YT-2818	5.5	125	12/120
YT-2819	6.5	150	12/120
YT-2820	8.0	175	12/120

Insulated screwdriver

S2 | 1000 V



YATO	⊕	L [mm]	
YT-282650	PH0	60	12/360
YT-282651	PH1	80	12/240
YT-282652	PH2	100	12/144

Insulated screwdriver

S2 | 1000 V



YATO	⭘	L [mm]	
YT-282670	T15	100	12/360
YT-282671	T20	125	12/240
YT-282672	T25	125	12/240
YT-282673	T30	125	12/144

Insulated screwdriver set

5 PCS | ⊖ | ⊕ HRC 56-60 | S2 | 1000 V





⊖ 3.0, 4.0 mm (L=100 mm), 5.5 mm (L=125 mm);
⊕ PH1 (L=80 mm), PH2 (L=100 mm)

YATO	
YT-2827	10/40

Insulated screwdriver

S2 | 1000 V



YATO	⊕	L [mm]	
YT-282655	PZ0	60	12/360
YT-282656	PZ1	80	12/240
YT-282657	PZ2	100	12/144

Insulated precison screwdriver for slotted screws

1000 V



YATO	⊖ [mm]	L [mm]	
YT-28081	1.5	50	12/144
YT-28082	1.8	50	12/144
YT-28083	2.0	50	12/144
YT-28084	2.5	50	12/144
YT-28085	3.0	50	12/144

Insulated screwdriver set

7 PCS | ⊖ | ⊕ | ✱ | HRC 56-60 | S2 | 1000 V



⊖ 3.0, 4.0 mm (L=100 mm), 5.5 mm (L=125 mm);
⊕ PH1 (L=80 mm), PH2 (L=100 mm);
✱ PZ1 (L=80 mm), PZ2 (L=100 mm)

YATO	
YT-2828	10/40

Insulated screwdriver

S2 | 1000 V



YATO	⊕	L [mm]	
YT-282660	SL/PH1	80	12/240
YT-282661	SL/PH2	100	12/144

Insulated precison screwdriver for slotted screws

1000 V



YATO	⊕	L [mm]	
YT-28086	PH00	50	12/144
YT-28087	PH0	50	12/144
YT-28088	PH1	50	12/144

Insulated screwdriver

S2 | 1000 V



YATO	⊖ [mm]	L [mm]	
YT-282640	2.5	75	12/360
YT-282641	3.0	100	12/360
YT-282642	3.5	100	12/360
YT-282643	4.0	100	12/360
YT-282644	5.5	125	12/240
YT-282645	6.5	150	12/144

Insulated screwdriver

S2 | 1000 V



YATO	⊕	L [mm]	
YT-282662	SL/PZ1	80	12/240
YT-282663	SL/PZ2	100	12/144

Insulated precison screwdriver for torx screws

1000 V



YATO	⭘	L [mm]	
YT-28089	T8	50	12/144
YT-28090	T10	50	12/144
YT-28091	T15	50	12/144
YT-28092	T20	50	12/144

Voltage tester

190 mm | 125-250 V~



In accordance with polish standard PN-E 08509:1988

YATO	⊖ [mm]	L [mm]	
YT-28300	3	190	12/144

Insulated screwdriver set

7 PCS | ⊖ | ⊕ S2 | 1000 V



NEW



⊖ 2.5 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5mm (L=150 mm); S2;

⊕ PH1 (L=80 mm), PH2 (L=100 mm); S2

YATO	
YT-282681	6/24

Voltage tester

140 mm | 125-250 V~



• *Measuring range 125-250 AC voltage*

YATO	⊖ [mm]	L [mm]	
YT-28301	3	140	20/400

Insulated changeable screwdriver set

12 PCS | ⊖ | ⊕ | HRC 54-61 | S2 | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

⊖ 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=100 mm); S2;

⊕ PH0, PH1, PH2 (L=100 mm); S2;

4x150 mm; 250 V

YATO	
YT-28290	24

Voltage tester

190 mm | 125-250 V~



YATO	⊖ [mm]	L [mm]	
YT-2830	3	190	12/144

Insulated screwdriver set

6 PCS | ⊖ | ⊕ | S2 | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

⊖ 1.8, 2.0 mm (L=50 mm), 2.5, 3.0 mm (L=65 mm); S2;

⊕ PH00, PH0 (L=65 mm); S2

YATO	
YT-28283	6/48

Insulated screwdriver set

3 PCS | ⊕ | S2 | 1000 V



NEW



⊕ PH1 (L=80 mm), PH2 (L=100 mm); S2

YATO	
YT-282680	6/36

Insulated changeable screwdriver set

13 PCS | ⊖ | ⊕ | ✱ | ✱ | CrV 6150 | 1000 V





1000 V
VDE CERTIFICATE
EN 60900:2012

⊖ 3.0, 4.0, 5.5, 6.5 mm (L=100 mm); CrV 6150;

⊕ PH1 (L=80 mm), PH2 (L=100 mm); CrV 6150;

✱ PZ1 (L=80 mm), PZ2 (L=100 mm); CrV 6150;

T10, T15, T20 (L=100 mm); CrV 6150;

3x140 mm; 250 V

YATO	
YT-28295	6/12

NON-SPARKING

Insulated changeable screwdriver set

50 PCS | HRC 54-61 | S2 | 1000 V



- 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=100 mm); S2;
- PH0, PH1, PH2 (L=100 mm); S2;
- PZ0, PZ1, PZ2 (L=100 mm); S2;
- T6, T8, T9, T10, T15, T20, T25, T27, T30 (L=100mm); S2;
- 2.5, 3, 4, 5, 6 mm (L=100 mm); S2;
- R1, R2 (L=100 mm); S2;
- 1, 2, 3, 4 mm (L=100 mm); S2;
- 4, 6, 8, 10 mm (L=100 mm); S2;
- 4, 6, 8, 10 mm (L=100 mm); S2;
- M4, M5, M6 (L=100 mm); S2;
- 4x150 mm; 250 V

1000 V
VDE CERTIFICATE
EN 60900:2012

YATO		
YT-28293		10

Insulated T-handle wrench

3/8" 9.5 mm | 1/2" 12.7 mm | CrV | 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	H	L1 [mm]	L2 [mm]	Ø [mm]	
YT-21095	3/8" (9.5 mm)	207	160	15.6	4/32
YT-21096	1/2" (12.7 mm)	207	160	19.3	4/32

Insulated rarchet ring spanner

CrV | 1000 V



YATO	[mm]	L [mm]	B [mm]	
YT-20920	7	120	22	6/108
YT-20921	8	120	22	6/108
YT-20922	9	125	24	6/108
YT-20923	10	135	26	6/96
YT-20924	11	140	28	6/96
YT-20925	12	145	29	6/96
YT-20926	13	150	31	6/96
YT-20927	14	160	33	6/72

YATO	[mm]	L [mm]	B [mm]	
YT-20928	15	165	34	6/72
YT-20929	16	170	36	6/72
YT-20930	17	180	38	6/72
YT-20931	18	190	39	6/72
YT-20932	19	200	40	6/48
YT-20933	22	230	47	6/48
YT-20934	24	260	52.5	5/40

Insulated changeable screwdriver set

8 PCS | CrV 6150 | 1000 V



- Square lock key
- Triangle lock key
- 3.0, 4.0, 5.5 mm (L=100 mm); CrV 6150;
- PH1 (L=80 mm), PH2 (L=100 mm); CrV 6150;

1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	
YT-28294	6/24

Insulated reversible handle

1/4" 6.3 mm | CrV | 1000 V



YATO		T	L [mm]	
YT-210709	1/4" (6.3 mm)	36	145	6/72

Insulated reversible ratchet

3/8" 9.5 mm | 1/2" 12.7 mm | CrV | 1000 V



- *Two-color insulated injection molded handle, ergonomic design, comfortable grip*

YATO		T	L [mm]	
YT-21071	3/8" (9.5 mm)	36	200	6/48
YT-21072	1/2" (12.7 mm)	36	250	6/36

Insulated adjustable wrench

CrV | 1000 V



- *Two-color insulated injection molded handle, ergonomic design, comfortable grip*

YATO	L [mm]	
YT-20939	160	6/72
YT-20940	200	6/48
YT-20941	250	6/36
YT-20942	300	4/24

NON-SPARKING

Insulated open end wrench

CrV | 1000 V





YATO	[mm]	L [mm]	B [mm]	S [mm]	
YT-20950	6	90	23	7.0	6/108
YT-20951	7	90	25	7.0	6/108
YT-20952	8	100	27	7.5	6/108
YT-20953	9	100	29	7.5	6/108
YT-20954	10	110	31	8.0	6/108
YT-20955	11	110	34	8.5	6/108
YT-20956	12	130	36	8.5	6/108
YT-20957	13	135	39	10.5	6/72
YT-20958	14	145	40	10.5	6/72
YT-20959	15	150	42	11.5	6/72
YT-20960	16	160	43	11.5	6/72
YT-20961	17	160	47	12.5	6/72
YT-20962	18	175	50	13.0	6/72
YT-20963	19	175	53	14.0	6/72
YT-20964	21	195	55	14.0	6/66
YT-20965	22	195	58	14.0	6/66
YT-20966	24	225	62	16.5	6/72
YT-20967	27	250	69	18.0	4/60
YT-20968	30	290	75	19.0	4/48
YT-20969	32	310	79	20.0	4/48

Insulated ring wrench

CrV | 1000 V





- *Two-color insulated injection molded handle, ergonomic design, comfortable grip*

YATO	[mm]	L [mm]	B [mm]	S [mm]	
YT-20980	6	150	16.0	5.5	6/126
YT-20981	7	150	18.0	5.7	6/126
YT-20982	8	155	19.0	6.1	6/90
YT-20983	9	155	20.0	7.2	6/126
YT-20984	10	170	21.0	7.3	6/90
YT-20985	11	170	22.5	7.7	6/90
YT-20986	12	190	22.5	8.5	6/90
YT-20987	13	190	26.5	9.0	6/90
YT-20988	14	205	28.0	9.5	6/90
YT-20989	15	205	29.0	9.5	6/90

YATO	[mm]	L [mm]	B [mm]	S [mm]	
YT-20990	16	215	31.0	10.2	6/90
YT-20991	17	215	32.0	10.7	6/90
YT-20992	18	230	35.0	11.5	6/90
YT-20993	19	230	36.0	12.0	6/90
YT-20994	21	245	39.0	13.0	6/48
YT-20995	22	245	41.0	12.2	6/48
YT-20996	24	265	44.0	13.0	6/48
YT-20997	27	290	48.0	14.5	4/40
YT-20998	30	310	52.0	15.2	4/40
YT-20999	32	310	55.0	16.5	4/40

Insulated hexagon socket 1/4”

1/4" 6.3mm | 1000 V | CrV | DIN 3121





YATO	A [mm]	D1 [mm]	D2 [mm]	L1 [mm]	
YT-210040	4	17.5	9.8	42	12/192
YT-210041	5	17.5	11.2	42	12/192
YT-210042	5.5	17.5	11.7	42	12/192
YT-210043	6	17.5	12.2	42	12/192
YT-210044	7	17.5	14	42	12/192
YT-210045	8	17.5	15	42	12/192

YATO	A [mm]	D1 [mm]	D2 [mm]	L1 [mm]	
YT-210046	9	17.5	16	42	12/192
YT-210047	10	17.5	17.5	42	12/192
YT-210048	11	17.5	19	42	12/144
YT-210049	12	17.5	19.5	42	12/144
YT-210050	13	17.5	20.8	42	12/144
YT-210051	14	17.5	22.8	42	12/144

Insulated L wrench for torx screws

CrV | 1000 V



YATO		a [mm]	b [mm]	
YT-211280	T10	25	130	12/144
YT-211281	T15	40	140	12/144
YT-211282	T20	40	140	12/144
YT-211283	T25	45	160	12/144
YT-211284	T27	45	160	12/144
YT-211285	T30	47	180	10/120
YT-211286	T40	50	200	10/120
YT-211287	T45	50	200	10/120
YT-211288	T50	50	210	10/120
YT-211289	T55	52	235	6/60

Insulated hex key

CrV | 1000 V



- *Two-color insulated injection molded handle, ergonomic design, comfortable grip*

YATO	[mm]	a [mm]	b [mm]	
YT-21120	3.0	25	130	12/144
YT-21121	4.0	40	140	12/144
YT-21122	5.0	45	160	12/144
YT-21123	6.0	47	180	10/120
YT-21125	8.0	50	200	10/120
YT-21126	10.0	52	235	6/60
YT-21127	12.0	60	260	6/60

Insulated bit socket 1/4”

1/4" 6.3mm | 1000 V | CrV



YATO		L [mm]	
YT-210780	1/4" (6.3 mm)	66	6/108
YT-210781	1/4" (6.3 mm)	66	6/108
YT-210782	1/4" (6.3 mm)	66	6/108
YT-210783	1/4" (6.3 mm)	66	6/108
YT-210784	1/4" (6.3 mm)	66	6/108
YT-210785	1/4" (6.3 mm)	66	6/108
YT-210786	1/4" (6.3 mm)	66	6/108

Insulated hexagon socket 1/4”

1/4" 6.3mm | 1000 V | CrV



YATO	⬡	L [mm]	
YT-210790	1/4" (6.3 mm)	66	6/108
YT-210791	1/4" (6.3 mm)	66	6/108
YT-210792	1/4" (6.3 mm)	66	6/108
YT-210793	1/4" (6.3 mm)	66	6/108
YT-210794	1/4" (6.3 mm)	66	6/108

Insulated extension bar

1/4" 6.3mm | 1000 V | CrV



YATO	⬡	L [mm]	
YT-21053	1/4" (6.3 mm)	75	6/108
YT-21054	1/4" (6.3 mm)	150	6/72

Insulated extension bar

3/8" 9.5mm | 1000 V | CrV



YATO	⬡	L [mm]	
YT-21055	3/8" (9.5 mm)	125	18/72
YT-21056	3/8" (9.5 mm)	250	12/48

Insulated hexagon socket

3/8" 9.5mm | 1000 V | CrV | DIN 3121



- *Forging of chrome vanadium steel. Integral heat treatment*
- *The surface is chrome-plated, beautiful and rust-proof*
- *Integral injection of insulating material*
- *Passed the European VDE •GS certification*
- *•Comply with IEC60900 standard •Withstand voltage 1000V*

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L1 [mm]	
YT-21008	8	18	15.1	45	7/126
YT-21010	10	18	18.7	45	7/126
YT-21011	11	18	20.0	45	7/126
YT-21012	12	18	21.2	45	7/126
YT-21013	13	18	22.5	45	7/126
YT-21014	14	18	23.7	45	7/126
YT-21016	16	18	26.2	45	7/126
YT-21017	17	18	27.5	45	5/90
YT-21018	18	18	28.7	45	5/90
YT-21019	19	18	30.0	47	5/90
YT-21021	21	18	32.6	47	5/90
YT-21022	22	18	33.7	47	4/72

Insulated bi-hexagon socket

3/8" 9.5mm | 1000 V | CrV | DIN 3121



- *Forging of chrome vanadium steel. Integral heat treatment*
- *The surface is chrome-plated, beautiful and rust-proof*
- *Integral injection of insulating material*
- *Passed the European VDE •GS certification*
- *•Comply with IEC60900 standard •Withstand voltage 1000V*

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L1 [mm]	
YT-210070	8	23	17	80	12/144
YT-210071	10	23	20	80	12/144
YT-210072	12	23	22	80	12/144
YT-210073	14	23	25	80	12/144
YT-210074	15	23	26	80	12/144
YT-210075	17	23	28.5	80	8/96
YT-210076	19	23	31	80	8/96
YT-210077	22	23	35	80	6/72

Insulated hexagon socket

1/2" 12.7mm | 1000 V | CrV | DIN 3121



- *Forging of chrome vanadium steel. Integral heat treatment*
- *The surface is chrome-plated, beautiful and rust-proof*
- *Integral injection of insulating material*
- *Passed the European VDE •GS certification*
- *•Comply with IEC60900 standard •Withstand voltage 1000V*

YATO	⬡ A [mm]	D1 [mm]	D2 [mm]	L1 [mm]	
YT-21030	10	27	19.5	55	12/144
YT-21031	11	27	20.7	55	12/144
YT-21032	12	27	22.0	55	12/144
YT-21033	13	27	23.2	55	12/144
YT-21034	14	27	24.5	55	12/144
YT-21036	16	27	27.0	55	12/144
YT-21037	17	27	28.5	55	12/144
YT-21038	18	27	29.5	55	12/144
YT-21039	19	27	30.7	55	12/144
YT-21041	21	27	33.2	55	10/120
YT-21042	22	27	34.5	55	10/120
YT-21044	24	27	37.0	60	10/120
YT-21047	27	27	38.8	60	6/72
YT-21050	30	27	42.8	60	6/72
YT-21052	32	27	44.8	60	6/72

Insulated bit socket

3/8" 9.5 mm | 1000 V | CrV



- *Passed European VDE, GS certification, complies with IEC60900 standard, withstand voltage 1000V*

YATO	⬡	L [mm]	
YT-21080	3/8" (9.5 mm)	75	12/144
YT-21081	3/8" (9.5 mm)	75	12/144
YT-21082	3/8" (9.5 mm)	75	12/144
YT-21083	3/8" (9.5 mm)	75	12/144

Insulated torque wrench

1/4" 6.3 mm | 3/8" 9.5 mm | 1/2" 12.7 mm | 1000 V



YATO	⬡	[Nm]	L [mm]	
YT-21059	1/4" (6.3 mm)	1-5	260	12
YT-21060	1/4" (6.3 mm)	2-10	260	12
YT-21061	3/8" (9.5 mm)	1-5	260	12
YT-21062	3/8" (9.5 mm)	2-10	260	12
YT-21063	1/4" (6.3 mm)	5-25	290	12
YT-21064	3/8" (9.5 mm)	5-25	290	12
YT-21065	3/8" (9.5 mm)	10-50	290	12
YT-21066	1/2" (12.7 mm)	10-50	290	12
YT-21067	3/8" (9.5 mm)	20-100	390	12
YT-21069	1/2" (12.7 mm)	40-200	565	6

Insulated nut driver with screwdriver handle

1000 V | CrV



YATO	⬡	L [mm]	
YT-28065	4.0x125 (mm)	230	12/144
YT-28066	5.0x125 (mm)	230	12/144
YT-28067	5.5x125 (mm)	230	12/144
YT-28068	6.0x125 (mm)	230	12/144
YT-28069	7.0x125 (mm)	230	12/144
YT-28070	8.0x125 (mm)	230	12/144
YT-28071	9.0x125mm	230	12/144
YT-28072	10x125mm	230	12/144
YT-28073	11x125mm	243	6/72
YT-28074	12x125mm	243	6/72
YT-28075	13x125mm	243	6/72
YT-28076	14x125mm	243	6/72

Insulated extension bar

1/2" 12.7 mm | 1000 V | CrV



YATO	⬡	L [mm]	
YT-21057	1/2" (12.7 mm)	125	6/72
YT-21058	1/2" (12.7 mm)	250	8/32

Insulated ratcheting cable cutters

65Mn | 1000 V | HRC 48-52



- *Arc-shaped knife edge, can produce cohesion force during cutting, the core will not be loose after cutting*

YATO	Max. cutting range [mm²]	L [mm]	
YT-21180	240	125	1/12
YT-21181	380	250	1/10

Insulated cable cutter

CrMo | 1000 V



- *Arc-shaped knife edge, can produce cohesion force during cutting, the core will not be loose after cutting*
- *Passed European VDE, GS certification, complies with IEC60900 standard, withstand voltage 1000V*

YATO	Max. cutting range [mm²]	L [mm]	
YT-21145	250	610	1/4
YT-21146	500	810	1/4

Insulated bit socket

1/2" 12.7 mm | 1000 V | CrV



YATO	⬡	◎ [mm]	L [mm]	
YT-21085	1/2" (12.7 mm)	4	120	18/144
YT-21086	1/2" (12.7 mm)	5	120	18/144
YT-21087	1/2" (12.7 mm)	6	120	18/144
YT-21088	1/2" (12.7 mm)	8	120	18/144
YT-21089	1/2" (12.7 mm)	10	120	18/144

Insulated cable cutter

250 mm | CrV | 1000 V



YATO	L [mm]	
YT-21142	250	6/36

Insulated Cable Cutter Pliers VDE

200 mm | CrV | 1000 V



YATO	L [mm]	
YT-21143	200	6/36

NON-SPARKING

Insulated bolt cutter

CrV 1000 V



YATO	L [mm]	
YT-21147	600	1/2

Insulated curved pointed transverse tooth tweezers

1000 V



YATO	L [mm]	
YT-21217	155	12/144

Insulated electrician's scissors

160 mm CrV 1000 V



- *Stainless steel body, sharp and wear-resistant*
- *The overall injection molding of insulating material is beautiful and comfortable*
- *Passed the European VDE • GS certification*
- *Comply with IEC60900 standard*
- *Withstand voltage 1000V*

YATO	L [mm]	
YT-21200	160	6/48

Insulated flat nose pliers

200 mm CrV 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	L [mm]	
YT-21191	200	6/48

Insulated wide mouth transverse tooth tweezers

1000 V



YATO	L [mm]	
YT-21218	145	12/144

Insulated cable knife

50/180 mm 65Mn 1000 V



- *Passed European VDE, GS certification, complies with IEC60900 standard, withstand voltage 1000V*

YATO	L [mm]	
YT-21210	180	6/72

Insulated spring clamp

150 mm CrV 1000 V



1000 V
VDE CERTIFICATE
EN 60900:2012

YATO	Working capacity [mm]	L [mm]	
YT-21190	2-20	150	5/40

Insulated micro pointed transverse tooth tweezers

1000 V



YATO	L [mm]	
YT-21216	160	12/144

Insulated dismantling knife

38/155 mm 65Mn 1000 V



YATO	L [mm]	
YT-21211	155	6/72

Insulated needle tip toothless tweezers

1000 V



YATO	L [mm]	
YT-21215	134	12/144

Insulated saw bow

1000 V



YATO	L [mm]	
YT-21221	150	8/48

NON-SPARKING

Insulated tool set

21 PCS | 1000 V | CrV 55



3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=120 mm), 6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH0 (L=60 mm), PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
160 mm; 1000 V; CrV
10, 11, 12, 13, 14, 17, 19 mm; 1000 V; CrV;
3x140 mm; 125-250 V;
L=50/180 mm; 1000 V; 65Mn;
160 mm; 1000 V; CrV;

YATO	
YT-21298	1/2

Insulated tool set

16 PCS | 1000 V | CrV 55



4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.0 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
200 mm; 1000 V; CrV; 200 mm; 1000 V; CrV;
10, 11, 12, 13, 14, 17, 19 mm; 1000 V; CrV;
L=38/155 mm; 1000 V; 65Mn;
4x190 mm; 125-250 V

YATO	
YT-21296	1/2

Insulated tool set

32 PCS | 1/2" 12.7mm | 1000 V | CrV



4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5 mm (L=150 mm); 1000 V; S2;
PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 17 (L=45 mm);19 (L=47 mm); CrV; DIN3121; 1000 V;
1/2" (12.7 mm); 4, 5, 6, 8 mm; CrV 6150;
1/2" (12.7 mm); (125, 250 mm); CrV; 1000 V;
1/2" (12.7 mm); L=250mm;1000 V;
200 mm; 1000 V; CrV; 160 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
10, 11, 12, 13, 14, 17, 19 mm; 1000 V; CrV;
3x140 mm; 125-250 V;
L=38/155 mm; 1000 V; 65Mn

YATO	
YT-21299	1/2

Insulated tool set

20 PCS | 1/2" 12.7mm | 1000 V | CrV



3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm),6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 17, 19 mm (L=45 mm);19, 21, 22, 24 mm (L=47 mm); CrV; DIN3121; 1000 V;
1/2" (12.7 mm); (125, 250 mm); CrV; 1000 V;
200 mm; 1000 V; CrV; 160 mm; 1000 V; CrV;
1/2" (12.7 mm); L=250mm;1000 V;
L=38/155 mm; 1000 V; 65Mn;
4x190 mm; 125-250 V

YATO	
YT-21297	1/2

Insulated sockets set

20 PCS | 1/2" 12.7mm | 1000 V | CrV



1/2" (12.7 mm); 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32 mm; CrV; 1000V; DIN3121;
1/2" (12.7 mm); L=125, 250 mm; CrV; 1000 V;
1/2" (12.7 mm); L=250mm; CrV; 1000 V;
1/2" (12.7 mm); 4, 5, 6, 8, 10 mm; CrV 6150;
1/2" (12.7 mm); L=207mm; 1000 V; CrV

YATO	
YT-21284	1/4

Insulated sockets set

16 PCS | 3/8" 9,5mm | 1000 V | CrV 55



3/8" (9.5 mm); 8, 10, 11, 12, 13, 14, 17, 19 mm;
3/8" (9.5 mm); L=125 mm;
3/8" (9.5 mm); L=200mm;1000 V;
3/8" (9.5 mm); 4, 5, 6, 8 mm; CrV 6150

YATO	
YT-21280	1/4

Insulated tool set

39 PCS | 3/8" 9.5 mm | 1000 V | CrV



2.5 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm); 1000 V; S2;
PH0 (L=60 mm), PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
T10, T15, T20, T25, T27, T30, T40 (L=100 mm); 1000 V; S2;
3/8" (9.5 mm): 8, 10, 11, 12, 13, 14, 17 mm (L=45 mm); 19 mm (L=47 mm); CrV;DIN3121; 1000 V;
3/8" (9.5 mm); 4, 5, 6, 8 mm; CrV 6150;
3/8" (9.5 mm); L=200mm;1000 V;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
7, 8, 10, 12, 13, 14, 17 mm; 1000 V; CrV;
3x140 mm; 125-250 V
3/8" (9.5 mm); L=207mm; 1000 V; CrV

YATO	
YT-39011	1/6

Insulated tool set

49 PCS | 1/2" 12.7 mm | S2 | HRC 56-60 | 1000 V | DIN 3121 | CrV









3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 16, 17, 18 mm (L=45 mm); 19, 21, 22, 24 mm (L=47 mm); CrV; DIN3121; 1000 V;
1/2" (12.7 mm); (125, 250 mm); CrV; 1000 V;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm; 1000 V; CrV;
250 mm; 1000 V;
1/2" (12.7 mm); L=250mm;1000 V;
PVC 19x200x0.13 mm;
L=50/180 mm; 1000 V; 65Mn;
4x190 mm; 125-250 V

YATO	Size	
YT-21295	559x351x229	1

Insulated tool set

25 PCS | 1000 V | CrV



8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; 1000 V; CrV;
8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; 1000 V; CrV;
PVC 19x200x0.13 mm;

YATO	
YT-55305T1	1

Insulated tool set

15 PCS | 1000 V | CrV



3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH0 (L=60 mm), PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
22, 24 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
250 mm; 1000 V;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
L=38/155 mm; 1000 V; 65Mn;

YATO	
YT-55305T2	1

Insulated tool set

29 PCS | 3/8" 9.5 mm | 1/2" 12.7 mm | 1000 V | CrV



3/8" (9.5 mm); L=207mm; 1000 V; CrV
1/2" (12.7 mm); 10, 11, 12, 13, 14, 16, 17 mm (L=45 mm); 19, 22, 24 mm (L=47 mm); CrV; DIN 3121; 1000 V;
3/8" (9.5 mm); 10, 12, 13, 14, 16, 17 mm (L=45 mm); CrV; DIN 3121; 1000 V;
1/2" (12.7 mm); 4, 5, 6, 8, 10 mm;
3/8" (9.5 mm); L=125, 250 mm;
1/2" (12.7 mm); L=125, 250mmCrV; 1000 V;
1/2" (12.7 mm); L=250mm; 3/8" (9.5 mm); L=200mm; 1000 V;

YATO	
YT-55305T3	1

NON-SPARKING

Insulated tools set

70 PCS | 985x685 x455 mm | 3x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | CENTRAL LOCK BLOKADA CENTRALNA | 3 TRAYS TACE | 2x BRAKE HAMULEC | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | CORNER BUMPERS NAROŻNE ODBOJNIKI | 1000 V | ⌀125mm



Drawer 1 / Szuflada 1

8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; 1000 V; CrV;
8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; 1000 V; CrV;
PVC 19x200x0.13 mm;

Drawer 2 / Szuflada 2

3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH0 (L=60 mm), PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
22, 24 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
250 mm; 1000 V;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
L=50/180 mm; 1000 V; 65Mn;

Drawer 3 / Szuflada 3

1/2" (12.7 mm); 10, 11, 12, 13, 14, 16, 17 mm (L=45 mm); 19, 22, 24 mm (L=47 mm); CrV; DIN 3121; 1000 V;
3/8" (9.5 mm); 10, 12, 13, 14, 16, 17 mm (L=45 mm); CrV; DIN 3121; 1000 V;
1/2" (12.7 mm); 4, 5, 6, 8, 10 mm;
3/8" (9.5 mm); L=125, 250 mm;
1/2" (12.7 mm); L=125, 250 mmCrV; 1000 V;
1/2" (12.7 mm); L=250mm; 3/8" (9.5 mm); L=200mm; 1000 V;
3/8" (9.5 mm); (L=207 mm); 1000 V; CrV

YT-55305T1



YT-55305T2



YT-55305T3



YATO	
YT-55278	1

NON-SPARKING

Insulated tools set

70 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ø125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



Drawer 1 / Szuflada 1

8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; 1000 V; CrV;
8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; 1000 V; CrV;
PVC 19x200x0.13 mm;

Drawer 2 / Szuflada 2

3.0 mm (L=75 mm), 4.0 mm (L=100 mm), 5.5 mm (L=125 mm), 6.5 mm (L=150 mm); HRC 56-60; 1000 V; S2;
PH0 (L=60 mm), PH1 (L=80 mm), PH2 (L=100 mm); HRC 56-60; 1000 V; S2;
22, 24 mm; 1000 V; CrV; 200 mm; 1000 V; CrV;
250 mm; 1000 V; 200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV; 200 mm; 1000 V; CrV;
L=38/155 mm; 1000 V; 65Mn;

Drawer 3 / Szuflada 3

1/2" (12.7 mm); 10, 11, 12, 13, 14, 16, 17 mm (L=45 mm); 19, 22, 24 mm (L=47 mm); CrV; DIN 3121; 1000 V;
3/8" (9.5 mm); 10, 12, 13, 14, 16, 17 mm (L=45 mm); CrV; DIN 3121; 1000 V;
1/2" (12.7 mm); 4, 5, 6, 8, 10 mm;
3/8" (9.5 mm); L=125, 250 mm;
1/2" (12.7 mm); L=125, 250 mmCrV; 1000 V;
1/2" (12.7 mm); L=250mm; 3/8" (9.5 mm); L=200mm; 1000 V;
3/8" (9.5 mm); (L=207 mm); 1000 V; CrV

YT-55305T1



YT-55305T2



YT-55305T3



YATO	
YT-55305	1

NON-SPARKING

Insulated tools set





Drawer 1 / Szuflada 1

3/8" (9.5 mm): 8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24 mm
1/2" (12.7 mm): 10, 11, 12, 13, 14, 16, 17, 18, 19,
21, 22, 24 mm (L=38 mm); CrV; DIN3121; 1000 V;
3/8" (9.5 mm); 8, 10, 12, 15, 17 mm; (L=76 mm), CrV; DIN3121; 1000 V;

3/8" (9.5 mm); (L=207 mm); 1000 V; CrV

3/8" (9.5 mm); (125, 250 mm), 1/2" (12.7 mm); (125, 250 mm); CrV; 1000 V;
1/2" (12.7 mm); L=250mm; 3/8" (9.5 mm); L=200mm; 1000 V;
1/2" (12.7 mm): 4, 5, 6, 8, 10 mm; CrV 6150

Drawer 2 / Szuflada 2

4.0, 5.0, 6.0, 7.0, 8.0, 9.0; L=125mm;
3x140 mm; 6V-12V-24VDC; 1000V;
2.5x0.4, 3.0x0.5;(L=50 mm)

Drawer 3 / Szuflada 3

2.5x75, 4x100, 5.5x125, 6.5x150 mm;
PH0x60, PH1x80, PH2x100, PH2x150, PH3x150 mm;
T8x50, T10x70, T15x80, T20x100, T25x125, T27x125, T30x130, T40x175 mm;

Drawer 4 / Szuflada 4

6, 7, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; 1000 V; CrV;
6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22 mm; 1000 V; CrV;

Drawer 5 / Szuflada 5

200 mm; 1000 V; CrV;
L=50/180 mm; 1000 V; 65Mn;
L=38/155 mm; 1000 V; 65Mn;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;

160 mm; 1000 V; CrV;

160mm; 1000 V; CrV;

PVC 19x200x0.13 mm;

3, 4, 5, 6, 8 mm ; 1000 V

YT-55265T1



YT-55265T3



YT-55265T2



YT-55265T4



YT-55265T5



YATO	
YT-55265	1

Insulated tools set

168 PCS | 975x765 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ø125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



Drawer 1 / Szuflada 1

3/8" (9.5 mm): 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22 mm
1/2" (12.7 mm): 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm (L=55 mm); CrV; DIN3121; 1000 V;
3/8" (9.5 mm); 8, 10, 12, 14, 15, 17, 19 mm; (L=80 mm), CrV; DIN3121; 1000 V;
3/8" (9.5 mm); (L=207 mm); 1000 V; CrV
3/8" (9.5 mm); (125, 250 mm), 1/2" (12.7 mm); (125, 250 mm); CrV; 1000 V;
1/2" (12.7 mm); L=250mm; 3/8" (9.5 mm); L=200mm; 1000 V;
1/2" (12.7 mm): 4, 5, 6, 8, 10 mm; CrV 6150

Drawer 2 / Szuflada 2

4.0, 5.0, 6.0, 7.0, 8.0, 9.0; L=125mm;
3x140 mm; 6V-12V-24VDC; 1000V;
2.5x0.4, 3.0x0.5;(L=50 mm)

Drawer 3 / Szuflada 3

2.5x75, 4x100, 5.5x125, 6.5x150 mm;
PH0x60, PH1x80, PH2x100, PH2x150, PH3x150 mm;
T8x50, T10x70, T15x80, T20x100, T25x125, T27x125, T30x130, T40x175 mm;

Drawer 4 / Szuflada 4

1/4" (6.3 mm): 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=42 mm); CrV; DIN3121; 1000 V;
1/4" (6.3 mm);; (75, 150 mm), CrV; 1000 V;
200 mm; 1000 V; CrV;
150 mm; 1000 V; CrV;
1/4" (6.3 mm); L=250mm;1000 V;
1/4" (6.3 mm) (5-25N); 3/8" (9.5 mm) (10-50N)
3, 4, 5, 6, 8 mm ; 1000 V

Drawer 5 / Szuflada 5

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; 1000 V; CrV;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm; 1000 V; CrV;

Drawer 6 / Szuflada 6

1.5, 1.8, 2.0 mm (L=50 mm); CrV 6150; 1000 V
PH00, PH0, PH1 (L=50 mm); CrV 6150; 1000 V
T10, T15, T20 (L=100 mm); CrV 6150; 1000 V
L=50/180 mm; 1000 V; 65Mn;
134, 145, 159, 160 mm; 1000 V
160mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
200 mm; 1000 V; CrV;
160 mm; 1000 V; CrV;
PVC 19x200x0.13 mm;

YT-55265T2



YT-55266T1



YT-55265T4



YT-55265T3



YT-55265T6



YT-55265T5



YATO	
YT-55266	1


CrMo
VDE
NON-SPARKING


YATO
200 mm
YATO
200 mm

Bent nose pliers

DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



- *Application: industry*
- *Induction hardening*

YATO	L [mm]	
YT-1945	160	6/60
YT-1946	200	6/60

Plier sets

3 PCS | DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



YATO	Product Name	L [mm]	
YT-39612	Combination plier	200	6
	Long nose plier	160	
	Diagonal side cutting pliers	160	

Long nose plier

DIN 5746 | GERMANY | HIGH INDUSTRIAL



- *Application: industry*
- *Induction hardening*
- *Over 5000 times working life*

YATO	L [mm]	
YT-66344	160	6/60
YT-66345	200	6/60

Long nose pliers

DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



- *Application: industry*
- *Induction hardening*

YATO	L [mm]	
YT-1943	160	6/60
YT-1944	200	6/60

Plier sets

4 PCS | DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



YATO	Product Name	L [mm]	
YT-39618	Combination plier	200	6
	Long nose plier	160	
	Bent nose plier	160	
	Diagonal side cutting pliers	160	

Side cutting plier

DIN 5746 | GERMANY | HIGH INDUSTRIAL



- *Over 5000 times working life*
- *Original imported diagonal nose pliers*
- *Intelligent robot precision machining,machining one-time forming reduces accumulated tolerance*
- *TPI handle,oil proof,acid resistant,anti-alcohol*
- *Pass more than 5000 shear tests*
- *Suitable for cutting copper wire,aluminum wire,hard plastic,fine iron wire below 1.0*

YATO	L [mm]	
YT-66346	140	6/60
YT-66347	160	6/60
YT-66348	180	6/36

Combination pliers

DIN 5746 | HRC 58-62 | HRC 44-50 | CrV 55



- *Application: industry*
- *Induction hardening*

YATO	L [mm]	
YT-1940	160	6/60
YT-1941	180	6/60
YT-1942	200	6/36

Plier sets

4 PCS | DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



YATO	Product Name	L [mm]	
YT-39619	Combination plier	200	6
	Long nose plier	160	
	Diagonal side cutting pliers	160	
	Water pump plier	250	

Plier sets

3 PCS | CrV | GERMANY | HIGH INDUSTRIAL



YATO	Product Name	L [mm]	
YT-39610	Combination plier	200	6
	Long nose plier	160	
	Diagonal side cutting pliers	160	

Diagonal side cutting pliers

DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



- *Application: industry*
- *Induction hardening*

YATO	L [mm]	
YT-1947	160	6/60
YT-1948	190	6/60

Combination plier

DIN 5746 | GERMANY | HIGH INDUSTRIAL



- *Over 5000 times working life*

YATO	L [mm]	
YT-66341	160	6/60
YT-66342	180	6/60
YT-66343	200	6/48

Plier sets

3 PCS | CrV | GERMANY | HIGH INDUSTRIAL



YATO	Product Name	L [mm]	
YT-39611	Combination plier	200	6
	Long nose plier	200	
	Diagonal side cutting pliers	180	

Combination plier

HIGH LEVERAGE ZWIĘKSZONA SIŁA NACISKU



- *High leverage design,labor-saving 35%*

YATO	L [mm]	
YT-65819	180	6/36
YT-6582	200	6/36

Combination plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6600	160	6/60
YT-6601	180	6/60
YT-6602	200	6/36

Flat nose plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6607	160	6/60

Diagonal side cutting plier

HIGH LEVERAGE ZWIĘKSZONA SIŁA NACISKU



- *High leverage design,labor-saving 35%*

YATO	L [mm]	
YT-6583	160	6/60
YT-65831	200	6/60

Diagonal side cutting plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6610	160	6/60
YT-6611	180	6/60

Round nose plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6608	160	6/60

Long nose plier

HIGH LEVERAGE ZWIĘKSZONA SIŁA NACISKU



- *High leverage design,labor-saving 35%*

YATO	L [mm]	
YT-6586	150	6/60
YT-6587	200	6/36

Long nose plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6603	160	6/60
YT-6604	200	6/60

Wire stripping plier

HRC 55-62 CrV



YATO	L [mm]	
YT-6609	160	6/60

Plier sets

3 PCS

HIGH LEVERAGE ZWIĘKSZONA SIŁA NACISKU



YATO	Product Name	L [mm]	
YT-39608	Combination plier	200	6
	Long nose plier	150	
	Diagonal side cutting pliers	150	

Bent nose plier

HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6605	160	6/60
YT-6606	200	6/60

Diagonal side cutting pliers

180 mm HRC 55-62 CrV



- *Durable chrome-nickel steel forging*
- *High-frequency quenching of jaws, hardness HRC55-62*
- *Black clamp body, polished two sides*
- *TPR+PP handle, comfortable to hold*

YATO	L [mm]	
YT-6612	180	6/60

NON-SPARKING

Plier sets

3 PCS | HRC 55-62 | CrV



YATO	Product Name	L [mm]	
YT-39606	Combination plier	200	6
	Long nose plier	160	
	Wire stripping plier	160	

Plier sets

3 PCS | HRC 55-62 | CrV



YATO	Product Name	L [mm]	
YT-39607	Combination plier	200	6
	Long nose plier	160	
	Wire stripping plier	160	

Plier sets

4 PCS | HRC 55-62 | CrV



YATO	Product Name	L [mm]	
YT-39616	Combination plier	200	6
	Long nose plier	160	
	Wire stripping plier	160	
	Diagonal side cutting pliers	160	

Plier sets

4 PCS | HRC 55-62 | CrV



YATO	Product Name	L [mm]	
YT-39617	Combination plier	200	6
	Long nose plier	160	
	Wire stripping plier	160	
	Wire pump plier	250	

Combination mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6613	115	6/120

Side cutting mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6614	115	6/120

Long nose mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6616	115	6/120

Bent nose mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6617	115	6/120

Flat nose mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6618	115	6/120

Round nose mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6619	115	6/120

End cutting mini plier

115 mm | HRC 55-62 | CrV



- *HRC 55-62*
- *TPR/PVC two colour handle*

YATO	L [mm]	
YT-6615	115	6/120

Diagonal side cutting pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2081	115	6/120

Combination pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2080	115	6/120

Bent nose pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2084	115	6/120

Multifunctional side cutting pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20052	200	6/60

End cutting pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2082	115	6/120

Round nose pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2086	115	6/120

Combination pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20053	200	6/36

Long nose pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2083	115	6/120

Multifunctional combination pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20050	220	6/60

Long nose pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20054	160	6/60

Flat nose pliers

115 mm | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2085	115	6/120

Multifunctional long nose pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20051	230	6/60

Side cutting pliers

HRC 40-45 | HRC 55-58 | NEW



YATO	L [mm]	
YT-20055	160	6/60

Combination plier

DIN 5746 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2006	160	6/60
YT-2007	180	6/60
YT-2008	200	6/36

Flat nose pliers

160 mm | DIN 5745 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2029	160	6/60

Double joint long nose plier

340 mm | HRC 50 | CrV



YATO	L [mm]	
YT-20400	340	5/50

Diagonal side cutting plier

DIN 5746 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2036	160	6/60
YT-2037	180	6/60

Round nose pliers

160 mm | DIN 5745 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2030	160	6/60

Double joint bent nose plier

330 mm | 45° | HRC 50 | CrV



YATO	L [mm]	
YT-20401	330	5/50

Long nose plier

DIN 5746 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2016	160	6/60
YT-2018	200	6/60

Wire stripping pliers

160 mm | DIN 5745 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2031	160	6/60

Double joint bent nose plier

330 mm | 90° | HRC 50 | CrV



YATO	L [mm]	
YT-20402	330	5/50

Bent nose plier

DIN 5746 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2026	160	6/60
YT-2028	200	6/60

Side cutting pliers

180 mm | DIN 5746 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2039	180	6/60

Long nose pliers

285 mm | HRC 48-50 | CrV



YATO	L [mm]	
YT-20410	285	6/72

Bent nose pliers

285 mm | 45° | HRC 48-50 | CrV





YATO	L [mm]	
YT-20411	285	12/60

Diagonal side cutting plier

HRC 56-62 | CrV



- *HRC 55-62*
- *TPR/PVC 2 colour handle*

YATO	L [mm]	
YT-6628	140	6/60
YT-6629	160	6/60
YT-6630	180	6/60

Plier sets

3 PCS | CrV



YATO	Product Name	L [mm]	
YT-39609	Combination plier	200	6
	Long nose plier	160	
	Diagonal side cutting pliers	160	

Bent nose pliers

285 mm | 90° | HRC 48-50 | CrV





YATO	L [mm]	
YT-20412	285	12/60

Long nose plier

HRC 56-62 | CrV



- *HRC 55-62*
- *TPR/PVC 2 colour handle*

YATO	L [mm]	
YT-6626	160	6/60

Diagonal side cutting pliers

100 mm | max Ø 1.0 mm STEEL STAL | max Ø 1.8 mm Cu | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1953	100	6/120

Multi use long nose plier

HRC 56-62 | CrV



- *HRC 55-62*
- *TPR/PVC 2 colour handle*

YATO	L [mm]	
YT-6625	160	6/60

Long nose plier

HRC 56-62 | CrV



- *HRC 55-62*
- *TPR/PVC 2 colour handle*

YATO	L [mm]	
YT-6623	160	6/60
YT-6624	200	6/36

Diagonal side cutting pliers

125 mm | max Ø 1.2 mm STEEL STAL | max Ø 2.0 mm Cu | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1954	125	6/120

Combination plier

HRC 56-62 | CrV



- *HRC 55-62*
- *TPR/PVC 2 colour handle*

YATO	L [mm]	
YT-6622	200	6/36

Adjustable plier

HRC 45-55



YATO	L [mm]	
YT-1957	160	6/60
YT-1958	200	6/60

Long nose plier

max Ø 1.5 mm STEEL STAL | max Ø 2.6 mm Cu | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1955	125	6/120
YT-1956	150	6/120

Diagonal side cutting pliers

125 mm | max Ø 3.0 mm | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1950	125	6/120

Diagonal side cutting pliers

150 mm | max Ø 5.0 mm | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1951	150	6/120

Diagonal side cutting pliers

180 mm | max Ø 6.0 mm | HRC 56-62 | HRC 43-48 | CrV 60



YATO	L [mm]	
YT-1952	180	6/60

Tower pincers

250 mm | DIN 5746 | HRC 44-50 | HRC 58-62 | CrV 55



YATO	L [mm]	
YT-1949	250	6/36

Tower pincers

HRC 55-60 | CrV 50



YATO	L [mm]	Max. cutting [mm]	
YT-2054	200	1.2	6/60
YT-2055	225	1.8	6/60
YT-2056	250	2.0	6/48
YT-2057	275	2.2	6/24

End cutting plier

HRC 55-60 | CrV 50



YATO	L [mm]	Max. cutting [mm]	
YT-2062	150	1.2	6/60
YT-2063	175	1.5	6/48
YT-2064	200	1.8	6/48

End cutting pliers

DIN 5748 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2066	160	6/60
YT-2067	180	6/60

Carpenter's plier

DIN 5748 | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2047	180	6/60
YT-2048	200	6/60

Carpenter's plier

HRC 55-60 | CrV 50



YATO	L [mm]	Max. cutting [mm]	
YT-2050	150	1.5	6/60
YT-2051	175	1.8	6/60
YT-2052	200	2.0	6/48

Circlip plier

5 PCS | 160 mm | Ø 10-50 mm



	23 mm max.	20 mm max.
	28 mm max.	23 mm max.
	30 mm max.	27 mm max.

YATO	L [mm]	
YT-2130	160	20/60

Circlip plier

CrV | NICKEL PLATED NIKLOWANE



YATO	L [mm]	
YT-2141	150	6/120
YT-2145	200	6/60

Circlip plier





YATO	L [mm]	
YT-2143	150	6/120
YT-2147	200	6/60

Circlip plier



YATO	L [mm]	
YT-1982	125	6/120
YT-1986	175	6/96
YT-1990	225	6/60
YT-1994	325	6/48

Circlip plier





YATO	L [mm]	
YT-1983	125	6/120
YT-1987	175	6/96
YT-1991	225	6/60
YT-1995	325	6/48

Circlip plier



YATO	L [mm]	
YT-2140	150	6/120
YT-2144	200	6/60

Circlip plier



YATO	L [mm]	
YT-1980	125	6/120
YT-1984	175	6/96
YT-1988	225	6/60
YT-1992	325	6/48

Circlip plier



YATO	L [mm]	Working capacity [mm]	
YT-19951	140	3-9	6/48
YT-19952	140	10-25	6/48
YT-19953	180	19-60	6/48
YT-19954	230	40-100	6/24
YT-19955	320	85-200	4/24

Circlip plier



YATO	L [mm]	
YT-2142	150	6/60
YT-2146	200	6/60

Circlip plier





YATO	L [mm]	
YT-1981	125	6/120
YT-1985	175	6/96
YT-1989	225	6/60
YT-1993	325	6/48

Circlip plier



YATO	L [mm]	Working capacity [mm]	
YT-19961	140	3-10	6/48
YT-19962	140	10-25	6/48
YT-19963	175	19-60	6/48
YT-19964	225	40-100	4/24

Circlip plier

HRC 42-48 | CrV



YATO	L [mm]	Working capacity [mm]	
YT-19974	145	8-13	6/48
YT-19975	145	12-25	6/48
YT-19976	185	19-60	6/48
YT-19977	235	40-100	6/24
YT-19979	325	85-200	4/24

Circlip plier

180 mm | HRC 42-48 | CrV 50



- *Finish of head:black finish with polish*

YATO	L [mm]	
YT-2137	180	6/24

Circlip plier sets

4 PCS | CrV



YATO	Product Name	L [mm]	
YT-39171	External straight nose	225	6
	Internal straight nose	225	
	External bent nose	225	
	Internal bent nose	225	

Circlip plier

45° | HRC 42-48 | CrV



YATO	L [mm]	Working capacity [mm]	
YT-19981	140	8-13	6/48
YT-19982	140	12-25	6/48
YT-19983	180	19-60	6/48
YT-19984	230	40-100	4/24

Circlip plier

180 mm | HRC 42-48 | CrV 50





YATO	L [mm]	
YT-2139	180	6/24

Circlip plier

180 mm | HRC 42-48 | CrV 50





YATO	L [mm]	
YT-2138	180	6/24

Circlip plier

180 mm | HRC 42-48 | CrV 50



- *Finish of head:black finish with polish*

YATO	L [mm]	
YT-2136	180	6/24

Circlip plier sets

4 PCS | CrV 50



YATO	Product Name	L [mm]	
YT-39615	External straight nose	180	6
	Internal straight nose	180	
	External bent nose	180	
	Internal bent nose	180	

C-type welding locking plier

280 mm | 0-80 mm | C TYPE



- *European type lock,locking clamps with regular tips*
- *Nickel plated, satin*
- *Working capacity:100mm*

YATO	L [mm]	
YT-2468	280	6/24

Lock grip plier

WR TYPE | CrV



- *40 CRV drop forged*
- *Hardened and tempered*
- *2 colour TPR handle*
- *VPA/GS certificate*

YATO	L [mm]	
YT-2151	140	6/48
YT-2152	180	6/36
YT-2153	240	6/36

Locking plier

CrMo



- *European type lock*
- *Curved clamps*
- *Chrome plated*

YATO	open capacity	L [mm]	
YT-2472	0-36mm	180	6/24
YT-2473	0-42mm	250	6/24

Chain locking pliers

250 mm | 500 mm | 40Mn



- *European type lock*
- *Chain length: 250mm*
- *Chain material:40Mn*
- *Nickel plated*

YATO	L [mm]	
YT-2469	250	6/24

Lock grip plier

CD TYPE | CrV



- *40 CRV drop forged*
- *Hardened and tempered*
- *2 colour TPR handle*
- *VPA/GS certificate*

YATO	L [mm]	
YT-2155	165	6/48
YT-2156	220	6/36

Locking pliers

CrMo



- *European type lock*
- *Straight jaws with wire cutter*
- *Chrome plated*
- *Double dipped handle for small handle*

YATO	L [mm]	
YT-2452	180	6/24
YT-2453	250	6/24

Welding locking plier

225 mm | 0-85 mm | 70 mm | U TYPE





- *Jaws of clamp is "u" shaped*
- *Nickel plated, satin*
- *European type lock, carbon steel body with textile*
- *Double dipped handle for small handle*

YATO	L [mm]	
YT-2461	225	6/24

Locking plier

CrMo



- *European type lock,locking clamps with regular tips*
- *Nickel plated, satin*
- *Working capacity:100mm*

YATO	L [mm]	
YT-2449	125	6/24
YT-2450	180	6/24
YT-2451	250	6/24

Locking plier

250 mm | 0-42 mm | CrMo



- *Materical: CrMo*
- *European type lock,straight jaws*
- *Chrome plated*
- *Opening capacity:42mm*

YATO	L [mm]	
YT-2476	250	6/24

C-type welding locking plier

280 mm | 0-100 mm | C TYPE





- *European type lock,locking clamps with regular tips*
- *Nickel plated, satin*
- *Working capacity:100mm*

YATO	L [mm]	
YT-2466	280	6/24

NON-SPARKING

Locking plier

CrMo



- *European type lock,locking clamps with regular tips*
- *Nickel plated, satin*
- *Working capacity:100mm*

YATO	L [mm]	
YT-2459	150	6/24
YT-2460	225	6/24

Electric soldering pliers



YATO		
YT-24611	800A	10/30

Plier sets

4 PCS | CrV



YATO	Product Name	L [mm]	
YT-39172	Straight nose	180	6
	Straight nose	250	
	Long nose	150	
	Long nose	225	

Flat locking plier

200 mm | 0-50 mm | 75 mm





- *European type lock*
- *Width of jaws:75mm*
- *Adjustable, opening capacity:12.7mm*

YATO	L [mm]	
YT-2463	200	6/24

Locking plier

3 PCS | CrV



YATO	Product Name	L [mm]	
YT-39613	Locking plier	125	6
	Locking plier	180	
	Locking plier	250	

Water pump pliers

CrV | ADJUSTABLE WORK RANGE REGULOWANY ZAKRES PRACY

NEW





YATO	Jaws width [mm]	L [mm]	
YT-20895	42	175	6/72
YT-20896	65	250	6/48
YT-20897	75	300	6/36
YT-20898	100	400	4/16

Sliding arm welding locking pliers

260 mm | 0-150 mm | QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	L [mm]	
YT-21570	260	2/16

Plier sets

4 PCS | CrV



YATO	Product Name	L [mm]	
YT-39614	Straight nose	180	6
	Straight nose	250	
	Long nose	150	
	Long nose	225	

Water pump plier

CrV | ADJUSTABLE WORK RANGE REGULOWANY ZAKRES PRACY | REINFORCED CONSTRUCTION WZMOCNIONA KONSTRUKCJA





YATO	Jaws width [mm]	L [mm]	
YT-20890	30	175	6/72
YT-20891	38	240	6/60
YT-20892	50	300	6/36
YT-20893	95	415	6/24

NON-SPARKING

Water pump plier

CrV · ADJUSTABLE WORK RANGE / REGULOWANY ZAKRES PRACY · REINFORCED CONSTRUCTION / WZMOCNIONA KONSTRUKCJA



YATO	L [mm]	
YT-2090	250	6/36
YT-2091	300	6/36

Water pump plier

250 mm · NICKEL PLATED / NIKLOWANIE



• *Nickel-iron alloy surface treatment, durable*

YATO	L [mm]	
YT-2070	250	6/24

Water pump plier

250 mm · 6mm · CrV · ADJUSTABLE WORK RANGE / REGULOWANY ZAKRES PRACY · REINFORCED CONSTRUCTION / WZMOCNIONA KONSTRUKCJA



• *Nickel-iron alloy surface treatment, durable*

YATO	L [mm]	
YT-20911	250	6/36

Water pump plier

CrV · ADJUSTABLE WORK RANGE / REGULOWANY ZAKRES PRACY · REINFORCED CONSTRUCTION / WZMOCNIONA KONSTRUKCJA



YATO	Jaws width	L [mm]	
YT-20915	25	175	5/50
YT-20916	35	250	5/40
YT-20917	40	300	5/20

Water pump plier

250 mm · NICKEL PLATED / NIKLOWANIE



• *Nickel-iron alloy surface treatment, durable*

YATO	L [mm]	
YT-2069	250	6/36


CrMo
VDE
NON-SPARKING


WIRE CUTTER
INSUL
CRIMPER
10-22
0.5-6
NON INSUL
12-10
4-6
22-14
0.5-2.5
AUTO
7-8MM

Ratchet crimping plier

215 mm | CAT.5 | HRC 42-48 | SK5



YATO		
YT-22422	RJ45, RJ11, RJ12, 8P, 6P	10/60

Quick interchangeable ratchet crimper set

6 PCS | 260 mm







YATO	mm²	AWG	mm²	AWG	mm²	AWG	mm²	AWG		
YT-2245	0.5-6	20~10	0.5-6	22~10	1.5-10	20~8	0.5-4	22~12	RG6, RG58, RG59, RG62	10

Ratchet crimping plier

200 mm | CAT.5 | HRC 42-48 | SK5



YATO		
YT-2243	RJ45, RJ11, 8P, 6P	8/48

Quick interchangeable ratchet crimper set

6 PCS | 220 mm







YATO	mm²	AWG	mm²	AWG	mm²	AWG	mm²	AWG	
YT-22451	0.5-6	20~10	0.5-10	20~8	0.5-6	20~10	0.5-6, 6-16	20~10, 10~6	10

Ratchet crimping plier

190 mm



YATO		
YT-22442	RJ45, RJ11, 8P, 6P	10/50

Ratchet crimping plier

250 mm



YATO	AWG	mm²	
YT-2251	22~10	0.5-6.0	5/30

Ratchet crimping plier

230 mm



YATO	mm²	AWG	
YT-2296	0.5-6	22~10	5/30

Ratchet crimping plier

205 mm



YATO		
YT-22443	RJ45, RJ11, RJ10, 8P, 6P, 4P	10/30

Ratchet crimping plier

250 mm | HRC 44-47



YATO	AWG	mm²	
YT-2284	22~8	0.5-10	6/36

Ratchet crimping plier

230 mm



YATO	mm²	AWG	
YT-2297	1.5-10	20~8	5/30

Ratchet crimping plier

240 mm



YATO		
YT-2298	RG6, RG58, RG59, RG62	5/30

Ratchet crimping plier

175 mm | HRC 44-47



YATO	mm²	
YT-2305	0.2-6	6/36

Crimping pliers

195 mm | HRC 44-47



YATO	AWG	mm²	
YT-2307	22~14	0.5-2.5	6/36

Ratchet crimping plier

230 mm



YATO	mm²	AWG	
YT-2299	0.5-4	22~12	5/30

Ratchet crimping pliers

175 mm | 0.25-10 mm²



YATO	mm²	
YT-23051	0.25-10	10/40

Ratchet crimping pliers

180 mm | HRC 44-47



YATO	mm²	
YT-2240	0.2-6	6/36

Ratchet crimping plier

230 mm



YATO	mm²	AWG	
YT-2300	0.5-6	20~10	5/30

Ratchet crimping plier

210 mm | 4-16 mm²



YATO	mm²	
YT-23054	4-16	10/30

Ratchet crimping plier

1201 PCS | 175 mm | 0.25-10 mm²



0.5 mm² x 8 mm (250 PCS), 0.75 mm² x 8 mm (210 PCS),
1.0 mm² x 8 mm (200 PCS), 1.5 mm² x 8 mm (240 PCS),
2.5 mm² x 8 mm (215 PCS), 4.0 mm² x 9 mm (40 PCS),
6.0 mm² x 12 mm (30 PCS), 10.0 mm² x 12 mm (15 PCS)

YATO	mm²	
YT-23052	0.25-10	12

Ratchet crimping plier

220 mm



For crimping: 6, 10, 16 mm²

YATO	mm²	AWG	
YT-23001	6, 10, 16	10, 8, 6	10/30

Ratchet crimping plier

180 mm



YATO	mm²	AWG	mm²	AWG	mm²	AWG	
YT-2256	0.08-2	28~14	0.3-6	22~10	0.12-0.3	26~22	12/72

Universal wire stripper & ratchet crimping pliers

205 mm | 7-8 mm | HRC 52-57



YATO	mm²	AWG	mm²	AWG	mm²	AWG	
YT-2270	0.5-6	22~10	1.5-6	22~10	0.2-6	24~10	5/30

Wire stripper

180 mm | HRC 45-49 | M3-M4



YATO	L [mm]	
YT-2273	180	10/60

Universal wire stripper & ratchet crimping pliers

205 mm | HRC 52-57



YATO	mm²	AWG	mm²	AWG	mm²	AWG	
YT-2313	0.5-6	22~10	1.5-6	22~10	0.2-6	24~10	5/30

Wire stripping pliers

185 mm | HRC 50-53 | M3.5-M4.5 | 65Mn



YATO	L [mm]	
YT-2290	185	12/120

Universal wire stripper and ratchet crimping pliers

200 mm | NEW



YATO	mm²	AWG	mm²	AWG	mm²	AWG	
YT-23131	0.5-6	22~10	0.5-6	22~10	0.5-6	22~10	10/40

Ratchet crimping plier

180 mm



YATO	mm²	AWG	mm²	AWG	
YT-2255	0.08-2	28~14	0.12-0.3	26~22	12/72

Universal wire stripper

191 PCS | 205 mm | 0.2-6.0 mm² | Cr12MoV | TPR PP



0.5 - 1.5 mm2 (20 PCS), 1.5 - 2.5 mm2 (20 PCS);
0.5 - 1.5 mm2 (20 PCS), 1.5 - 2.5 mm2 (20 PCS);
0.5 - 1.5 mm2 (10 PCS), 1.5 - 2.5 mm2 (10 PCS);
0.5 - 1.5 mm2 (20 PCS), 1.5 - 2.5 mm2 (20 PCS);
0.5 - 1.5 mm2 (20 PCS), 1.5 - 2.5 mm2 (20 PCS);
0.5 - 1.5 mm2 (10 PCS)

YATO	mm²	AWG	mm²	AWG	mm²	AWG	mm²	AWG	
YT-23133	0.5-6	22~10	0.5-6	22~10	0.5-6	22~10	0.2-6	24~10	10/20

Crimping tool and terminals set

551 PCS | 0.5-6.0 mm² | MIX



0.5-1.5 mm2 (90 PCS), 1.5-2.5 mm2 (90 PCS), 2.5-3.5 mm2 (30 PCS);
0.5-1.5 mm2 (70 PCS), 1.5-2.5 mm2 (70 PCS), 2.5-3.5 mm2 (30 PCS);
0.5-1.5 mm2 (30 PCS), 1.5-2.5 mm2 (30 PCS);
0.5-1.5 mm2 (30 PCS), 1.5-2.5 mm2 (30 PCS)

YATO	mm²	AWG	
YT-068920	0.5-6	22~10	10

Crimping tool for heating film connectors

230 mm



YATO	L [mm]	
YT-22570	230	10/40

Multifunctional pliers

250 mm | 6 in 1 6 w 1 | M2.6-M5 | 65Mn



YATO	mm²	AWG	mm²	AWG	mm²	AWG	mm²	AWG	
YT-2254	0.5-5	20~10	0.5-5	20~10	0.5-5.5	20~10	0.5-5	20~10	12/48

Wire stripper

165 mm | HRC 50-53 | 65Mn



YATO	mm²	AWG	
YT-2294	0.64-2.6	22~10	12/120

Hydraulic crimping tool





YATO	[mm²]	L [mm]	Force pressure [t]	Al [mm²]	Cu [mm²]	
YT-22860	10, 16, 25, 35, 50, 70, 95, 120	415	8	10-95	10-120	4
YT-22861	16, 25, 35, 50, 70, 95, 120, 150, 185, 240	470	12	16-185	16-240	3
YT-22862	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300	470	18-20	16-240	16-300	3

Wire stripper

205 mm | RG 6 | HRC 50-53 | M2.8-M4.5 | 65Mn



YATO	L [mm]	
YT-2292	205	12/72

Wire stripper

160 mm | HRC 48-52



YATO	mm²	AWG	
YT-2319	0.8-2.6	20~10	10/60

Pliers for crimping lines

600 mm | DROP FORGED KUTE



YATO	Ø [mm]	L [mm]	
YT-22851	4.8, 6.6, 8.7, 9.5, 11.3	600	6

Multifunctional pliers

6 in 1 6 w 1 | 215 mm | 7-8 mm | M2.6-M5 | HRC 50-53 | 65Mn



YATO	mm²	AWG	mm²	AWG	
YT-2293	1.25-2.5	8~12	1	8	12/72

Wire stripper

210 mm | RG 6 | HRC 50-53 | M2.5-M5 | # 310 # 311 # 410 # 411



YATO	L [mm]	
YT-2277	210	10/60

Cable lug crimping pliers

390 mm



YATO	mm²	
YT-22857	6, 10, 16, 25, 35, 50	10

Ratchet crimping pliers

135 mm



YATO		
YT-22440	RJ45, RJ45 pass-through	10/50

Automatic wire stripper

175 mm | HRC 55 | 65Mn



YATO	mm²	AWG	
YT-2268	0.5-6	20~10	10/60

Automatic wire stripper

185 mm | SK5



YATO	mm²	AWG	
YT-2316	1-3.2	18~12	8/48

Wire stripper

125 mm | SK5



YATO		mm²	AWG	
YT-2274	RG9, RG59	0.5-6	20~10	15/90

Electrical cutter

127 mm | max Ø 3.0 mm | SPRING



YATO	max. Ø [mm]	mm²	AWG	L [mm]	
YT-2260	3	0.14-0.34	26~22	125	15/150

Electrical cutter

130 mm | max Ø 3.0 mm | 65Mn | HRC 55-57 | SPRING



YATO	max. Ø [mm]	L [mm]	
YT-2263	3	130	12/120

Wire stripper

195 mm | 0.03-10 mm² | 65Mn



YATO	mm²	AWG	
YT-22753	0.03-10	32~8	10/40

Electrical cutter

125 mm | max Ø 3.0 mm | SPRING



YATO	max. Ø [mm]	L [mm]	
YT-2261	3	125	15/150

Electrical cutter

160 mm | max Ø 3.0 mm | HRC 42-50 | 65Mn | ABS TPR



YATO	mm2	AWG	L [mm]	
YT-19695	0.8-2.6	20~10	160	10/100

Wire stripper

125 mm | SK5 | ABS



YATO		Ethernet cables	
YT-22760	RG59, RG6, RG7, RG11	CAT. 5-7 (UTP/STP)	6/48

Automatic wire stripper

170 mm | SK5



- *STRIPPING RANGE: 1,0/1,6/2,0/2,6/3,2MM,*

YATO	mm²	AWG	
YT-2276	1.0-3.2	18~8	8/48

Electrical cutter

125 mm | max Ø 3.0 mm | SS | SPRING



YATO	max. Ø [mm]	L [mm]	
YT-2262	3	125	20/120

Electrical cutter

140 mm | max Ø 3.0 mm | HRC 48-54 | 65Mn | ABS TPR



YATO	mm²	AWG	L [mm]	
YT-22640	0.8-2.6	20~10	140	12/120

Electrician's scissors

150 mm | max 10 mm² | HRC 56 | SS



YATO	L [mm]	
YT-19744	150	10/60

Multifunctional pliers

240 mm | HRC 58-62 | CrV | HRC 40-50



YATO	mm²	AWG	mm2	AWG	L [mm]	
YT-20435	1.5	16~14	1-6	18~8	240	5/50

Electrical mini cutter

130 mm | 65Mn | HRC 55-57



YATO	L [mm]	
YT-2264	130	12/120

Cable stripper

Ø 8-28 mm



YATO	Ø [mm]	
YT-2280	8-28	10/100

Multifunctional pliers

220 mm | HRC 58-62 | CrV | HRC 40-50



YATO	mm²	AWG	mm2	AWG	L [mm]	
YT-20430	1.5	16~14	1-6	18~8	220	5/50

Cable cutter

200 mm | max Ø 10.5 mm | LOCK BLOKADA | HRC 45-48



YATO	max. Ø [mm]	L [mm]	
YT-19682	10.5	200	10/100

Electrician's scissors

140 mm | HRC 52-56 | SS



YATO	L [mm]	
YT-1974	140	12/120

Multifunctional pliers

205 mm | HRC 58-62 | CrV | HRC 40-50



YATO	mm²	AWG	mm2	AWG	L [mm]	
YT-20433	1.5	16~14	1-6	18~8	205	5/50

Cable cutter

175 mm | max Ø 10.5 mm | LOCK BLOKADA | SPRING OPERATED

NEW



YATO	mm²	AWG	L [mm]	
YT-19692	0.75-2.5	18~14	175	10/60

5 in 1 pliers set for electricians

5in1 5w1 | 200 mm | CrV





YATO	mm2	AWG	mm2	AWG	mm2	AWG	
YT-19697	1.5-6	22~10	1.5-6	22~10	1.5-6	22~10	4/16

NON-SPARKING

Cable cutter



YATO	max. Ø [mm]	L [mm]	
YT-2279	10.5	170	10/60

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81591	15	20	0.13	72/288
YT-81651	19	20	0.13	72/288

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81596	15	20	0.13	72/288
YT-81656	19	20	0.13	72/288

Cable cutter



YATO	mm²	AWG	L [mm]	
YT-19691	1.6-3.2	14~8	170	6/24

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81594	15	20	0.13	72/288
YT-81654	19	20	0.13	72/288

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-8152	12	10	0.13	96/384
YT-8159	15	20	0.13	72/288
YT-8174	25	20	0.19	48/192
YT-8177	50	33	0.19	48

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81592	15	20	0.13	72/288
YT-8166	19	20	0.13	72/288

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81593	15	20	0.13	72/288
YT-81655	19	20	0.13	72/288

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-8156	12	10	0.13	10/40
YT-8173	19	20	0.13	6/24

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-8165	19	20	0.13	72/288

Electrical insulation tape



- *In accordance with standard EN 60454-3-1-1/F-PVC/60/R-Tp*
- *Dielectric strength: >40 Kv/mm • Elongation: >125%*
- *Flame test: Store temperature: 10-40°C • Using temperature: 5-50°C*

YATO	W [mm]	L [m]	[mm]	
YT-81595	15	20	0.13	72/288
YT-81652	19	20	0.13	72/288

1.5V alkaline battery



YATO		
YT-89940		12/120

NON-SPARKING

1.5V alkaline battery

1.5 V | 12 | 4x AA



YATO		
YT-89950		12/120

Ratchet cable cutter

Cu/Al | HRC 50 | 60Si2Mn | 300 mm | max Ø 17.5 mm



YATO	Max. cutting range	max. Ø [mm]	L [mm]	
YT-18600	240	17.5	300	10

Voltage tester

165 mm | 12-1000V A.C. | 50/60 Hz | CONTINUITY TEST | SENSITIVITY | AUTO POWER OFF | LCD | LED | 2x AAA



YATO	L [mm]	
YT-28320	165	100

Electrican's knife

HRC 42-48 | 3Cr13 | 85/200 mm



YATO	L [mm]	
YT-7600	200	6/96

Voltage tester

140 mm | 70-250V A.C. | 70-600V A.C. | 50-500 Hz | CONTINUITY TEST | 1.5V 9V | LED | 2x LR41



YATO		L [mm]	
YT-2864	3.5	140	6/120

Voltage tester

140 mm | 70-250V A.C. | 70-1000V A.C. | 50-500 Hz | CONTINUITY TEST | 1.5V 9V | LED | 2x LR44



YATO	L [mm]	
YT-28631	140	6/120

Electrican's knife

HRC 42-48 | 3Cr13 | 75/190 mm



YATO	L [mm]	
YT-7601	190	6/96

Voltage tester

190 mm | 125-250 V~



In accordance with polish standard **PN-E 08509:1988**

YATO		L [mm]	
YT-28300	3	190	12/144

Voltage tester

12-250V A.C. | 50-500 Hz | TEST | LCD | 130 mm | NO BATTERY NEEDED | CONTINUITY TEST | LED



YATO	L [mm]	
YT-2861	130	20/500

Ratchet cable cutter

Cu/Al | HRC 50 | 60Si2Mn | 380 mm | max Ø 22 mm



YATO	Max. cutting range	max. Ø [mm]	L [mm]	
YT-18602	380	22	380	10

Voltage tester

150 mm | 90-1000V A.C. | CONTINUITY TEST | LED | LED | 2x AAA



YATO	⊖ [mm]	
YT-28312	4.5	12/240

Voltage tester

12-250V A.C. | 50-500 Hz | TEST | LCD | 145 mm | CONTINUITY TEST | LED | 3x LR41



YATO	L [mm]	
YT-28630	145	6/120

Soldering iron

230V~ 50Hz | 2-3 min



YATO	[W]	[°C]	[mm]	
YT-8271	30	400	Ø3.8x73	16
YT-8272	60	500	Ø5.8x85	16
YT-8273	80	520	Ø6.8x95	16

Desoldering pump

PTFE



YATO	
YT-82744	50/100

Soldering iron with temperature adjustment

220-240V~ 50Hz | 50 W | 200-450 °C | +/- 25 °C | 900M



YATO	[W]	[°C]	
YT-82700	50	200-450	10/100

Desoldering pump

PTFE



YATO	
YT-82742	100/400

Plastic pipe welder

230V~ 50Hz | 850 W | 0-300 °C





Ø 16, 20, 25, 32, 40, 50, 63 mm

YATO	[W]	
YT-82250	850	2

Two-pole voltage tester

LCD 1999 | 6-1000V A.C.+D.C. | 0-1999 Ω | RCD 30mA | PHASE SEQUENCE TEST TEST KOLEJNOŚCI FAZ | LOW IMPEDANCE MODE TRYB NISKIEJ IMPEDANCJI | CONTINUITY TEST TEST CIĄGŁOŚCI | 2x AAA





YATO	
YT-28330	30

Soldering iron with temperature adjustment

220-240V~ 50Hz | 80 W | 50-480 °C | +/- 2 °C | 900M | LCD BACKLIGHT PODŚWIETLENIE



YATO	[W]	[°C]	
YT-82701	80	50-480	10/50

Soldering iron with temperature adjustment

220-240V~ 50Hz | 90 W | 900M | 90-500 °C | +/- 2 °C | OLED | AUTO SLEEP HIBERNACJA | TEMPERATURE CALIBRATION KALIBRACJA TEMPERATURY

NEW



YATO	
YT-82703	50

Desoldering pump

PTFE



YATO	
YT-82743	100/200

Soldering iron

240V~ 50Hz | TIP R0.3x Ø3.8 x70.8 mm | TIP R0.3x Ø3.8 x70.8 mm | TIP R0.6x Ø5.8 x80 mm | TIP R0.5x Ø7.0 x65 mm | TIP R0.5x Ø7.0 x65 mm



YATO	[W]	[°C]	
YT-82470	25	420	6/60
YT-82471	30	440	6/60
YT-82472	40	500	6/60
YT-82473	60	500	6/60
YT-82475	25	450	6/60
YT-82476	30	450	6/60
YT-82477	50	450	6/60

Portable digital soldering iron

9-24 V | 18-65 W | QC/PD | 100-450 °C | +/- 2 °C | T12 | OLED | AUTO SLEEP HIBERNACJA | TEMPERATURE CALIBRATION KALIBRACJA TEMPERATURY | USB

NEW



YATO	
YT-82488	50

2 in 1 hot air soldering station

220-240V~ 50Hz | 750 W | 100-480 °C | +/- 2 °C | 120 l/min | 75 W | 200-480 °C | +/- 1 °C | 900M | LED | ESD SAFE





- *Constant tip temperature control*
- *Bruhless motor fan*
- *Auto sleep 0-240 min*
- *Auto power off function*
- *Build-in position sensor*

YATO	[W]	[°C]	
YT-82458	75 (lutownica), 750 (dmuchawa hot air)	200-480 (lutownica), 100-480 (dmuchawa hot air)	6

Soldering station

220-240V~ 50/60Hz | 60 W | 90-480 °C | +/- 2 °C | 900M | LED



YATO	[W]	[°C]	
YT-82460	60	90-480	16
YT-82460BS	60	90-480	16

Hot air soldering station

220-240V~ 50Hz | 750 W | 100-500 °C | +/- 2 °C | 120 l/min | LED | ESD SAFE









- *Bruhless motor fan*
- *Auto sleep 0-240 min*
- *Auto power off function*
- *Build-in position sensor*

YATO	[W]	[°C]	
YT-82457	750	100-500	8

Soldering station

220-240V~ 50Hz | 70 W | 200-480 °C | +/- 1 °C | 900M | LED | ESD SAFE



- *Constant tip temperature control*
- *Auto sleep 1-99 min*
- *Auto power off function 1-99 min*

YATO	[W]	[°C]	
YT-82459	70W	200-480	8

Soldering station

110-240V~ 50-60Hz | 190 W | 90-500 °C | +/- 2 °C | C245 | LCD | x3 MEMORY PANEL | TEMPERATURE CALIBRATION KALIBRACJA TEMPERATURY | AUTO SLEEP HIBERNACJA | AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE







YATO	[W]	[°C]	
YT-82463	190	90-500	10

Electric glue gun

230V~ 50Hz | 35(400) W | 150-200 °C | 3-6 min | 15 g/min | 2x Ø 11 mm





Fitting glue sticks: see chapter 12

YATO	[W]	Ø [mm]	[g/min]	
YT-82401	35 (400)	11	15	12/24

Cordless soldering station

18 V Li-Ion | 90-500 °C | C245 | AUTO SLEEP HIBERNACJA | AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE | TEMPERATURE CALIBRATION KALIBRACJA TEMPERATURY

NEW



18V Li-Ion

YATO	[V d.c.]	
YT-82500	18	1/40

Soldering station

220-240V~ 50Hz | 75 W | 200-480 °C | +/- 1 °C | 900M | LCD | 3½" 89 mm | LCD BACKLIGHT PODŚWIETLENIE | ESD SAFE | USB BATTERY CHARGER ŁADOWARKA





- *Constant tip temperature control*
- *Temperature calibration function*
- *Auto sleep 1-240 min*

YATO	[W]	[°C]	
YT-82456	75	200-480	8

Electric glue gun

230-240V~ 50Hz | 30(450) W | 100-200 °C | 3-5 min | 20 g/min | Ø 11 mm | 1.5 m



Fitting glue sticks: see chapter 12

YATO	[W]	Ø [mm]	[g/min]	
YT-82403	30 (450)	11	20	6

NON-SPARKING

Electric glue gun

230V~ 50Hz | 20(80) W | 180-200 °C | 3-5 min | 15 g/min | 3x ⌀ 11 mm



Fitting glue sticks: see chapter 12

YATO	[W]	Ø [mm]	[g/min]	
YT-82402	20 (80)	11	15	12/48

Glue sticks

5 PCS | ⌀ 11 mm 200 mm | 170-200 °C | 85±2°C SOFTENING TEMPERATURE | 20-30 s







YATO	Color	Ø [mm]	L [mm]	
YT-82433	black	11	200	40/120
YT-82434	red	11	200	40/120
YT-82435	blue	11	200	40/120
YT-82436	green	11	200	40/120

YATO	Color	Ø [mm]	L [mm]	
YT-82437	yellow	11	200	40/120
YT-82438	white	11	200	40/120
YT-82439	brown	11	200	40/120

Electric glue gun

230V~ 50Hz | ⌀ 11 mm | CE



YATO	[W]	Ø [mm]	
YT-8240	40	11	12/48
YT-8241	60	11	12/48

Glue sticks

12 PCS | ⌀ 7.2 mm 100 mm | 170-200 °C | 85±2°C SOFTENING TEMPERATURE | 20-30 s





YATO	Color	Ø [mm]	L [mm]	
YT-82441	black	7.2	100	50/200
YT-82442	red	7.2	100	50/200
YT-82443	blue	7.2	100	50/200
YT-82444	green	7.2	100	50/200

YATO	Color	Ø [mm]	L [mm]	
YT-82445	yellow	7.2	100	50/200
YT-82446	white	7.2	100	50/200
YT-82447	brown	7.2	100	50/200

Glue sticks

1 kg | 170-200 °C | 82±2°C SOFTENING TEMPERATURE | 20-30 s | TRANSPARENT PRZEZROCZYSTY | ⌀ 11 mm 200 mm



YATO	Ø [mm]	L [mm]	
YT-82430	11	200	20

Glue sticks

10 PCS | ⌀ 7.2 mm 200 mm | 170-200 °C | 82±2°C SOFTENING TEMPERATURE | 20-30 s | TRANSPARENT PRZEZROCZYSTY



YATO	Color	Ø [mm]	L [mm]	
YT-82440	colorless	7.2	200	30/120

Plastic welding rods

5 PCS | 2.5x5 mm 1 m | 270-300 °C | PE



YATO	Size [mm]	L [m]	
YT-82304	2.5x5	1	30/120

Glue sticks

1 kg | 170-200 °C | 82±2°C SOFTENING TEMPERATURE | 20-30 s | TRANSPARENT PRZEZROCZYSTY | ⌀ 11 mm 300 mm



YATO	Ø [mm]	L [mm]	
YT-82431	11	300	20

Plastic welding rods

5 PCS | 2.5x5 mm 1 m | 300 °C | PP



YATO	Size [mm]	L [m]	
YT-82303	2.5x5	1	30/120

Plastic welding rods

5 PCS | 2.5x5 mm 1 m | 350 °C | ABS



YATO	Size [mm]	L [m]	
YT-82305	2.5x5	1	30/120

Plastic welding rods

5 PCS | 2.5x5 mm 1m | 300-400 °C | PVC



YATO	Size [mm]	L [m]	
YT-82306	2.5x5	1	30/120

Dust blower ball

ESD SAFE



YATO	
YT-82512	30/180

Sponge for soldering station

3 PCS



YATO	
YT-82467	40/800

Plastic welding rods

5 PCS | 2.5x5 mm 1m | 300 °C | PPR



YATO	Size [mm]	L [m]	
YT-82307	2.5x5	1	30/120

Cable puller

14 PCS | 10x1 m | BRASS MOSIĄDZ | FIBERGLASS WŁÓKNO SZKLANE



YATO	
YT-23200	12/36

Silicone soldering mat

max °C 500



YATO	Size [mm]	
YT-82468	250x350	50
YT-82469	300x400	30

Cable puller

15.3 m | 3x1.5 mm | STEEL STAL | ABS | BRAKE HAMULEC



YATO	L [mm]	
YT-25010	15.3	6/12

Soldering tips set

3 PCS

NEW



For YT-82451

YATO	
YT-824981	6/60

Solvent dispenser with pump

100 ml | ALCOHOL RESISTANCE ODPORNOŚĆ NA ALKOHOL | ESD SAFE



YATO	[ml]	
YT-82516	100	20/120

Cable puller

30m | Ø 4.0 mm | FIBERGLASS WŁÓKNO SZKLANE



YATO	L [m]	Ø [mm]	
YT-25015	30	4	10

Soldering tips set

3 PCS

NEW



For YT-8245

YATO	
YT-824982	10/60

Soldering iron tip



YATO		
YT-82501		96/1152

Soldering iron tip



YATO		
YT-82504		96/1152

Soldering tips set

10 PCS | 900M



Tip types: T-I, T-B, T-K, T-1.2D, T2.4D, T-3.2D, T-1C, T-2C, T-3C

YATO		
YT-82526		24/240

Soldering iron tip



YATO		
YT-82502		96/1152

Soldering iron tip



YATO		
YT-82505		96/1152

Soldering tips set

6 PCS | 900M



Tip types: T-I, T-B, T-K, T2.4D, T-2C, T-3C

YATO		
YT-82525		24/240

Soldering iron tip



YATO		
YT-82503		96/1152

Soldering iron tip



YATO		
YT-82506		96/1152

Solder tip cleaner brass wire

BRASS MOSIĄDZ



YATO		
YT-82510		30/120

Hot air nozzles

4 PCS | 12 mm | ⌀ 4.4 mm | ⌀ 8.0 mm | ⌀ 10 mm



YATO		
YT-82520		50/300

Heat resistant tape

300 °C



YATO	W [mm]	L [m]	
YT-82540	5	33	110/440
YT-82541	10	33	64/256
YT-82542	20	33	32/128

Solder wick

COPPER MIEDŹ



YATO	W [mm]	L [m]	
YT-82530	1.5	1.5	30/600
YT-82531	2.0	1.5	30/600
YT-82532	3.0	1.5	30/600

Hygrometer

6-60% | 0.2-2.9% | max 10 ± mm | LCD | AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE



YATO		
YT-73141		20/40

Cable tester

NEW



YATO	
YT-73135	20

3 Holes fiber stripper



YATO	Ø	
YT-22733	3 holes	1/100

Hygrometer

6-42% | 0.2-2.0% | max 7 ± mm | LCD | AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE



YATO	
YT-73140	54/108

Cable tester

NEW



YATO	
YT-73136	40

Length ways stripper



YATO	
YT-22805	1/100

Wire tracker (transmitter and receiver)

WIRE TRACING NAMIERZANIE PRZEWODU | >1 km | RJ45 | R11 | ANTI-INTERFERENCE ZABEZPIECZENIE PRZECIWZAKŁÓCENIOWE | VOLUME GŁOŚNOŚĆ | FRONT LIGHT LATARKA | 3x AAA | 9 V 6F22



YATO	
YT-73137	10/20

Cable tester

NEW



YATO	
YT-73160	20

Cable tester



YATO		
YT-73162		40

Cable tester



YATO		
YT-73166		40

Digital multimeter

LCD 1999 · 0-1000V D.C. · 0-750V A.C. · 0-10 A A.C. · 0-10 A D.C. · 0-20 MΩ · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 0-20 µF · h_{FE} PNP NPN



YATO		
YT-73082		30

Cable tester



YATO		
YT-73163		30

Cable tester



YATO		
YT-73167		100

Digital universal multimeter

LCD 1999 · 0-600V A.C. · 0-500V D.C. · 0-5 A D.C. · 0-2 MΩ · h_{FE} PNP NPN · 2x AAA



YATO		
YT-73080		50

Cable tester



YATO		
YT-73165		44

Vacuum pen

Ø 3.0 mm · Ø 6.0 mm · Ø 10 mm · 150 mm



YATO	L [mm]	
YT-82514	150	12/240

Digital universal multimeter

LCD 1999 · 0-600V A.C. · 0-600V D.C. · 0-10 A D.C. · 0-2 MΩ · h_{FE} PNP NPN · 1.5V 9V BATTERY TEST TEST BATERII · DATA HOLD · LED BACKLIGHT PODŚWIETLENIE · 2x AAA



YATO		
YT-73081		50

Digital universal multimeter

TRUE RMS · LCD 1999 · 0-600V A.C. · 0-600V D.C. · 0-20 A A.C. · 0-20 A D.C. · 0-20 MΩ · 0-20 mF · -40 +1000 °C · 0-60 MHz · h_{FE} PNP NPN · DATA HOLD · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 9 V 6F22



YATO	
YT-73083	20

Digital universal multimeter

LCD 3999 · L1 L2 L3 · 0-600V A.C. · 0-600V D.C. · 0-10 A A.C. · 0-10 A D.C. · 0-40 MΩ · 0-100 µF · 0,01-100 kHz · -20 +1000 °C · 5÷95% · AUTO RANGE AUTO ZAKRES · DATA HOLD · REL · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 9 V 6F22



YATO	
YT-73086	24

Clamp universal multimeter

LCD 1999 · 0-600V A.C. · 0-600V D.C. · 0-600A A.C. · 0-200 MΩ · -20 +1000 °C · AUTO RANGE AUTO ZAKRES · DATA HOLD · MAX HOLD · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AA



YATO	
YT-73091	20

Digital multimeter

LCD 1999 · 0-300V A.C. · 0-300V D.C. · 0-10 A A.C. · 0-10 A D.C. · 0-20 MΩ · 0-1000 µF · -20 +1000 °C · h_{FE} PNP NPN · AUTO RANGE AUTO ZAKRES · DATA HOLD · MAX HOLD · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 3x AAA



YATO	
YT-73084	44

Clamp universal multimeter

0-600A A.C.



For YT-73085

YATO	
YT-73090	50

Clamp universal multimeter

TRUE RMS · LCD 5999 · 0-600V A.C. · 0-600V D.C. · 0-600A A.C. · 0-60 MΩ · NCV · LOW IMPEDANCE MODE TRYB NISKIEJ IMPEDANCJI · V A.C. VFC · CONTINUITY TEST TEST CIĄGŁOŚCI · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-73092	40

Digital universal multimeter

TRUE RMS · LCD 5999 · 0-600V A.C. · 0-600V D.C. · 0-10 A A.C. · 0-10 A D.C. · 0-60 MΩ · 0-60 mF · 0-60 MHz · -40 +1370 °C · 0.1÷99% · h_{FE} PNP NPN · AUTO RANGE AUTO ZAKRES · DATA HOLD · MAX HOLD · MIN HOLD · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · CATCH MOCOWANIE · 9 V 6F22



For YT-73090

YATO	
YT-73085	20

Digital universal multimeter

TRUE RMS · LCD 9999 · 0-750V A.C. · 0-999.9V D.C. · 0-9.999A A.C. · 0-9.999A D.C. · 0-9.999 MΩ · 0-9.999 mF · 0-9.999 MHz · 1÷99% · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-73089	100

Clamp universal multimeter

TRUE RMS · LCD 6000 · 0-600V A.C. · 0-600V D.C. · 0-600A A.C. · 0-600A D.C. · 0-60 MΩ · 0-60 mF · 0-10 MHz · -30 +1000 °C · NCV · AUTO RANGE AUTO ZAKRES · DATA HOLD · PEAK HOLD · LED BACKLIGHT · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-73093	50

Digital universal multimeter

TRUE RMS · LCD 9999 · 0-600V A.C. · 0-600V D.C. · 0-10 A A.C. · 0-10 A D.C. · 0-99 MΩ · 0-99 mF · 0.01-60 kHz · NCV · V A.C. VFC · 1,5V 9V BATTERY TEST TEST BATERII · CONTINUITY TEST TEST CIĄGŁOŚCI · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT PODŚWIETLENIE · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-73094	40

Digital universal multimeter

TRUE RMS · LCD 19999 · 0-750V A.C. · 0-999.9V D.C. · 0-19.999 A A.C. · 0-19.999 A D.C. · 0-199.99 MΩ · 0-9.999 mF · 0-9.999 MHz · -20 +1000 °C · 1÷99% · NCV · CONTINUITY TEST TEST CIĄGŁOŚCI · AUTO RANGE AUTO ZAKRES · DATA HOLD · MAX MIN · REL RELATIVE VALUE WARTOŚĆ WZGLĘDNA · LED BACKLIGHT PODŚWIETLENIE · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AA



YATO	
YT-730893	50

Clamp universal multimeter

TRUE RMS · LCD 6000 · 0-750V A.C. · 0-1000A A.C. · 0-1000A D.C. · 0-1000V D.C. · 0-60 MΩ · 0-100 mF · 0-10 MHz · -30 +1000 °C · NCV · AUTO RANGE AUTO ZAKRES · DATA HOLD · PEAK HOLD · LED BACKLIGHT PODŚWIETLENIE · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 3x AAA



YATO	
YT-730933	30

Digital universal multimeter

TRUE RMS · LCD 6000 · 0-750V A.C. · 0-1000V D.C. · 0-10 A A.C. · 0-10 A D.C. · 0-60 MΩ · 0-9.999 mF · 0-9.999 MHz · 1÷99% · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT PODŚWIETLENIE · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-73096	100

Digital universal multimeter

TRUE RMS · LCD 4000 · 0-600V D.C. · 0-600V A.C. · 0-10 A D.C. · 0-10 A A.C. · 0-40 MΩ · 0-3 MHz · NCV · CONTINUITY TEST TEST CIĄGŁOŚCI · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT PODŚWIETLENIE · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AA



YATO	
YT-730894	100

Clamp universal multimeter

TRUE RMS · LCD 6000 · 0-600V A.C. · 0-600V D.C. · 0-600A A.C. · 0-600A D.C. · 0-60 MΩ · 0-300 kHz · -30 +1000 °C · NCV · AUTO RANGE AUTO ZAKRES · DATA HOLD · PEAK HOLD · LED BACKLIGHT PODŚWIETLENIE · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-730934	50

Digital universal multimeter

TRUE RMS · LCD 3999 · 0-600V A.C. · 0-600V D.C. · 0-40 MΩ · NCV · AUTO RANGE AUTO ZAKRES · LED BACKLIGHT PODŚWIETLENIE · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-730822	100

Digital universal multimeter

TRUE RMS · LCD 25000 · 0-100 · 0-750V A.C. · 0-1000V D.C. · 1-1000V A.C.+D.C. · 0-20 A A.C. · 0-20 A D.C. · 0-250 MΩ · 0-99.99 mF · 0-10 MHz · -20 +1000 °C · 1÷99% · DATA HOLD · NCV · CONTINUITY TEST TEST CIĄGŁOŚCI · AUTO RANGE AUTO ZAKRES · PEAK HOLD · MAX MIN · REL RELATIVE VALUE WARTOŚĆ WZGLĘDNA · LED BACKLIGHT PODŚWIETLENIE · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 3x AA



YATO	
YT-730895	50

Clamp universal multimeter

TRUE RMS · LCD 3999 · 0-600V A.C. · 0-600V D.C. · 0-600A A.C. · 0-40 MΩ · NCV · AUTO RANGE AUTO ZAKRES · DATA HOLD · LED BACKLIGHT PODŚWIETLENIE · FRONT LIGHT LATARKA · AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE · 2x AAA



YATO	
YT-730935	50

igital multimeter with oscilloscope

50 MHz | 280 MSa/s | TRUE RMS | IPS 25000 | 0-750V A.C. | 0-1000V D.C. | 0-10 A A.C. | 0-10 A D.C. | 0-250 MΩ | 0-99.99 mF | 0-999.9 kHz | MAX AVG MIN | AUTO RANGE AUTO ZAKRES | DATA HOLD | LED | AUTO POWER OFF AUTOMATYCZNE WYŁĄCZANIE | 3.7 V 3400mAh Li-Ion



YATO		
YT-730944		30

Hot air gun with accessories

220-240V~ 50Hz | 1600 W | 50-650 °C | 250-500 l/min | LCD | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m







YATO	[W]	
YT-82296	1500-1600	5

Hot air gun with accessories

220-240V~ 50Hz | 2000 W | 50-600 °C | 250-500 l/min | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m







YATO	[W]	
YT-82295	2000	5

Hot air gun with accessories

220-240V~ 50Hz | 2000 W | 450/600 °C | 250-500 l/min | LCD | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m





YATO	[W]	
YT-82294	2000	5

Spare dies for crimping tool



YATO	[mm²]	pcs	For	
YT-22863	10, 16, 25, 35, 50, 70, 95, 120	8	YT-22860	10
YT-22864	16, 25, 35, 50, 70, 95, 120, 150, 185, 240	10	YT-22861	10
YT-22865	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300	11	YT-22862	10

Hot air gun accesories set

5 PCS



For YT-82294, YT-82295, YT-82296

YATO	
YT-82301	50

Tweezer

140 mm | SS302 | HRC 30 | ANTI-MAGNETIC | ACID PROOF





YATO	L [mm]	
YT-6903	140	20/240

Tweezer

130 mm | SS302 | HRC 40





YATO	L [mm]	
YT-6913	130	20/240

Tweezer

115 mm | SS302 | HRC 30 | ANTI-MAGNETIC | ACID PROOF





YATO	L [mm]	
YT-6907	115	20/240

Tweezer

115 mm | SS302 | HRC 40



YATO	L [mm]	
YT-6917	115	20/240

Tweezer

130 mm | SS302 | HRC 40





YATO	L [mm]	
YT-6912	130	20/240

Tweezer

140 mm | SS302 | HRC 40 | ANTI-MAGNETIC | ACID PROOF



YATO	L [mm]	
YT-6916	140	20/240



Machinist hammer

DIN 1041 | DROP FORGED KUTE



- *High quality wooden handle*
- *Forged carbon steel head*
- *Safety protection steel ring*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4491	100	260	15	80	12/120
YT-4492	200	280	20	93	6/60
YT-4493	300	300	21	103	6/60
YT-4494	400	310	23	111	6/48
YT-4495	500	320	26	118	6/36

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4496	600	330	28	119	6/36
YT-4497	800	350	31	125	6/24
YT-4498	1000	360	35	132	6/24
YT-4499	1500	380	40	143	6/12
YT-4500	2000	400	45	153	6/12

Rubber mallet

WOODEN HANDLE | DREWNIANA RĘKOJEŚĆ



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-4601	340	291	49	79.5	12/48
YT-4602	370	300	50	87.5	6/36
YT-4603	580	341	58	96	6/36
YT-4604	780	341	63	117	6/24
YT-4605	980	345	72	122	6/24

Machinist hammer

DIN 1041 | DROP FORGED KUTE



- *High quality wooden handle*
- *Forged carbon steel head*
- *Safety protection steel ring*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4501	100	260	15	82	12/120
YT-4502	200	280	19	95	6/60
YT-4503	300	300	23	105	6/60
YT-4504	400	310	25	112	6/48
YT-4505	500	320	27	118	6/36

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4506	600	330	29	122	6/36
YT-4507	800	350	33	135	6/24
YT-4508	1000	360	36	135	6/24
YT-4509	1500	380	42	145	6/12
YT-4510	2000	400	47	155	6/12

Stoning hammer

DIN 6475 | DROP FORGED KUTE



- *High quality wooden handle*
- *Forged carbon steel head*
- *Safety protection steel ring*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4550	1000	260	40	95	6/24
YT-4551	1250	260	43	100	6/24
YT-4552	1500	280	45	110	6/12
YT-4553	2000	300	50	120	6/12

Sledge hammer



- *Forged carbon steel head*
- *TPR soft handle*

YATO	m [g]	L [mm]	
YT-45535	2LB	291	6/24
YT-45536	3LB	352	6/12
YT-45537	4LB	420	6/12
YT-45538	6LB	790	6
YT-45539	8LB	794	4
YT-45540	10LB	800	4

YATO	m [g]	L [mm]	
YT-45541	12LB	882	4
YT-45542	14LB	885	4
YT-45543	16LB	890	1/4
YT-45544	18LB	892	2
YT-45545	20LB	900	2
YT-45546	24LB	915	2

Claw hammer

WOODEN HANDLE | DREWNIANA RĘKOJEŚĆ



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4523	225	290	25	110	6/36
YT-4524	370	310	32	120	6/24
YT-4525	450	330	30	135	6/24
YT-4526	570	335	34	135	6/18
YT-4527	680	385	34	140	6/12

Aluminum hammer

Al



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-45280	150	280	30	80	6/36
YT-45281	300	300	40	98	6/36
YT-45282	580	320	50	105	6/24

Welding hammer



YATO	m [g]	
YT-45330	225	6/60

Ball pein hammer

WOODEN HANDLE | DREWNIANA RĘKOJEŚĆ



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4519	225	295	26	80	6/36
YT-4520	450	335	35	100	6/24
YT-4521	680	360	36	115	6/12
YT-4522	900	380	40	125	6/12

NON-SPARKING

Ball pein hammer



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4515	225	280	26	80	6/36
YT-4516	450	315	34	100	6/24
YT-4517	675	370	42	115	6/12
YT-4518	900	380	40	125	6/12

Roofing hammer



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4561	600	318	25x25	165	6/24

Masonry hammer, type B



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4562	600	315	24x23	200	6/24

Brass hammer



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-45290	250	290	26	77	6/48
YT-45291	300	320	28	72	6/48
YT-45292	500	330	28	92	6/36
YT-45293	800	370	39	92	6/24
YT-45294	1000	360	39	116	6/24

Masonry hammer, type R



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4563	600	315	23x23	170	6/24

Welding hammer



- *Special design, suitable for welding use*

YATO	L [mm]	
YT-4571S	300	6/24

Claw hammer



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45660	450	340	30	130	6/24

Plasterer's hatchet



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4564	600	315	25x20	175	6/24

Masonry hammer, type R



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4573	600	335	25x24	158	6/24

Claw hammer



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4560	450	318	30	130	6/24

Claw hammer



- *High quality steel handle*
- *Forged carbon steel head hardened and tempered*

YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-4570	450	315	30	130	6/24

Claw hammer



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45740	500	345	32	120	6/18

Claw hammer

500 g | 345 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45741	500	345	35	178	6/18

Machinist hammer

500 g | 305 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45765	500	305	27	114	6/18

Dead blow mallet

PU



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-4620	740	300	44.5	100	4/24
YT-4622	900	336	53.5	100	4/24
YT-4623	1300	350	59	118.5	3/12

Claw hammer

600 g | 345 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45744	600	345	25	155	6/18

Ball pein hammer

450 g | 305 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45770	450	305	32.5	108	6/18

Dead blow mallet

PVC | BRASS MOSIĄDZ



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-46190	300	225	20	75	6/36
YT-46191	700	330	32	110	6/24

Stoning hammer

1000 g | 275 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45752	1000	275	41	100	6/12

Brick hammer

600 g | 275 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45773	600	275	25	170	6/24

Dead blow mallet

PU | WOODEN HANDLE DREWNIANA RĘKOJEŚĆ



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-4624	265	318	30	94	10/40
YT-4625	430	350	40	100	6/36
YT-4626	490	348	45	110	6/36

Sledge hammer

1800 g | 375 mm | DROP FORGED KUTE | HRC 48-58 | MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	A [mm]	H [mm]	
YT-45755	1800	375	45	125	4/8

Rubber mallet

Ø 50 mm



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-4594	440	340	50	87.5	6/36

Dead blow mallet

FIBERGLASS WŁÓKNO SZKLANE



YATO	m [g]	L [mm]	[mm]	
YT-46270	2400	490	70x70x140	2/6
YT-46273	5500	900	105x105x180	2

NON-SPARKING

Soft face hammer

PU | NYLON



YATO	m [g]	L [mm]	Ø [mm]	H [mm]	
YT-4630	150	250	22	75	6/48
YT-4631	250	280	28	85	6/36
YT-4632	340	315	35	95	6/36
YT-4633	660	350	45	105	6/24
YT-4634	1340	380	60	132	4/16

Mounting hammer

8 PCS | Al





	HRC: 65 +/-5
	HRC: 72 +/-5
	HRC: 73 +/-5
	HRC: 80 +/-5
	HRC: 95 +/-5

YATO	
YT-45905	8

PU head for mallet

PU | SOFT MATERIAL – MIĘKKI MATERIAŁ



YATO	m [g]	Ø [mm]	for	
YT-4635	11.0	22.0	YT-4630	6/60
YT-4636	20.0	28.0	YT-4631	6/60
YT-4637	35.0	35.0	YT-4632	6/60
YT-4638	69.0	45.0	YT-4633	6/60
YT-4639	139.0	60.0	YT-4634	6/60

Wood chisel

HRC 58-60 | CrV 60



YATO	Size [mm]	
YT-6241	8	10/60
YT-6242	10	10/60
YT-6243	12	10/60
YT-6244	14	10/60
YT-6245	15	10/60
YT-6246	16	10/60
YT-6247	18	10/60

YATO	Size [mm]	
YT-6248	20	10/60
YT-6249	22	10/60
YT-6251	25	10/60
YT-6253	28	10/60
YT-6256	35	10/60
YT-6258	38	10/60

Nylon head for mallet

NYLON | HARDENED LAMINATE – LAMINAT UTWARDZANY



YATO	m [g]	Ø [mm]	for	
YT-4640	11.0	22.0	YT-4630	6/60
YT-4641	20.0	28.0	YT-4631	6/60
YT-4642	35.0	35.0	YT-4632	6/60
YT-4643	69.0	45.0	YT-4633	6/60
YT-4644	139.0	60.0	YT-4634	6/60

Half-round wood chisel

#55



YATO	Size [mm]	
YT-62821	10	12/48
YT-62822	12	12/48
YT-62823	14	12/48
YT-62824	16	12/48

YATO	Size [mm]	
YT-62825	19	12/48
YT-62826	25	12/48
YT-62827	32	12/48
YT-62828	38	12/48

Wood chisel set

4 PCS | 10 mm | 16 mm | 20 mm | 25 mm | HRC 58-60 | CrV 60



YATO	Size [mm]	
YT-6260	10, 16, 20, 25	5/20

Wood chisel set

4 PCS | 10, 12, 16, 20 mm | CrV



YATO	Size [mm]	
YT-6281	10, 12, 16, 20	6/24

Wood chisel set

3 PCS | 16 mm | 25 mm | 32 mm | CrV



YATO	Size [mm]	
YT-6280	16, 25, 32	10/30

Precision claw bar

300x16 x13 mm | DROP FORGED KUTE



YATO	L [mm]	W [mm]	[mm]	
YT-46750	300	16	13	6/24

Hexagonal wrecking bar

DROP FORGED KUTE



YATO	L [mm]	W [mm]	
YT-46831	400	16	6/24
YT-46832	600	20	12
YT-46833	800	22	1/12
YT-46834	1000	22	6
YT-46835	1200	25	6
YT-46836	1500	25	6

Chisel and punch set

6 PCS | 180 mm | CrV





12, 16, 19 mm;
Ø 3, 4 mm;
Ø 3 mm

YATO	L [mm]	
YT-4710	180	4/16

Hexagonal wrecking bar

DROP FORGED KUTE



YATO	L [mm]	W [mm]	
YT-46800	400	18	6/12
YT-46801	450	18	6/12
YT-46802	600	18	6/12
YT-46803	750	18	6/12
YT-46804	900	18	5/10

Cold chisel with protection

25x300 mm | CrV



YATO	L [mm]	
YT-4700	300	4/24

Go-through pry bar set

4 PCS



198x6x6 mm, 110 g; 304x10x10 mm, 292 g;
456x10x10 mm, 479 g; 608x12x12 mm, 745 g

YATO	
YT-4730	3/6

Profiled wrecking bar

DROP FORGED KUTE



YATO	L [mm]	W [mm]	[mm]	
YT-46810	350	22	13	1/12
YT-46811	450	30	17	6/12
YT-46812	600	30	17	4/8
YT-46813	750	30	17	8
YT-46814	900	30	17	3/6

Cold chisel with protection

76x267 mm | CrV



YATO	L [mm]	
YT-4701	267	4/24

Removal tool set

3 PCS | 40Cr



205x10x11 mm, 140 g; 310x15x16 mm, 295 g;
400x15x21 mm, 400 g

YATO	
YT-47301	4/16

Flat wrecking bar

DROP FORGED KUTE



YATO	L [mm]	W [mm]	[mm]	
YT-46820	300	35	6	10/30
YT-46821	380	35	6	10/20
YT-46822	450	35	6	10/20
YT-46823	600	35	6	10/20

Punch with protection

300 mm | CrV



YATO	L [mm]	
YT-4705	300	4/24

Go-through pry bar

CrV



YATO	Size [mm]	L [mm]	
YT-47302	10x10	304	10

HEAVY DUTY PRY BAR SET

4 PCS | HARDENED STEEL STAL HARTOWANA | DROP FORGED KUTE | NEW



YATO	
YT-47295	1

Pin punch set

6 PCS | 150 mm | CrV 6150



Ø 1.5, 3.0, 4.0, 5.0, 6.0, 8.0 mm

YATO	L [mm]	
YT-47121	150	6/24

Roll pin punch set

9 PCS | STEEL STAL



Ø 1.7 x 70 mm, 2.0 x 82 mm, 2.5 x 92 mm, 3.2 x 100 mm, 3.9 x 115 mm, 5.0 x 120 mm, 5.8 x 128 mm, 6.6 x 140 mm, 8.0 x 160 mm

YATO	
YT-47123	6/36

Pry bar set

3 PCS | HARDENED STEEL STAL HARTOWANA | DROP FORGED KUTE



YATO	
YT-47303	6

Chisel and punch set

6 PCS | CrV



10x142, 12x152 mm;
Ø 3x152, 6x152 mm;
Ø 2x140 mm;
Ø 8x115 mm

YATO	
YT-4712	6/24

Brass pin punch set

8 PCS | BRASS MOSIĄDZ



Ø 1.5, 2.3, 3.2, 3.9, 4.7, 5.5, 6.3, 7.8 mm (L=90 mm)

YATO	L [mm]	
YT-47124	90	50

Pry bar set

4 PCS | HARDENED STEEL STAL HARTOWANA | DROP FORGED KUTE



YATO	
YT-47304	6/12

Pin punch set

21 PCS | BRASS MOSIĄDZ | STEEL STAL



Ø 1.6, 2.4 x 78 mm; 40 CrV;
Ø 1.6, 2.0, 3.2, 4.0 x 69 mm; 40 CrV (with hole);
Ø 3.2, 3.6, 4.0 x 82 mm; 40 CrV;
Ø 4.8, 5.6, 6.4, 7.2, 8.0 x 82 mm; brass;
Ø 6.0, 9.6 x 91 mm; PP;
Ø 1.6, 2.4 x 78 mm; 40 CrV;
20 mm, 250 g (L=190 mm)

YATO	
YT-47122	20

Chisel set

3 PCS | CrV



10x142 mm, 12x152 mm, 16x172 mm

YATO	
YT-4711	6/24

Chisel and punch set

12 PCS | CrV



10x140, 12x150, 16x170 mm;
Ø 1.5x150, Ø 3x150, Ø 4x150, Ø 5x150, Ø 6x150, Ø 8x150 mm;
Ø 2x140 mm;
Ø 6x100, Ø 8x110 mm

YATO	
YT-4714	10/20

NON-SPARKING

Mini cold chisel and punch set

3 PCS | 125 mm | CrV



YATO	
YT-4713	10/60

Nail punch set

3 PCS | 125 mm | CrV 6150



Ø 0.8, 1.6, 2.4 mm

YATO	
YT-47155	10/60

Leather punch





YATO	Ø [mm]	
YT-35850	2	20/100
YT-35851	3	20/100
YT-35852	4	20/100
YT-35853	5	20/100
YT-35854	6	20/100
YT-35855	7	20/100
YT-35856	8	20/100
YT-35857	9	20/100
YT-35858	10	20/100
YT-35859	11	20/100
YT-35860	12	20/100
YT-35861	13	20/100
YT-35862	14	20/100
YT-35863	15	20/100
YT-35864	16	20/100
YT-35866	18	20/100
YT-35867	19	20/80
YT-35868	20	20/80
YT-35870	22	20/80
YT-35872	24	20/60
YT-35873	25	20/60

Taper punch

150 mm | CrV 6150



YATO	L [mm]	Pin diameter [mm]	
YT-47141	150	1.5	20/120
YT-47142	150	3.0	20/120
YT-47143	150	4.0	20/120
YT-47144	150	5.0	20/120
YT-47145	150	6.0	20/120
YT-47146	150	8.0	20/120

Center punch set

7 PCS | 150 mm | CrV 6150



Ø 1.5 x 100 mm,
Ø 2 x 100 mm,
Ø 2.5 x 100 mm,
Ø 3 x 106 mm,
Ø 4 x 110 mm,
Ø 5 x 125 mm,
Ø 6 x 140 mm

YATO	
YT-47170	60

Cold chisel

CrV 6150



YATO	L [mm]	Chisel width [mm]	
YT-47147	142	10.0	20/120
YT-47148	152	12.5	20/120
YT-47149	172	16.0	20/120

Automatic center punch

125 mm



YATO	L [mm]	
YT-47160	125	12/72

Punch set

3 PCS



YATO	Ø [mm]	
YT-35881	6, 8, 10	20/120

Taper punch

Ø 2.0 mm | 140 mm | CrV 6150



YATO	L [mm]	Taper punch [mm]	
YT-47152	140	2	20/120

Adjustable automatic center punch

125 mm



YATO	L [mm]	
YT-47161	125	12/72

Punch set

4 PCS



YATO	Ø [mm]	
YT-35880	2, 3, 4, 5	20/120

Punch set

9 PCS



YATO	Ø [mm]	
YT-3590	2.5, 3, 4, 5, 6, 7, 8, 9, 10	50

Punch set

15 PCS



YATO	Ø [mm]	
YT-3591	2, 2.5, 3.2, 4, 4.8, 5.5, 6.4, 8, 9.5, 11.1, 12.7, 14, 15.8, 19, 22	10

Pin punch

Ø 3.8 mm | 150 mm | CrV 60




Ø 3.8 mm

YATO	L [mm]	
YT-4690	150	20/120

Cold chisel

12 mm | 130 mm | CrV 60




12 mm

YATO	L [mm]	
YT-4693	130	20/120

Cold chisel

40Cr



YATO	L [mm]	Chisel width [mm]	
YT-47020	200	20	10/40
YT-47021	250	22	10/40
YT-47022	300	25	10/40

Taper punch

Ø 3.3 mm | 120 mm | CrV 60



Ø 3.3 mm

YATO	L [mm]	
YT-4691	120	20/120

Cape chisel

5.5 mm | 130 mm | CrV 60




5.5 mm

YATO	L [mm]	
YT-4694	130	20/120

Ground rod chisel

Ø 20 mm | 250 mm | SDS MAX | CrMo



YATO	L [mm]	
YT-47195	250	4/24

Center punch

Ø 3.8 mm | 120 mm | CrV 60



Ø 3.8 mm

YATO	L [mm]	
YT-4692	120	20/120

Chisel and punch set

5 PCS | CrV 60





YATO	
YT-4695	6/24

Center punch

CrV 6150



YATO	L [mm]	Center punch [mm]	
YT-47150	100	6	20/120
YT-47151	112	8	20/120

NON-SPARKING

Number stamps

9 PCS | 0 - 9 NUMBERS/NUMERY | HRC 50-55 | 1045 CARBON STEEL/STAL WĘGLOWA



YATO	Digit height [mm]	Pcs	
YT-6854	6	9	20
YT-6855	8	9	18

Letter stamps

27 PCS | A-Z|& LETTERS/LITERY | HRC 50-55 | 1045 CARBON STEEL/STAL WĘGLOWA



YATO	Letter height [mm]	Pcs	
YT-6862	6	27	12
YT-6863	8	27	8

Point chisel SDS Plus

4x14 x250 mm | SDS PLUS | CrV



YATO	L [mm]	
YT-4720	250	6/48

Flat chisel SDS Plus

20x14 x250 mm | SDS PLUS | CrV



YATO	L [mm]	
YT-4721	250	6/48

Hollow chisel SDS Plus

22x18 x250 mm | SDS PLUS | CrV



YATO	L [mm]	
YT-4722	250	6/48

Flat chisel SDS Plus

40x14 x250 mm | SDS PLUS | CrV



YATO	L [mm]	
YT-4723	250	6/48

Groove chisel

CONCRETE BETON | 35x380 mm | SDS MAX



YATO	L [mm]	
YT-47330	380	10/20

Groove chisel

CONCRETE BETON | 26x300 mm | SDS MAX



YATO	L [mm]	
YT-47331	300	10/30

Spade chisel

CONCRETE BETON | 75x300 mm | SDS MAX



YATO	L [mm]	
YT-47335	300	10/20

Spade chisel

CONCRETE BETON | 50x400 mm | SDS MAX



YATO	L [mm]	
YT-47336	400	10/20

Flat chisel

CONCRETE BETON | 25x400 mm | SDS MAX



YATO	L [mm]	
YT-47340	400	10/20

Flat chisel

CONCRETE BETON | 25x280 mm | SDS MAX



YATO	L [mm]	
YT-47341	280	10/40

Point chisel

CONCRETE BETON | 400 mm | SDS MAX



YATO	L [mm]	
YT-47344	400	10/20

Spade chisel

CONCRETE BETON | 125x450 mm | ⬡



YATO	L [mm]	
YT-47372	450	5

Plate compactor with hex shank

CONCRETE BETON | 150x150 mm | ⬡



YATO	L [mm]	
YT-47385	150	2

Point chisel

CONCRETE BETON | 280 mm | SDS MAX



YATO	L [mm]	
YT-47345	280	10/40

Point chisel

CONCRETE BETON | 410 mm | ⬡



YATO	L [mm]	
YT-47375	410	5/10

Axe

DIN 5131 7294 | HICKORY WOOD DREWNO HIKOROWE | DROP FORGED KUTE



YATO	m [g]	L [mm]	DIN	
YT-8001	600	360	5131	24
YT-8002	800	380	5131	20
YT-8003	1000	400	5131	12
YT-8004	1250	710	7294	12
YT-8005	1400	710	7294	12
YT-8006	1600	810	7294	12

Bushing tool

CONCRETE BETON | 60x240 mm | SDS MAX



YATO	L [mm]	
YT-47348	240	5/10

Flat chisel

CONCRETE BETON | 35x410 mm | ⬡



YATO	L [mm]	
YT-47377	410	5/10

Axe

DIN 7287 | HRC 47-55 | NYLON



YATO	m [g]	L [mm]	
YT-80070	500	230	6/24
YT-80071	700	360	6/24
YT-80072	900	450	6/12
YT-80073	1400	600	6

Spade chisel

CONCRETE BETON | 75x450 mm | ⬡



YATO	L [mm]	
YT-47370	450	5/10

Point chisel

REINFORCED CONCRETE ŻELBET | 410 mm | ⬡



YATO	L [mm]	
YT-47380	410	5/10

Splitting axe

DROP FORGED KUTE | HRC 48-58 | FIBERGLASS WŁÓKNO SZKLANE | NYLON



YATO	m [g]	L [mm]	
YT-79970	900	365	4/16
YT-79971	1000	440	4/16
YT-79972	1600	600	4/8
YT-79973	2800	710	4/8

Splitting axe

DROP FORGED KUTE
HRC 48-58
FIBERGLASS WŁÓKNO SZKLANE



YATO	m [g]	L [mm]	
YT-79974	600	385	6/18
YT-79975	800	385	6/12
YT-79976	1000	385	6/12
YT-79977	1250	800	6
YT-79978	1500	800	6
YT-79979	1800	800	6

Axe

600 g
355 mm
DROP FORGED KUTE
HRC 48-58
MONOBLOCK MONOLIT



YATO	m [g]	L [mm]	
YT-79990	600	355	6/18

Splitting maul

DROP FORGED KUTE
HRC 48-58
FIBERGLASS WŁÓKNO SZKLANE



YATO	m [g]	L [mm]	
YT-79985	2700	900	4
YT-79986	3600	900	4

Splitting axe

HICKORY WOOD DREWNO HIKOROWE
DROP FORGED KUTE



YATO	m [g]	L [mm]	
YT-8011	1000	430	6
YT-8012	2000	820	6

Splitting axe

DROP FORGED KUTE
HRC 48-58
FIBERGLASS WŁÓKNO SZKLANE



YATO	m [g]	L [mm]	
YT-79980	1000	390	6/12
YT-79981	1500	800	6
YT-79982	2000	800	4

Adze flat type





YATO		
YT-80130		4/24



F-clamp

QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	[mm]	
YT-6440	100x50	12/60
YT-6441	150x50	12/48
YT-6442	200x50	12/48
YT-6443	250x50	12/48
YT-6444	300x50	12/48
YT-6445	200x80	10/20
YT-6446	250x80	10/20
YT-6447	300x80	10/20

YATO	[mm]	
YT-6448	500x80	10/20
YT-6449	300x120	10
YT-6450	500x120	10
YT-6451	800x120	6
YT-6452	1000x120	6
YT-6453	1200x120	6
YT-6454	1500x120	6

F-clamp

QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	[mm]	
YT-64111	250x80	4/24
YT-64112	300x80	4/24
YT-64113	450x80	4/24
YT-6412	300x120	10
YT-6413	400x120	10
YT-6414	500x120	5
YT-6415	600x120	5
YT-6416	900x120	5
YT-6417	1050x120	5

F-clamp

QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	[mm]	
YT-6401	160x80	10/30
YT-6402	200x80	10/30
YT-6403	250x80	10/30
YT-6404	300x80	10/30
YT-6405	450x80	10/20

YATO	[mm]	
YT-6406	600x80	10/20
YT-6407	400x120	10
YT-6408	500x120	10
YT-6409	600x120	10
YT-6410	900x120	5

C-clamp deep



YATO	[mm]	Force pressure [kN]	
YT-64190	63x130	3	6/36
YT-64191	76x203	3	6/24
YT-64192	101x304	3	6/12

Bar clamp ratchet

QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	[mm]	
YT-63951	200x100	2/12
YT-63952	250x100	2/12
YT-63953	300x100	2/12
YT-63954	400x100	2/6
YT-63955	500x120	2/4
YT-63956	600x120	2/4
YT-63957	800x120	2/4
YT-63958	1000x120	2

C-Clamp

DROP FORGED KUTE



YATO	Jaws range [mm]	Force pressure [kg]	
YT-64250	25	120	20/100
YT-64251	50	200	10/50
YT-64252	75	280	10/30
YT-64253	100	350	5/30
YT-64254	127	390	18
YT-64255	150	450	12
YT-64256	200	500	12
YT-64257	250	540	5
YT-64258	300	600	5

C-Clamp

DROP FORGED KUTE



YATO	Jaws range [mm]	Force pressure [kg]	
YT-6420	50	1500	6/30
YT-6421	75	1950	6/18
YT-6422	100	2980	6/12
YT-6423	150	3200	6/12
YT-6424	200	3600	6

3 way “C” clamp

62x62 mm | x3



YATO	[mm]	
YT-64242	62x62	10/60

Nylon C-clamp

NYLON | QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	Jaws range [mm]	
YT-64183	50	12/72
YT-64184	75	12/48

Spring clamp



YATO	L [mm]	Max. jaws range [mm]	Max. jaws depth [mm]	
YT-64275	55	20	20	500/1000
YT-64276	100	25	25	48/96
YT-64277	150	50	50	24/48
YT-64278	230	90	90	8/16

Quick release C clamp

100x50 mm | QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	[mm]	Force pressure [kN]	
YT-64262	100x50	5	6/24
YT-64263	150x85	6	4/16

Quick release clamp

QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	L [mm]	A [mm]	B [mm]	Cmax [mm]	
YT-64312	200	0-203	141-355	63	6/24
YT-64313	300	0-304	141-464	63	6/24
YT-64314	450	0-457	141-617	63	6/18

YATO	L [mm]	A [mm]	B [mm]	Cmax [mm]	
YT-64315	600	0-609	141-769	63	6/18
YT-64316	750	0-762	141-922	63	6/18
YT-64317	900	0-914	141-1074	63	6/12

Spring clamp



YATO	L [mm]	Max. jaws range [mm]	Max. jaws depth [mm]	
YT-64270	100	42	44	24/240
YT-64271	150	55	68	12/120
YT-64272	200	79	91	10/100

Heavy-duty quick clamp

270 kg | C45 | TPR | NYLON

NEW



YATO	L [mm]	Max. jaws depth [mm]	
YT-63880	150	100	8
YT-63881	200	100	8
YT-63882	250	100	8
YT-63883	300	100	6

YATO	L [mm]	Max. jaws depth [mm]	
YT-63884	450	100	6
YT-63885	600	100	6
YT-63886	750	100	6
YT-63887	900	100	6

NON-SPARKING

Guide rail clamp

70x300 mm | 11x5 mm | QUICK ADJUSTMENT SZYBKA REGULACJA



YATO	Size [mm]	
YT-64320	300x70	6/36

Bench vice with swivel base

360° | 10 kN | 8-44 mm | HRC 45-52



• Anvil and changeable jaws made of hardened steel

YATO	Jaws width [mm]	Jaws range [mm]	m [kg]	
YT-6505	100	100	10	1

Angle vice

max 70 mm | 90° | Al



• Anvil and changeable jaws made of hardened steel

YATO	Jaws width [mm]	
YT-65136	70	20

Corner clamp set

4 PCS | 90°



YATO	
YT-64300	6/24

Bench vice with swivel base

360° | 125mm | 15 kN | 15-64mm | HRC 45-52 | 20 kg



• Anvil and changeable jaws made of hardened steel

YATO	Jaws width [mm]	Jaws range [mm]	m [kg]	
YT-6506	125	125	20	1

Hand vice



YATO	Jaws range [mm]	Jaws width [mm]	
YT-65080	25	25	8/48
YT-65081	27	40	6/36
YT-65082	32	50	4/24

Bench vice with swivel base

360°



• Anvil and changeable jaws made of hardened steel

YATO	Jaws width [mm]	m [kg]	
YT-6501	100	7	2
YT-6502	125	10	2
YT-6503	150	15	1
YT-65048	150	19	1
YT-6504	200	21	1
YT-65049	200	29.5	1

Drill press vice

PRISMATIC JAWS SZCZĘKI PRYZMATYCZNE



YATO	Jaws width [mm]	
YT-65071	50	10
YT-65072	100	6
YT-65073	150	2

Hand vice

13 mm | 10 mm | BRASS MOSIĄDZ



YATO	Jaws range [mm]	Jaws width [mm]	
YT-65085	13	10	12/48

Magnetic welding holder

max 11.5 kg | 45° | 90° | 135°



YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-0863	11.5	82x120x13	6/48

Magnetic welding holder

4 PCS | 4.5 kg | 45° | 90° | 135°



YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-08677	4.5	43x72x12	12/36

Welding magnet holder set

6 PCS | 4.5 kg | 11.5 kg | 30° | 45° | 60° | 75° | 90° | 135°



YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-08679	4.5, 11.5	43x72x12, 68x102x14, 82x118x14	10

Magnetic welding holder

45° | 90° | 135°



YATO	Lifting capacity [kg]	Hole diameter [mm]	Dimensions [mm]	
YT-0864	22.5	28	102x155x17	6/30
YT-0865	34	46	122x190x25	6/18

Magnetic welding holder

6 PCS | 4.5 kg | 11.5 kg | 45° | 90° | 135°



YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-08678	4.5, 11.5	43x72x12, 82x118x14	6/18

Adjustable corner clamp

30-90°



YATO		
YT-64307		20/40

Magnetic welding holder

30° | 45° | 60° | 75° | 90° | 135°



YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-0866	11.5	64x95x14	6/24
YT-0867	34	111x136x24	6/18

Magnetic welding holder set

2 PCS | 60° | 90° | 120°





YATO	Lifting capacity [kg]	Dimensions [mm]	
YT-08721	10	98x113	6/24

Magnetic welding holder set



YATO	Lifting capacity(kg)	Size [mm]	
YT-08723	32	70x110	6/24

TIG torch magnetic holder



YATO	
YT-08711	12

Soft vice jaws



YATO	Dimensions [mm]	
YT-65000	75x30x10	20/60
YT-65001	100x30x10	20/60
YT-65002	125x30x10	20/60
YT-65003	150x30x10	20/60

Combination edge setter/hole punch pliers



YATO	
YT-21582	10

Magnetic welding ground



YATO	
YT-08625	6/24

Exchangeable vice jaws set



YATO	L [mm]	
YT-65006	100	20
YT-65007	125	20
YT-65008	150	20

Welding workbench



YATO	Dimensions [mm]	
YT-08950	660x590x830	1



Twist drill HSS

DIN 338 | HSS 6542 | 130°



- *Application: industry*
- *For precise drilling in steels, cast steels, non-ferrous metals, plastics*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4435	3.0	61	33	2600	10/80/320
YT-4436	3.2	65	36	2500	10/80/320
YT-4446	6.5	101	63	1200	10/10/40

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4450	8.5	117	75	900	5/10/40
YT-4452	9.5	125	81	800	5/10/40

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4455	11.0	142	94	700	3/10/40
YT-4457	12.5	151	101	600	3/10/40

Twist drill HSS-G

DIN 338 | HSS M2 | 130°





- *Application: industry*
- *For precise drilling in steels, cast steels, non-ferrous metals, plastics*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-3900	1.0	34	12	4500	1/80/320
YT-3903	1.5	40	18	4500	1/80/320
YT-3905	2.0	49	24	4500	1/80/320
YT-3910	2.5	57	30	3000	1/80/320
YT-3913	2.8	61	33	3000	1/80/320
YT-3914	3.0	61	33	3000	1/80/320
YT-3916	3.2	65	36	3000	1/80/320
YT-3919	3.5	70	39	3000	1/80/320
YT-3922	4.0	75	43	2000	1/80/320
YT-3924	4.2	75	43	2000	1/20/80

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-3926	4.5	80	47	2000	1/20/80
YT-3928	4.8	86	52	2000	1/20/80
YT-3930	5.0	86	52	2000	1/20/80
YT-3932	5.2	86	52	2000	1/20/80
YT-3935	5.5	93	57	2000	1/20/80
YT-3938	6.0	93	57	1500	1/20/80
YT-3942	6.5	101	63	1500	1/10/40
YT-3944	7.0	109	69	1500	1/10/40
YT-3945	7.5	109	69	1500	1/10/40
YT-3946	8.0	117	75	1500	1/5/20

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-3949	8.5	117	75	1500	1/10/40
YT-3950	9.0	125	81	1000	1/10/40
YT-3951	9.5	125	81	1000	1/10/40
YT-3952	10.0	133	87	1000	1/10/40
YT-3954	10.5	133	87	1000	1/40/160
YT-3955	11.0	142	94	800	1/40/160
YT-3957	12.0	151	101	800	1/40/160
YT-3958	12.5	151	101	800	1/40/160
YT-3959	13.0	151	101	800	1/40/160

Twist drill HSS

DIN 338 | HSS 6542 | 130°



- *Application: industry*
- *For precise drilling in steels, cast steels, non-ferrous metals, plastics*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4431	1.5	43	20	3800	80/320
YT-4432	2.0	49	24	4000	80/320
YT-4433	2.5	57	30	3200	80/320
YT-4434	2.8	61	33	2800	80/320
YT-4437	3.5	70	39	2300	80/320
YT-4438	4.0	75	43	2000	20/80
YT-4439	4.2	75	43	1900	20/80
YT-4441	4.8	86	52	1600	20/80

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4442	5.0	86	52	1600	20/80
YT-4445	6.0	93	57	1300	20/80
YT-4449	8.0	117	75	1000	10/40
YT-4451	9.0	125	81	900	10/40
YT-4453	10.0	133	87	800	10/40
YT-4454	10.5	133	87	800	10/40
YT-4458	13.0	151	101	600	10/40

Twist drill HSS

DIN 338 | HSS 6542 | 130° | SAE



YATO	Ø [mm]	H1 [mm]	
YT-4433S	3/32	40	80/320
YT-4435S	1/8	40	80/320
YT-4437S	5/32	40	80/320
YT-4442S	1/4	30	20/80
YT-4446S	5/16	34	10/40
YT-4449S	23/64	32	10/40
YT-4452S	13/32	34	10/40
YT-4458S	1/2	38	10/40

Twist drill HSS

DIN 338 | HSS 6542 | 118°



- *Application: industry*
- *For precise drilling in steels, cast steels, non-ferrous metals, plastics*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4431S	1/16	43	20	3800	10/80/320
YT-4432S	5/64	49	24	3800	10/80/320
YT-4434S	7/64	61	33	3800	10/80/320
YT-4436S	9/64	65	36	3800	10/80/320
YT-4438S	11/64	75	43	3800	10/80/320
YT-4439S	3/16	75	43	1900	10/80/320
YT-4440S	7/32	80	47	1800	10/20/80
YT-4441S	15/64	86	52	1600	10/20/80
YT-4443S	17/64	86	52	1500	10/20/80
YT-4444S	9/32	93	57	1500	10/20/80
YT-4445S	19/64	93	57	1300	10/20/80

YATO	Ø [mm]	H1 [mm]	H2 [mm]	↻ [min⁻¹]	
YT-4447S	21/64	109	69	1100	10/40
YT-4448S	11/32	109	69	1100	10/40
YT-4450S	3/8	117	75	900	5/10/40
YT-4451S	25/64	125	81	900	5/10/40
YT-4453S	27/64	133	87	800	5/10/40
YT-4454S	7/16	133	87	800	3/10/40
YT-4455S	29/64	142	94	700	3/10/40
YT-4456S	15/32	151	101	700	3/10/40
YT-4457S	31/64	151	101	600	3/10/40
YT-4459S	1/2	151	101	600	10/40

Twist drill set

6 PCS | DIN 338 | HSS M2 | 130° | Ø 2.0-8.0 mm



YATO	Ø [mm]	
YT-4007	2; 3; 4; 5; 6; 8	15/60

Twist drill set

6 PCS | Ø 2.0-8.0 mm | DIN 338 | HSS 6542 | 130°



YATO	Ø [mm]	
YT-4460	2, 3, 4, 5, 6, 8	15/60

Twist drill set

10 PCS | Ø 1.0-10 mm | DIN 338 | HSS 6542 | 130°



YATO	Ø [mm]	
YT-4461	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	20/40

Twist drill set

10 PCS | Ø 1.0-10 mm



YATO	Ø [mm]	
YT-4008	1; 2; 3; 4; 5; 6;7; 8; 9; 10	20/40

Twist drill HSS-Cobalt

DIN 338 | HSS-E Co | 135° | Rm >900 N/mm² | PN-EN ISO 4957:2002(U)



YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4010	1.0	34	12	2/125/500
YT-4015	1.5	40	18	2/125/500
YT-4020	2.0	49	24	125/500
YT-4025	2.5	57	30	125/500
YT-4030	3.0	61	33	125/500
YT-4032	3.2	65	36	100/400
YT-4035	3.5	70	39	100/400
YT-4040	4.0	75	43	100/400
YT-4042	4.2	75	43	100/400

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4045	4.5	80	47	100/400
YT-4048	4.8	86	52	100/400
YT-4050	5.0	86	52	100/400
YT-4052	5.2	86	52	100/400
YT-4055	5.5	93	57	100/400
YT-4060	6.0	93	57	100/400
YT-4065	6.5	101	63	75/300
YT-4070	7.0	109	69	75/300
YT-4075	7.5	109	69	75/300

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4080	8.0	117	75	75/300
YT-4085	8.5	117	75	75/300
YT-4090	9.0	125	81	75/300
YT-4100	10.0	133	87	75/300
YT-4110	11.0	142	94	75/300
YT-4120	12.0	151	101	75/300
YT-4140	14.0	160	108	25/100
YT-4160	16.0	178	120	25/100

Twist drill set

19 PCS | Ø 1.0-10 mm | STEEL STAL | DIN 338 | HSS 6542 | 130°



YATO	Ø [mm]	
YT-4462	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	15/30

Double end metal twist drill set

STEEL STAL | DIN 338 | HSS 6542 | FULLY GROUND WIERTŁO SZLIFOWANE | 135°





YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-40010	3.0	46	9.5	100/500
YT-40011	3.2	49	9.5	100/500
YT-40012	3.5	52	13	100/500
YT-40013	4.0	55	13	100/500
YT-40014	4.2	55	13	100/500

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-40015	4.5	58	16	100/500
YT-40016	5.0	62	16	100/500
YT-40017	5.2	62	16	100/500
YT-40018	5.5	66	16	50/500
YT-40019	6.0	66	16	50/500

Twist drill set

19 PCS | Ø 1.0-10 mm



YATO	Ø [mm]	
YT-4009	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

Twist drill HSS-COBALT

STEEL STAL | DIN 338 | HSS 6542 | FULLY GROUND WIERTŁO SZLIFOWANE | 135° | SAE



YATO	Ø [mm]	
YT-4015S	1/16"	125/500
YT-4025S	3/32"	125/500
YT-4030S	1/8"	125/500
YT-4032S	1/8"	125/500
YT-4040S	5/32"	100/400
YT-4048S	3/16"	125/500
YT-4050S	3/16"	100/400

YATO	Ø [mm]	
YT-4065S	1/4"	125/500
YT-4080S	5/16"	125/500
YT-4090S	3/8"	75/300
YT-4100S	3/8"	125/500
YT-4113S	1/2"	75/300
YT-4120S	1/2"	125/500

Twist drill set

6 PCS | Ø 2.0-8.0 mm | STEEL STAL | DIN 338 | HSS-E Co | 135° | Rm >900 N/mm² | PN-EN ISO 4957:2002(U)



YATO	Ø [mm]	
YT-41602	2, 3, 4, 5, 6, 8	15/60

Twist drill set

10 PCS | Ø 1.0-10 mm | STEEL STAL | DIN 338 | HSS-E Co | 135° | Rm >900 N/mm² | PN-EN ISO 4957:2002(U)



YATO	Ø [mm]	
YT-41603	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	20/40

Double end metal twist drill set

10 PCS | STEEL STAL | DIN 338 | HSS 6542 | 135°



YATO	Ø [mm]	
YT-40025	3.0, 3.2, 3.5, 4.0, 4.2, 4.5, 5.0, 5.2, 5.5, 6.0	10/240

Twist drill HSS

DIN 338 | HSS 4241 | INOX | 135°





YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44200	0.5	22	6	5	100/400
YT-44201	0.8	30	10	5	100/400
YT-44202	1.0	34	11	5	100/400
YT-44203	1.5	40	18	5	100/400
YT-44204	2.0	48	22	5	100/400
YT-44206	2.4	56	30	5	100/400
YT-44207	2.5	57	30	5	100/400
YT-44209	3.0	61	34	1	100/400
YT-44211	3.2	65	35	1	100/400
YT-44212	3.5	70	40	1	100/400
YT-44213	3.8	77	48	1	100/400
YT-44214	4.0	74	44	1	100/400
YT-44215	4.1	75	44	1	100/400

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44216	4.2	75	45	1	100/400
YT-44217	4.5	79	45	1	100/400
YT-44218	4.8	85	51	1	100/400
YT-44219	5.0	86	52	1	100/400
YT-44220	5.2	86	52	1	100/400
YT-44221	5.5	92	56	1	100/400
YT-44222	6.0	93	56	1	100/400
YT-44223	6.5	100	63	1	100/400
YT-44224	7.0	103	64	1	50/300
YT-44225	7.5	108	70	1	50/300
YT-44226	8.0	115	75	1	50/300
YT-44227	8.5	115	73	1	50/300

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44228	9.0	125	81	1	50/300
YT-44229	9.5	125	82	1	50/300
YT-44230	10.0	133	87	1	50/200
YT-44231	10.2	130	85	1	50/200
YT-44232	10.5	132	82	1	50/200
YT-44233	11.0	142	95	1	50/200
YT-44235	12.0	150	100	1	50/150
YT-44236	12.5	150	100	1	50/150
YT-44237	13.0	150	100	1	50/150
YT-44238	14.0	160	110	1	25/100
YT-44239	16.0	176	122	1	25/100
YT-44240	20.0	205	140	1	25/50

Twist drill set

19 PCS | Ø 1.0-10 mm | DIN 338 | HSS-E Co | 135° | Rm >900 N/mm² | PN-EN ISO 4957:2002(U)



YATO	Ø [mm]	
YT-41604	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	15/30

Twist drill set

25 PCS | Ø 1.0-13 mm | DIN 338 | HSS-E Co | 135° | Rm >900 N/mm² | PN-EN ISO 4957:2002(U)



YATO	Ø [mm]	
YT-41605	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	10

Long metal drills

5 PCS | DIN 1869 | HSS 4341 | FULLY GROUND WIERTŁO SZLIFOWANE | 118°



YATO	Ø [mm]	
YT-39820	3, 4, 5, 6, 8	20/80

Twist drill HSS

TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS | 135°







YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44630	1.0	34	12	2	50/500
YT-44631	1.5	40	18	2	50/500
YT-44632	2.0	49	24	2	50/500
YT-44633	2.5	57	30	2	50/500
YT-44634	2.8	61	33	2	50/500
YT-44635	3.0	61	33	2	50/500
YT-44637	3.2	65	36	1	50/500
YT-44639	3.5	70	39	1	50/500
YT-44640	4.0	75	43	1	50/500
YT-44642	4.2	75	43	1	50/500

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44643	4.5	80	47	1	50/500
YT-44645	4.8	86	52	1	50/500
YT-44650	5.0	86	52	1	50/500
YT-44652	5.2	86	52	1	50/500
YT-44653	5.5	93	57	1	50/500
YT-44654	6.0	93	57	1	50/500
YT-44655	6.5	101	63	1	50/250
YT-44656	7.0	109	69	1	50/250
YT-44657	7.5	109	69	1	50/250
YT-44658	8.0	117	75	1	50/250

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44659	8.5	117	75	1	50/250
YT-44660	9.0	125	81	1	50/250
YT-44661	9.5	125	81	1	50/250
YT-44662	10.0	133	87	1	50/200
YT-44663	10.5	133	87	1	50/200
YT-44664	11.0	142	94	1	50/200
YT-44666	12.0	151	101	1	50/100
YT-44667	12.5	151	101	1	50/100
YT-44668	13.0	151	101	1	50/100

Twist drill set

300 PCS | STEEL STAL | Ø 1.0-13 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS 4241 | 135°





YATO	Ø [mm]	
YT-44595	1, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	4

190 PCS | STEEL STAL | Ø 1.0-13 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS 4241 | 135°





YATO	Ø [mm]	
YT-44677	1, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	5

Twist drill set

99 PCS | STEEL STAL | Ø 1.0-10 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS 4241 | 135°





YATO	Ø [mm]	
YT-44591	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 8, 10	8

Hex shank twist drill bits

STEEL STAL | 1/4" 6.3 mm | DIN 338 | HSS 6542 | 135° | FULLY GROUND WIERTŁO SZLIFOWANE





YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44860	1.5	57	26	1	100/500
YT-44861	2.0	57	26	1	100/500
YT-44863	3.0	61	31	1	100/500
YT-44865	3.5	70	38	1	100/500
YT-44866	4.0	75	43	1	100/500
YT-44867	4.2	75	43	1	50/300
YT-44868	4.5	80	47	1	50/200
YT-44869	4.8	86	52	1	50/200

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44870	5.0	86	52	1	50/200
YT-44871	5.5	93	57	1	50/200
YT-44872	6.0	93	57	1	50/200
YT-44874	7.0	109	69	1	50/200
YT-44875	7.5	109	69	1	50/200
YT-44876	8.0	117	75	1	50/200
YT-44877	8.5	117	75	1	50/200

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44878	9.0	125	81	1	50/200
YT-44879	9.5	125	81	1	50/200
YT-44880	10.0	133	87	1	50/200
YT-44881	10.5	133	87	1	50/100
YT-44882	11.0	142	94	1	50/100
YT-44883	12.0	151	101	1	50/100
YT-44884	13.0	151	101	1	50/100

Hex shank twist drill bit - Titanium Coated

STEEL STAL | 1/4" 6.3 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS 4241





YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44750	1.5	63	18	1	150/600
YT-44751	2.0	72	24	1	150/600
YT-44752	2.5	80	30	1	150/600
YT-44754	3.0	81	33	1	150/600
YT-44755	3.2	85	36	1	150/600
YT-44756	3.5	90	39	1	150/600
YT-44757	4.0	95	43	1	150/600
YT-44758	4.2	95	43	1	150/600

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44759	4.5	100	47	1	150/600
YT-44760	4.8	106	52	1	100/400
YT-44761	5.0	106	52	1	100/400
YT-44763	5.5	113	57	1	100/400
YT-44764	6.0	113	57	1	100/400
YT-44765	6.5	121	63	1	100/400
YT-44766	7.0	109	69	1	100/400
YT-44767	7.5	109	69	1	100/400

YATO	Ø [mm]	H1 [mm]	H2 [mm]	pcs	
YT-44768	8.0	117	75	1	100/400
YT-44769	8.5	117	75	1	100/400
YT-44770	9.0	125	81	1	50/200
YT-44772	10.0	133	87	1	50/200
YT-44773	11.0	142	94	1	50/200
YT-44774	12.0	151	101	1	50/200
YT-44776	13.0	151	101	1	50/200

Saw drill

STEEL STAL | 1/4" 6.3 mm | 118° | TITANIUM COATED POWŁOKA TYTANOWA | HRC 58-62 | HSS 4241





YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-44820	3.0	70	35	150/600
YT-44821	4.0	78	43	100/300
YT-44822	5.0	81	46	100/400
YT-44823	6.0	89	54	100/400
YT-44824	6.5	89	54	100/400
YT-44826	8.0	99	64	100/400

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-44827	9.0	102	67	50/200
YT-44828	10.0	105	70	50/200
YT-44829	11.0	110	75	50/200
YT-44830	12.0	115	80	50/200
YT-44831	13.0	120	85	50/200

Twist drill set

10 PCS | STEEL STAL | 1/4" 6.3 mm | DIN 338 | HSS 6542 | 135° | FULLY GROUND WIERTŁO SZLIFOWANE



YATO	Ø [mm]	
YT-44888	1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0	10/20

Twist drill set

10 PCS | Ø 1.0-10 mm | STEEL STAL | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS | 135°



YATO	Ø [mm]	
YT-44674	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	25/100

Twist drill set

4 PCS | STEEL STAL | 1/4" 6.3 mm | HSS 4241





YATO	
YT-44705	12/24

Twist drill set

19 PCS | Ø 1.0-10 mm | STEEL STAL | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS | 135°



YATO	Ø [mm]	
YT-44675	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	6/30

NON-SPARKING

Twist drill set

5 PCS | 1/4" 6.3 mm | TITANIUM COATED POWŁOKA TYTANOWA | HSS 4241



YATO	Ø [mm]	
YT-44700	4, 5, 6, 8, 10	30/60

Twist drill set

5 PCS | Ø 10-15 mm | HSS 4241 | 135°



YATO	Ø [mm]	
YT-44622	10, 11, 12, 13, 15	10

Twist drill set

2 PCS | Ø 26, 28 mm | HSS 4241 | 135°



YATO	Ø [mm]	
YT-44627	26, 28	10

Twist drill set

6 PCS | Ø 2.0-8.0 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS | 135°



YATO	Ø [mm]	
YT-44673	2, 3, 4, 5, 6, 8	50/100

Twist drill set

4 PCS | Ø 14-20 mm | HSS 4241 | 135°



YATO	Ø [mm]	
YT-44625	14, 16, 18, 20	10

Twist drill set

3 PCS | Ø 22-25 mm | HSS 4241 | 135°



YATO	Ø [mm]	
YT-44626	22, 24, 25	10

Twist drill set

25 PCS | Ø 1.0-13 mm | TITANIUM COATED POWŁOKA TYTANOWA | DIN 338 | HSS | 135°



YATO	Ø [mm]	
YT-44676	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	5/20

Universal drill

STEEL STAL | WOOD DREWNO | CONCRETE BETON | GRANITE GRANIT | CERAMIC CERAMIKA | HRC 90-92 | YG8







YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-43940	3	60	35	100/600
YT-43941	4	75	40	100/600
YT-43942	5	85	50	100/600
YT-43943	6	100	60	100/400
YT-43960	6	400	240	25/100
YT-43944	7	100	60	100/400
YT-43945	8	120	70	50/400
YT-43962	8	400	240	25/100

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-43946	10	150	90	50/200
YT-43963	10	400	240	25/100
YT-43947	12	150	90	50/200
YT-43964	12	400	240	25/100
YT-43965	14	400	240	25/50
YT-43966	16	400	240	25/50
YT-43968	20	400	240	25

Twist drill set

5 PCS | Ø 4-10 mm | SDS PLUS | DIN 338 | HSS 6542 | FULLY GROUND WIERTŁO SZLIFOWANE | 135°



YATO	Ø [mm]	
YT-40050	4, 5, 6, 8, 10	24

Universal drill bit set

18 PCS | CONCRETE BETON | STEEL STAL | WOOD DREWNO | Ø 3-10 mm | DIN 338 | HSS 6542 | 135° | FULLY GROUND WIERTŁO SZLIFOWANE | HRC 89-90 | YG8C



YATO	Ø [mm]	
YT-43490	3, 4, 5, 6, 8, 10	20

Masonry drill bit

CONCRETE BETON | Ø 6,5 mm | SDS PLUS



- *For windows assembly*
- *Without necessity of using screw anchors*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	PCS IN BOX	
YT-41641	6.5	200	130	10	10/150
YT-41642	6.5	260	183	10	10/150

Universal drill

CONCRETE BETON | CERAMIC CERAMIKA | STEEL STAL | WOOD DREWNO | ALUMINIUM ALUMINIUM | PVC | 1/4" 6.3 mm | HRC 89-91 | YG6X



YATO	Ø [mm]	H [mm]	H2 [mm]	
YT-44780	3	85	30	125/250
YT-44781	4	85	30	125/250
YT-44782	5	85	30	125/250
YT-44783	6	85	30	125/250
YT-44784	7	85	30	125/250
YT-44785	8	100	45	50/200
YT-44786	10	120	70	50/200
YT-44787	12	120	70	100/200

Universal drills

5 PCS | CONCRETE BETON | CERAMIC CERAMIKA | STEEL STAL | WOOD DREWNO | ALUMINIUM ALUMINIUM | PVC | Ø 4-10 mm | 1/4" 6.3 mm | HRC 89-91 | YG6X



YATO	Ø [mm]	
YT-44789	4, 5, 6, 8, 10	25/100

Masonry drill bit X-TIP

REINFORCED CONCRETE ŻELBET | X-TIP DD CARBIDE | SDS PLUS





- *Resistant for stack in SDS chuck*
- *DD carbide tip*
- *Automatic soldering*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-41930	5	110	50	40/160
YT-41935	5	160	100	40/160
YT-41931	6	110	50	40/160
YT-41936	6	160	100	40/160
YT-41942	6	210	150	40/160
YT-419503	6	300	250	40/160
YT-41951	6	460	375	30/120
YT-41960	6	600	525	25/100
YT-41932	7	110	50	40/160
YT-41937	7	160	100	40/160
YT-41933	8	110	50	40/160
YT-41938	8	160	100	40/160
YT-41943	8	210	150	40/160
YT-419504	8	300	250	20/160
YT-41952	8	460	375	30/120
YT-41961	8	600	525	20/80
YT-41939	9	160	100	40/160
YT-41944	9	210	150	40/160
YT-41934	10	110	50	40/160
YT-41940	10	160	100	40/160
YT-41945	10	210	150	30/120
YT-419505	10	300	250	20/160
YT-41953	10	460	375	30/120
YT-41962	10	600	525	20/80
YT-41941	12	160	100	40/160

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-41946	12	210	150	30/120
YT-419506	12	300	245	20/160
YT-41954	12	460	375	20/80
YT-41963	12	600	525	15/60
YT-41969	12	1000	930	25
YT-41947	14	210	150	20/80
YT-41955	14	460	375	20/80
YT-41964	14	600	525	15/60
YT-41970	14	1000	930	20
YT-41948	16	210	150	20/80
YT-41956	16	460	375	15/60
YT-41965	16	600	525	10/40
YT-41971	16	1000	930	20
YT-41949	18	210	150	20/80
YT-41957	18	460	375	10/40
YT-41966	18	600	525	5/20
YT-41972	18	1000	930	15
YT-41950	22	210	150	20/80
YT-41958	22	460	375	8/32
YT-41967	22	600	525	5/20
YT-41973	22	1000	930	15
YT-41959	25	460	375	8/32
YT-41968	25	600	525	5/20
YT-41974	25	1000	930	15

NON-SPARKING

Masonry drill bit

SDS PLUS

NEW



YATO	Ø [mm]	H1 [mm]	
YT-419750	6	110	20/500
YT-419751	6	160	20/400
YT-419752	6	210	20/300
YT-419753	6	260	20/300
YT-419754	6	310	20/200
YT-419755	8	110	20/500
YT-419756	8	160	20/400
YT-419757	8	210	20/300
YT-419758	8	260	20/300
YT-419759	8	310	20/200
YT-419761	8	450	20/100
YT-419762	10	110	20/500
YT-419763	10	160	20/400

YATO	Ø [mm]	H1 [mm]	
YT-419764	10	210	20/300
YT-419765	10	260	20/300
YT-419766	10	310	20/200
YT-419769	10	450	20/100
YT-419770	10	600	10/60
YT-419771	12	110	20/500
YT-419772	12	160	20/400
YT-419773	12	210	20/80
YT-419774	12	260	20/300
YT-419775	12	310	20/200
YT-419778	12	450	20/100
YT-419779	12	600	10/60
YT-419781	12	1000	10/40

YATO	Ø [mm]	H1 [mm]	
YT-419782	14	160	20/400
YT-419783	14	210	20/80
YT-419784	14	260	20/300
YT-419789	14	600	10/60
YT-419791	14	1000	10/40
YT-419792	16	160	20/400
YT-419793	16	210	20/80
YT-419794	16	260	20/300
YT-419795	16	310	20/200
YT-419798	16	450	20/100
YT-419799	16	600	10/60
YT-419801	16	1000	1040

Masonry drill bit

SDS MAX

NEW



YATO	Ø [mm]	H1 [mm]	
YT-419810	10	280	10/80
YT-419812	10	540	5/50
YT-419813	12	280	10/80
YT-419815	12	540	5/50
YT-419816	14	280	10/80
YT-419818	14	540	5/50
YT-419819	16	280	10/80
YT-419821	16	540	5/50
YT-419822	18	280	10/80

YATO	Ø [mm]	H1 [mm]	
YT-419824	18	540	5/50
YT-419826	20	340	10/40
YT-419828	20	800	5/20
YT-419829	20	1000	3/15
YT-419831	22	340	10/40
YT-419833	22	800	5/20
YT-419834	22	1000	3/15
YT-419836	25	340	20/80
YT-419837	25	520	5/25

YATO	Ø [mm]	H1 [mm]	
YT-419838	25	800	5/20
YT-419839	25	1000	3/15
YT-419840	28	280	5/40
YT-419842	28	570	3/15
YT-419844	28	1000	2/10
YT-419847	30	570	3/15
YT-419849	30	1000	2/10
YT-419854	32	570	3/15
YT-419856	32	1000	2/10

Masonry drill bit

SDS PLUS DOUBLE SPIRAL





- *For windows assembly*
- *Without necessity of using screw anchors*

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4161	5	110	45	10/300
YT-4162	6	110	45	10/300
YT-4163	6	160	95	10/200
YT-4164	6	210	140	10/150
YT-4165	8	110	45	10/300
YT-4166	8	160	90	10/200
YT-4167	8	210	140	10/150
YT-4168	8	460	370	10/50
YT-4169	8	600	500	10/50
YT-4170	10	160	95	10/150
YT-4171	10	210	140	10/150

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4172	10	300	220	10/100
YT-4173	10	460	370	10/50
YT-4174	10	600	500	10/50
YT-4175	12	160	85	10/150
YT-4176	12	260	180	10/100
YT-4177	12	460	360	10/50
YT-4178	12	600	490	10/40
YT-4179	14	260	180	10/80
YT-4180	14	460	360	10/40
YT-4181	16	200	125	10/60
YT-4182	16	300	220	10/50

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4183	16	460	360	10/20
YT-4184	16	600	490	10/20
YT-4185	18	460	360	10/20
YT-4186	18	600	490	10/20
YT-4187	20	460	360	5/20
YT-4188	20	600	490	5/20
YT-4189	22	460	360	5/20
YT-4190	22	600	490	5/20
YT-4191	25	460	360	5/20
YT-4192	25	600	490	5/10

Masonry drill bit

SDS PLUS

NEW



YATO	Ø [mm]	H1 [mm]	
YT-42310	6	110	20/500
YT-42311	6	160	20/400
YT-42312	6	210	20/300
YT-42313	6	260	20/300
YT-42314	6	310	20/200
YT-42315	8	110	20/500
YT-42316	8	160	20/400
YT-42317	8	210	20/300
YT-42318	8	260	20/300
YT-42319	8	310	20/200
YT-42321	8	450	20/100
YT-42322	10	110	20/500
YT-42323	10	160	20/400
YT-42324	10	210	20/300
YT-42325	10	260	20/300
YT-42326	10	310	20/200
YT-42329	10	450	20/100
YT-42330	10	600	10/60
YT-42331	12	110	20/500
YT-42332	12	160	20/400
YT-42333	12	210	20/300
YT-42334	12	260	20/300
YT-42335	12	310	20/200
YT-42338	12	450	20/100

YATO	Ø [mm]	H1 [mm]	
YT-42339	12	600	10/60
YT-42340	14	160	10/200
YT-42341	14	210	10/200
YT-42342	14	260	10/100
YT-42343	14	310	10/100
YT-42347	14	600	10/60
YT-42348	16	160	20/400
YT-42349	16	210	20/300
YT-42350	16	260	10/100
YT-42351	16	310	10/100
YT-42352	16	350	10/60
YT-42353	16	400	10/50
YT-42354	16	450	10/50
YT-42355	16	600	10/40
YT-42357	18	260	10/100
YT-42361	18	450	10/50
YT-42362	18	600	10/40
YT-42370	22	210	10/80
YT-42371	22	260	10/60
YT-42379	25	310	10/40
YT-42380	25	350	10/40
YT-42382	25	450	10/30
YT-42383	25	600	5/20

Masonry drill bit set

7 PCS



YATO	Ø [mm]	
YT-4390	4, 5, 6, 8, 9, 10, 12	10/80

Imperial masonry drill bit

SAE



YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4361S	5/32	70	35	100/400
YT-4362S	3/16	90	50	100/400
YT-4364S	1/4	150	100	100/400
YT-4369S	5/16	120	80	75/300
YT-4373S	3/8	120	80	75/300
YT-4382S	1/2	200	140	75/300

Masonry drill bit

SDS MAX

NEW



YATO	Ø [mm]	H1 [mm]	
YT-439330	3	60	20/500
YT-439331	4	75	20/500
YT-439332	5	85	20/500
YT-439333	6	100	20/200
YT-439335	8	120	20/500
YT-439337	10	120	20/500
YT-439341	6	150	20/100
YT-439343	8	150	20/400
YT-439345	10	150	20/300
YT-439347	12	150	20/300

YATO	Ø [mm]	H1 [mm]	
YT-439351	16	150	20/500
YT-439360	6	200	20/300
YT-439361	8	200	20/300
YT-439362	10	200	20/300
YT-439363	12	200	10/200
YT-439365	14	200	10/200
YT-439366	16	200	10/150
YT-439370	6	300	20/200
YT-439371	8	300	20/200
YT-439372	10	300	20/200

YATO	Ø [mm]	H1 [mm]	
YT-439373	12	300	10/100
YT-439374	14	300	10/100
YT-439375	16	300	10/100
YT-439379	25	300	10/40
YT-439380	6	400	20/100
YT-439381	8	400	20/100
YT-439382	10	400	20/100
YT-439383	12	400	20/100
YT-439384	16	400	10/50
YT-439388	25	400	10/30

NON-SPARKING

Masonry drill bit X-TIP



YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4200	5	110	45	10/300
YT-4201	6	110	45	10/300
YT-4202	6	160	95	10/200
YT-4203	6	210	135	10/150
YT-42033	6	300	220	10/100
YT-4204	8	110	45	10/300
YT-4205	8	160	95	10/200
YT-4206	8	210	140	10/150
YT-42063	8	300	220	10/100
YT-4207	8	460	370	10/50
YT-4208	8	600	500	10/50
YT-4209	10	160	95	10/150

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4210	10	210	140	10/150
YT-4211	10	300	220	10/100
YT-4212	10	460	370	10/50
YT-4213	10	600	500	10/50
YT-4214	12	160	95	10/150
YT-4215	12	260	185	10/100
YT-42153	12	300	220	10/100
YT-4216	12	460	360	10/50
YT-4217	12	600	490	10/40
YT-4218	14	260	180	10/80
YT-4219	14	460	360	10/40

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4220	16	200	125	10/60
YT-4221	16	460	360	10/20
YT-4222	16	600	490	10/20
YT-4223	18	460	360	10/20
YT-4224	18	600	490	10/20
YT-4225	20	460	360	5/20
YT-4226	20	600	490	5/20
YT-4227	22	460	360	5/20
YT-4228	22	600	490	5/20
YT-4229	25	460	360	5/20
YT-4230	25	600	490	5/10

Masonry drill bit



YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4361	4	70	35	100/400
YT-4362	5	90	50	100/400
YT-4363	6	100	60	100/400
YT-4364	6	150	100	100/400
YT-4367	7	100	60	75/300
YT-4369	8	120	80	75/300
YT-4370	8	200	140	50/150

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4373	9	120	80	75/300
YT-4375	10	120	80	75/300
YT-4376	10	200	140	50/150
YT-4379	12	150	100	50/150
YT-4380	12	200	140	50/150
YT-4383	14	180	120	25/100
YT-4385	16	180	120	25/100

Extension for flat wood drill bits



YATO	Ø [mm]	H [mm]	
YT-3256	12.2	150	60/120
YT-3257	13.5	300	30/60

Flat wood drill bit



YATO	Ø [mm]	H [mm]	
YT-3236	6	152	50/400
YT-3237	8	152	50/400
YT-3238	10	152	50/300
YT-3239	12	152	50/300
YT-3240	13	152	50/300
YT-3241	14	152	50/300
YT-3242	16	152	50/300
YT-3243	18	152	50/300
YT-3244	20	152	50/300
YT-3245	22	152	50/300

YATO	Ø [mm]	H [mm]	
YT-3246	24	152	50/300
YT-3247	25	152	50/300
YT-3248	26	152	50/300
YT-3249	28	152	50/300
YT-3250	30	152	50/200
YT-3251	32	152	50/200
YT-3252	34	152	50/200
YT-3253	35	152	50/200
YT-3254	38	152	50/200
YT-3255	40	152	50/200

Flat wood drill bit set



YATO	Ø [mm]	H [mm]	
YT-3258	10, 12, 16, 18, 20, 25	152	25/50

Flat wood drill bit set

8 PCS | WOOD DREWNO | 152 mm | 1/4" 6.3 mm | HCS





YATO	Ø [mm]	H [mm]	
YT-3259	12, 16, 18, 20, 22, 25, 28, 32	152	5/20

Spur wood drill bit

WOOD DREWNO | HCS





YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4350	3	60	35	30/300
YT-4351	4	75	44	30/300
YT-4352	5	85	52	30/300
YT-4353	6	90	57	30/300
YT-4354	7	100	67	30/300

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-4355	8	110	75	30/300
YT-4357	12	150	97	15/120
YT-4358	13	150	102	15/120
YT-4359	16	160	120	15/120

Spur wood drill set

7 PCS | WOOD DREWNO | 1/4" 6.3 mm | HSS 4241 | FULLY GROUND WIERTŁO SZLIFOWANE



YATO	Ø [mm]	
YT-33873	3, 4, 5, 6, 7, 8, 10	20/80

Auger drill bit set

7 PCS | WOOD DREWNO | 1/4" 6.3 mm | HRC 40-45





1/4" (6.3 mm): 16, 18, 20, 22, 25 mm (L=165 mm);
1/4" (6.3 mm); (300 mm);

YATO	
YT-44693	10/20

Glass and tile drills

5 PCS | Ø 4-10 mm | HRC 90 | YG6X | 1/4" 6.3 mm | GRES TILE GRES | GRANITE GRANIT | CERAMIC CERAMIKA | TITANIUM COATED POWŁOKA TYTANOWA | 600 min⁻¹





YATO	Ø [mm]	
YT-44809	4; 5; 6; 8; 10	200

Auger drill bit hex

WOOD DREWNO | 1/4" 6.3 mm | HRC 40-45



YATO	Ø [mm]	H [mm]	
YT-44680	10	165	100/200
YT-44681	12	165	100/200
YT-44682	14	165	100/200
YT-44683	16	165	100/200
YT-44684	18	165	75/150
YT-44685	20	165	75/150
YT-44686	22	165	50/100
YT-44687	25	165	50/100
YT-44688	28	165	50/100
YT-44689	30	165	50/100
YT-44690	32	165	50/100

Glass and tile drill

HRA 90 | YG6X | 1/4" 6.3 mm | GRES TILE GRES | GRANITE GRANIT | CERAMIC CERAMIKA | TITANIUM COATED POWŁOKA TYTANOWA | 600 min⁻¹







YATO	Ø [mm]	H [mm]	
YT-44800	3	88	50/450
YT-44801	4	88	50/500
YT-44802	5	88	50/450
YT-44803	6	88	50/500
YT-44804	8	88	50/500
YT-44805	10	105	50/500
YT-44806	12	105	50/500

Spot weld drill bits set

3 PCS | COBALT COATED POKRYTE KOBALTEM



Ø 6.5, 8, 10 mm

YATO	Ø [mm]	
YT-28921	6.5, 8, 10	50

Spot weld cutter & drill bit set

9 PCS | 8 mm | 10 mm



YATO	
YT-28919	10/60

Screw extractor set

5 PCS | 1/4" 6.3 mm | HSS 4241



YATO	Ø [mm]	
YT-06035	0-6, 1-8, 2-10, 3-12, 4-14	40

Spot weld cutter & drill bit set

9 PCS | 10 mm | Ø 8 mm | HSS



YATO	
YT-28920	10/60

Auger wood drill bit

WOOD DREWNO | 13 mm



YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-3261	6	230	150	150/300
YT-3262	8	230	150	140/280
YT-3263	8	460	360	60/120
YT-3264	10	230	150	100/200
YT-3265	10	460	360	50/100
YT-3266	12	190	150	75/150
YT-3267	12	460	360	30/60
YT-3268	13	230	150	50/100
YT-3269	13	400	310	30/60
YT-3270	14	191	150	50/100
YT-3271	14	460	360	30/60
YT-3272	16	230	150	50/100
YT-3273	16	460	360	20/40

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-3274	18	230	150	40/80
YT-3275	18	460	360	20/40
YT-3276	20	230	150	30/60
YT-3277	20	460	360	20/40
YT-3278	22	230	150	20/60
YT-3279	22	460	360	15/30
YT-3280	24	230	150	30/60
YT-3281	24	460	360	15/30
YT-3282	25	230	150	20/40
YT-3283	25	460	360	15/30
YT-3284	26	230	150	20/40
YT-3285	26	460	360	10/20

YATO	Ø [mm]	H1 [mm]	H2 [mm]	
YT-3286	28	230	150	10/20
YT-3287	28	460	360	10/20
YT-3288	30	230	150	10/20
YT-3289	30	460	360	5/10
YT-3290	32	230	150	10/20
YT-3291	32	460	360	5/10
YT-3292	35	230	150	10/20
YT-3293	35	460	360	5/10
YT-3294	36	230	150	10/20
YT-3295	36	460	360	5/10
YT-3296	38	230	150	15/30
YT-3297	40	230	360	10/20

Auger wood drill bit set

6 PCS | WOOD DREWNO | 13 mm



YATO	Ø [mm]	H [mm]	
YT-3299	10, 12, 14, 16, 18, 20	460	8

Auger wood drill bit set

6 PCS | WOOD DREWNO | SDS PLUS



YATO	Ø [mm]	H [mm]	
YT-3300	10, 12, 14, 16, 18, 20	230	20

Auger wood drill bit set

6 PCS | WOOD DREWNO | 13 mm



YATO	Ø [mm]	H [mm]	
YT-3298	10, 12, 14, 16, 18, 20	230	15

Confirmat screw drill bit



YATO	Ø [mm]	D1 [mm]	D2 [mm]	
YT-33021	4	6	8	25/250
YT-33022	5	7	8	25/250
YT-33023	7	10	8	25/250

Drill for ceramic tiles

HRA 90 | YG6X



YATO	Ø [mm]	
YT-3725	4	100/400
YT-3726	6	100/400
YT-3727	8	100/400
YT-3728	10	50/200

Diamond core bit drilling holes for sockets

85 mm | 12 mm | M16





• *Application: concrete, calcium-silicate brick, porrous ceramics*

YATO	Ø [mm]	[min⁻¹]	[mm]	
YT-6045	68	1030	3.5x10x24	24
YT-6046	82	850	3.5x10x24	20

Diamond tile drill bit

GRES TILE GRES | CERAMIC CERAMIKA | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO



YATO	Ø [mm]	[min⁻¹]	
YT-60421	5	600	50/400
YT-60422	6	600	50/400
YT-60423	8	600	50/400
YT-60424	10	600	50/500
YT-60425	12	600	50/200
YT-60426	14	600	50/200
YT-60427	16	600	50/200
YT-60428	20	500	25/100

YATO	Ø [mm]	[min⁻¹]	
YT-60429	25	500	25/100
YT-60430	30	500	25/100
YT-60431	40	500	15/60
YT-60432	50	400	15/60
YT-60433	68	400	8/40
YT-60434	80	400	5/25
YT-60435	105	400	4/20
YT-60436	125	400	4/20

Diamond tile drill bit

3 PCS | GRES TILE GRES | CERAMIC CERAMIKA | 1/4" 6.3 mm | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO



YATO	Ø [mm]	[min⁻¹]	
YT-60409	6, 8, 10	1500	20/80

Diamond tile drill bit

12200 min⁻¹ | GRES TILE GRES | CERAMIC CERAMIKA | GRANITE GRANIT | M14 | DRY WORK PRACA NA SUCHO | FOR ANGLE GRINDER DO SZLIFIERKI KĄTOWEJ



YATO	Ø [mm]	[min⁻¹]	
YT-60441	6	12200	100/200
YT-60442	8	12200	100/200
YT-60443	10	12200	100/200
YT-60444	20	12200	100/200
YT-60445	30	12200	50/100
YT-60446	51	12200	40/80
YT-60447	68	12200	50

Diamond core bit drilling holes for sockets

REINFORCED CONCRETE BELBET | CONCRETE BETON | GRANITE GRANIT | CERAMIC CERAMIKA | 1 1/4" 32mm | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO



YATO	Ø [mm]	[mm]	
YT-60371	32	4x8x20	10
YT-60372	42	4x8x20	10
YT-60373	52	4x8x24	10
YT-60374	68	4x8x24	8
YT-60375	82	4x8x24	4
YT-60376	102	4x8x24	4
YT-60377	122	4x8x24	4
YT-60378	152	4x8x24	2
YT-60379	182	4x8x24	2

Diamond tile drill bit

GRES TILE GRES | CERAMIC CERAMIKA | 1/4" 6.3 mm | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO



YATO	Ø [mm]	[min⁻¹]	
YT-60401	6	1500	50/200
YT-60402	8	1500	50/200
YT-60403	10	1500	50/200

NON-SPARKING

Adjustable hand reamer

HSS 4241



YATO	Working diameter [mm²]	L [mm]	Arbor diameter [mm²]	
YT-28950	7.75-8.5	107	4.5	50/200
YT-28951	8.5-9.25	112	4.5	50/200
YT-28952	9.25-10	116	5.0	50/200
YT-28953	10-10.75	125	5.5	50/200
YT-28954	10.75-11.75	130	6.5	50/200
YT-28955	11.75-12.75	135	7.5	50/150
YT-28956	12.75-13.75	140	7.5	50/150
YT-28957	13.75-15.25	158	8.0	20/60
YT-28958	15.25-17	165	9.0	20/60

YATO	Working diameter [mm²]	L [mm]	Arbor diameter [mm²]	
YT-28959	17-19	175	10.0	20/60
YT-28960	19-21	180	11.5	20/60
YT-28961	21-23	193	13.5	20/60
YT-28962	23-26	210	15.4	4/20
YT-28963	26-29.5	245	17.0	4/20
YT-28964	29.5-33.5	270	19.0	4/20
YT-28965	33.5-38	310	21.0	2/10
YT-28966	38-44	345	24.0	2/10
YT-28967	44-54	400	30.0	5

Dowel set

17 PCS | Ø 6.0 mm



6x40 mm (10 PCS);
6 mm (4 PCS);
6 mm;
2.5 mm;
6x100 mm

YATO	Ø [mm]	
YT-44112	6	4/100

Straight hole doweling jig kit

ABS



YATO	Ø [mm]	
YT-39700	4, 5, 6, 8, 10, 12	40

Dowelling centre points

4 PCS



YATO	Ø [mm]	
YT-44104	6	25/100
YT-44105	8	25/100
YT-44106	10	25/100

Dowel set

17 PCS | Ø 10 mm



10x40 mm (10 PCS);
10 mm (4 PCS);
10 mm;
2.5 mm;
10x100 mm

YATO	Ø [mm]	
YT-44113	10	4/100

Depth collars for drills

3 PCS







YATO	Ø [mm]	
YT-44100	6, 8, 10	250/500

Dowel set

17 PCS | Ø 8.0 mm



8x40 mm (10 PCS);
8 mm (4 PCS);
8 mm;
2.5 mm;
8x100 mm

YATO	Ø [mm]	
YT-44111	8	4/100

Dowel set

154 PCS | Ø 6, 8, 10 mm | METAL TEMPLATE SZABLON METALOWY | GUIDE PROWADNICA | ANGLE STOP OGRANICZNIK KĄTOWY



Doweling jig : Ø 3, 3.3, 4, 4.2, 5, 6, 6.8, 8, 10, 12 mm
6x30 mm (50 PCS), 8x40 mm (50 PCS), 10x40 mm (50 PCS);
6, 8, 10 mm

YATO	Ø [mm]	
YT-44122	6, 8, 10	2/10

Tool drill guide

250 mm | Al



YATO	
YT-44130	20

Hollow drill set

CONCRETE BETON | 50 mm | M16 | TCT YG11C | Cr50 | SDS PLUS



YATO	Ø [mm]	Pilot drill diameter [mm]	
YT-4402	65	6	24
YT-4403	80	8	20

Tungsten carbide coated hole saw

CERAMIC CERAMIKA | CERAMIC CERAMIKA | SAND-LIME BRICK SILIKAT | BRICK CEGŁA | REINFORCED CONCRETE BETON KONSTRUKCYJNY | 65 mm | TUNGSTEN CARBIDE WĘGLIK WOLFRAMU | NEW



YATO	Ø [mm]	
YT-43910	33	10/60
YT-43911	43	10/60
YT-43912	53	10/60
YT-43913	67	10/60
YT-43914	73	10/60
YT-43915	83	10/40
YT-43916	103	10/20

Masonry drill bit

CONCRETE BETON | Ø 55 mm | 600 mm | SDS MAX



YATO	Ø [mm]	H [mm]	
YT-44045	55	600	2/8

Hollow drill set

CONCRETE BETON | SDS MAX | 280 mm



YATO	Ø [mm]	H [mm]	
YT-44033	68	280	2/10
YT-44034	82	280	2/6

Bi-metal hole saw

CONSTRUCTION STEEL STAL KONSTRUKCYJNY | BI-METAL | 4-6 TPI | 40 mm | HSS M3





- *Application: industry*
- *To drill holes in stainless steels, cast steels, aluminium, wood, plastics*
- *Cutting depth: 40 mm*

YATO	Ø [mm]	Thread size	
YT-3303	19	1/2" (12.5 mm) 20UNF	25/100
YT-3304	20	1/2" (12.5 mm) 20UNF	25/100
YT-3306	22	1/2" (12.5 mm) 20UNF	25/100
YT-3308	25	1/2" (12.5 mm) 20UNF	25/100
YT-3311	29	1/2" (12.5 mm) 20UNF	25/100
YT-3313	32	5/8" (16.0 mm) 18UNF	25/100
YT-3315	35	5/8" (16.0 mm) 18UNF	25/100
YT-3317	38	5/8" (16.0 mm) 18UNF	25/100
YT-3318	40	5/8" (16.0 mm) 18UNF	25/100
YT-3321	44	5/8" (16.0 mm) 18UNF	25/100
YT-3322	46	5/8" (16.0 mm) 18UNF	25/100
YT-3323	48	5/8" (16.0 mm) 18UNF	25/100
YT-3324	51	5/8" (16.0 mm) 18UNF	25/100
YT-3327	57	5/8" (16.0 mm) 18UNF	25/50
YT-3329	60	5/8" (16.0 mm) 18UNF	25/50
YT-3330	64	5/8" (16.0 mm) 18UNF	25/50
YT-3332	67	5/8" (16.0 mm) 18UNF	25/50
YT-3333	68	5/8" (16.0 mm) 18UNF	25/50
YT-3334	70	5/8" (16.0 mm) 18UNF	25/50
YT-3336	76	5/8" (16.0 mm) 18UNF	25/50
YT-3338	83	5/8" (16.0 mm) 18UNF	25/50
YT-3343	95	5/8" (16.0 mm) 18UNF	25/50
YT-3345	102	5/8" (16.0 mm) 18UNF	10/20
YT-3346	105	5/8" (16.0 mm) 18UNF	10/20
YT-3349	114	5/8" (16.0 mm) 18UNF	10/20
YT-3350	121	5/8" (16.0 mm) 18UNF	10/20
YT-3351	127	5/8" (16.0 mm) 18UNF	10/20
YT-3353	140	5/8" (16.0 mm) 18UNF	10/20

Hollow drill set

CONCRETE BETON | 50 mm | M16 | TCT YG11C | Cr50 | 12 mm



YATO	Ø [mm]	Pilot drill diameter [mm]	
YT-4400	65	6	24
YT-4401	80	8	20

Bi-metal hole saw

Ø 21 mm | CONCRETE BETON | BI-METAL | 4-6 TPI | HSS M3 | 40 mm



YATO	Ø [mm]	
YT-33050	21	25/100
YT-33120	30	25/100
YT-33190	41	25/100
YT-33250	52	25/100

NON-SPARKING

TCT hole saw for metal





YATO	Ø [mm]	⬡	
YT-44050	16	1/4" (6.3 mm)	10/100
YT-44051	18	1/4" (6.3 mm)	10/100
YT-44052	19	1/4" (6.3 mm)	10/100
YT-44053	20	1/4" (6.3 mm)	10/100
YT-44054	22	1/4" (6.3 mm)	10/100
YT-44055	24	1/4" (6.3 mm)	10/100
YT-44056	25	1/4" (6.3 mm)	10/100
YT-44057	29	1/4" (6.3 mm)	10/100
YT-44058	30	1/4" (6.3 mm)	10/100
YT-44059	32	1/4" (6.3 mm)	10/100
YT-44060	35	1/4" (6.3 mm)	10/100
YT-44061	38	1/4" (6.3 mm)	10/100
YT-44062	40	1/4" (6.3 mm)	10/100
YT-44063	44	3/8" (10.0 mm)	6/60
YT-44064	45	3/8" (10.0 mm)	6/60
YT-44065	50	3/8" (10.0 mm)	6/60
YT-44066	51	3/8" (10.0 mm)	6/60
YT-44067	54	3/8" (10.0 mm)	6/60
YT-44068	55	3/8" (10.0 mm)	6/60
YT-44069	60	3/8" (10.0 mm)	6/60
YT-44070	65	3/8" (10.0 mm)	6/48
YT-44071	70	3/8" (10.0 mm)	6/48
YT-44072	80	3/8" (10.0 mm)	4/24
YT-44073	90	3/8" (10.0 mm)	4/24
YT-44074	102	3/8" (10.0 mm)	4/24

Arbor for hole saw



YATO	Ø [mm]	Toolholder type	Thread size	
YT-43991	6	HEX	5/8" (16.0 mm) 18UNF	10/90

Extension bar



YATO	Toolholder type	H [mm]	
YT-43993	hexagonal / SDS-Plus	300	10/50

Adapter



YATO	L [mm]	
YT-41926	220	10/30

Pilot dril



YATO	Ø [mm]	H [mm]	
YT-43994	6	95	50/250

Arbor for hole saw



YATO	Ø [mm]	Toolholder type	Thread size	
YT-43990	8	SDS-Plus	5/8" (16.0 mm) 18UNF	10/90

Arbor for hole saw



YATO	Ø [mm]	Toolholder type	Thread size	
YT-43992	6	HEX	1/2" (12.5 mm) 20UNF	20/100

Pilot dril



YATO	Ø [mm]	H [mm]	
YT-43995	8	95	50/250

Pilot drill

Ø 6.0 mm | HSS



YATO	Ø [mm]	L [mm]	
YT-3376	6.0	75	25/100
YT-3377	6.0	100	25/100

TCT hole saw set for metal

6 PCS | CONSTRUCTION STEEL | STAINLESS STEEL | PVC | Ø 22-65 mm | YG10X



YATO	Ø [mm]	⬡	
YT-44077	22, 30, 35, 45, 50, 65	1/4" (6.3 mm), 3/8" (9.5 mm)	12

Combined drill tap

⬡ 1/4" 6.3 mm | GRINDING SZLIFOWANE | HSS M2



YATO	Size	L [mm]	L1 [mm]	L2 [mm]	L3 [mm]	
YT-44840	M3	36	5	14	0.5	20/200
YT-44841	M4	39	6	14	0.7	20/200
YT-44842	M5	41	7	14	0.8	20/200
YT-44843	M6	44	8	14	1.0	20/200
YT-44845	M8	51	11	14	1.3	20/200
YT-44847	M10	59	15	14	1.5	20/200

Arbor for hole saw

Ø 19-29 mm | 1/2" (12.7 mm) 20 UNF



YATO	Toolholder type	
YT-3370	HEX	25/100
YT-3373	SDS-Plus	25/100

Electrican's hole saw kit

8 PCS | CONSTRUCTION STEEL | BI-METAL | 4-6 TPI | 40 mm



YATO	Ø [mm]	
YT-3380	22, 29, 35, 44, 67, 73	10

Combination hole saw kit

15 PCS | CONSTRUCTION STEEL | BI-METAL | 4-6 TPI | 40 mm



YATO	Ø [mm]	
YT-3381	19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76	5

Arbor for hole saw

Ø 32-140 mm | 5/8" (16 mm) 18 UNF | ⬡ 7/16" 11 mm



YATO	Toolholder type	
YT-3371	HEX	25/100

Locking plate and drill for hole saws

Ø 33-103 mm | NEW



YATO	
YT-43919	10/60

Tungsten carbide coated hole saw set

7 PCS | Ø 33-83 mm | 65 mm | CERAMIC CERAMIKA | CERAMIC CERAMIKA | NEW | SANDLIME BRICK SILIKAT | BRICK CEGŁA | REINFORCED CONCRETE BETON ZBROJONY | TUNGSTEN CARBIDE WĘGLIK WOLFRAMU



YATO	
YT-43920	5

Arbor for hole saw

Ø 32-140 mm | 5/8" (16 mm) 18 UNF



YATO	Toolholder type	
YT-3372	HEX	25/50
YT-3374	SDS-Plus	25/50

Machine tap

1-STAGE TAPPING GWINTOWANIE 1-STOPNIOWE | METRIC COARSE THREAD GWINT METRYCZNY GRUBOZWOJOWY | DIN 371M | HSS M2



YATO	Size	Thread pitch [mm]	Thread length [mm]	L [mm]	Shank diameter [mm]	m [g]	
YT-2950	M3	0.5	11	56	3.5	15	100/400
YT-2951	M4	0.7	13	63	4.5	20	60/240
YT-2952	M5	0.8	16	70	6.0	25	60/240
YT-2953	M6	1.0	19	80	6.0	30	50/200
YT-2954	M7	1.0	19	80	7.1	35	30/120
YT-2955	M8	1.3	22	90	8.0	45	50/200
YT-2956	M10	1.5	24	100	10.0	65	50/200

NON-SPARKING

Hand tap

3 PCS | 3-STAGE TAPPING | METRIC COARSE THREAD | DIN 352 | HSS M2



YATO	Size	Thread pitch [mm]	Thread length [mm]	L [mm]	Shank diameter [mm]	m [g]	
YT-2930	M3	0.5	11	40	3.5	25	50/200
YT-2931	M4	0.7	13	45	4.5	35	50/200
YT-2932	M5	0.8	16	50	6.0	45	60/240
YT-2933	M6	1.0	19	50	6.0	45	60/240
YT-2934	M7	1.0	19	50	6.0	55	75/300
YT-2935	M8	1.3	22	56	6.0	60	50/200
YT-2937	M10	1.5	24	70	7.0	85	50/200
YT-2939	M12	1.8	29	75	9.0	125	50/200
YT-2940	M14	2.0	30	80	10.5	200	20/80
YT-2941	M16	2.0	32	80	11.0	235	20/80
YT-2942	M18	2.5	40	95	12.0	345	20/80
YT-2943	M20	2.5	40	95	14.0	445	10/40

Machine tap

3-STAGE TAPPING | METRIC COARSE THREAD | DIN 376 | HSS M2



YATO	Size	Thread pitch [mm]	Thread length [mm]	L [mm]	Shank diameter [mm]	m [g]	
YT-2944	M12	1.8	29	110	9	70	25/100
YT-2945	M14	2.0	30	110	11	110	25/100
YT-2946	M16	2.0	32	110	12	120	25/100

Combined drill taps hex set

7 PCS | 1/4" 6.3 mm | GRINDING SZLIFOWANIE | HSS M2



1/4" (6.3 mm)

YATO	Size	
YT-44849	M3, M4, M5, M6, M8, M10	5/60

Tap and die set

32 PCS | HSS | DIN 223 352



YATO	Size	
YT-2975	M3, M4, M5, M6, M8, M10, M12	10

Tap and die set

44 PCS | HSS | DIN223 DIN225 DIN338 DIN352 DIN1814



YATO	Size	
YT-2978	M3, M4, M5, M6, M8, M10, M12	4

Tap and die set

56 PCS | HSS | DIN223 DIN225 DIN352 DIN1814



YATO	Size	
YT-2979	M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20	2

Tap set

29 PCS | HSS | DIN 338 352 1814



YATO	Size	
YT-2977	M3, M4, M5, M6, M8, M10, M12	12

Tap set

21 PCS | HSS | DIN 352



YATO	Size	
YT-2976	M3, M4, M5, M6, M8, M10, M12	20

Circular die

METRIC COARSE THREAD | DIN 223 | HSS M2







YATO	Size	Thread pitch [mm]	External diameter [mm]	Thickness [mm]	m [g]	
YT-2961	M4	0.7	20	5	20	125/500
YT-2962	M5	0.8	20	7	20	100/200
YT-2963	M6	1.0	20	7	20	100/400
YT-2964	M7	1.0	25	9	35	100/200
YT-2965	M8	1.3	25	9	35	100/400
YT-2967	M10	1.5	30	11	50	70/280
YT-2969	M12	1.8	38	14	90	60/240
YT-2970	M14	2.0	38	14	95	63/252

YATO	Size	Thread pitch [mm]	External diameter [mm]	Thickness [mm]	m [g]	
YT-2971	M16	2.0	45	18	160	50/200
YT-2972	M18	2.5	45	18	150	50/200
YT-2973	M20	2.5	45	18	150	50/200
YT-2960	M22	2.5	55	22	300	20/80
YT-2966	M24	3.0	55	22	300	20/80
YT-2968	M27	3.0	65	25	450	15/60
YT-2974	M30	3.5	365	25	400	15/60

Step drill

STEEL STAL | TITANIUM COATED POWŁOKA TYTANOWA | HSS 4241





YATO	Steps quantity	Ø [mm]	L [mm]	Working length [mm]	
YT-44743	7	14, 16, 18, 20, 22, 24, 26	70	40	100
YT-44742	8	10, 15, 20, 25, 30, 35, 40, 45	100	75	40
YT-44741	10	4, 6, 8, 10, 12, 14, 16, 18, 20, 22	75	52	25/50
YT-44739	10	6, 10, 13, 16, 19, 22, 25, 29, 32, 35	75	45	10/80
YT-44744	10	6, 12, 13, 14, 15, 16, 17, 18, 19, 20	75	55	20/200
YT-44745	11	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	75	52	20/200
YT-44747	11	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30	75	54	12/96
YT-44746	12	10, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30	87	60	12/96
YT-44740	12	6, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38	105	78	10/60

Step drill

STEEL STAL | TITANIUM COATED POWŁOKA TYTANOWA | HSS 4341



YATO	Steps quantity	Ø [mm]	L [mm]	Working length	
YT-44748	15	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32	100	75	10/40

Countersink

STEEL STAL | 1/4" 6.3 mm | 45° | 5 BLADES CUTTER | HSS



YATO	Ø [mm]	L [mm]	
YT-44721	6.3	40	50/200
YT-44722	8.3	40	50/200
YT-44723	10.4	40	50/200
YT-44724	12.4	40	50/200
YT-44725	16.5	45	25/100
YT-44726	20.5	45	25/100

Step drill set

3 PCS | STEEL STAL | Ø 4-38 mm | HSS 4241





YATO	Ø [mm]	
YT-44732	4-12 (4, 6, 8, 10, 12 mm), 4-22 (4, 6, 8, 10, 12, 14, 16, 18, 20, 22 mm), 6-38 (6, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38 mm)	6/24

Taper drill set

3 PCS | STEEL STAL | Ø 3-30 mm | HSS 4241





YATO	Ø [mm]	
YT-44730	3-14, 8-20, 16-30	10/30

NON-SPARKING

Forstner drill bit and plug cutter

2 PCS | WOOD DREWNO | HRC 45-48



YATO	Ø [mm]	D1 [mm]	D2 [mm]	
YT-33830	15	10	8	10/100
YT-33831	20	12	8	10/100
YT-33832	25	12	8	10/100
YT-33833	30	12	8	10/60
YT-33834	35	12	10	10/60

T-handle tap wrench



YATO	Size	L [mm]	
YT-2986	M3-M8	70	20/80
YT-2987	M5-M10	80	20/80
YT-2988	M6-M12	90	20/80

HSS annular cutter set

13 PCS | WELDON TYPE TYP WELDON | Ø 12-27mm | HSS | STEEL STAL | NEW



12, 13, 15, 16, 18, 20, 21, 23, 24, 26, 27 MM
x2

YATO	Ø [mm]	
YT-43405	12,13,15,16,18,20,21,23,24,26,27	10

Step drill set

3 PCS | STEEL STAL | Ø 3-20 mm | TITANIUM COATED POWŁOKA TYTANOWA | HSS 4241





YATO	Ø [mm]	
YT-44731	3-12 (3, 4, 5, 6, 7, 8, 9, 10, 11, 12 mm), 4-12 (4, 6, 8, 10, 12 mm), 4-20 (4, 6, 8, 10, 12, 14, 16, 18, 20 mm)	40

Forstner drill bit and plug cutter set

10 PCS | WOOD DREWNO | 8,10 mm | 10,12 mm | HRC 45-48



YATO	Ø [mm]	
YT-33837	15, 20, 25, 30, 35	20

TCT annular cutter set

8 PCS | Ø 12-27 mm | WELDON TYPE TYP WELDON | TCT | STEEL STAL | NEW



12, 15, 18, 21, 24, 27 MM
x2

YATO	Ø [mm]	
YT-43410	12,15,18,21,24,27	10

Countersink set

6 PCS | STEEL STAL | 1/4" 6.3 mm | 45° | 5 BLADES OSTRZA | HSS



YATO	Ø [mm]	
YT-44729	6.3, 8.3, 10.4, 12.4, 16.5, 20.5	20

HSS annular cutter set

8 PCS | Ø 12-27 mm | WELDON TYPE TYP WELDON | HSS | STEEL STAL | NEW



12, 15, 18, 21, 24, 27 MM
x2

YATO	Ø [mm]	
YT-43400	12,15,18,21,24,27	10

TCT annular cutter set

13 PCS | Ø 12-27 mm | WELDON TYPE TYP WELDON | TCT | STEEL STAL | NEW



12, 13, 15, 16, 18, 20, 21, 23, 24, 26, 27 MM
x2

YATO	Ø [mm]	
YT-43413	12,13,15,16,18,20,21,23,24,26,27	10

Ratchet tap wrench



YATO	Size	L [mm]	
YT-2989	M3-M10	85	20/80
YT-2997	M3-M10	250	20/80
YT-2990	M5-M12	110	20/80
YT-2991	M5-M12	300	20/40

Tap wrench

DIN 1814



YATO	Size	L [mm]	
YT-2995	M1-M8	125	50/200
YT-2996	M3-M10	180	25/100
YT-2992	M3-M12	175	25/100
YT-2993	M4-M12	280	25/100
YT-2994	M5-M20	375	20/40

Die handle

DIN 225



YATO	Size	External diamete [mm]	Thickness [mm]	L [mm]	
YT-2980	M3-M4	20	5	200	25/100
YT-2981	M4.5-M6	20	7	200	25/100
YT-2982	M7-M9	25	9	224	25/100
YT-2983	M10-M11	30	11	255	25/50
YT-2984	M12-M14	38	14	315	15/30
YT-2985	M16-M20	45	18	450	10/20

Rotary file

0-2000 min⁻¹ | WOOD DREWNO | Ø 6-15 mm | 6 mm



YATO	Ø [mm]	
YT-61703	6-15	10/120

Rotary file

0-2000 min⁻¹ | WOOD DREWNO | Ø 13 mm | 6 mm



YATO	Ø [mm]	
YT-61704	13	10/120

Rotary file

0-2000 min⁻¹ | WOOD DREWNO | Ø 15 mm | 6 mm



YATO	Ø [mm]	
YT-61705	15	10/120

Rotary file

0-2000 min⁻¹ | WOOD DREWNO | Ø 20 mm | 6 mm



YATO	Ø [mm]	
YT-61706	20	10/120

Rotary file

0-2000 min⁻¹ | WOOD DREWNO | Ø 25 mm | 6 mm



YATO	Ø [mm]	
YT-61707	25	10/120

Rotary rasp for wood

WOOD DREWNO | 1/4" 6.3 mm | 11000 min⁻¹(max.) | Ø 15 mm



YATO	Ø [mm]	
YT-61740	15	100/200

Rotary rasp for wood

WOOD DREWNO | 1/4" 6.3 mm | 11000 min⁻¹(max.) | Ø 16 mm



YATO	Ø [mm]	
YT-61741	16	100/200

Rotary rasp for wood

WOOD DREWNO | 1/4" 6.3 mm | 11000 min⁻¹(max.) | Ø 16 mm



YATO	Ø [mm]	
YT-61742	16	100/200

Semi-circular rotary rasp

WOOD DREWNO | Ø 30 mm | 12500 min⁻¹(max.) | M14 | NEW



YATO	Ø [mm]	
YT-61768	30	10/100

Semi-circular rotary rasp



YATO	Ø [mm]	
YT-61769	50	25/50

Rotary fi le for metal



YATO	Ø [mm]	
YT-61702	12	10/120

Rotary file for metal



YATO	Ø [mm]	
YT-61716	13	80

Rotary rasp for wood



YATO	Ø [mm]	
YT-61743	16	100/200

Rotary file set



YATO	Ø [mm]	
YT-61711	3-15	12/48

Rotary file for metal



YATO	Ø [mm]	
YT-61717	13	80

Rotary file for metal



YATO	Ø [mm]	
YT-61700	4-24	10/120

Rotary file for metal



YATO	Ø [mm]	
YT-61714	13	80

Rotary file for metal



YATO	Ø [mm]	
YT-61718	13	80

Rotary file for metal



YATO	Ø [mm]	
YT-61701	6-15	10/120

Rotary file for metal



YATO	Ø [mm]	
YT-61715	13	80

Rotary file for metal



YATO	Ø [mm]	
YT-61719	6	80

Rotary file for metal



YATO	Ø [mm]	
YT-61750	15	100/200

Rotary file for metal



YATO	Ø [mm]	
YT-61723	10	40/80

Rotary file for metal



YATO	Ø [mm]	
YT-61726	10	40/80

Rotary file for metal



YATO	Ø [mm]	
YT-61751	11	100/200

Rotary file for metal



YATO	Ø [mm]	
YT-61724	10	40/80

Rotary file for metal



YATO	Ø [mm]	
YT-61727	10	40/80

Rotary file for metal



YATO	Ø [mm]	
YT-61722	10	40/80

Rotary file for metal



YATO	Ø [mm]	
YT-61725	10	40/80

Rotary file set for metal premium



YATO	Ø [mm]	L [mm]	
YT-61729	10	45, 50, 56, 56, 58, 58	20/40

Rotary file set

6 PCS | STEEL/STAL | WOOD/DREWNO | ⌀ 6-15 mm | 0-2000 min⁻¹







YATO	Ø [mm]	
YT-61712	6-15	10/60

Spherical rotary rasp

WOOD/DREWNO | M14 | 12500 min⁻¹ (max.)



YATO	Ø [mm]	
YT-61770	20	24/48
YT-61771	40	20/40

Rotary rasp set for wood

5 PCS | WOOD/DREWNO | ⌀ 12 mm | 1/4" 6.3 mm | 11000 min⁻¹ (max.)



YATO	Ø [mm]	
YT-61747	12	50/100

Mini rotary file set

10 PCS | METAL | 3.2 mm ⌀ | 0-12000 min⁻¹ | HSS 4241



YATO		
YT-61731		30/120

Cylindrical rotary rasp

WOOD/DREWNO | M14 | 12500 min⁻¹ (max.)



YATO	Ø [mm]	
YT-61772	20	50/100
YT-61773	30	50/100

Rotary rasp set for wood

4 PCS | WOOD/DREWNO | ⌀ 20 mm | ⌀ 25 mm | ⌀ 30 mm | 1/2" 12.7 mm | 12500 min⁻¹ (max.) | M14 | NEW



YATO	Ø [mm]	
YT-61775	20, 25, 30	15/60

Mini rotary file set

10 PCS | METAL | WOOD/DREWNO | PVC | 3.2 mm ⌀ | 0-12000 min⁻¹ | HSS 4241 | TITANIUM COATED POWŁOKA TYTANOWA



YATO		
YT-61730		30/120


YATO
YATO

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | DIN 6438 | HRC 60-62



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1910	260	35	1.8	1.5	1.0	0.9	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | DIN 6438 | HRC 60-62



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1923	230	25	2.0	1.6	1.2	1.2	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | DIN 6438 | HRC 60-62



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1911	260	35	1.8	1.5	1.0	0.9	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | 250 mm | HRC 56-62 | HIGH FREQUENCY HARDENING HARTOWANIE IMPULSOWE | SERRATED EDGES ZĄBKOWANE KRAWĘDZIE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1960	250	40	2.0	1.5	1.0	0.8	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | DIN 6438 | HRC 60-62



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1912	260	35	1.8	1.5	1.0	0.9	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | 250 mm | HRC 56-62 | SERRATED EDGES ZĄBKOWANE KRAWĘDZIE | HIGH FREQUENCY HARDENING HARTOWANIE IMPULSOWE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1961	250	40	2.0	1.5	1.0	0.8	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | DIN 6438 | HRC 60-62



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1922	290	75	1.1	0.94	0.7	0.53	6/36

Tin snips

CrMo | INCREASED CUTTING POWER ZWIĘKSZONA SIŁA CIĘCIA | 250 mm | HRC 56-62 | SERRATED EDGES ZĄBKOWANE KRAWĘDZIE | HIGH FREQUENCY HARDENING HARTOWANIE IMPULSOWE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1962	250	45	2.0	1.5	1.0	0.8	6/36

Tin snips

HRC 58-61 | DROP FORGED KUTE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1925	225	52	0.94	0.78	0.6	0.45	6/36

Tin snips

HRC 55-60 | S55C | HIGH FREQUENCY HARDENING HARTOWANE INDUKCYJNIE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1970	260	42	2.0	1.4	1.0	1.0	6/36

Tin snips

HRC 55-60 | S55C | HIGH FREQUENCY HARDENING HARTOWANE INDUKCYJNIE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1963	200	40	1.5	1.0	0.6	0.6	6/36
YT-1964	250	60	1.8	1.2	0.8	0.8	6/24
YT-1965	300	75	2.0	1.4	0.8	0.8	6/12

Tin snips

HRC 55-60 | S55C | HIGH FREQUENCY HARDENING HARTOWANE INDUKCYJNIE



YATO	L [mm]	Cutting length [mm]	Cooper [mm]	Cold rolled steel [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1971	200	40	1.5	1.0	0.6	0.6	6/36
YT-1972	260	53	1.8	1.2	0.8	0.8	6/36
YT-1973	310	62	2.0	1.4	0.8	0.8	6/12

Steel strap cutter

HRC 58-61



YATO	L [mm]	Cutting length [mm]	Steel HRC35 [mm]	SS 304 [mm]	
YT-1930	305	28	0.8	0.6	6/24

Shears for cutting sheet metal

120 mm



YATO	L [mm]	Cold rolled steel [mm]	Stainless steel [mm]	Aluminium [mm]	
YT-18950	120	1.6	1.2	2.0	1

Pipe crimper

260 mm | LOCK BLOKADA





YATO	L [mm]	
YT-22380	260	6/36

Scissors

SS STAINLESS STEEL STAL NIERDZEWNA



YATO	L [mm]	
YT-19763	170	12/120
YT-19764	190	12/120
YT-19765	215	12/120

YATO	L [mm]	
YT-19766	245	12/120
YT-19767	300	12/120

NON-SPARKING

Metal sheet nibbler

260 mm | max 1.0 mm PLATE BLACHA | max 1.2 mm Al | max 2.0 mm PLASTIC PLASTYK | 3.0 mm | 65Mn | CHANGEABLE BLADES WYMIENNE OSTRZA



YATO	L [mm]	
YT-19260	260	6/36

Multi-function scissors

65/200 mm | HRC 50-54 | 3Cr13



YATO	L [mm]	
YT-1976	200	12/72

Cable cutter

HRC 55-60 | CrV 50 | DROP FORGED KUTE



• *Application: for copper and aluminium electric cables*

YATO	max. Ø [mm]	L [mm]	
YT-1966	6	160	6/60
YT-1967	7	210	6/60
YT-1968	8	240	6/48

Spare blades for metal sheet nibbler

3 PCS | 65Mn



For YT-19260

YATO	
YT-19261	10/100

Multi-function slot angle scissors

245 mm | ± 22.5° 45° 90° | SS STAINLESS STEEL STAL NIERDZEWNA | Al



YATO	L [mm]	
YT-18960	245	4/24

Heavy duty cable cutter

240 mm | max Ø 9.0 mm | HRC 55-60 | CrV 50 | DROP FORGED KUTE



• *Application: for copper and aluminium electric cables*

YATO	max. Ø [mm]	L [mm]	
YT-1969	9	240	6/48

Bench mounted bolt cutter

max Ø 10 mm | 600 mm | HRC 58-62 | CrMo



YATO	L [mm]	
YT-18410	600	2

HD multifunctional scissors

250 mm | SK5 | Cr12Mo



YATO	L [mm]	
YT-18963	250	6/24

Cable cutter

HRC 50 | 65Mn



YATO	Max. cutting range [mm²]	max. Ø [mm]	L [mm]	
YT-18611	250	18.0	580	10
YT-18612	500	25.0	770	5

Concrete mesh cutter

800 mm | max Ø 11 mm | CrV



YATO	L [mm]	
YT-18400	800	5

Heavy duty cable cutter

230 mm | max Ø 9.0 mm | HRC 58-61 | CrMo



YATO	max. Ø [mm]	L [mm]	
YT-1933	9	230	6/36

Cable cutter

HRC 52-58 | CrMo 55



YATO	Max. cutting range [mm²]	max. Ø [mm]	L [mm]	
YT-18615	150	13.5	450	12
YT-18616	240	17.5	600	10
YT-18617	450	23.5	910	5

Bolt cutter

HRC 56-61 | CrMo



YATO	Size	
YT-18424	36"	4

Bolt cutter

CrMo



YATO	Size	max. Ø [mm]	L [mm]	
YT-18565	8"	3	200	6/48

Bolt cutter

HRC 56-61 | CrMo



YATO	L [mm]	Size	max. Ø soft [mm]	max. Ø medium [mm]	
YT-1843	300	12"	5	4	20
YT-1844	350	14"	7	5	10
YT-1845	450	18"	8	6	10
YT-1846	600	24"	10	8	6
YT-1847	750	30"	13	10	4
YT-1848	900	36"	16	12	3
YT-1849	1050	42"	18	14	2

Bolt cutter

200 mm | max Ø 3.5 mm | CrV



YATO	L [mm]	max. Ø [mm]	
YT-18566	200	3.5	6/48

Hydraulic cutter

STEEL STAL | Ø 4-12 mm | 320 mm | 6t



YATO	Cutting diameter [mm²]	L [mm]	Force pressure [t]	
YT-22870	4-12	320	6	5

Folding bolt cutter

450/280 mm | max Ø 6.0 mm | CrMo





YATO	L [mm]	max. Ø [mm]	
YT-18413	450/280	6.0	10

Hydraulic cutter

STEEL STAL



YATO	Cutting diameter [mm²]	L [mm]	Force pressure [t]	
YT-22871	4-16	430	8	5
YT-22872	4-20	515	13	3

Bolt cutter

250 mm | max Ø 6.0 mm | HRC 58-62 | DROP FORGED KUTE | CrV



YATO	L [mm]	
YT-18567	250	6/48

NON-SPARKING

Wire rope cutter

190 mm | max Ø 1.5 mm | max Ø 4 mm | HRC 58-62 | CrV



YATO	Wire max. cutting diameter [mm]	Steel line max. cutting diameter [mm]	
YT-18570	1.5	4	10/60

Heads for hydraulic cutter

2 PCS



YATO	Size	For	
YT-22873	12	YT-22870	10/100
YT-22874	16	YT-22871	10/100
YT-22875	20	YT-22872	10/100

Hydraulic metal hole puncher

Ø 22-60 mm | 6t | max 3 mm | 360°



YATO	Cutting diameter [mm]	Force pressure [t]	
YT-18900	22-60	6	2

Hydraulic metal hole puncher

Ø 22-60 mm | 6t | max 4 mm



YATO	Cutting diameter [mm]	Force pressure [t]	
YT-18907	22-60	6	1

Multi knife

9 PCS | SS | Al



YATO	
YT-76040	12/120

Multi knife

9 PCS | SS | Al



YATO	
YT-76041	12/48

Multi knife

9 PCS | SS | Al



YATO	
YT-76042	12/48

Multi knife

9 PCS | SS



YATO	
YT-76043	6/36

Folding knife

SS | Al



YATO	
YT-76050	12/72

Folding knife

SS



YATO	
YT-76051	12/120

Folding knife

SS



YATO	
YT-76052	6/48

Folding knife with bits

Al | SS



3, 4 mm;
PH1, PH2 mm;
3, 4 mm;
T10, T20

YATO	
YT-76031	6/48

Utility knife with trapezoid blade

1+5 | 61x33x0.5 mm | SK5



YATO	Blade size [mm]	
YT-7532	61x33x0.5	12/72

Cutter knife

61x33x0.5 mm | x5 | SK2 | ZINC ALLOY TPR | LOCK BLOKADA



YATO	Blade size [mm]	
YT-7523	61x33x0.5	6/48

Utility knife

18 mm | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | ABS | SK2H



ULTRA SHARP

YATO	Blade size [mm]	
YT-75123	18x0.5	10/120

Utility knife with trapezoid blade

x5 | 61x33x0.5 mm | 150 mm | SK5



YATO	Blade size [mm]	
YT-7534	61x33x0.5	12/72

Utility knife

9 mm | 1+2 | ABS TPR | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | SELF-LOADING BLADES SAMOLADUJĄCE OSTRZA | SK5



YATO	Blade size [mm]	
YT-75001	9x0.4	12/144

Utility knife

18 mm | SCREW LOCK BLOKADA SRUBOWA | METAL SLIDING BAR METALOWA PROWADNICA | ABS | SK2H



ULTRA SHARP

YATO	Blade size [mm]	
YT-75124	18x0.5	10/120

Utility knife with trapezoid blade

x3 | 61x33x0.5 mm | SK5



YATO	Blade size [mm]	
YT-7520	61x33x0.5	6/48

Utility knife

9 mm | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | METAL BODY METALOWY KORPUS | SK2H



ULTRA SHARP

YATO	Blade size [mm]	
YT-75002	9x0.4	10/240

Utility knife

18 mm | max 20 kg | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | Zn TPR ABS | SK5



YATO	Blade size [mm]	
YT-75121	18x0.5	12/144

Utility knife with trapezoid blade

1+3 | 61x33x0.5 mm | AUTO RETRACTABLE AUTOMATYCZNE WYSUWANIE | 3 BLADE POSITIONS POZYCJE OSTRZA | Zn TPR ABS | SK5





YATO	Blade size [mm]	
YT-75201	61x33x0.5	12/72

Utility knife

9 mm | AUTO LOCK BLOKADA | METAL BODY METALOWY KORPUS | METAL SLIDING BAR METALOWA PROWADNICA | SK2H



ULTRA SHARP

YATO	Blade size [mm]	
YT-75003	9x0.4	10/240

Utility knife

18 mm | max 20 kg | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | Zn TPR | SK5





YATO	Blade size [mm]	
YT-75122	18x0.5	12/144

NON-SPARKING

Multifunctional utility knife

18 mm | SS | SK5 | NEW



YATO	Blade size [mm]	
YT-75125	18x0.5	12/144

Utility knife with trapezoid blade

1+4 | SK5 | NEW



YATO	Blade size [mm]	
YT-75204	19x0.6	12/96

Utility knife

ABS TPR | LOCK BLOKADA | SK2



YATO	Blade size [mm]	
YT-7506	9x0.4	24/240
YT-7507	18x0.5	12/144

Utility knife with saw blade

SK5 | NEW



YATO	Blade size [mm]	
YT-75150	25x0.7	12/144

Utility knife with trapezoid blade

1+2 | CrV | SK5 | NEW



YATO	Blade size [mm]	
YT-75210	19x0.6	12/96

Utility knife

18 mm | max 20 kg | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | ABS TPR | SK5



YATO	Blade size [mm]	
YT-75071	18x0.5	12/144

Utility knife with trapezoid blade

1+3 | SK5 | NEW



YATO	Blade size [mm]	
YT-75202	19x0.6	12/72

Utility knife with trapezoid blade

1+3 | 1+3 | CrV | SK5 | NEW



YATO	Blade size [mm]	
YT-75220	19x0.6	12/96

Utility knife

18 mm | max 20 kg | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | ABS TPR | SK5



YATO	Blade size [mm]	
YT-75072	18x0.5	12/144

Utility knife with trapezoid blade

1+3 | SK5 | NEW



YATO	Blade size [mm]	
YT-75203	19x0.6	12/96

Utility knife

SK2



YATO	Blade size [mm]	
YT-7511	9x0.4	24/288
YT-7512	18x0.5	12/96

Utility knife

ABS | SK2



YATO	Blade size [mm]	
YT-7504	9x0.4	24/240
YT-7505	18x0.5	24/240

Utility knife

x3 | SK2 | LOCK BLOKADA | ABS TPR



YATO	Blade size [mm]	
YT-7502	9x0.4	24/240
YT-7503	18x0.5	12/144

Spare blades

10 PCS | SK2H



ULTRA SHARP

YATO	Blade size [mm]	
YT-75260	9x0.4	10/240
YT-75261	18x0.5	10/120

Spare blades

10 PCS | 125x25 x0.7 mm | SK5 | NEW



YATO	Blade size [mm]	
YT-75235	125x25x0.7	6/48

Utility knife

x5 | SK2 | ABS TPR | LOCK BLOKADA



YATO	Blade size [mm]	
YT-7509	18x0.5	12/96

Spare blades

10 PCS | SK5



YATO	Blade size [mm]	
YT-7528	9x0.4	24/144
YT-7529	18x0.5	24/144
YT-7530	25x0.7	6/48

Spare blades

10 PCS | 61x19 x0.6 mm | SK5 | NEW



YATO	Blade size [mm]	
YT-75311	61x19x0.6	24/144

Utility knife

25 mm | max 20 kg | AUTO LOCK BLOKADA | METAL SLIDING BAR METALOWA PROWADNICA | ABS TPR | SK5



YATO	Blade size [mm]	
YT-75101	25x0.7	12/144

Spare blades

10 PCS | SK2



YATO	Blade size [mm]	
YT-7524	9x0.4	24/240
YT-7525	18x0.5	24/144
YT-75262	25x0.7	10/60

Spare blades

10 PCS | SK2 | 61x33 x0.5 mm



YATO	Blade size [mm]	
YT-7527	61x33x0.5	24/144

Utility knife

x3 | 25 mm | SK5 | LOCK BLOKADA



YATO	Blade size [mm]	
YT-7510	25x0.7	6/48

Spare blades

10 PCS | 61x19 x0.6 mm | SK5 | NEW



YATO	Blade size [mm]	
YT-75230	61x19x0.6	24/144

Spare blades

10 PCS | 61x33 x0.5 mm | SK5



YATO	Blade size [mm]	
YT-7531	61x33x0.5	24/144

Oil glass cutter

HRA 92.5-93 | YD05 | 177 mm



YATO	L [mm]	
YT-7560	177	12/120

Rotary cutter

45 mm | ABS TPR | SK5





YATO		
YT-75360		12/96

Prybar scraper set

3 PCS | 135x14 mm | 182x25 mm | 240x42 mm



YATO	[mm]	
YT-52863	135x14, 182x25, 240x42	12/48

Oil glass cutter

HRA 92.5-93 | YD05 | 178 mm



YATO	L [mm]	
YT-7561	178	12/120

Carving knife set

16 PCS | SK5



YATO		
YT-75370		4/24

Scraper Knife

1+5 | 39x21 mm | SS | ABS | TPR | NEW



YATO	Size [mm]	
YT-75520	39x21mm	12/144

Scriber for glass, ceramics and metal

140 mm | YG6X



YATO	L [mm]	
YT-3740	140	20/300

Carving knife set

14 PCS | HRC 60 | T10 STEEL STAL | Al HANDLE UCHWYT | SOFT GRIP MIĘKKI UCHWYT



YATO		
YT-75140		6/48

Hand saw for wood

7 TPI | 1.5 mm 0.9 mm | HRC 50-54 | 65Mn





YATO	L [mm]	
YT-3101	400	12/48
YT-3102	450	10/40
YT-3103	500	10/40

Squeegee with felt for pressing the film

100x73 mm



YATO	Size [mm]	
YT-52550	100x73	20/200

Drywall board cutting tool with measuring tape

5m 19 mm | x5 BLADES OSTRZA



YATO		
YT-31350		30

Hand saw for wood

7 TPI | 1.5 mm 0.9 mm | HRC 50-54 | PTFE | 65Mn





YATO	L [mm]	
YT-3106	400	12/48
YT-3107	450	10/40
YT-3108	500	10/40

Hand saw for wood

7 TPI | 1,6 mm / 0,9 mm | PTFE | 65Mn



YATO	L [mm]	
YT-31091	400	6/24
YT-31092	450	6/24
YT-31093	500	6/24

Drywall saw

180/315 mm | 7 TPI | 65Mn



YATO	L [mm]	
YT-31343	315	12/96

Saw with adjustable handle

250/410 mm | 12 TPI | 0,6 mm





YATO	L [mm]	
YT-31290	410	6/48

Hand saw for wood

7 TPI | 65Mn | PTFE



YATO	L [mm]	
YT-31095	350	12/48
YT-31096	400	12/48
YT-31097	450	12/48

Wallboard saw

160/300 mm | 7 TPI | 2,0 mm / 1,5 mm | HRC 50-54 | 65Mn



YATO	L [mm]	
YT-3134	300	12/60

Plastic miter box with dovetail saw

350 mm | 12 TPI | 1,2 mm / 0,8 mm | HRC 50-54 | 65Mn | 300x140 x70 mm | ABS



YATO	L [mm]	
YT-3150	350	10

Back saw for PVC

PVC | 350/440 mm | 17 TPI | 65Mn



YATO	L [mm]	
YT-31303	440	12/48

Compass saw

300 mm | 7 TPI | 1,6 mm / 0,9 mm | HRC 50-54 | 65Mn



YATO	L [mm]	
YT-3133	300	12/60

Bow saw

HCS65 | METAL | WOOD, DRYWALL | 300 mm | HCS60



YATO	L [mm]	
YT-3200	300	12/24

Japanese saw

320/660 mm | 7 TPI | 12 TPI | SK5



YATO	L [mm]	
YT-31310	660	10/40

Back saw

300 mm | 12 TPI | 1,2 mm / 0,8 mm | HRC 50-54 | 65Mn



YATO	L [mm]	
YT-3130	300	12/60

Bow saw

HCS65 | WOOD, DRYWALL



YATO	L [mm]	
YT-3201	450	12/24
YT-3202	530	12/24
YT-3203	610	12/24
YT-3204	760	12/24

Bow saw blade for dry wood

HCS65



YATO	L [mm]	
YT-3220	300	50/200
YT-3221	450	50/200
YT-3222	530	50/200
YT-3223	610	50/200
YT-3224	760	50/200
YT-3225	910	50/200

Hacksaw frame

METAL | 300 mm | 24 TPI | BI-METAL



YATO	L [mm]	
YT-3163	300	5/20

Hacksaw blade for metal

2 PCS | BI-METAL | M2 8%Co | 300x12 x0.65 mm | 24 TPI



YATO	L [mm]	TPI	
YT-34619	300	18	20/500
YT-3462	300	24	20/500
YT-34621	300	32	20/500

Bow saw blade for wet wood

HCS65



YATO	L [mm]	
YT-3230	300	50/200
YT-3231	450	50/200
YT-3232	530	50/200
YT-3233	610	50/200
YT-3234	760	50/200

Metal hacksaw

METAL | WOOD | 300 mm | 8 TPI | 24 TPI | 90° | 45° | Al



YATO	L [mm]	
YT-31612	300	12/36

Metal hacksaw

150 mm | 24 TPI



YATO	L [mm]	
YT-31631	150	12/120

Hacksaw frame

METAL | 300 mm | 24 TPI | BI-METAL



YATO	L [mm]	
YT-3160	300	10

Hacksaw blade for metal

5 PCS | 300x12 x0.65 mm | 24 TPI



YATO	L [mm]	TPI	
YT-34599	300	18	10/200
YT-3460	300	24	10/200
YT-34601	300	32	10/200

Sabre saw blade

ABRATE CONCRETE | STEEL | 2TPI | 1.5 mm | HM



YATO	L [mm]	
YT-33951	300	20/100
YT-33950	455	25/100

Hacksaw frame

METAL | 300 mm | 24 TPI | BI-METAL



YATO	L [mm]	
YT-3161	300	6/36

Hacksaw blade for metal

2 PCS | BI-METAL | M2 6150 | 300x12 x0.65 mm | 24 TPI



YATO	L [mm]	TPI	
YT-34609	300	18	20/500
YT-3461	300	24	20/500
YT-34611	300	32	20/500

Sabre saw blade

2 PCS | WET WOOD | 300 mm | HCS



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	[mm]	TPI	
YT-33920	300	1.45	5	10/100

NON-SPARKING

Sabre saw blade

2 PCS | WOOD/DREWNO | HCS



For YT-82281, YT-82814, YT-82815, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33921	150	1.2	4	10/200
YT-33922	150	1.0	6	10/200
YT-33923	150	1.0	8	10/200

Sabre saw blade

2 PCS | STEEL/STAL | METAL SHEET/BLACHA | WOOD/DREWNO | BIM



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33934	225	1.0	24	50/200

Sabre saw blade

BRICK/CEGŁA | SAND-LIME BRICK/SILIKAT | 215 mm | 2 TPI | 2.0 mm | TCT



YATO	L [mm]	↔ [mm]	TPI	
YT-33960	215	2.0	2	100/200

Sabre saw blade

2 PCS | STEEL/STAL | WOOD/DREWNO | BIM



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33930	150	1.0	10	10/200

Sabre saw blade

2 PCS | STEEL/STAL | WET WOOD/DREWNO MOKRE | BIM



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33935	300	1.25	6	10/100

Sabre saw blade

BRICK/CEGŁA | SAND-LIME BRICK/SILIKAT | 462 mm | 1 TPI | 2.0 mm | TCT



YATO	L [mm]	↔ [mm]	TPI	
YT-33961	462	2.0	1	25/50

Sabre saw blade

2 PCS | STEEL/STAL | METAL SHEET/BLACHA | WOOD/DREWNO | BIM



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33931	150	1.0	18	10/200
YT-33932	150	1.0	24	10/200

Hollow bricks saw blades

2 PCS | 430 mm | AERATED CONCRETE/BETON KOMÓRKOWY | NEW



For YT-82284

YATO	L [mm]	TPI	
YT-33940	430	48	100

Sabre saw blade

230 mm | 12 TPI | 1.0 mm | HCS



- *For straight cuts*
- *Doesn't bend when cuts*

For YT-82281, YT-82814, YT-82815, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33970	230	1.0	12	10/80

Sabre saw blade

2 PCS | STEEL/STAL | WOOD/DREWNO | BIM



For YT-82280, YT-82814, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33933	225	1.0	10	10/200

Hollow bricks saw blades

2 PCS | 430 mm | AERATED CONCRETE/BETON KOMÓRKOWY | NEW



For YT-82284

YATO	L [mm]	TPI	
YT-33941	430	78	100

Sabre saw blade

230 mm | 6 TPI | 1.2 mm | HCS



- *For straight cuts*
- *Doesn't bend when cuts*

For YT-82281, YT-82814, YT-82815, YT-82904

YATO	L [mm]	↔ [mm]	TPI	
YT-33971	230	1.2	6	10/100

NON-SPARKING

Sabre saw blade

120 mm | 12 TPI | 1.2 mm | HCS



• *For plunge and curve cuts*

For YT-82281, YT-82814, YT-82815, YT-82904

YATO	L [mm]	[mm]	TPI	
YT-33972	120	1.2	12	10/100

Jig saw blades

WOOD | LAMINATE | CLEAN CUT | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3404	100	75	1.3	10	50/250

Jig saw blades

5 PCS | WOOD | 115/90 mm | 8 TPI | 1.3 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3409	115	90	1.3	8	50/250

Jig saw blades

5 PCS | WOOD | PVC | 100/75 mm | 10 TPI | 1.3 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3401	100	75	1.3	10	50/250

Jig saw blades

WOOD | 100/75 mm | 6 TPI | 1.3 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3405	100	75	1.3	6	50/250

Jig saw blades

5 PCS | WOOD | 100/75 mm | 6 TPI | 1.4 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3410	100	75	1.4	6	50/250

Jig saw blades

5 PCS | WOOD | 100/75 mm | 8 TPI | 1.2 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3402	100	75	1.2	8	50/250

Jig saw blades

5 PCS | WOOD | 75/50 mm | 13 TPI | 1.0 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3407	75	50	1.0	13	50/250

Jig saw blades

5 PCS | STEEL | 75/50 mm | 21 TPI | 1.0 mm | HSS



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3412	75	50	1.0	21	25/250

Jig saw blades

5 PCS | WOOD | 100/75 mm | 6 TPI | 1.3 mm | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3403	100	75	1.3	6	50/250

Jig saw blades

5 PCS | WOOD | 115/90 mm | 13-8 TPI | PLUNGE CUT | HCS 65Mn



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3408	115	90	1.3	13-8	50/250

Jig saw blades

5 PCS | STEEL | 75/50 mm | 12 TPI | 1.0 mm | HSS



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3413	75	50	1.0	12	25/250

Jig saw blades

5 PCS | STEEL STAL | 75/50 mm | 32 TPI | 1.0 mm | HSS



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3414	75	50	1.0	32	25/250

Jig saw blades

5 PCS | STEEL STAL | ALUMINIUM ALUMINIUM | 130/106 mm | 21 TPI | 1.0 mm | HSS



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3416	130	106	1.0	21	25/250

Jig saw blades

5 PCS | UNIVERSAL UNIVERSALNY | 130/106 mm | 10-5 TPI | 1.27 mm | PLUNGE CUT CIĘCIE WGŁĘBNE | BI-METAL



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3417	130	106	1.27	10-5	25/250

Jig saw blades

5 PCS | STEEL STAL | ALUMINIUM ALUMINIUM | 100/75 mm | 24-10 TPI | 1.0 mm | HSS



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3415	100	75	1.0	24-10	25/250

Jig saw blades

5 PCS | STEEL STAL | WOOD DREWNO | HCS 65Mn | HSS | BI-METAL



YATO	L [mm]	Working length [mm]	[mm]	TPI	
YT-3445	100, 100, 100, 75, 75	75, 75, 75, 50, 57	1.3, 1.3, 1.27, 1.0, 1.0	10, 6, 10, 32, 12	25/250

Half-moon saw blade for oscillating multitool HSS

88 mm | HSS





• *Application: wood, plastic, soft metal, plaster*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34680	10/100

Half-moon saw blade for oscillating multitool HCS

88 mm | HCS





• *Application: wood, plastic, soft metal, plaster*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34681	10/100

Brazed carbide d-shape blade for oscillating multitool HM

70 mm | HM





• *Application: concrete, ceramic materials, epoxy resin, fibreglass*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34682	10/100

NON-SPARKING

Half-moon saw blade for oscillating multitool BIM

METAL | CONSTR. WOOD DŘEVO KONSTRUKČNÍ | 100 mm | BIM | TiN







• *Application: wood, metal*
For YT-82220

YATO	
YT-34711	10/100

Plunge cutting saw blade for oscillating multitool BIM

3 PCS | 28.5 mm | BIM





• *Application: wood, plastic, metal, plaster, epoxy resin*
For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34684	10/100

Plunge cutting saw blade for oscillating multitool BIM

METAL | CONSTR. WOOD DŘEVO KONSTRUKČNÍ | 34 mm | BIM | TiN



• *Application: wood, metal*
For YT-82220

YATO	
YT-34712	10/100

Half-moon saw blade for oscillating multitool BIM

METAL | CONSTR. WOOD DŘEVO KONSTRUKČNÍ | 100 mm | BIM | TiN







• *Application: wood, metal*
For YT-82223

YATO	
YT-34701	10/100

Plunge cutting saw blade for oscillating multitool HCS

3 PCS | 34 mm | HCS





• *Application: wood, plastic, plaster*
For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34685	10/100

Plunge cutting saw blade for oscillating multitool HCS

WOOD DŘEVO | LAMINATE LAMINÁT | PVC | 32 mm | HCS | TiN



• *Application: wood, laminate, plastic*
For YT-82220

YATO	
YT-34710	10/100

Plunge cutting saw blade for oscillating multitool BIM

10 mm | BIM





• *Application: wood, plastic, metal, plaster, epoxy resin*
For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34683	5/100

Plunge cutting saw blade for oscillating multitool BIM

20 mm | BIM





• *Application: wood, plastic, metal, plaster, epoxy resin*
For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34686	10/100

Plunge cutting saw blade for oscillating multitool HCS

WOOD DŘEVO | LAMINATE LAMINÁT | PVC | 32 mm | HCS



• *Application: wood, laminate, plastic*
For YT-82223

YATO	
YT-34700	10/100

Plunge cutting saw blade for oscillating multitool BIM

34 mm | BIM | TiN | METAL | CONSTR. WOOD



• *Application: wood, metal*

For YT-82223

YATO	
YT-34702	10/100

Plunge cutting saw blade for oscillating multitool BIM

METAL | CONSTR. WOOD | 65 mm | BIM | TiN



• *Application: wood, metal*

For YT-82220

YATO	
YT-34713	10/100

Short scraper for oscillating multitool

52 mm | HCS



• *Application: paint, adhesives, sealing compounds*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34688	10/100

Plunge cutting saw blade for oscillating multitool BIM

METAL | CONSTR. WOOD | 65 mm | BIM | TiN



• *Application: wood, metal*

For YT-82223

YATO	
YT-34703	10/100

Accessories set for oscillating multitool

3 PCS | HSS | HCS | BIM



• *Application: wood, plastic, metal, plaster, epoxy resin*

For YT-82220, YT-82818, YT-82900

YATO	
YT-34691	10/100

Brazed carbide triangular rasp for oscillating multitool

80 mm | HM



• *Application: concrete, ceramic materials*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34687	10/100

Triangular sanding pad for oscillating multitool

80 mm | Al



• *Application: wood, metal, plaster*

For YT-82233

YATO	
YT-34692	10/100

Triangular eva sanding pad for oscillating multitool

90 mm | EVA



• *Application: wood, metal, plaster*

For YT-82220, YT-82818, YT-82900

YATO	
YT-34689	10/100

Triangular sand paper for oscillating multitool

10 PCS







• *Application: wood, metal, plaster*

For YT-82220, YT-82223, YT-82818, YT-82900

YATO	
YT-34690	10/100

Triangular sand paper for oscillating multitool

20 PCS | 80 mm | P80 | P120 | P240







• *Application: wood, metal, plaster*

For YT-82220, YT-82223, YT-82818, YT-82900

P80 (10 PCS), P120 (5 PCS), P240 (5 PCS)

YATO	
YT-34693	5/50

Double edge trimmer

13-25 mm | 1-2-SIDED CUTTING "CIECIE" 1-2-STRONNE | SK5







YATO	
YT-5710	6/48

Rasp for plaster

ALUMINIUM | WOOD DREWNO | LAMINATE LAMINAT | 140x40 mm



YATO	Working length [mm]	Working width [mm]	
YT-61678	140	40	15/60

Blade for rasp

ALUMINIUM | WOOD DREWNO | LAMINATE LAMINAT | 140x40 mm



For YT-61678

YATO	Working length [mm]	Working width [mm]	
YT-61679	140	40	10/120

Block plane

44 mm | 235 mm | HRC 50-55 | 65Mn



YATO	Blade width [mm]	L [mm]	
YT-62900	44	235	24

Rasp for plaster

ALUMINIUM | WOOD DREWNO | LAMINATE LAMINAT | 250x40 mm



YATO	Working length [mm]	Working width [mm]	
YT-61680	250	40	15/60

Blade for rasp

ALUMINIUM | WOOD DREWNO | LAMINATE LAMINAT | 250x40 mm



For YT-61680

YATO	Working length [mm]	Working width [mm]	
YT-61681	250	40	30/120

NON-SPARKING

Deburrer

max Ø 25 mm | HSS M2 | CHANGEABLE ROTATING BLADE. WYMIENNE OSTRZE OBROTOWE



YATO		
YT-22362		50/100

Spot weld drill bits set

4 PCS | COBALT COATED POKRYTE KOBALTEM | TITANIUM COATED POWŁOKA TYTANOWA



Ø 6.5 mm (L=45 mm), Ø 8 mm (L=45 mm, 79 mm), Ø 10 mm (L=45 mm)

YATO	Ø [mm]	
YT-28922	6.5, 8 x2, 10	30

Spare nibbler blade

2 PCS | Ø 5.0 mm | 57 mm | HSS



For YT-82395

YATO	Ø [mm]	
YT-82396	5	500


CrMo
VDE
NON-SPARKING


YATO
PROFESSIONAL TOOLS
item number:
YT-6004
180x2,5x8,0x22,2
DRY CUTTING
MPA 90901
DO NOT USE
FOR GRINDING
R.P.M. max 8 000
V max. 80 m/s

Diamond blade



• *Application: concrete, brick, tile, masonry, stone, sandstone, refractory materials, limestone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59961	115	22.2	12000	1.8	10	20/200
YT-59962	125	22.2	12000	2.0	10	20/100
YT-59965	230	22.2	6500	2.2	10	25
YT-60003	350	25.4	4400	3.4	10	10
YT-60004	400	25.4	3850	3.6	10	5

Diamond blade



• *Application: reinforced concrete, glaze, clinker, brick, limestone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59981	115	22.2	12000	1.3	10	20/200
YT-59982	125	22.2	12000	1.3	10	20/100
YT-59985	230	22.2	6500	2.0	10	25

Diamond blade



• *Application: concrete, reinforced concrete, brick, tile, masonry, stone, sandstone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-6021	115	22.2	12000	2.2	5.3	20/200
YT-6022	115	22.2	12000	2.4	8	20/200
YT-6023	125	22.2	11000	2.6	8	20/160
YT-6024	180	22.2	8000	2.8	8	15/60
YT-6025	230	22.2	6500	3.1	8	10/40

Diamond blade



• *Application: ceramic, glaze*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59951	115	22.2	12000	1.6	10	20/200
YT-59952	125	22.2	12000	1.6	10	20/100
YT-59955	230	22.2	6500	2.2	10	25

Diamond blade



• *Application: concrete, brick, calcium-silicate brick, tile, masonry, stone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-60009	100	16	14000	2.1	8	20/200
YT-6001	115	22.2	12000	1.8	8	20/200
YT-6002	115	22.2	12000	2.1	8	20/200
YT-6003	125	22.2	11000	2.2	8	20/160
YT-6004	180	22.2	8000	2.5	8	15/60
YT-6005	230	22.2	6500	2.7	8	10/40

Diamond blade



YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-5983	300	25.4	5100	3.2	10.0	10
YT-5984	350	25.4	4300	3.2	10.0	5

Diamond blade



• *Application: ceramic, glaze, glass, porcelain, ceramic tiles, composite hardest tiles, roof tiles*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59971	115	22.2	12000	1.6	10	20/120
YT-59972	125	22.2	12000	1.6	10	20/100
YT-59975	230	22.2	6500	2.0	10	25

Diamond blade



• *Application: ceramic, gres, glaze, glass, porcelain*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-6011	110	22.2	12000	2.0	5.3	20/200
YT-6012	115	22.2	12000	2.1	5.3	20/200
YT-6013	125	22.2	11000	2.2	5.3	20/160
YT-6014	180	22.2	8000	2.5	5.3	15/60
YT-6015	230	22.2	6500	2.7	5.3	10/40
YT-6016	180	25.4	8000	2.2	5.3	15/60
YT-6017	200	25.4	8000	2.2	5.3	10/40

Diamond grinding cup wheel



• *Application: concrete, clinkier, natural stone, screed*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	Segment size [mm]	
YT-6030	125	22.2	12200	5x7.5	20
YT-6031	180	22.2	8500	5x20	10
YT-6032	125	22.2	12200	4.5x20	20

Milling rasp disc



- *Milling, grinding, grooving*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	[mm]	max [min⁻¹]	
YT-59145	75	22.2	18	12500	8/32

Radial rasp disc



- *Grinding, milling*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	
YT-59157	125	22.2	12500	10/40

Tapered rasp disc



- *Grinding, milling*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	
YT-59162	125	22.2	12500	10/40

Milling rasp disc



- *Milling, grinding, grooving*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	[mm]	max [min⁻¹]	
YT-59146	125	22.2	21	12500	10/40

Flat rasp disc



- *Grinding, milling*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	
YT-59158	125	22.2	12500	10/40

Saw rasp disc



- *Cutting, milling, grinding, grooving*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	
YT-59190	125	22.2	12500	10/40

Milling rasp disc



- *Milling, grinding, grooving*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	[mm]	max [min⁻¹]	
YT-59150	115	22.2	16	12500	10/40

Tapered rasp disc



- *Grinding, milling*
- *Wood, cellular concrete, drywall*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	
YT-59159	125	22.2	12500	10/40

Diamond blade



- *Application: glass, ceramic tiles, floor tiles, composite tiles, artcifi cial and natural stone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59940	115	22.2	13300	1.0	15	25/200
YT-59941	125	22.2	12200	1.2	15	25/200

Diamond blade





• *Application: concrete, brick, tile, masonry, stone, sandstone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	
YT-59900	125	22.3	12000	10/100

Disc for ceramic tiles





• *Application: ceramic, glaze, glass, porcelain*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59973	125	22.2	12250	1.8	10/20	10/100

Metal cutting disc





• *Depressed center*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	
YT-61135	100	16	15200	2.5	20/200
YT-6114	115	22	13200	2.5	25/200
YT-6115	115	22	13200	3.2	25/200
YT-6116	125	22	12200	2.5	25/200
YT-6117	125	22	12200	3.2	25/200
YT-6119	180	22	8600	3.2	25/100
YT-6120	230	22	6500	3.2	25/50

Diamond blade





• *Application: concrete, brick, tile, masonry, stone, sandstone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	
YT-59902	230	22.3	6500	10/30

Diamond blade





• *Application: ceramic, glaze, glass, porcelain*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59956	250	25.4	6150	2.1	8	10/20

Diamond blade





• *For YT-82017*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	
YT-60008	133	20	11000	1/100

Universal cutting disc





• *Application: wood*

YATO	Ø [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59760	125	22.2	12000	2.4	2	10/100

Disc for hardest tiles and granite





• *Application: concrete, clinkier, natural stone, screed*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-59980	125	22.2	12250	1.8	23	10/100

Diamond blade





• *Application: concrete, reinforced concrete, brick, tile, masonry, stone, sandstone*

YATO	ØA [mm]	Ød [mm]	max [min⁻¹]	D [mm]	H [mm]	
YT-60270	350	25.4	4300	3.2	12	10
YT-60271	400	25.4	3800	3.4	12	10

Metal cutting disc



• *Application: concrete, brick, tile, masonry, stone, sandstone, refractory materials, limestone*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-5920	115	22	13200	1.2	25/50
YT-5921	115	22	13200	2.5	25/200
YT-5922	115	22	13200	3.2	25/200
YT-5923	125	22	12200	1.2	25/200
YT-5924	125	22	12200	2.5	25/200
YT-5925	180	22	8600	1.5	25/50
YT-5926	180	22	8600	2.5	25/50
YT-5927	230	22	6500	2.0	25/50

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-6110	125	22	12200	3.2	25/200
YT-6112	230	22	6500	3.2	25/50
YT-6113	300	32	5100	3.2	5/25
YT-61131	350	25	4400	3.5	25
YT-61132	355	25.4	4400	3.2	5/25
YT-6136	350	33.2	4400	3.5	1/25
YT-6137	400	32	3800	4.0	25

Diamond grinding cup wheel



• *Application: concrete, screed*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	Size [mm]	For	
YT-60322	125	22.2	12200	5x9	YT-82110, YT-82101	30
YT-60323	180	22.2	6600	5x9	YT-82341, YT-82110	10

Inox cutting disc



YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-61009	100	16	15200	1.0	25/200
YT-6101	115	22	13200	1.2	25/200
YT-61025	125	22.23	12200	1.0	50/400
YT-6103	125	22	12200	1.2	25/200
YT-6104	125	22	12200	205	25/200

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-6105	180	22	8600	1.5	25/50
YT-6107	230	22	6500	2.0	25/50
YT-61068	230	22	6600	1.8	25/100
YT-61091	355	25.4	4400	3.5	5/25

Metal grinding disc



• *Depressed center*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-6121	115	22	13200	6.0	25/100
YT-6124	125	22	12200	6.0	30/120
YT-6138	180	22	8600	6.0	15/30
YT-6126	125	22	12000	8.0	25/100
YT-6125	230	22	6500	6.0	5/30

Diamond polishing disc for stoneware



For YT-82161

• *Application: gres tile, granite, stone, concrete*

YATO	Grit	Ø [mm]	max n [min⁻¹]	
YT-48200	D50	100	4500	50/300
YT-48201	D100	100	4500	50/300
YT-48202	D200	100	4500	50/300
YT-48203	D400	100	4500	50/300

YATO	Grit	Ø [mm]	max n [min⁻¹]	
YT-48204	D800	100	4500	50/300
YT-48205	D1500	100	4500	50/300
YT-48206	D3000	100	4500	50/300

Stone grinding disc



• *Depressed center*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-6133	125	22	12200	6.8	25/100

Stone cutting disc



YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-5930	115	22	13200	1.5	25/200
YT-5932	125	22	12200	1.5	25/200
YT-5933	125	22	12200	3.2	25/200
YT-5935	230	22	6500	3.2	25/50

TCT circular saw blade for structural wood



YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	
YT-60480	160	20	9500	2.2	1.5	24	25/50
YT-60482	180	20	9000	2.4	1.8	36	20/40
YT-60484	250	30	6000	2.4	1.8	48	10/20

Blade for cutting laminate and plywood



YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	
YT-60631	185	20	9000	1.7	1.4	140	25/50

Inox cutting disc



• *Depressed center*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-5940	115	22	13200	2.5	25/200
YT-5941	115	22	12200	3.2	25/200
YT-5945	230	22	6500	3.2	25/50

TCT circular saw blade for PVC



YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	
YT-60627	185	20	9000	2.5	1.5	60	25/50

Circular saw blade for wood



YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	
YT-60871	500	32	3000	4.5	2.9	60	4

Inox grinding disc



• *Depressed center*

YATO	ØA [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	
YT-5946	115	22	13200	6.0	25/100
YT-5947	125	22	12200	6.8	25/100
YT-5948	180	22	8600	6.8	15/30
YT-5949	230	22	6500	6.8	15/30

TCT circular saw blade for structural wood



YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	
YT-60628	185	20	9000	2.4	1.8	14	25/50

Flap disc-regular shape



YATO	Grit	ØA [mm]	Ød [mm]	max n [min⁻¹]	
YT-83251	P36	115	22.4	13200	50/200
YT-83252	P40	115	22.4	13200	50/200
YT-83253	P60	115	22.4	13200	50/200
YT-83254	P80	115	22.4	13200	50/200
YT-83255	P100	115	22.4	13200	50/200
YT-83256	P120	115	22.4	13200	50/200

TCT circular saw blade for wood



• *Application: for cutting wood and plastics*

YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	For	
YT-60463	110	20.0	12200	1.8	1.0	40	-	25/50
YT-60467	115	22.2	12200	1.8	1.0	40	-	25/50
YT-60470	125	22.2	12200	3.8	2.2	3	-	25/50
YT-6052T	125	22.0	10000	2.8	1.3	40	-	25/50
YT-6052	140	20.0	10000	2.8	2.0	16	-	25/50
YT-60522	140	20.0	11000	2.8	2.0	30	-	25/50
YT-6053	140	16.0	10000	2.8	2.0	30	-	25/50
YT-6055	160	20.0	9500	2.8	2.0	18	79254	25/50
YT-6056	160	30.0	9500	2.8	2.0	24	79254	25/50
YT-6057	160	30.0	9500	2.8	2.0	36	-	25/50
YT-60577	160	20.0	9500	2.2	1.5	36	79254	25/50
YT-6058	160	20.0	9500	2.8	2.0	48	-	25/50
YT-60581	160	20.0	9500	2.2	1.5	60	-	25/50
YT-60590	165	16.0	9500	2.2	1.5	24	YT-82810, YT-82811	25/50
YT-60591	165	16.0	9500	2.2	1.5	36	YT-82810, YT-82811	25/50
YT-60582	170	16.0	9500	3.2	2.2	12	-	25/50
YT-60583	170	16.0	9500	3.2	2.2	40	-	25/50
YT-6060	184	30.0	9000	3.2	2.2	24	YT-82172	25/50
YT-6061	184	30.0	9000	3.2	2.2	40	YT-82172	25/50
YT-6062	184	30.0	9000	3.2	2.2	50	YT-82172	25/50
YT-60621	185	20.0	9000	2.2	1.5	24	YT-82151	25/50
YT-60622	185	20.0	9000	2.2	1.5	36	YT-82151	25/50
YT-60623	185	30.0	9000	2.2	1.5	60	YT-82151	25/50
YT-60624	185	30.0	9000	2.4	1.4	40	-	25/50
YT-6063	185	20.0	9000	2.4	1.4	18	YT-82151	10/20
YT-60633	190	16.0	8500	3.2	2.2	40	YT-82150	10/20
YT-60634	190	20.0	8500	2.2	1.5	24	-	25/50
YT-60635	190	20.0	8500	2.2	1.5	36	YT-82150	10/20
YT-60636	190	20.0	8500	2.2	1.5	60	-	10/20
YT-60488	190	30.0	8500	3.2	2.2	20	-	10/20
YT-60489	190	30.0	8500	3.2	2.2	40	-	10/20
YT-6065	200	30.0	8000	3.2	2.2	24	-	10/20
YT-60652	200	30.0	8000	3.2	2.2	40	-	10/20
YT-6066	205	18.0	6000	3.2	2.0	24	-	10/20
YT-60665	210	30.0	7500	3.2	2.2	20	-	10/20
YT-6067	210	30.0	8000	3.2	2.2	40	-	10/20
YT-6068	210	30.0	8000	3.2	2.2	60	-	10/20

YATO	Ø [mm]	Ød [mm]	max n [min⁻¹]	D [mm]	s [mm]	T	For	
YT-60682	216	30.0	7500	3.2	2.2	48	-	10/20
YT-60685	235	25.4	7000	2.8	1.8	24	YT-82153	10/20
YT-60671	210	30.0	7000	2.6	1.6	48	-	10/20
YT-60686	235	25.4	7000	2.8	1.8	36	YT-82153	10/20
YT-60687	235	25.4	7000	2.8	1.8	60	YT-82153	10/20
YT-60688	235	30.0	7000	2.8	1.8	40	-	10/20
YT-6069	245	15.9	5800	2.8	2.0	24	-	25
YT-6070	250	30.0	6000	3.2	2.2	24	YT-82165	10/20
YT-6071	250	30.0	6000	3.2	2.2	40	YT-82165	10/20
YT-6072	250	30.0	6000	3.2	2.2	60	YT-82165	10/20
YT-60729	254	30.0	6000	3.0	2.0	40	-	10
YT-60731	255	30.0	6000	30.0	2.0	24	YT-82171, YT-82173, YT-82165	10/20
YT-60732	255	30.0	6000	3.0	2.0	36	YT-82173	10/20
YT-60733	255	30.0	6000	3.0	2.0	60	YT-82173	10/20
YT-6075	300	30.0	6000	3.2	2.2	24	YT-82175	10
YT-6076	300	30.0	5000	3.2	2.2	40	YT-82175	10
YT-6077	300	30.0	5000	3.2	2.2	60	YT-82175	10
YT-6078	300	30.0	5000	3.2	2.2	96	YT-82175	10
YT-60782	305	30.0	5000	3.2	2.2	24	YT-82175	10
YT-60783	305	30.0	5000	3.2	2.2	40	YT-82175	10
YT-60784	305	30.0	5000	3.2	2.2	60	YT-82175	10
YT-60785	305	30.0	5000	3.2	2.2	96	YT-82175	10
YT-60791	315	30.0	4900	3.2	2.2	40	-	10
YT-60792	315	30.0	4500	3.5	2.5	48	-	10
YT-60794	315	30.0	4500	3.5	2.5	80	-	10
YT-60795	315	30.0	4900	3.2	2.2	96	-	10
YT-6080	350	30.0	4500	3.5	2.5	28	-	10
YT-6081	350	30.0	4500	3.5	2.5	40	-	10
YT-6082	350	30.0	4500	3.5	2.5	54	-	10
YT-6083	350	30.0	4500	3.5	2.5	84	-	10
YT-6085	400	30.0	4000	3.8	2.8	32	-	10
YT-6086	400	30.0	4000	3.8	2.8	60	-	10
YT-60929	210	30.0	7000	2.6	1.6	60	-	10/20
YT-60955	254	30.0	6000	3.0	2.0	80	-	10/20
YT-60976	305	30.0	4000	3.2	2.2	120	-	10

Flap disc-depressed shape



YATO	Grit	ØA [mm]	Ød [mm]	max ∩ [min⁻¹]	
YT-83281	P36	115	22.4	13200	25/100
YT-83282	P40	115	22.4	13200	25/100
YT-83283	P60	115	22.4	13200	50/200
YT-83284	P80	115	22.4	13200	50/200
YT-83285	P100	115	22.4	13200	50/200
YT-83286	P120	115	22.4	13200	50/200

Zirconium flap discs



YATO	ØA [mm]	Ød [mm]	max ∩ [min⁻¹]	D [mm]	Pcs	
YT-833000	P40	125	22.2	12200	10	40/200
YT-833001	P60	125	22.2	12200	10	40/200
YT-833002	P80	125	22.2	12200	10	40/200
YT-833003	P100	125	22.2	12200	10	40/200
YT-833004	P120	125	22.2	12200	10	40/200

YATO	ØA [mm]	Ød [mm]	max ∩ [min⁻¹]	D [mm]	
YT-833005	P40	125	22.2	12200	40/200
YT-833006	P60	125	22.2	12200	40/200
YT-833007	P80	125	22.2	12200	40/200
YT-833008	P100	125	22.2	12200	40/200
YT-833009	P120	125	22.2	12200	40/200

Flap disc – depressed shape



- *Application: metal*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Backing: fibreglass*

YATO	Grit	Ø [mm]	Mounting hole diameter [mm]	
YT-83291	P36	125	22.4	25/100
YT-83292	P40	125	22.4	25/100
YT-83293	P60	125	22.4	50/200
YT-83294	P80	125	22.4	50/200
YT-83295	P100	125	22.4	50/200
YT-83296	P120	125	22.4	50/200

Universal grinding disc



YATO	ØA [mm]	Ød [mm]	max ∩ [min⁻¹]	D [mm]	
YT-83260	P8	125	22.2	17000	100
YT-83261	P16	125	22.2	17000	100
YT-83262	P24	125	22.2	17000	100
YT-83263	P36	125	22.2	17000	100
YT-83264	P60	125	22.2	17000	100
YT-83265	P80	125	22.2	17000	100
YT-83266	P120	125	22.2	17000	100

Sand paper



- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: semi-resin*
- *Coating: closed*

YATO	Grit	[mm]	
YT-8400	P60	230x280	50/500
YT-8401	P80	230x280	50/500
YT-8402	P100	230x280	50/500
YT-8403	P120	230x280	50/500
YT-8404	P150	230x280	50/500

Flap disc – regular shape



- *Application: metal*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Backing: fibreglass*

YATO	Grit	Ø [mm]	Mounting hole diameter [mm]	
YT-83271	P36	125	22.4	25/100
YT-83272	P40	125	22.4	25/100
YT-83273	P60	125	22.4	50/200
YT-83274	P80	125	22.4	50/200
YT-83275	P100	125	22.4	50/200
YT-83276	P120	125	22.4	50/200

Abrasive cloth sheet



- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: semi-resin*
- *Coating: closed*

YATO	Grit	[mm]	
YT-83160	P36	230x280	50/250
YT-83161	P40	230x280	50/250
YT-83162	P60	230x280	50/250
YT-83163	P80	230x280	50/250
YT-83164	P100	230x280	50/250
YT-83165	P120	230x280	50/250
YT-83166	P150	230x280	50/250
YT-83167	P180	230x280	50/250
YT-83168	P220	230x280	50/250
YT-83169	P240	230x280	50/250

Sand paper



- *Application: paint, lacquer, filler, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Coating: semi-open*

YATO	Grit	[mm]	
YT-8350	P40	230x280	50/500
YT-8351	P60	230x280	50/500
YT-8352	P80	230x280	50/500
YT-8353	P100	230x280	50/500
YT-8354	P120	230x280	50/500
YT-8355	P150	230x280	50/500
YT-8356	P180	230x280	50/500
YT-8357	P220	230x280	50/500
YT-8358	P240	230x280	50/500

Sand paper



- *Application: paint, lacquer, filler*
- *Abrasive: silicon carbide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	
YT-8412	P500	230x280	50/500
YT-8413	P600	230x280	50/500
YT-8414	P800	230x280	50/500
YT-8415	P1000	230x280	50/500
YT-8416	P1200	230x280	50/500
YT-8417	P1500	230x280	50/500
YT-8418	P2000	230x280	50/500

Abrasive disc

5 PCS · STEEL STAL · WOOD DREWNO · Ø 125 mm · HOOK FASTENER RZEP



- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin / Coating: semi-open*

YATO	Grit	Ø [mm]	
YT-83430	P36	125	50/200
YT-83431	P40	125	50/200
YT-83432	P60	125	50/200
YT-83433	P80	125	50/200
YT-83434	P100	125	50/200

YATO	Grit	Ø [mm]	
YT-83435	P120	125	50/200
YT-83436	P150	125	50/200
YT-83437	P180	125	50/200
YT-83438	P220	125	50/200

Sand paper



- *Application: paint, lacquer, filler*
- *Abrasive: silicon carbide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	
YT-8405	P180	230x280	50/500
YT-8406	P220	230x280	50/500
YT-8407	P240	230x280	50/500
YT-8408	P280	230x280	50/500
YT-8409	P320	230x280	50/500
YT-8410	P360	230x280	50/500
YT-8411	P400	230x280	50/500

Abrasive disc with holes

5 PCS · STEEL STAL · WOOD DREWNO · Ø 125 mm · HOOK FASTENER RZEP



YATO	Grit	Ø [mm]	
YT-83450	P36	125	50/200
YT-83451	P40	125	50/200
YT-83452	P60	125	50/200
YT-83453	P80	125	50/200
YT-83454	P100	125	50/200

YATO	Grit	Ø [mm]	
YT-83455	P120	125	50/200
YT-83456	P150	125	50/200
YT-83457	P180	125	50/200
YT-83458	P220	125	50/200

Abrasive disc with holes

50 PCS · HOOK FASTENER RZEP



- *Application: steel, wood, paints, lacquers / Abrasive: aluminium oxide*
- *Bond: epoxy resin / Coating: semi-open*
- *Zastosowanie: stal, drewno, farby, lakiery*

For YT-82206, YT-82207

YATO	Grit	Ø [mm]	
YT-834591	P40	150	20
YT-834592	P60	150	20
YT-834593	P80	150	20
YT-834594	P100	150	20
YT-834595	P120	150	20
YT-834596	P150	150	20
YT-834597	P180	150	20
YT-834598	P220	150	20
YT-834599	P240	150	20

Abrasive sheet with hole

5 PCS · HOOK FASTENER RZEP



For YT-82230

- *Application: steel, wood, paints, filler*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin / Coating: semi-open*

YATO	Grit	[mm]	
YT-83800	P40	93x187	100/200
YT-83801	P60	93x187	100/200
YT-83802	P80	93x187	100/200
YT-83803	P100	93x187	100/200
YT-83804	P120	93x187	100/200

YATO	Grit	[mm]	
YT-83805	P150	93x187	100/200
YT-83806	P180	93x187	100/200
YT-83807	P220	93x187	100/200
YT-83808	P240	93x187	100/200

Abrasive disc with holes

50 PCS · HOOK FASTENER RZEP



- *Application: steel, wood, paints, lacquers*
- *Abrasive: aluminium oxide*
- *Coating: semi-open / Bond: epoxy resin*

For YT-09739, YT-09740

YATO	Grit	Ø [mm]	
YT-834581	P40	150	20
YT-834582	P60	150	20
YT-834583	P80	150	20
YT-834584	P100	150	20
YT-834585	P120	150	20
YT-834586	P150	150	20
YT-834587	P180	150	20
YT-834588	P220	150	20
YT-834589	P240	150	20

Abrasive disc with holes

3 PCS · HOOK FASTENER RZEP



- *Application: wood, plaster, paints*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin / Coating: open*

YATO	Grit	Ø [mm]	
YT-83471	P60	225	60/120
YT-83472	P80	225	60/120
YT-83473	P100	225	60/120
YT-83474	P120	225	60/120
YT-83475	P150	225	60/120
YT-83476	P180	225	60/120
YT-83477	P240	225	60/120

Flap wheel with shaft

40x20 x6 mm · 18000 min⁻¹



- *Application: metal*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*

YATO	Grit	[mm]	
YT-83351	P40	40x20x6	10/60
YT-83352	P60	40x20x6	10/60
YT-83353	P80	40x20x6	10/60
YT-83354	P100	40x20x6	10/60
YT-83355	P120	40x20x6	10/60
YT-83356	P150	40x20x6	10/60

Abrasive disc with holes

5 PCS · HOOK FASTENER RZEP



YATO	Grit	Ø [mm]	
YT-83440	P36	115	50/200
YT-83441	P40	115	50/200
YT-83442	P60	115	50/200
YT-83443	P80	115	50/200
YT-83444	P100	115	50/200
YT-83445	P120	115	50/200
YT-83446	P150	115	50/200
YT-83447	P180	115	50/200
YT-83448	P220	115	50/200

No end abrasive band



- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	pcs	
YT-83227	P36	75x533	5	20/60
YT-83229	P60	75x533	5	20/60
YT-83230	P80	75x533	5	20/60

Flap wheel with shaft

60x30 x6 mm · 15000 min⁻¹



- *Application: metal*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*

YATO	Grit	[mm]	
YT-83361	P40	60x30x6	10/60
YT-83362	P60	60x30x6	10/60
YT-83363	P80	60x30x6	10/60
YT-83364	P100	60x30x6	10/60
YT-83365	P120	60x30x6	10/60
YT-83366	P150	60x30x6	10/60

Abrasive disc with holes

3 PCS · HOOK FASTENER RZEP



- *Application: wood, plaster, paints*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin / Coating: open*

YATO	Grit	Ø [mm]	
YT-83460	P40	180	50/200
YT-83461	P60	180	50/200
YT-83462	P80	180	50/200
YT-83463	P100	180	50/200
YT-83464	P120	180	50/200
YT-83465	P150	180	50/200
YT-83466	P180	180	50/200
YT-83467	P240	180	50/200

No end abrasive band



- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	pcs	
YT-83236	P60	100x610	5	10/30

Flap wheel with shaft

80x30 x6 mm · 12000 min⁻¹



- *Application: metal*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*

YATO	Grit	[mm]	
YT-83371	P40	80x30x6	10/60
YT-83372	P60	80x30x6	10/60
YT-83373	P80	80x30x6	10/60
YT-83374	P100	80x30x6	10/60
YT-83375	P120	80x30x6	10/60
YT-83376	P150	80x30x6	10/60

Flap wheel with shaft

80x40 x6 mm | 12000 min⁻¹



- Application: metal
- Abrasive: aluminium oxide
- Bond: synthetic resin

YATO	Grit	[mm]	
YT-83381	P40	80x40x6	10/60
YT-83382	P60	80x40x6	10/60
YT-83383	P80	80x40x6	10/60
YT-83384	P100	80x40x6	10/60
YT-83385	P120	80x40x6	10/60
YT-83386	P150	80x40x6	10/60

Flap wheel with shaft

80x50 x6 mm | 9000 min⁻¹



- Application: metal
- Abrasive: aluminium oxide
- Bond: synthetic resin

YATO	Grit	[mm]	
YT-83398	P60	80x50x6	10/60
YT-83399	P100	80x50x6	10/60
YT-83400	P150	80x50x6	10/60
YT-83401	P200	80x50x6	10/60

Wheel drum for burnishing machine

WOOD DREWNO | ⌀120/19 x100 mm | PVC



- For removing paint coatings from wooden surfaces, e.g. creased patio boards

For YT-81953

YATO	
YT-81954	20

Flap wheel with shaft

50x30 x6 mm | 15000 min⁻¹



- Application: metal
- Abrasive: aluminium oxide
- Bond: synthetic resin

YATO	Grit	[mm]	
YT-83390	P60	50x30x6	10/60
YT-83391	P100	50x30x6	10/60
YT-83392	P150	50x30x6	10/60
YT-83393	P200	50x30x6	10/60

Drill powered scrub brushes

3 PCS | 1/4" 6.3 mm | Cr COATED POWLEKANE | NYLON | PP



YATO	Ø [mm]	
YT-47553	50, 80, 100	40

Wheel drum for burnishing machine

STEEL STAL | ⌀120/19 x100 mm | STEEL WIRE DRUT STALOWY



- For removing rust and paint

For YT-81953

YATO	
YT-81955	20

Flap wheel with shaft

60x50 x6 mm | 12000 min⁻¹



- Application: metal
- Abrasive: aluminium oxide
- Bond: synthetic resin

YATO	Grit	[mm]	
YT-83394	P60	60x50x6	10/60
YT-83395	P100	60x50x6	10/60
YT-83396	P150	60x50x6	10/60
YT-83397	P200	60x50x6	10/60

Drill powered scrub brushes

5 PCS | 1/4" 6.3 mm | Cr COATED POWLEKANE | NYLON | PP



YATO	Ø [mm]	
YT-47777	5, 8, 10, 12 (x2)	24

Wheel drum for burnishing machine

WOOD DREWNO | STEEL STAL | ⌀120/19 x100 mm



For YT-81953, YT-81956

YATO	
YT-81958	20

NON-SPARKING

Wheel drum for burnishing machine



For YT-81953, YT-81956

YATO	
YT-81957	20

Wire brush



YATO	Row quantity	L [mm]	
YT-6330	3	340	12/72

Wire brush



YATO	Row quantity	L [mm]	
YT-6333	4	290	12/72

Copper pipe internal brush



YATO	Pipe internal diameter [mm]	
YT-63701	15	12/240
YT-63702	18	12/240
YT-63703	22	12/240
YT-63704	28	12/240

Wire brush



YATO	Row quantity	L [mm]	
YT-6331	3	340	12/72

Wire brush



YATO	Row quantity	Size [mm]	
YT-6334	6	180x65	12/60

Tube wire brush



For YT-81953, YT-81956

YATO	Dimensions [mm]	
YT-47695	20x65x200	10/80
YT-47696	26x65x200	10/80
YT-47697	32x65x200	10/80
YT-47698	38x65x200	10/80

Wire brush



YATO	Row quantity	L [mm]	
YT-6332	4	260	12/72

Wire brush



YATO	Row quantity	L [mm]	
YT-6335	3	340	12/72

Wire brush

SS



YATO	Row quantity	L [mm]	
YT-6337	3	180	24/144

Wire brush

BRASS MOSIĄDZ



YATO	Row quantity	L [mm]	
YT-6341	3	340	12/72

Wire brush

BRASS MOSIĄDZ



YATO	Row quantity	L [mm]	
YT-6346	5	180	24/120

Wire brush

SS



YATO	Row quantity	L [mm]	
YT-6338	4	260	12/72

Wire brush

BRASS MOSIĄDZ



YATO	Row quantity	L [mm]	
YT-6343	3	180	24/144

Wire brush

NYLON



YATO	Row quantity	L [mm]	
YT-6349	5	180	24/120

Wire brush

SS



YATO	Row quantity	L [mm]	
YT-6340	5	180	24/120

Wire brush

BRASS MOSIĄDZ



YATO	Row quantity	L [mm]	
YT-6344	4	260	12/72

Wire brush

3 PCS | 180 mm | x3 | SS | BRASS MOSIĄDZ | NYLON



YATO	Row quantity	L [mm]	
YT-6351	3	180	24/144

Steel wire brush



YATO	Row quantity	
YT-6353	3	12/120
YT-6354	4	12/120
YT-6355	5	12/120
YT-6356	6	12/120

Diamond whetstone

STEEL BASE / STALOWA BAZA



YATO	Grit	Coating length [mm]	[mm]	
YT-76085	G300	50	150x50x4	10/60
YT-76086	G400	50	150x50x4	10/60
YT-76087	G600	50	150x50x4	10/60

Steel file

#1 #2 #3 150 mm 200 mm 250 mm 300 mm T12



YATO	[#]	L [mm]	
YT-62228	1	150	20/80
YT-62229	1	200	20/80
YT-6223	1	250	20/80
YT-62231	1	300	10/40
YT-6180	2	150	20/80
YT-6185	2	200	20/80
YT-6228	2	250	20/80
YT-6190	2	300	10/40
YT-62328	3	150	20/80
YT-62329	3	200	20/80
YT-6233	3	250	20/80
YT-62331	3	300	10/40

Steel wire brush

ZINC PLATED / OCYNKOWANA



YATO	Row quantity	
YT-6358	4	12/72
YT-6359	5	12/72
YT-6360	6	12/72

Sponge with diamond surface

G60 G100 G200 G400



YATO	Grit	
YT-76101	G60	50
YT-76103	G100	50
YT-76105	G200	50
YT-76108	G400	50

Steel file

#1 #2 #3 150 mm 200 mm 250 mm 300 mm T12



YATO	[#]	L [mm]	
YT-62258	1	150	20/80
YT-62259	1	200	20/80
YT-6226	1	250	20/80
YT-62261	1	300	10/40
YT-6183	2	150	20/80
YT-6188	2	200	20/80
YT-6231	2	250	20/80
YT-6193	2	300	10/40
YT-62348	3	150	20/80
YT-62349	3	200	20/80
YT-6235	3	250	20/80
YT-62351	3	300	10/40

Copper pipe brush 2 in 1

Ø 15 mm | Ø 22 mm | SS STAINLESS STEEL / STAL NIERDZEWNA



YATO	Pipe external & internal diameter [mm]	
YT-63705	15, 22	50/100

Diamond grinding wheel dresser

45.5x13 mm



YATO	
YT-61395	20/200

Steel file

#1 #2 #3 150 mm 200 mm 250 mm 300 mm T12



YATO	[#]	L [mm]	
YT-62238	1	150	20/80
YT-62239	1	200	20/80
YT-6224	1	250	20/80
YT-62241	1	300	10/40
YT-6181	2	150	20/80
YT-6186	2	200	20/80
YT-6229	2	250	20/80
YT-6191	2	300	10/40
YT-62243	3	150	20/80
YT-62244	3	200	20/80
YT-62245	3	250	20/80
YT-62246	3	300	10/40

Steel file

#1 #2 #3 150 mm 200 mm 250 mm 300 mm T12



YATO	[#]	L [mm]	
YT-62248	1	150	20/80
YT-62249	1	200	20/80
YT-6225	1	250	20/80
YT-62251	1	300	10/40
YT-6182	2	150	20/80
YT-6187	2	200	20/80
YT-6230	2	250	20/80
YT-6192	2	300	10/40
YT-62338	3	150	20/80
YT-62339	3	200	20/80
YT-6234	3	250	20/80
YT-62341	3	300	10/40

Steel file set

#1 #2 250 mm T12 5 PCS



YATO	[#]	
YT-6238	1, 2	5/10

Steel file set

#2 150 mm T12 5 PCS



YATO	[#]	
YT-62392	2	12

Steel file

#1 #2 #3 150 mm 200 mm 250 mm 300 mm T12



YATO	[#]	L [mm]	
YT-62268	1	150	20/80
YT-62269	1	200	20/80
YT-6227	1	250	20/80
YT-62271	1	300	10/40
YT-6184	2	150	20/80
YT-6189	2	200	20/80
YT-6232	2	250	20/80
YT-6194	2	300	10/40
YT-62358	3	150	20/80
YT-62359	3	200	20/80
YT-6236	3	250	20/80
YT-62361	3	300	10/40

Steel file set

#3 250 mm T12 5 PCS



YATO	[#]	
YT-6239	3	5/10

Steel file set

#3 150 mm T12 5 PCS



YATO	[#]	
YT-62393	3	12

Steel file set

#2 250 mm T12 3 PCS



YATO	[#]	
YT-6237	2	10/20

Steel file set

#1 150 mm T12 5 PCS



YATO	[#]	
YT-62391	1	12

Steel file set

#1 200 mm T12 5 PCS



YATO	[#]	
YT-62394	1	12

Steel file set

#2 | 200 mm | T12 | 5 PCS



YATO	[#]	
YT-62395	2	12

Wood rasp

250 mm | #45



YATO	L [mm]	
YT-6219	250	12/72

Diamond sharpening file

G 240/400 | 250 mm



YATO	Grit	L [mm]	
YT-76080	G240, G400	250	12/48

Steel file set

#3 | 200 mm | T12 | 5 PCS



YATO	[#]	
YT-62396	3	12

Wood rasp

250 mm | #45



YATO	L [mm]	
YT-6221	250	12/72

Needle file set

6 PCS | GCr15



YATO	Working length [mm]	[mm]	
YT-6160	65	3x140	50/200
YT-6161	75	4x160	25/100
YT-6162	85	5x180	25/100

Wood rasp set

3 PCS | #45 | 250 mm



YATO	L [mm]	
YT-6222	250	5/20

Wood rasp

250 mm | #45



YATO	L [mm]	
YT-6220	250	12/72

Needle file set

10 PCS | GCr15



YATO	Working length [mm]	[mm]	
YT-6163	65	3x140	25/100
YT-6164	75	4x160	25/100
YT-6165	85	5x180	25/50

Diamond needle file

G150



YATO	Working length [mm]	[mm]	
YT-6140	52	3x140	120/1200
YT-6147	50	4x160	80/800
YT-6152	70	180	45/450

Diamond needle file set

3 PCS G150



YATO	Working length [mm]	[mm]	
YT-6143	50	3x140	40/400
YT-6150	50	4x160	30/300
YT-6155	70	5x180	15/150

Diamond needle file set

10 PCS G150



YATO	Working length [mm]	[mm]	
YT-6145	25	3x140	12/120

Diamond needle file

G150



YATO	Working length [mm]	[mm]	
YT-6141	50	3x140	120/1200
YT-6148	50	4x160	80/800
YT-6153	70	5x180	45/450

Diamond needle file set

5 PCS G150



YATO	Working length [mm]	[mm]	
YT-6156	70	180	10/100

Diamond needle file set

10 PCS G150



YATO	Working length [mm]	[mm]	
YT-6146	30	3x140	12/120

Diamond needle file

G150



YATO	Working length [mm]	[mm]	
YT-6142	50	3x140	120/1200
YT-6149	50	4x160	80/800
YT-6154	70	5x180	45/450

Diamond needle file set

10 PCS G150



YATO	Working length [mm]	[mm]	
YT-6144	50	3x140	12/120

Diamond needle file set

10 PCS G150



YATO	Working length [mm]	[mm]	
YT-6151	50	4x160	9/90

Round chain saw file set

3 PCS | 250 mm | BEARING STEEL STAL ŁOŻYSKOWA | PP





YATO	Ø [mm]	For	
YT-85025	4.0	3/8"	4/200
YT-85026	4.5	3/8", 0.325"	4/200
YT-85027	4.8	0.325"	4/200

Handle for round chain sharpening file

PP



YATO	Ø [mm]	For	
YT-85065	4.0	3/8" / YT-85025	200
YT-85066	4.5	3/8", 0.325" / YT-85026	200
YT-85067	4.8	0.325" / YT-85027	200

Chain saw file with guide

250 mm | 30° | 35° | BEARING STEEL STAL ŁOŻYSKOWA | PP





YATO	Ø [mm]	For	
YT-85035	4.0	3/8"	200
YT-85036	4.5	3/8", 0.325"	200
YT-85037	4.8	0.325"	200

Flat depth-gauge file

250 mm | 15x2 mm | BEARING STEEL STAL ŁOŻYSKOWA | PP



YATO	L [mm]	
YT-85022	250	200

Chain sharpening set

4 PCS | 25° | 30° | 35° | BEARING STEEL STAL ŁOŻYSKOWA | PP



YATO	Ø [mm]	For	
YT-85040	4.0	3/8"	50
YT-85041	4.5	3/8", 0.325"	50
YT-85042	4.8	0.325"	50

Handle for round chain sharpening file

PP



YATO	Ø [mm]	For	
YT-85060	4.0	3/8" / YT-85025	500
YT-85061	4.5	3/8", 0.325" / YT-85026	500
YT-85062	4.8	0.325" / YT-85027	500

Chain saw file with guide

3 PCS | 250 mm | BEARING STEEL STAL ŁOŻYSKOWA | PP





YATO	Ø [mm]	For	
YT-85030	4.0	3/8"	4/100
YT-85031	4.5	3/8", 0.325"	4/100
YT-85032	4.8	0.325"	4/100

Cup brush with shaft

4500 min⁻¹ | Ø 75 mm | 6 mm



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4750	75	4500	12/96

Cup brush with shaft

6000 min⁻¹ | Ø 75 mm | 6 mm



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-4752	75	6000	12/72

Cup brush with shaft

4500 min⁻¹ | Ø 50 mm | 6 mm | INOX



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-47497	50	4500	12/144

Cup brush with shaft

12500 min⁻¹ | Ø 65 mm | 6 mm



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-47518	65	4500	10/100

Cup brush with shaft

4500 min⁻¹ | Ø 75 mm | 6 mm | INOX



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-4751	75	4500	12/96

Cup brush with shaft

4500 min⁻¹ | Ø 100 mm | 6 mm | INOX



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-47511	100	4500	6/36

Cup brush with shaft

4500 min⁻¹ | Ø 75 mm | 6 mm | NYLON



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-47782	75	4500	10/120

Cup brush with shaft set

3 PCS | 6 mm



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-4755	20, 50, 50	6000, 7500, 4500	12/60

Cup brush with shaft

4500 min⁻¹ (max.) | Ø 25 mm | 6 mm | INOX



YATO	Ø [mm]	max ᔕ [min⁻¹]	
YT-47496	25	4500	20/240

Cup brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-47780	25	4500	20/240

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-4759	75	20000	10/100

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-47565	50	4500	20/240
YT-47568	75	4500	12/144

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-4757	100	4500	12/96

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-47791	75	4500	10/120
YT-47792	100	4500	10/60

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-47800	50	4500	6/36
YT-47801	75	4500	6/36
YT-47802	100	4500	6/36

Circular brush with shaft



YATO	Ø [mm]	max [min⁻¹]	
YT-4758	100	4500	12/96

Cup brush with shaft set



YATO	Ø [mm]	max [min⁻¹]	
YT-47593	37, 50, 62, 75	4500	6/60

Circular brush

12500 | ⌀100 mm | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4761	100	12500	8/64

Cup brush

8500 | ⌀100 mm | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4766	100	8500	4/32

Cup brush

8500 | ⌀100 mm | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4769	100	8500	4/16

Circular brush

10000 | ⌀125 mm | M14 | INOX



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4764	125	10000	8/48

Cup brush

12500 | ⌀60 mm | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4767	60	12500	10/80

Circular brush

12500 | ⌀100 mm | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4763	100	12500	8/64

Circular brush

12500 | ⌀125 mm | M14 | INOX





YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47612	125	12500	10/60

Cup brush

11000 | ⌀75 mm | M14 | INOX



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-4768	75	11000	6/36

Cup brush

6500 | ⌀125 mm | M14





YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47691	125	6500	4/16

Cup brush

12500 min⁻¹ | ⌀ 65 mm | M14 | INOX



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47658	65	12500	10/80

Metal grinding disc

125x22.2 mm | 12500 min⁻¹ | SILICON CARBIDE WĘGLIK KRZEMU | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47820	125	12500	6/36

Hook and loop sanding pad

⌀ 80 mm | 25 mm | 5000 min⁻¹



YATO	Sponge hardeness	
YT-47920	soft	200
YT-47921	medium hard	200
YT-47922	hard	200

Cup brush

NYLON



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47785	65	12200	10/80
YT-47787	125	6500	6/24

Hook and loop sanding pad

12000 min⁻¹ | HOOK FASTENER RZEP | 5/16" 8 mm



YATO	Ø [mm]	
YT-47870	75	200
YT-47872	125	150
YT-47873	150	100

Hook and loop sanding pad

⌀ 150 mm | 25 mm | 3000 min⁻¹



YATO	Sponge hardeness	
YT-47892	soft	200
YT-47893	medium hard	200
YT-47894	hard	80
YT-47895	very hard	80

Circular brush

INOX



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47554	150x32	6000	5/40
YT-47555	200x32	4500	5/20

Hook and loop sanding pad

HOOK FASTENER RZEP | M14



YATO	Ø [mm]	max ↻ [min⁻¹]	
YT-47860	75	12000	200
YT-47890	125	5000	100

Hook and loop sanding pad

⌀ 150 mm | 25 mm | 3000 min⁻¹ | SANDING SPONGE GĄBKA ŚCIERNA



YATO	
YT-47896	200

Thread adapter

Ø 6.0 mm | 45 mm | M14



YATO	Ø [mm]	
YT-47868	6	500

Polishing pad with sanding sponge

Ø 150 mm | 50 mm | 5000 min⁻¹ | M14 | SANDING SPONGE GĄBKA ŚCIERNA



YATO	
YT-47884	60

Polishing pad kit

2 PCS | Ø 250 mm | 5000 min⁻¹



For YT-82922

YATO	Ø [mm]	
YT-47940	250	60

Thread adapter

47 mm | 1/4" 6.3 mm | M14

NEW



YATO	⬡	
YT-47869	1/4" (6.3 mm)	20/200

Polishing felt

3000 min⁻¹ | M14



YATO	Ø [mm]	H [mm]	
YT-47902	75	10	200
YT-47901	125	10	150
YT-47900	125	20	100

Accessories for mini grinders

157 PCS | 3.2 mm | Ø 2.3 3.2 mm



YATO	
YT-34670	16

Polishing pad

Ø 150 mm | 50 mm | 5000 min⁻¹ | M14



YATO	Sponge hardeness	
YT-47880	soft	60
YT-47881	medium hard	60
YT-47882	hard	60
YT-47883	very hard	60

Hook and loop buffing pad

5000 min⁻¹



YATO	Ø [mm]	
YT-47910	80	200
YT-47911	125	100
YT-47912	150	80
YT-47913	180	60

Accessories for mini grinders

201 PCS | 3.2 mm | Ø 2.3 3.2 mm



YATO	
YT-34671	10

Polishing pad kit

8 PCS | Ø 180 mm | 6000 min⁻¹ | M14



YATO	Ø [mm]	
YT-47933	180	12

Polishing pad kit

12 PCS | Ø 80 mm | 6000 min⁻¹ | M10



YATO	Ø [mm]	
YT-47930	80	40

Polishing sponges for rims

3 PCS | Ø 30-75 mm | 80 mm | 6000 min⁻¹ | 6 mm



YATO	Ø [mm]	
YT-47945	30-75	50

Polishing pad kit

12 PCS | 6000 min⁻¹ | M14



YATO	Ø [mm]	
YT-47931	125	12
YT-47932	150	12



Stud crimper

275 mm | 0.5-0.8 mm SECTION THICKNESS GRUBOŚĆ PROFILU | A380 Al Ti HEAD ŁEBEK | GR15 PUNCH PUNKTAK



YATO	L [mm]	
YT-5130	275	6/24

Punch pliers

240 mm | ⌀ 3.2 mm | GR15 PUNCH PUNKTAK



YATO	L [mm]	
YT-51320	240	5/30

Corner chisel

9x9 mm | 90°



YATO	Size [mm]	
YT-62840	9x9	10/100

Stud crimper

345 mm | 0.5-0.8 mm SECTION THICKNESS GRUBOŚĆ PROFILU | 65Mn PUNCH PUNKTAK



YATO	L [mm]	
YT-5131	345	6/24

Profile forming pliers

210 mm | 80x35 mm



YATO	L [mm]	
YT-5140	210	2/12

Glass cutter with diamond tip

175 mm



YATO	L [mm]	
YT-37390	175	6/240

Stud crimper

280 mm | 0.5-0.8 mm SECTION THICKNESS GRUBOŚĆ PROFILU | A380 Al Ti HEAD ŁEBEK | GR15 PUNCH PUNKTAK



YATO	L [mm]	
YT-51311	280	6/24

Profile forming pliers

210 mm | 80x35 mm



YATO	L [mm]	
YT-5141	210	2/12

2-sided glass cutting tool

120 mm | 2x ⌀ 8mm | YG6X | 2-SIDED CUTTING CIĘCIE 2-STRONNE



YATO	L [mm]	
YT-37404	120	6/240

Stud crimper

260 mm | 0.5-0.8 mm SECTION THICKNESS GRUBOŚĆ PROFILU | ST12 | 65Mn PUNCH PUNKTAK



YATO	L [mm]	
YT-51312	260	6/24

Profile forming pliers

210 mm | 150x35 mm



YATO	L [mm]	
YT-5142	210	2/12

Glass cutter with 3 wheels

130 mm | 3x ⌀ YG6X



YATO	L [mm]	
YT-37391	130	10/150

Forstner drill bit



YATO	Ø [mm]	
YT-33010	26	10/100
YT-33011	35	10/100

Forstner drill bit set



YATO	Ø [mm]	
YT-33015	15, 20, 26, 30, 35	20

Router bit set



YATO	
YT-68000	50

Router bit set



YATO	
YT-68001	50

Router bit set



Router bit parameter												
shank diameter / średnica uchwytu [mm]	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
length / długość [mm]	51.0	49.0	51.0	45.0	48.0	48	50.0	53.0	50.0	52.0	38.0	39.0
router bit diameter / średnica frezu [mm]	6.0	12.0	16.0	12.7	32.0	22.0	25.4	28.6	22.0	12.7	13.0	12.7
cutting edge length / długość krawędzi tnącej [mm]	20.0	20.0	20.0	12.7	12.7	10.5	11.5	16.0	12.0	13.0	9.5	6.35
curvature radius / promień krzywizny [mm]	-	-	-	-	-	12.7	3.175	9.5	6.35	-	-	-
bearing diameter / średnica łożyska [mm]	-	-	-	-	9.0	9.0	9.0	9.0	9.0	9.0	-	-
angle / kąt [°]	-	-	-	10.0	45.0	-	-	-	-	-	90.0	-

YATO	
YT-68006	20

Router bit set



Router bit parameter												
shank diameter / średnica uchwytu [mm]	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
length / długość [mm]	51.0	49.0	51.0	45.0	48.0	48	50.0	53.0	50.0	52.0	38.0	39.0
router bit diameter / średnica frezu [mm]	6.0	12.0	16.0	12.7	32.0	22.0	25.4	28.6	22.0	12.7	13.0	12.7
cutting edge length / długość krawędzi tnącej [mm]	20.0	20.0	20.0	12.7	12.7	10.5	11.5	16.0	12.0	13.0	9.5	6.35
curvature radius / promień krzywizny [mm]	-	-	-	-	-	12.7	3.175	9.5	6.35	-	-	-
bearing diameter / średnica łożyska [mm]	-	-	-	-	9.0	9.0	9.0	9.0	9.0	9.0	-	-
angle / kąt [°]	-	-	-	10.0	45.0	-	-	-	-	-	90.0	-

YATO	
YT-68005	20

Router bit set

15 PCS | +/- 0.08 mm | 6 mm | YG6X





Router bit parameter																
shank diameter / średnica uchwytu [mm]	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
length / długość [mm]	43.0	49.0	51.0	45.0	48.0	51.0	50.0	53.0	50.0	52.0	38.0	39.0	49.0	60.0	43.0	
router bit diameter / średnica frezu [mm]	12.7	12.0	16.0	12.7	32.0	6.0	25.4	28.6	22.0	12.7	12.7	12.7	3.0	6.35	6.35	
cutting edge length / długość krawędzi tnącej [mm]	12.7	20.0	20.0	12.7	12.7	20.0	11.5	16.0	12.0	13.0	9.5	6.35	13.0	19.50	6.0	
curvature radius / promień krzywizny [mm]	-	-	-	-	-	-	3.175	9.5	6.35	-	-	-	-	-	3.2	
bearing diameter / średnica łożyska [mm]	-	-	-	-	9.0	-	9.0	9.0	9.0	9.0	-	-	-	-	-	
angle / kąt [°]	-	-	-	10.0	45.0	-	-	-	-	-	90	-	-	-	-	

YATO	
YT-68007	20

Router bit set

15 PCS | +/- 0.08 mm | 8 mm | YG6X





Router bit parameter																
shank diameter / średnica uchwytu [mm]	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
length / długość [mm]	43.0	49.0	51.0	45.0	48.0	51.0	50.0	53.0	50.0	52.0	38.0	39.0	49.0	60.0	43.0	
router bit diameter / średnica frezu [mm]	12.7	12.0	16.0	12.7	32.0	6.0	25.4	28.6	22.0	12.7	12.7	12.7	3.0	6.35	6.35	
cutting edge length / długość krawędzi tnącej [mm]	12.7	20.0	20.0	12.7	12.7	20.0	11.5	16.0	12.0	13.0	9.5	6.35	13.0	19.50	6.0	
curvature radius / promień krzywizny [mm]	-	-	-	-	-	-	3.175	9.5	6.35	-	-	-	-	-	3.2	
bearing diameter / średnica łożyska [mm]	-	-	-	-	9.0	-	9.0	9.0	9.0	9.0	-	-	-	-	-	
angle / kąt [°]	-	-	-	10.0	45.0	-	-	-	-	-	90	-	-	-	-	

YATO	
YT-68002	20

Router bit set

35 PCS | +/- 0.08 mm | 8 mm | YG6X





Router bit parameter																			
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	43,0	38,0	38,0	50,5	42,0	43,5	51,5	49,5	51,5	58,0	58,5	56,5	52,0	58,0	53,5	66,0	53,0	65,0	
Router bit diameter [mm]	6,35	12,7	12,7	12,7	12,7	12,7	14,3	3,175	6,35	9,5	12,7	12,7	19,0	6,35	9,5	9,5	12,7	12,7	
Cutting edge length [mm]	6,0	9,5	9,5	18,0	12,7	13,0	12,3	13,0	20,0	24,5	20,3	25,0	20,4	19,5	15,0	26,0	15,0	25,0	
Curvature radius [mm]	3.175	6.35	-	6.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bearing diameter [mm]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	9.5	12.7	12.7	
Angle [°]	-	-	45	-	-	10	14	-	-	-	-	-	-	-	-	-	-	-	

Router bit parameter																		
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	-
Length [mm]	65.5	55.0	51.0	55.0	50.0	52.5	54.0	55.5	60.0	60.0	56.0	60.0	52.5	58.0	53.5	57.5	61.0	-
Router bit diameter [mm]	19.0	30.0	26.0	32.0	32.0	32.0	32.0	32.0	32.0	38.0	32.0	38.0	26.0	38.0	26.0	32.0	38.0	-
Cutting edge length [mm]	26.0	14.0	9.7	13.3	6.35	8.0	9.5	15.0	18.5	20.0	16.0	19.0	12.5	17.8	11.5	16.5	20.8	-
Curvature radius [mm]	-	-	6.35	9.5	-	-	-	8.0	4.76	12.7	4.76	6.35	3.175	6.35	6.35	9.5	12.7	-
Bearing diameter [mm]	19.0	12.7	12.7	12.7	12.7	12.7	12.7	9.5	12.7	9.5	9.5	9.5	9.5	9.5	12.7	12.7	12.7	-
Angle [°]	-	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

YATO	
YT-6803	10

Router bit set

24 PCS | +/- 0.08 mm | 8 mm | YG6X





Router bit parameter												
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	42.0	47.0	47.0	43.5	50.0	51.5	51.0	52.0	58.0	51.5	58.0	56.5
Router bit diameter [mm]	12.7	12.7	9.5	12.7	12.7	9.5	12.7	16.0	6.35	6.35	9.5	12.7
Cutting edge length [mm]	12.7	14.8	11.6	13.0	12.5	20.0	20.0	9.5	19.5	20.0	24.5	25.0
Curvature radius [mm]	-	-	-	-	-	4.75	6.35	-	-	-	-	-
Bearing diameter [mm]	-	-	-	-	-	-	-	12.7	-	-	-	-
Angle [°]	-	15	10	-	45	-	-	15	-	-	-	-

Router bit parameter												
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	52.0	65.0	51.0	51.5	53.5	57.5	50.5	53.5	52.0	55.0	50.0	54.0
Router bit diameter [mm]	19.0	12.7	19.0	22.0	26.0	32.0	22.0	28.5	27.0	30.0	32.0	32.0
Cutting edge length [mm]	20.4	25.0	9.5	10.0	11.5	16.5	9.72	13.5	12.3	14.0	6.35	12.7
Curvature radius [mm]	-	-	3.2	4.76	6.35	9.5	6.35	9.5	4.0	-	-	-
Bearing diameter [mm]	-	12.7	-	12.7	12.7	12.7	9.5	9.5	9.5	12.7	12.7	12.7
Angle [°]	-	-	-	-	-	-	-	-	-	45	-	-

YATO	
YT-6801	10

Scraper



YATO	L [mm]	Blade length [mm]	
YT-75460	260	52	10/60

Window scraper



YATO	L [mm]	
YT-7550	300	10/60

Sliding hammer with scraper



YATO	L [mm]	
YT-52850	580-820	6

Scraper



YATO	L [mm]	Blade length [mm]	
YT-75461	290	62	12/48

Window scraper



YATO	L [mm]	
YT-7551	390-600	10/60

Pliers for hollow expansion bolts



YATO	L [mm]	
YT-51452	175	5/30

Scraper



YATO	L [mm]	Blade length [mm]	
YT-75464	200	30	10/50
YT-75465	220	40	10/50
YT-75467	270	65	6/24

Floor scraper



Fitting blades: YT-52843

YATO	L [mm]	
YT-52840	350	6/12

Pliers for hollow expansion bolts



Ø 7 mm (32 mm) x5;
Ø 9 mm (37 mm) x5;
Ø 4 mm (40 mm);
Ø 5 mm (44 mm)

YATO	
YT-51450	6/24

Spare blades



For YT-52840, YT-52841

YATO	
YT-52843	10

Floor scraper



Fitting blades: YT-52843

YATO	L [mm]	
YT-52841	500	2/12

Prybar scraper set



YATO	[mm]	
YT-52860	170x32x25, 235x40x40	12/48

Pliers for hollow expansion bolts

60 PCS



Ø 7 mm (32 mm) x35;
Ø 9 mm (37 mm) x15;
Ø 9 mm (52 mm) x10;
Ø 4 mm (40 mm);
Ø 5 mm (44 mm);
Ø 5 mm (58 mm)



YATO	
YT-51451	3/12

Foam gun

Al QUICK FLOW ADJUSTMENT SZYBKA REGULACJA WYPŁYWU PTFE



YATO	
YT-67421	20

Foam gun

500 mm Al QUICK FLOW ADJUSTMENT SZYBKA REGULACJA WYPŁYWU



YATO	
YT-67460	20

Foam gun

Al QUICK FLOW ADJUSTMENT SZYBKA REGULACJA WYPŁYWU



YATO	
YT-67441	20

Foam gun

PTFE



YATO	
YT-6740	10/20

Foam gun

PTFE



YATO	
YT-6743	20

Foam gun

Al QUICK FLOW ADJUSTMENT SZYBKA REGULACJA WYPŁYWU PTFE



YATO	
YT-67433	20

Foam gun

PTFE



YATO	
YT-6741	10/20

Foam gun

PTFE



YATO	
YT-6745	20

Foam gun

320 mm Al PTFE



YATO	
YT-67422	20

Foam gun

350 mm | Al



YATO	
YT-67420	20

Foam gun

330 mm | ULTRA LIGHT ULTRALEKKI | ABS | PTFE



YATO	
YT-67435	1/20

Caulking gun

225 mm | 300 ml



YATO	L [mm]	
YT-6753	225	6/12

Foam gun

60 mm | 190 mm | Al | PTFE



YATO	
YT-67423	1/20

Foam gun

350 mm | Al | PTFE



YATO	
YT-67436	20

Caulking gun

225 mm | 310 ml



YATO	L [mm]	
YT-6754	225	6/12

Foam gun

315 mm | Al | PTFE



YATO	
YT-67424	1/20

Foam gun

Al | PTFE | QUICK FLOW ADJUSTMENT SZYBKA REGULACJA WYPŁYWU | PTFE | NEW



YATO	
YT-67440	20

Caulking gun

225 mm | 300 ml



YATO	L [mm]	
YT-6750	225	1/24

Foam gun

330 mm | Al | PTFE



YATO	
YT-67434	1/20

Caulking gun

225 mm | 300 ml



YATO	L [mm]	
YT-6751	225	1/12

Caulking gun

225 mm | 300 ml



YATO	L [mm]	
YT-6755	225	10/20

NON-SPARKING

Caulking gun

205 mm | 300 ml



YATO	L [mm]	
YT-67573	205	10

Caulking gun

240 mm | x13 | 360° | Al | NEW



YATO	L [mm]	
YT-67562	240	20

Caulking gun

600 mm | ⌀ 60 mm | 2.0 mm | TRANSPARENT PRZEZROCZYSTY



YATO	L [mm]	
YT-67571	600	20

Caulking gun

245 mm | 400 ml



YATO	L [mm]	
YT-67574	245	12

Caulking gun

380 mm | 600 ml | x13 | 360° | Al | NEW



YATO	L [mm]	
YT-67564	380	20

Mortar gun with nozzles kit



YATO	
YT-67580	10

Caulking gun

225x60 mm



YATO	L [mm]	
YT-67520	225	12

Caulking gun

225x60 mm



YATO	L [mm]	
YT-67570	225	12

Mortar gun with nozzles kit

1L | Al



YATO	
YT-67583	12

Caulking gun

225x70 mm



YATO	L [mm]	
YT-67560	225	6

Air caulking gun

1.0 MPa | 380 mm | 600 ml | Al | STANDARD



L_{pA} = <70 dB; L_{wA} = <80 dB; a_h = <2,5 m/s²

YATO	L [mm]	
YT-67470	380	10

Floor laminate cutter

370x600 mm | 340 mm | max 16 mm | SS STAINLESS STEEL STAL NIERDZEWNA | Al



• *Application: PVC, laminates, rubber, plastics*

YATO	L [mm]	
YT-37311	600	2

NON-SPARKING

Floor laminate cutter

230 mm | max 15 mm | HSS W5 | Al



• Application: parquet and vinyl flooring, VCT, PVC, rubber, foam

YATO	
YT-37303	6

Tile cutting wheel

8x10x82 mm



For YT-37036

YATO	
YT-37038	300

Tile cutter

0-45° | max 16 mm | 22x14x2 mm | YG6X | TiN



YATO	L [mm]	
YT-3706	500	2

Hardwood floor positioning tool

420 mm



YATO	L [mm]	
YT-37317	420	6

Tile cutter

630 mm | 0-45° | max 14 mm | 12,6x3x3 mm | YG6X | TiN



YATO	L [mm]	
YT-3703	630	2

Tile cutter

600 mm | max 12 mm | 22x6x6 mm | Al



YATO	L [mm]	
YT-37042	600	2

Floor plank cutter

340 mm | Al | SS



• Application: PVC, laminates, rubber, plastics

YATO	L [mm]	
YT-37325	340	12

Tile cutter

900 mm | 0-45° | max 20 mm | 22x14x2 mm | YG6X | TiN



YATO	L [mm]	
YT-3705	900	1

Tile cutter

1000 mm | max 16 mm | 22x6x6 mm | YG6X



YATO	L [mm]	
YT-37052	1000	1

Tile cutter

600 mm | 0-45° | 8x10x82 mm | max 12 mm



YATO	L [mm]	
YT-37036	600	3

Tile cutter

0-45° | max 16 mm | 22x14x2 mm | YG6X | TiN



YATO	L [mm]	
YT-3707	600	2
YT-3708	800	2

Tile cutter

max 14 mm | 22x6x6 mm | YG6X



YATO	L [mm]	
YT-37000	800	2
YT-37002	1200	2

Tile cutter



YATO	L [mm]	
YT-37010	1650	1
YT-37011	1850	1

Tile cutting wheel



YATO	
YT-37150	50/500

Tile cutting wheel



YATO	
YT-37151	50/500

Tile cutter



YATO	L [mm]	
YT-37015	1050	1
YT-37016	1300	1
YT-37017	1650	1

Large format tile cutter



YATO	L [mm]	
YT-36980	3200	1

Tile cutting wheel



For YT-3704, YT-3705, YT-3706, YT-3707, YT-3708

YATO	
YT-3714	50/200

Tile cutting wheel



For YT-3704, YT-3705, YT-3706, YT-3707, YT-3708

YATO	
YT-37141	50/200

Tile cutter with table









YATO	L [mm]	
YT-37040	600	1

Large format tile cutter



YATO	
YT-36981	1

Tile cutting pliers



YATO	L [mm]	
YT-37160	200	6/36

Tile cutting pliers

200 mm | 2x YG6X | TiN



YATO	L [mm]	
YT-37161	200	6/36

Tile chamfering machine

250x170 mm | 45° | Al



YATO	[mm]	
YT-36984	250x170	50

Interchangeable brick jointer

4 PCS | 1/2" 12.7mm | 5/8" 15.9mm | 3/4" 19mm | 7/8" 22.2mm | SS



YATO		
YT-37177		6/24

Tile cutting pliers

200 mm | YG6X



YATO	L [mm]	
YT-37164	200	6/60

Grout remover



YATO		
YT-37170		10/60

Profile gauge

44 mm | 1.5 mm | 125 mm



YATO	L [mm]	
YT-3735	125	24/72

Bull float kit

120x20 cm | Al | 3x180 cm



YATO	Size [mm]	
YT-30900	1200x200	1

Drywall flat finishing box

1680 1070 mm | 10" 25 cm | SS | Al | NEW



YATO		
YT-76276		1

Profile gauge

44 mm | 1.5 mm | 260 mm



YATO	L [mm]	
YT-3736	260	10/40

Profile gauge

525 mm | 100 mm | 44 mm



YATO	L [mm]	
YT-37364	525	9/18

Trowel for silicone

TPR



YATO	
YT-5260	20/300

Stucco spatulas set

2 PCS | 0.6 mm / 1.45 mm | SS420



YATO	
YT-52780	6/48

Stainless steel putty knife

SS



YATO	Working width [mm]	
YT-52245	150	12/120
YT-52246	200	12/120
YT-52247	250	12/120

Trowel for silicone

4 PCS | TPR



YATO	
YT-5261	20/200

Scraper with bits

125 mm | 1/4" 6.3mm | 3Cr13 | SS | CrV



1/4" (6.3 mm): 5, 6 mm (L=25 mm); CrV;
1/4" (6.3 mm): PH2 (L=25 mm; 2 PCS); CrV

YATO	
YT-52760	10/60

Plastic scraper set

6 PCS | 40 mm | 50 mm | 80 mm | 100 mm | 150 mm | 200 mm | ABS



YATO	
YT-52740	6/24

Trowel for silicone

4 PCS | TPR



YATO	
YT-5262	20/200

Multi-funktion paint scraper

1/4" 6.3mm | HRC 44-49 | 3Cr13 | SS | CrV



1/4" (6.3 mm): 5, 6 mm (L=25 mm); CrV;
1/4" (6.3 mm): PH2 (L=25 mm; 2 PCS); CrV

YATO	
YT-52870	12/144

Stainless steel scraper set

4 PCS | 50 mm | 75 mm | 100 mm | 150 mm | SS



YATO	
YT-52790	10/40

Caulking tool set

4 PCS | TPR



YATO	
YT-52621	12/48

Multi-funktion paint scraper

HRC 44-49 | 3Cr13 | SS



YATO	
YT-52871	12/144

Tile leveling lifter

100 mm



YATO	
YT-37200	10/60

Stamp roller

230x70 mm | PU



YATO	Size [mm]	
YT-51960	230x70	25

Dust protection door type “U”

U TYPE | 1200 x2200 mm | PE



YATO	Size [mm]	
YT-67220	1200x2200	12

Wallboard carrier



YATO	
YT-37440	2/12

Stamp roller

230x70 mm | PU



YATO	Size [mm]	
YT-51961	230x70	25

Dust protection door type “L”

L TYPE | 1200 x2200 mm | PE



YATO	Size [mm]	
YT-67221	1200x2200	12

Transport dolly with handle

575x300 mm | max 200 kg | MDF



YATO	Loading plate size [mm]	
YT-37422	575x300	4

Stamp roller

180x70 mm | PU



YATO	Size [mm]	
YT-51964	180x70	25

Transport roller dolly

500x300 mm | max 200 kg | MDF



YATO	Loading plate size [mm]	
YT-37420	500x300	6

Transport dolly with handle

700x375 mm | max 250 kg | MDF



YATO	Loading plate size [mm]	
YT-37423	700x375	4

Pneumatic plaster spray gun

0,4-0,8 MPa | 400 l/min | 4,75L | max 50 m³/h | STANDARD



L_{pA} = 93,6 ± 2,5 dB; L_{wA} = 104,6 ± 2,5 dB; a_h = <2,5 m/s²

YATO	
YT-54400	4

Transport roller dolly

575x300 mm | max 200 kg | PLYWOOD SKLEJKA



YATO	Loading plate size [mm]	
YT-37421	575x300	6

Drywall tool cart

1240x640 x1210 mm | max 900 kg | ⌀203 mm | 1x BRAKE HAMULEC



YATO	Dimensions [mm]	
YT-37430	1240x640x1210	1

Trolley for transporting large plate



YATO		
YT-37433		6

Drywall stripper



YATO		
YT-76266		6/12

Telescopic support bar



YATO		
YT-64552		6

Drywall tool cart



YATO	Dimensions [mm]	
YT-37434	600x90x1000	1

Plasterboard edge planer



YATO		
YT-76260		10/60

Mini folding scaffold



YATO		
YT-30610		1

Panel carry



YATO	Max. lifting capacity [kg]	
YT-37444	80	12

2 knives for planer set



For YT-76260

YATO		
YT-76261		75/300

Work platform



YATO		
YT-30600		1

Drywall board lifter



YATO		
YT-37450		10

Telescopic support bar



YATO		
YT-64551		6

Wire tying twister hook



YATO	L [mm]	
YT-54230	210	50/100

Automatic twister hook for wire tying

300 mm



YATO	L [mm]	
YT-54233	300	10/30

Seaming pliers

60 mm | DROP FORGED KUTE | 280 mm | 180°



YATO	L [mm]	
YT-5415	280	10/20

Mixiers

2 PCS | ⌀ 140 mm | 600 mm | M27



YATO	
YT-55090	8

Paving slab lifter

GALVANIZED STEEL | STAL OCYNKOWANA



YATO	Grip range [mm]	
YT-46500	300-500	5/15
YT-46501	400-600	5/15

Knife for roofing paper

90/230 mm | SS STAINLESS STEEL | STAL NIERDZEWNA



YATO	L [mm]	
YT-7620	230	12/60

Electric hoist

230V~ 50Hz | 500 W | 125kg | 250kg | STOP



L_{pA} = 52,2 ± 1,2 dB; L_{wA} = 73,6 ± 2,31 dB

YATO	[W]	
YT-5901	500	2

Seaming pliers

60 mm | DROP FORGED KUTE | 280 mm | 45°



YATO	L [mm]	
YT-5416	280	10/20

Knife for mineral wool

SS STAINLESS STEEL | STAL NIERDZEWNA | 335/480 mm



YATO	L [mm]	
YT-7624	480	10/50

Electric hoist

230V~ 50Hz | 550 W | 150kg | 300kg | STOP



L_{pA} = 52,2 ± 0,9 dB; L_{wA} = 75,4 ± 4,8 dB

YATO	[W]	
YT-5902	550	2

Seaming pliers

60 mm | DROP FORGED KUTE | 260 mm | 90°



YATO	L [mm]	
YT-5417	260	10/20

Mixiers

⌀ 120 mm | ⌀ 140 mm | ⌀ 160 mm | 600 mm | M14



YATO	
YT-55031	16
YT-55034	16
YT-55041	12

Electric hoist

230V~ 50Hz | 900 W | 250kg | 500kg | STOP



L_{pA} = 54,0 ± 0,9 dB; L_{wA} = 78,0 ± 6,57 dB

YATO	[W]	
YT-5904	900	2

NON-SPARKING

Electric hoist



L_{pA} = 58,9 ± 1,9 dB; L_{wA} = 79,9 ± 2,79 dB

YATO	[W]	
YT-5905	1050	2

Suction lifter



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37235	125	60	30

Carpenters pencils red / blue



YATO		
YT-69940		120

Adjustable suction cups



YATO	Ø [mm]	L [mm]	
YT-37210	150	440	6

Suction lifter



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37236	125	120	20

Carpenter's pencil



YATO	L [mm]	W [mm]	pcs	
YT-6925	245	15	144	8

Pump suction cup



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37220	204	58	10

Suction lifter



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37237	125	190	12

Carpenter's pencil



YATO	L [mm]	W [mm]	pcs	
YT-6926	245	12	144	8

Pump suction cup



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37223	150	32	24

Angle suction holder



YATO	Ø [mm]	Max. lifting capacity [kg]	
YT-37214	118	50	10

Masonry pencil



YATO	L [mm]	W [mm]	pcs	
YT-6927	245	12	144	8

Technical markers

2 PCS | GLASS/SZKŁO | METAL | CERAMIC/CERAMIKA | WOOD/DREWNO | RUBBER/GUMA | CONCRETE/BETON | PVC

NEW



YATO	Size	pcs	
YT-69300	135 x 20 x 13mm	2	12/144

Anti-slip tape

18m 50x0.75mm | -10-70 °C | PVC

NEW



YATO	Size	
YT-72505	50mmx18m	24

Reflective tape

45.7m 49x0.43mm | -10-60 °C | PET

NEW



YATO	Size	
YT-72513	49mmx45.7m	24

Technical markers

2 PCS | GLASS/SZKŁO | METAL | CERAMIC/CERAMIKA | WOOD/DREWNO | RUBBER/GUMA | CONCRETE/BETON | PVC

NEW



YATO	Size	pcs	
YT-69301	135 x 20 x 13mm	2	12/144

Anti-slip tape

5m 50x0.75mm | -10-70 °C | PVC

NEW



YATO	Size	
YT-72507	50mmx5m	72

Carpenter's pencil set

12 PCS | 175 mm | HB



YATO	L [mm]	W [mm]	
YT-692612	175	12	120

Technical markers

GLASS/SZKŁO | METAL | CERAMIC/CERAMIKA | WOOD/DREWNO | RUBBER/GUMA | CONCRETE/BETON | PVC

NEW



YATO	Size	pcs	
YT-69304	135x20x13mm	4	12/144
YT-69310	135x20x13mm	36	6/24
YT-69311	135x20x13mm	72	12

Automatic carpenters / masonry pencil

HB





YATO	
YT-69280	50/500

Anti-slip tape

5m 50x0.75mm | 10m 50x0.75mm | 18m 50x0.75mm | -10-70 °C | PVC

NEW



YATO	Size	
YT-72500	50mmx5m	72
YT-72501	50mmx10m	48
YT-72502	50mmx18m	24

Reflective tape

45.7m 49x0.43mm | -10-60 °C | PVC

NEW



YATO	Size	
YT-72510	49mmx45.7m	30

Lead HB

5 | HB



For YT-69280, YT-69281

YATO	
YT-69285	20/1000

NON-SPARKING

Lead HB

5 | COLOUR KOLOR | HB



For YT-69280, YT-69281

YATO	
YT-69287	20/1000

Automatic carpenters / masonry pencil

1+5 | HB



• *Masonry pencil with spare leads*

YATO	
YT-69281	24/144

Pensil leads set

6 PCS | ⌀ 2.8 mm | HB



For YT-69290

YATO	
YT-69291	20/200

Chalk set

12 PCS | 120x12 mm | METAL | CONCRETE BETON | GLASS SZKŁO | WOOD DREWNO | RUBBER GUMA | STONE KAMIEŃ | COLOUR KOLOR



YATO	
YT-69932	50

Deep hole pensil with leads

40mm | HB | x6



YATO	
YT-69290	10/100

Chalk set

12 PCS | 120x12 mm | METAL | CONCRETE BETON | GLASS SZKŁO | WOOD DREWNO | RUBBER GUMA | STONE KAMIEŃ | 6 COLOURS KOLORY



YATO	
YT-69930	50

Chalk set

12 PCS | 120x12 mm | METAL | CONCRETE BETON | GLASS SZKŁO | WOOD DREWNO | RUBBER GUMA | STONE KAMIEŃ | COLOUR KOLOR



YATO	
YT-69931	50

Large format tile carrier

160x360 cm | max 150 kg | Al

NEW



YATO	
YT-37090	1

Large format tile carrier

160x320 cm | max 150 kg | Al



YATO	
YT-37091	1

Tilers workbench

166x60 x73 cm | max 800 kg | Al



YATO	
YT-37110	1

Tilers workbench

140x180 cm | Al



YATO	
YT-37100	1

Tilers workbench

221x60 x73 cm | max 1000 kg | Al



YATO	
YT-37111	1

Tilers workbench

150x360 cm | Al



YATO	
YT-37101	1

Tilers workbench

221x113 x73 cm | max 1500 kg | Al



YATO	
YT-37112	1


CrMo
VDE
NON-
SPARKING


YATO
YATO

Tube flaring tool

7 PCS | ⌀ 3-19 mm | 90°



YATO	Ø [mm]	
YT-2180	3, 5, 6, 8, 10, 12, 14, 15, 16, 19	10

Pipe calibration tool

⌀ 16,18 20,25,32 mm | PEX



YATO	Pipe external diameter [mm]	
YT-22378	16, 18, 20, 25, 32	10/40

Tube flaring tool

2 PCS | 90°



YATO	Ø [mm]	
YT-2181	19, 22, 25	20
YT-2182	22, 25, 28	20

Lever tube expander

⌀3/8" 9.5 mm | ⌀1/2" 12.7mm | ⌀5/8" 16 mm | ⌀3/4" 19 mm | ⌀7/8" 22.2mm | ⌀1" 25 mm | ⌀1⅛" 28.6mm



YATO	Pipe external diameter [mm]	
YT-21825	3/8" (9.5 mm), 1/2" (12.7 mm), 5/8" (15.9 mm), 3/4" (19.0 mm), 7/8" (22.2 mm), 1" (25.4 mm), 1-1/8" (28.6 mm)	4

Tube flaring tool

⌀ 5-19 mm | 90°



Ø 5, 6, 8, 10, 12, 16, 19 mm

YATO	Pipe diameter [mm]	
YT-21802	5, 6, 8, 10, 12, 16, 19	10

Pipe calibration tool with reamer

PEX | DEBURRER GRATOWNIK



YATO	Pipe external diameter [mm]	
YT-22373	16, 20, 25	200
YT-22374	16, 20, 26	200

Hydraulic tube expander

⌀3/8" 9.5 mm | ⌀1/2" 12.7mm | ⌀5/8" 16 mm | ⌀3/4" 19 mm | ⌀7/8" 22.2mm | ⌀1" 25 mm | ⌀1⅛" 28.6mm



YATO	Pipe external diameter [mm]	
YT-21826	3/8" (9.5 mm), 1/2" (12.7 mm), 5/8" (15.9 mm), 3/4" (19.0 mm), 7/8" (22.2 mm), 1" (25.4 mm), 1-1/8" (28.6 mm)	4

Manual tube expander

1/4" 6.3mm | 5/16" 8 mm | 3/8" 9.5 mm | 1/2" 12.7mm | 5/8" 15.9mm | 3/4" 19 mm | 7/8" 22.2mm



YATO	Pipe diameter	
YT-21805	1/4" (6.3 mm), 5/16" (8 mm), 3/8" (9.5 mm), 1/2" (12.7 mm), 5/8" (15.9 mm), 3/4" (19.0 mm), 7/8" (22.2 mm)	10/40

Pipe calibration tool with reamer

PEX | DEBURRER GRATOWNIK



YATO	Pipe external diameter [mm]	
YT-22375	16	10/40
YT-22376	20	10/40
YT-22377	25, 26	10/40

Ratchet die stocks

5 PCS | 3/8" 9,5 mm | 1/2" 12.7mm | 3/4" 19 mm | 1" 25 mm | 9Cr2



YATO	Size	
YT-29001	3/8" (9.5 mm), 1/2" (12.7 mm), 3/4" (19.0 mm), 1" (25.0 mm)	4

Ratchet die stocks

7 PCS | 1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | 3/4" 19mm | 1" 25mm | 1 1/4" 32mm | 9Cr2



YATO	Size	
YT-2900	1/4" (6.3 mm), 3/8" (9.5 mm), 1/2" (12.7 mm), 3/4" (19.0 mm), 1" (25.0 mm), 1-1/4" (32.0 mm)	4

Ratchet die stocks

7 PCS | 1/2" 12.7mm | 3/4" 19mm | 1" 25mm | 1 1/4" 32mm | 1.5" 38mm | 2" 50mm | 9Cr2



YATO	Size	
YT-29003	1/2" (12.7 mm), 3/4" (19.0 mm), 1" (25.0 mm), 1-1/4" (32.0 mm), 1-1/2" (38.0 mm), 2" (50.0 mm)	2

Spare knives for ratchet die stock

4 PCS | 9Cr2



YATO	Size	pcs	
YT-2910	1/4" (6.3 mm)	4	50/200
YT-2911	3/8" (10.0 mm)	4	50/200
YT-2912	1/2" (12.5 mm)	4	50/200
YT-2913	3/4" (19.0 mm)	4	50/200
YT-2914	1" (25.0 mm)	4	50/200

Spare head for ratchet die stock

9Cr2



YATO	Size	
YT-2916	1/4" (6.3 mm)	10/40
YT-2917	3/8" (10.0 mm)	10/40
YT-2918	1/2" (12.5 mm)	10/40
YT-2919	3/4" (19.0 mm)	10/40
YT-2920	1" (25.0 mm)	10/40
YT-2921	1-1/4" (32.0 mm)	10/20

Metal pipe bender

Al | 125 mm | max Ø 6.0 mm | ≥ 25mm



YATO	L [mm]	
YT-0813	125	24/96

Pipe wrench



YATO	L [mm]	Max. pipe diameter	
YT-24869	150	0.75"(19 mm)	6/72
YT-2487	200	1" (25 mm)	6/30
YT-2488	250	1" (25 mm)	6/18
YT-2489	300	1.5" (38 mm)	6/12
YT-2490	350	2" (50 mm)	2/10
YT-2491	450	2.5" (63 mm)	3/6
YT-2492	600	3" (76 mm)	2/4
YT-2493	900	5" (125 mm)	1
YT-2494	1200	6"(150 mm)	1
YT-2495	1500	8" (200 mm)	1

Pipe wrench

HRC 55-60 | CrMo



YATO	L [mm]	Max. pipe diameter	
YT-21990	150mm	1" (25 mm)	6/48

Pipe wrench

HRC 55-60 | CrMo | Al



YATO	Size	L [mm]	Max. pipe diameter	
YT-2480	10"	250	1.5" (38 mm)	6/30
YT-2481	12"	300	2" (50 mm)	6/18
YT-2482	14"	350	2" (50 mm)	6/12
YT-2483	18"	450	2.5" (63 mm)	2/10
YT-2484	24"	600	3" (75 mm)	2/6
YT-2485	36"	900	5" (125 mm)	3
YT-2486	48"	1200	6" (150 mm)	1/2

Pipe wrench

HRC 55-60



YATO	L [mm]	Max. pipe diameter	
YT-2201	250	1" (25 mm)	6/36
YT-2203	350	1.5" (38 mm)	4/16
YT-2204	450	2" (50 mm)	3/12
YT-2205	600	2.5" (63 mm)	3/6
YT-2206	900	4" (100 mm)	2/4

Pipe wrench



YATO	L [mm]	Max. pipe diameter	
YT-2226	250	10" (250mm)	6/24

Adjustable pipe wrench

45° | 1" 25mm | 1.5" 38mm | 2" 50mm | 3" 76mm | DIN 5234 | CrV 6140



YATO	L [mm]	Max. pipe diameter	
YT-2213	330	1" (25 mm)	24
YT-2214	415	1-1/2" (38 mm)	18
YT-2215	530	2" (50 mm)	12
YT-22153	650	3" (76 mm)	4

Telescopic pipe wrench

⌀8" 200mm | 300 mm | 28x825 mm | NYLON | Al





- *Chromed pipes*
- *PVC pipes*
- *Oil filters*

YATO	L [mm]	Max. pipe diameter	
YT-22255	300	8" (200 mm)	5/50

Chain pipe wrench



YATO	L [mm]	Max. pipe diameter	
YT-22264	900	4" (100 mm)	1/4
YT-22265	1000	6"	1/2
YT-22266	1200	8" (200 mm)	1/2
YT-22267	1300	10"	1/2
YT-22268	1400	12"	1/2

Auto-adjustable pipe wrench

300 mm | 5/8"-11/2" 16-38 mm | SELF-ADJUSTING SAMO-NASTAWNY | QUICK OPENING SZYBKIE OTWIERANIE | HRC 46-52 | HARDENED JAWS HARTOWANE SZCZĘKI







YATO	L [mm]	
YT-22005	300	6/24

Strap for pipe wrench

⌀8" 200mm | 28x825 mm | NYLON | Al





- *Chromed pipes*
- *PVC pipes*
- *Oil filters*
- For YT-22255

YATO	
YT-22256	100

Adjustable pipe wrench

90° | 1" 25mm | 1.5" 38mm | 2" 50mm | 3" 76mm | DIN 5234 | CrV 6140



YATO	L [mm]	Max. pipe diameter	
YT-2210	320	1" (25 mm)	24
YT-2211	420	1-1/2" (38 mm)	18
YT-2212	560	2" (50 mm)	12
YT-22123	630	3" (76 mm)	4

Pipe wrench - german type

HRC 47-53 | HARDENED JAWS HARTOWANE SZCZĘKI



YATO	Size	L [mm]	Max. jaws opening capacity [mm]	Max. pipe diameter [mm]	
YT-22000	7"	175	45	20	6/60
YT-22001	9"	225	60	30	6/36
YT-22002	10.5"	275	70	35	6/24

Chain pipe wrench

300 mm | INDUCTION HARDENED TEETH ZĘBY HARTOWANE INDUKCYJNIE | ADJUSTABLE WORK RANGE REGULOWANY ZAKRES PRACY



YATO	L [mm]	Max. pipe diameter	
YT-22260	12"(300mm)	4" (100 mm)	6/24
YT-22261	15"(380mm)	5" (125 mm)	6/24

Chain pipe wrench



YATO	L [mm]	Max. pipe diameter	
YT-22263	24"(600mm)	6"	10

Sink wrench



YATO	
YT-22251	6/12

PVC pipe cutter



YATO	max. Ø [mm]	
YT-22312	63	6/24

Hole cutter for water taps



YATO	Ø [mm]	
YT-21955	25	5/30
YT-21956	32	5/30
YT-21957	35	5/30

Nipple extractor set



YATO	
YT-21793	6/24

PVC pipe cutter



YATO	max. Ø [mm]	
YT-2231	42	6/48

Special mixer-tap basin wrench



9, 10, 11, 12, 14, 17 mm

YATO	
YT-24781	10/20

PVC pipe cutter



YATO	max. Ø [mm]	
YT-2230	35	6/48

Spare cutting wheel



• For YT-2231

YATO	
YT-2231A	6/6/48

Faucet reseating tool



YATO	
YT-21960	5/50

Spare cutting wheel



• For YT-2230

YATO	
YT-2230A	6/6/48

PVC pipe cutter



YATO	max. Ø [mm]	
YT-2228	51	6/24

PVC pipe cutter

max Ø 64 mm | PEX | PVC PP PU PE | HRC 54 | 8Cr13 | Al | RATCHET SYSTEM SYSTEM ZAPADKOWY | QUICK OPENING SZYBKIE OTWIERANIE



YATO	max. Ø [mm]	
YT-2229	64	6/24

PVC pipe cutter

max Ø 63 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22273	63	10/30

PE pipe cutter

max Ø 64 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22295	64	6/24

PVC pipe cutter

max Ø 36 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22270	36	10/50

PVC pipe cutter

max Ø 75 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22274	75	10/30

Pipe cutter

Ø 32/40 mm | PVC PP PU PE | PTFE | HRC 52 | SK4 | Al

NEW



YATO	Ø [mm]	
YT-22296	32-40	10/40

PVC pipe cutter

max Ø 42 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22271	42	10/40

PVC pipe cutter

max Ø 42 mm | PVC PP PU PE | HRC 54 | 8Cr13 | Al



YATO	max. Ø [mm]	
YT-22292	42	6/48

PVC pipe cutter

Ø 32 mm | PVC PP PU PE | SK5 | Al



YATO	max. Ø [mm]	
YT-22301	32	12/120

PVC pipe cutter

max Ø 50 mm | PVC PP PU PE | PTFE | SK5 | Al



YATO	max. Ø [mm]	
YT-22272	50	10/30

PVC pipe cutter

max Ø 64 mm | PVC PP PU PE | HRC 54 | 8Cr13 | Al



YATO	max. Ø [mm]	
YT-22293	64	6/24

Pipe deburrer

PE | Ø 20-63 mm | HCS 65Mn



YATO	Ø [mm]	
YT-22366	20, 25, 32, 40, 50, 63	150

NON-SPARKING

Pipe cutter



YATO	Cutting diameter	External diameter [mm]	
YT-22353	19/32" (15 mm)	48	10/50
YT-22354	23/32" (18 mm)	59	10/50
YT-22355	7/8" (22 mm)	56	10/50

Pipe cutter



YATO	Cutting diameter [mm]	
YT-22332	6-35	5/50

Pipe cutter



YATO	Cutting diameter	
YT-2235	2" - 5" (50-127 mm)	10

Pipe cutter



YATO	Cutting diameter	
YT-22318	1/10" - 7/8" (3-22 mm)	100

Pipe cutter



YATO	Cutting diameter [mm]	
YT-22333	3-42	4/32

Pipe cutter



YATO	Cutting diameter	
YT-2232	3/8" - 1-5/8" (10-40 mm)	20

Pipe cutter



YATO	Cutting diameter	
YT-22341	3-28	10/60

Pipe cutter



YATO	Cutting diameter	
YT-22338	1/10" - 1-1/4" (3-32 mm)	50

Replacement cutting wheel for pipe cutters



YATO	a [mm]	b [mm]	c [mm]	For / Dla	
YT-22343	18.5	6	4.8	YT-22341, YT-22342	24/144

Pipe cutter



YATO	Cutting diameter	
YT-2233	1/4" - 1-3/4" (6-45 mm)	25

Pipe cutter



YATO	Cutting diameter	
YT-2234	1/2" - 2-1/2" (14-63 mm)	25

Replacement cutting wheel for pipe cutters



YATO	a [mm]	b [mm]	c [mm]	For / Dla	
YT-22313	18	6.0	4.8	YT-2233	50/300
YT-22314	26	14.0	7.5	YT-2232	6/108
YT-22315	18	6.0	4.8	YT-22338	50/300
YT-22316	27	6.3	5.0	YT-2234	24/288

Standard two handed bender

180° | Al Cu



YATO	Pipe diameter	
YT-21842	15/32" (12 mm)	20
YT-21844	9/32" (15 mm)	10
YT-21845	5/8" (16 mm)	10
YT-21846	23/32" (18 mm)	10

Internal pipe bending spring

760 mm | PEX | ZINC PLATED OCYNKO-WANA | FLAT PROFILE PŁASKI PROFIL



YATO	Pipe internal diameter [mm]	
YT-21850	16	25
YT-21851	20	25
YT-21852	25-26	25

Hinged pipe vice

S55C



YATO	Max.mounting element diameter [mm]	
YT-6510	60	4
YT-6511	76	2
YT-6512	90	2
YT-6513	110	1

Standard two handed bender

180° | 1/4" 6.3mm | 5/16" 8mm | 3/8" 9.5mm



YATO	Pipe diameter	
YT-21840	1/4" (6.3 mm), 5/16" (8 mm), 3/8" (10 mm)	20

External pipe bending spring

600 mm | PEX | ZINC PLATED OCYNKO-WANA | FLAT PROFILE PŁASKI PROFIL



YATO	Pipe internal diameter [mm]	
YT-21855	16	40
YT-21856	20	40
YT-21857	25-26	20

Pipe bender set

ø 6-22 mm



YATO	Pipe diameter [mm]	
YT-21847	6, 8, 10, 12, 16, 19, 22	4

Spare die for crimping pliers

PEX



For YT-21750, YT-21751

YATO	[mm]	
YT-21752	16	50
YT-21753	20	50

Line set for bending pipes

4 PCS | 4m | ø 4.0 mm | ø 6.0 mm | ø 9.0 mm | ø 12 mm | PE



YATO	Pipe diameter	
YT-21860	1/4", 3/8", 1/2", 5/8"	10

Spare die for crimping pliers

PEX



YATO	[mm]	
YT-21740	16	50
YT-217403	18	50
YT-21741	20	50
YT-21742	25	50
YT-21743	32	100

Spare die for crimping pliers

PEX



YATO	[mm]	
YT-21744	16	50
YT-217443	18	50
YT-21745	20	50
YT-21746	26	50
YT-21747	32	100

Crimping pliers for PEX-AL-PEX pipes

4 PCS | PEX | TH 16mm | TH 20mm | TH 26mm





YATO	
YT-21750	4

Crimping pliers for PEX-AL-PEX pipes

9 PCS | PEX | U 16mm | U 20mm | U 25mm | U 32mm | 6t 60kN | TH 16mm | TH 20mm | TH 26mm | TH 32mm







YATO	
YT-21735	2

Crimping pliers for PEX-AL-PEX pipes

4 PCS | PEX | U 16mm | U 20mm | U 25mm





YATO	
YT-21751	4

Crimping pliers for PEX-AL-PEX pipes

9 PCS | PEX | U 16mm | U 20mm | U 25mm | U 32mm | TH 16mm | TH 20mm | TH 26mm | TH 32mm | 10t







YATO	
YT-21758	4

Crimping pliers for PEX-AL-PEX pipes

9 PCS | PEX | U 16mm | U 20mm | U 25mm | U 32mm | TH 16mm | TH 20mm | TH 26mm | TH 32mm | 10t | 360°





YATO	
YT-21759	2

Radiator bleed key

2 PCS | ZNAL



YATO	
YT-21991	24/144

Water pressure gauge

300 mm | 0-1.1 MPa | G1/2 | G3/4



YATO	
YT-24790	10/80

Thread seal string

150 m | 1.5 MPa (max.) | -20 °C + 130 °C | 150 m 330x1/2" | 45° | CORD CUTTER NOŻ TNĄCY

PIPE DIAMETER / ŚREDNICA RURY	CYCLE NUMBER / ILOŚĆ ZWOJÓW
1/2" (12.5 mm)	6~8
3/4" (19 mm)	7~9
1" (25 mm)	8~12
1 1/2" (38 mm)	10~15
2" (50 mm)	15~25
2 1/2" (63 mm)	20~35
3" (75 mm)	25~35
3 1/2" (88 mm)	30~40
4" (100 mm)	35~45



YATO	L [m]	
YT-29222	150	25/100

Hand pressure test pump

490x160 x165 mm | 12 L | 0-5 MPa | G1/2



YATO	Tank capacity [l]	
YT-24800	12	2

Pipe deburrer

PVC PP PU PE SS Al Cu | Ø 6-36 mm



YATO	Ø [mm]	
YT-22365	6-36	80

Thread seal string

50m | 1.5 MPa (max.) | -20 °C + 130 °C | 50 m 110x1/2" | 45° | CORD CUTTER NOŻ TNĄCY

PIPE DIAMETER / ŚREDNICA RURY	CYCLE NUMBER / ILOŚĆ ZWOJÓW
1/2" (12.5 mm)	6~8
3/4" (19 mm)	7~9
1" (25 mm)	8~12
1 1/2" (38 mm)	10~15
2" (50 mm)	15~25
2 1/2" (63 mm)	20~35
3" (75 mm)	25~35
3 1/2" (88 mm)	30~40
4" (100 mm)	35~45



YATO	L [m]	
YT-29220	50	25/100

Hand pressure test pump

7 L | 0-5 MPa | G1/2



YATO	Tank capacity [l]	
YT-24801	7	2

Deburrer

Ø 12 mm | HSS M2 | CHANGEABLE ROTATING BLADE WYMIENNE OSTRZE OBROTOWE





YATO		
YT-22360		50/150

Brush for drain cleaning

PP | NYLON



YATO	Ø [mm]	
YT-24970	100	20/40
YT-24971	200	20/40
YT-24972	250	20/40

Pipe deburrer

Ø 4-40 mm | 65Mn | ZNAL



YATO	Ø [mm]	
YT-22364	4-40	64

Deburrer

6 PCS | HSS M2 | CHANGEABLE ROTATING BLADE WYMIENNE OSTRZE OBROTOWE





YATO		
YT-22363		50/100

External chamfer tool

Ø 3-19 mm | 12 mm | 1/4" 6.3 mm | YG8



YATO	Ø [mm]	
YT-22357	3-19	10/80

Drain auger

Ø 6.0 mm | 6m



YATO	Ø [mm]	L [m]	
YT-24990	6x1.3	6	12

Drain auger



YATO	Ø [mm]	L [m]	
YT-25000	5x1.5	1.5	30/60
YT-25001	5x1.5	3.0	20/40
YT-25002	6x1.3	3.0	20/40
YT-25003	6x1.3	5.0	10/20
YT-25004	9x1.7	5.0	10
YT-25005	9x1.7	10.0	6

Replacement blade for deburrer

10 PCS | HSS M2 | UNIVERSAL SHAPE | CHANGEABLE ROTATING BLADE





For YT-22360

YATO	
YT-22361	12/144

Drain auger

Ø 6.0 mm | 7.6 m



YATO	Ø [mm]	L [m]	
YT-24991	6x1.3	7.6	8

Toilet auger

Ø 9.0 mm | 73/150 cm



YATO	Ø [mm]	L [m]	
YT-24983	9	150	6

Drain rod set

12 PCS | Ø 20 mm | 9.2m | 10x93.2 cm | PP





YATO	
YT-24980	8

Drain suction pump

ABS PP TPR



YATO	
YT-25030	4


CrMo
VDE
NON-SPARKING


YATO
YATO

Hand riveter

280 mm | x4 | CrV



YATO	Ø [mm]	L [mm]	
YT-3600	2.4, 3.2, 4, 4.8	280	6/24

Lazy tongue riveter

250-810 mm | x5 | CrMo



YATO	Ø [mm]	L [mm]	
YT-36060	2.4, 3.2, 4, 4.8, 6.4	250-810	10

Hand rivet nut tool

300 mm | CrMo



x5

YATO	Ø [mm]	L [mm]	
YT-36112	M3, M4, M5, M6, M8	300	20

Hand riveter

250 mm | x4 | 20Cr



YATO	Ø [mm]	L [mm]	
YT-36007	2.4, 3.2, 4, 4.8	250	6/24

Hand riveting tool

330 mm | x5 | CrMo



YATO	Ø [mm]	L [mm]	
YT-3609	3.2, 4, 4.8, 6, 6.4	330	16

Hand rivet nut tool

338 mm



x5

YATO	Ø [mm]	L [mm]	
YT-36119	M5, M6, M8, M10, M12	338	6

Hand riveter

200 mm | x4 | CrMo



x5

YATO	Ø [mm]	L [mm]	
YT-36012	2.4, 3.2, 4, 4.8	200	30

Hand riveting tool

380 mm | x5 | CrMo



YATO	Ø [mm]	L [mm]	
YT-36095	2.4, 3.2, 4, 4.8, 6.4	380	12

Hand rivet nut tool

330 mm | 0~8 mm | x5



YATO	Ø [mm]	L [mm]	
YT-3612	M5, M6, M8, M10, M12	330	5

Hand riveter

253 mm | CrV



YATO	Ø [mm]	L [mm]	
YT-36011	2.4, 3.2, 4, 4.8	253	12/36

Hand riveting tool

525 mm | x5 | CrV



YATO	Ø [mm]	L [mm]	
YT-3610	3.2, 4, 4.8, 6, 6.4	525	12

Hand rivet nut tool

420 mm | 0~8 mm | CrMo

x7



YATO	Ø	L [mm]	
YT-36125	M3, M4, M5, M6, M8, M10, M12	420	5

Hand rivet nut tool

360 mm | CrMo | x7



YATO	Ø	L [mm]	
YT-36127	M3, M4, M5, M6, M8, M10, M12	360	12

Hand rivet nut tool

200 mm | CrMo | x4



YATO	Ø [mm]	L [mm]	
YT-36140	M3, M4, M5, M6	200	20

Rivet for plastic rivets kit

41 PCS | 165 mm | PVC



5x15.8 mm (10 PCS); 5x17.2 mm (10 PCS);
6.3x25.2 mm (10 PCS); 6.6x17.2 mm (10 PCS)

YATO	Ø [mm]	L [mm]	
YT-35970	5, 6.3, 6.6	165	15/30

Hand rivet nut tool

360 mm | CrMo | x7



YATO	Ø	L [mm]	
YT-36128	M3, M4, M5, M6, M8, M10, M12	360	6

Universal hand riveter 3 in 1

3 in 1 / 3 w 1 | 275 mm | 360° | CrMo



YATO	Ø [mm]	Ø	L [mm]	
YT-36013	2.4, 3.2, 4, 4.8	M3, M4, M5, M6	275	8

Hand riveter tool

328 mm | CrMo



YATO	Ø [mm]	L [mm]	
YT-36092	3.2, 4, 4.8, 6.4	328	12

Hand rivet nut tool

410 mm | x7



YATO	Ø	L [mm]	
YT-36129	M3, M4, M5, M6, M8, M10, M12	410	5

Hand riveter tool 3 in 1

260 mm | CrMo



YATO	Ø [mm]	Ø	L [mm]	
YT-36091	2.4, 3.2, 4, 4.8, 6.4	M3, M4, M5, M6, M8, M10	260	6

Hand riveter nut column set

46 PCS | 360 mm | Al | CrMo



M4 (10 PCS), M5 (10 PCS), M6 (10 PCS), M8 (10 PCS)

YATO	Ø	L [mm]	
YT-36150	M4, M5, M6, M8	360	6

Blind rivet adapter

1/4" 6.3 mm | CrMo



YATO	Ø [mm]	
YT-36190	2.4, 3.2, 4, 4.8, 6, 6.4	10

Rivet nut adapter

1/4" 6.3 mm | CrMo



YATO	Ø	
YT-36191	M3, M4, M5, M6, M8, M10	10

Blind rivet and rivet nut adapter

1/4" 6.3 mm · CrMo



YATO	Ø [mm]	Ø	
YT-36192	2.4, 3.2, 4, 4.8, 6, 6.4	M3, M4, M5, M6, M8, M10, M12	8

Threaded rivet nuts

300 PCS · MIX · Al



M3x25, M4x25, M5x25, M6x25, M8x25, M10x25, M3x25, M4x25, M5x25, M6x25, M8x25, M10x25 mm

YATO	
YT-36480	5/20

Threaded aluminum rivet nuts

20 PCS · Al



YATO	Size	
YT-36451	M3	125/500
YT-36452	M4	100/400
YT-36453	M5	75/300
YT-36454	M6	50/200

Hand riveting tool

2 in 1 2 w 1 · 300-520 mm · CrMo



YATO	L [mm]	
YT-36088	300-520	6

Threaded rivet nuts

20 PCS



YATO	Size	
YT-36470	M3	125/500
YT-36471	M4	100/400
YT-36472	M5	75/300
YT-36473	M6	50/200

YATO	Size	
YT-36474	M8	35/140
YT-36475	M10	25/100
YT-36476	M12	15/60

Threaded rivet nuts

150 PCS · MIX · Al



M3x40, M4x35, M5x25, M6x25, M8x15, M10x10 mm

YATO	
YT-36460	24

Plastic blind rivets

10 PCS · NYLON



YATO	Size	
YT-35981	5.0x15.8	250
YT-35982	5.0x17.2	250
YT-35980	6.3x25.2	250
YT-35983	6.6x17.2	250

Staple gun

6-14 mm · 10-12mm · 10-14mm · 14 mm



YATO	
YT-7000	12/24

Threaded rivet nuts

150 PCS · MIX



M3x40, M4x35, M5x25, M6x25, M8x15, M10x10 mm

YATO	
YT-36481	24

Nuts column

20 PCS · Al



YATO	Size	
YT-36200	M4	50/300
YT-36201	M5	40/160
YT-36202	M6	25/100
YT-36203	M8	15/60

Staple gun

6-14 mm · 10-14mm · 10-14mm · 14 mm



YATO	
YT-7001	12/24

Staple gun



YATO	
YT-70020	6/24

Hammer tacker



YATO	
YT-7004	10/20

Staples



For YT-70020, YT-70021

YATO	L [mm]	pcs	
YT-70270	6	1000	50/200
YT-70271	8	1000	50/200
YT-70272	10	1000	50/100
YT-70273	12	1000	50/100
YT-70274	14	1000	50/100

Staple gun



YATO	
YT-70021	6/24

Staple remover



YATO	
YT-7011	25/100

Hog ring staples C-type



For YT-51470

YATO	
YT-51471	20

Staple gun



YATO	
YT-7003	6/24

Hog ring pliers



YATO	L [mm]	
YT-51470	190	40

Nails for staple gun



For YT-7000, YT-7001, YT-7003, YT-70020

YATO	L [mm]	pcs	
YT-7032	10	1000	50/200
YT-7033	12	1000	50/200
YT-7034	14	1000	50/200

Staple gun



YATO	
YT-7005	6/24

Staples



For YT-7000, YT-7001, YT-7003, YT-7005, YT-70020, YT-70021

YATO	L [mm]	pcs	
YT-7022	6	1000	50/200
YT-7023	8	1000	50/200
YT-7024	10	1000	50/100
YT-7025	12	1000	50/100
YT-7026	14	1000	50/100

Staples



For YT-7007

YATO	L [mm]	pcs	
YT-7051	6	1000	60/360
YT-7052	8	1000	60/300
YT-7053	10	1000	60/240
YT-7054	12	1000	50/200
YT-7055	14	1000	40/160

Pneumatic nailer



L_{pA} = 94,2 ± 2,5 dB; L_{wA} = 107,2 ± 2,5 dB; a_h = 2,69 ± 0,1 m/s²

YATO	
YT-09220	3

Pneumatic nailer



L_{pA} = 95,9 ± 2,5 dB; L_{wA} = 108,9 ± 2,5 dB; a_h = 5,17 ± 0,59 m/s²

YATO	
YT-09240	2

Pneumatic stapler



L_{pA} = 91,4 ± 2,5 dB; L_{wA} = 104,4 ± 2,5 dB; a_h = 6,3 ± 1,5 m/s²

YATO	
YT-09204	10

Pneumatic nailer



L_{pA} = 94,9 ± 2,5 dB; L_{wA} = 107,9 ± 2,5 dB; a_h = 4,45 ± 0,83 m/s²

YATO	
YT-09222	3

Pneumatic stapler



L_{pA} = 87,8 ± 2,5 dB; L_{wA} = 100,8 ± 2,5 dB; a_h = 3,0 ± 1,5 m/s²

YATO	
YT-09205	10

Pneumatic stapler



L_{pA} = 87,8 ± 2,5 dB; L_{wA} = 100,8 ± 2,5 dB; a_h = 2,95 ± 1,5 m/s²

YATO	
YT-09203	10

Pneumatic nailer



L_{pA} = 102,5 ± 2,5 dB; L_{wA} = 115,5 ± 2,5 dB; a_h = 15,23 ± 3,74 m/s²

YATO	
YT-09223	2

Pneumatic stapler



L_{pA} = 88,0 ± 2,5 dB; L_{wA} = 99,0 ± 2,5 dB; a_h = 3,5 ± 1,5 m/s²

YATO	
YT-09201	10

Pneumatic stapler



L_{pA} = 86,3 ± 2,5 dB; L_{wA} = 99,3 ± 2,5 dB; a_h = 2,2 ± 0,89 m/s²

YATO	
YT-09206	10

Pneumatic nailer



L_{pA} = 97,6 ± 2,5 dB; L_{wA} = 110,6 ± 2,5 dB; a_h = 7,99 ± 1,5 m/s²

YATO	
YT-09224	2

Pneumatic roofing coil nailer



L_{pA} = 88,6 ± 2,5 dB; L_{wA} = 101,6 ± 2,5 dB; a_h = 3,73 ± 0,8 m/s²

YATO	
YT-09212	3

Pneumatic nailer



L_{pA} = 89,1 ± 2,5 dB; L_{wA} = 102,1 ± 2,5 dB; a_h = 2,95 ± 0,56 m/s²

YATO	
YT-09221	3

Gas blow torch

PIEZO | 1.0 kW | 73 g/h | GAS GAZ | BUTANE BUTAN



1000°C | 360° | EURO TYPE EN417

YATO	[kW]	
YT-36710	1	10/100

Gas torch

PIEZO | 0.2 kW | 13.1 g/h | GAS GAZ | BUTANE BUTAN | LIGHTER GAS GAZ DO ZAPALNICZEK | LOCK BLOKADA | CHILDREN PROTECTION ZABEZPIECZENIE PRZED DZIEĆMI



YATO	[kW]	
YT-36725	0.2	50

Gas blow torch

PIEZO | 2.0 kW | 145 g/h | GAS GAZ | BUTANE BUTAN



1300°C | 360° | EURO TYPE EN417

YATO	[kW]	
YT-36712	2	20/80

Gas blow torch

PIEZO | 1.7 kW | 123 g/h | GAS GAZ | BUTANE BUTAN



EURO TYPE EN417 | 360°

YATO	[kW]	
YT-36711	1.7	40

Gas torch

PIEZO | 0.4 kW | 29 g/h | 1350 °C | GAS GAZ | BUTANE BUTAN | LOCK BLOKADA



YATO	[kW]	
YT-36726	0.4	10/40

Turbo gas torch

PIEZO | 2800 °C | 2.0 kW | 142 g/h | 2.59 MPa | G1"F | GAS GAZ | PROPANE PROPAN | AUTO START STOP | LOCK BLOKADA | CONTINOUS RUN LOCK BLOKADA PRACY CIĄGŁEJ | TURBO NOZZLE DYSZA TURBO



360° | G1"M x G7/16"F | EURO TYPE EN417

YATO	[kW]	
YT-36715	2	5/20

Gas soldering lamp

PIEZO | 1.7 kW | 123 g/h | GAS GAZ | BUTANE BUTAN



EURO TYPE EN417 | 360°

YATO	[kW]	
YT-36720	1.7	12

Gas torch

PIEZO | 0.13 kW | 9.5 g/h | 1350 °C | GAS GAZ | BUTANE BUTAN | LOCK BLOKADA



YATO	[kW]	
YT-36727	0.13	10/50

Blow torch

PROPANE BUTANE PROPAN BUTAN | Cu | 1.5 m



YATO	[W]	L [mm]	
YT-36701	4	360	20

NON-SPARKING

Butane soldering tool

PIEZO | 30-125 W | 38 ml | 120 min | 250-550 °C | 1300 °C



- *Manual start, equivalent to 30-125W*
- *Gas capacity: 38ml*
- *Work life: 120mins*

YATO	
YT-6706	12/48

Soldering torch

4 kW | 290 g/h | 360 mm | PROPANE BUTANE PROPAN BUTAN | x3 | 20/40/50 mm | 1.5 m



YATO	[W]	L [mm]	
YT-36730	4	360	20

Roofing torch

18 kW | 1289 g/h | 370 mm | 0.25 MPa | PROPANE BUTANE PROPAN BUTAN | x2 | 25/30 mm | 1.5 m



YATO	[W]	L [mm]	
YT-36740	8	370	10

Roofing torch

PIEZO | 65 kW | 4640 g/h | 900 mm | 0.25 MPa | PROPANE BUTANE PROPAN BUTAN | x1 | 60 mm | 5 m



YATO	[W]	L [mm]	
YT-36741	65	900	6

Soldering torch

4 kW | 288 g/h | 360 mm | PROPANE BUTANE PROPAN BUTAN | x3 | 13/14/17 mm



YATO	[W]	L [mm]	
YT-36731	4	360	20

Weed burner

PIEZO | 1.7 kW | 123 g/h | max°C 1300 | 800 mm | 400 ml | PROPANE BUTANE PROPAN BUTAN | x1 | 30 mm



EURO TYPE EN417



YATO	[W]	L [mm]	
YT-36742	1.7	800	12


YATO
ON
OFF

Measuring tape

2m 16mm | 3m 16mm | 5m 19mm | 5m 25mm | 8m 25mm | 10m 25mm



- *Steel tape with nylon cover*
- *Metric graduation, one side printed, white colour*

YATO	L [m]	W [mm]	
YT-7149	2	16	12/144
YT-7150	3	16	12/144
YT-7151	5	19	12/96
YT-7152	5	25	12/96
YT-7153	8	25	6/48
YT-7154	10	25	6/48

Measuring tape

2m 16mm | 3m 16mm | 5m 19mm | 8m 25mm | 10m 25mm





- *Double side printing*
- *Self-lock*

YATO	L [m]	W [mm]	
YT-71185	2	16	12/144
YT-71186	3	16	12/72
YT-71187	5	19	12/72
YT-71188	8	25	6/36
YT-71189	10	25	6/36

Measuring tape

2m 16mm | 3m 16mm | 5m 19mm | 7,5m 25mm | 10m 25mm



YATO	L [m]	W [mm]	
YT-71150	2	16	12/120
YT-71151	3	16	12/120
YT-71153	5	19	12/96
YT-71155	7.5	25	6/48
YT-71156	10	25	6/36

Measuring tape-metric & Inch

2m 16mm | 3,5m 25mm | 5m 19mm | 7,5m 25mm | 10m 25mm | 6ft 5/8" | 10ft 5/8" | 16ft 3/4" | 25ft 1" | 33ft 1"





- *UP: metric*
- *DOWN: inch*

YATO	L [m]	W [mm]	
YT-71140	2 / 6ft	16 / 5/8"	12/144
YT-71141	3 / 10ft	16 / 5/8"	12/144
YT-71143	5 / 16ft	19 / 3/4"	12/96
YT-71145	7.5 / 25ft	25 / 1"	8/48
YT-71146	10 / 33ft	25 / 1"	8/32

Measuring tape

3m 16mm | 5m 19mm | 5m 25mm | 8m 25mm | ABS



YATO	L [m]	W [mm]	
YT-71070	3	16	12/120
YT-71071	5	19	12/96
YT-71072	5	25	12/72
YT-71073	8	25	6/48

Measuring tape

3m 16mm | 5m 19mm | 8m 25mm | ABS



YATO	L [m]	W [mm]	
YT-71080	3	16	12/120
YT-71081	5	19	12/120
YT-71082	8	25	6/48

Measuring tape

3m 16mm | 5m 19mm | 8m 25mm



YATO	L [m]	W [mm]	
YT-7126	3	16	12/120
YT-7127	5	19	12/120
YT-7128	8	25	6/60

Measuring tape

3m 16mm | 5m 25mm | 8m 25mm | AUTOMATIC STOP



YATO	L [m]	W [mm]	
YT-7110	3	16	12/120
YT-7111	5	25	12/60
YT-7112	8	25	6/60

Measuring tape-metric & Inch

ABS | 10ft 5/8" | 16ft 3/4" | 25ft 1"

NEW



YATO	L [m]	W [mm]	
YT-71065	3 / 10ft	16 / 5/8"	12/120
YT-71066	5 / 16ft	19 / 3/4"	12/96
YT-71067	8 / 26ft	25 / 1"	6/48

NON-SPARKING

Measuring tape-metric & Inch



YATO	L	W	
YT-71121	3 / 10ft	16 / 5/8"	12/120
YT-71122	5 / 16ft	19 / 3/4"	12/120
YT-71123	8 / 26ft	25 / 1"	6/48

Measuring tape



YATO	L [m]	W [mm]	
YT-71090	5	32	6/36
YT-71091	8	32	6/36
YT-71092	10	32	6/36

Measuring Tape



YATO	L [m]	W [mm]	
YT-71161	3	16	12/120
YT-71162	5	28	6/60
YT-71163	8	28	6/48
YT-71164	10	28	4/24

Laser distance meter with tape measure and cross laser line





YATO	L [m]	W [mm]	
YT-73122	5	19	20

Measuring tape



YATO	L [m]	W [mm]	
YT-71320	5	19	6/60

Measuring tape



YATO	L [m]	W [mm]	
YT-71085	5	32	6/36
YT-71086	7.5	32	6/36
YT-71087	10	32	6/24

Measuring tape



YATO	L [m]	W [mm]	
YT-71075	3	16	12/120
YT-71076	5	19	12/96
YT-71077	8	25	6/48

Measuring tape



YATO	L [m]	W [mm]	
YT-71094	5	32	6/36
YT-71095	8	32	6/36
YT-71096	10	32	6/36

Measuring tape





- *Nylon coated, two side printed, yellow steel tape*
- *Magnetic hook*

YATO	L [m]	W [mm]	
YT-7116	3	16	12/120
YT-7117	5	19	12/120
YT-7118	8	25	6/60

Measuring tape

3m 16mm | 5m 19mm | AUTOMATIC STOP | 5 | NYLON COATED NYLONOWA | II



YATO	L [m]	W [mm]	
YT-7103	3	16	12/120
YT-7105	5	19	12/120

Electronic ruler for curves

0-99.9 m | 0.5% ACCURACY DOKŁADNOŚĆ | 3.7 V 200mAh Li-Po



YATO	Measuring range [m]	
YT-70991	0-99	50/300

Fibreglass measuring tape

30m 15mm | 50m 15mm | ABS | FIBERGLASS WŁÓKNO SZKLANE | SPEEDY RETRACTING SZYBKIE ZWIJANIE



YATO	L [m]	W [mm]	
YT-71540	30	15	10
YT-71541	50	15	10

Measuring tape

3m 16mm | 5m 19mm | 8m 25mm | 5 | NYLON COATED NYLONOWA | II



YATO	L [m]	W [mm]	
YT-7129	3	16	12/120
YT-7130	5	19	12/120
YT-7131	8	25	6/60

Long steel measuring tape

SS STAINLESS STEEL STAL NIERDZEWNA | ABS | 30m 13mm | 50m 13mm



- *High impact-resistant ABS frame*
- *High-reinforced blade*

YATO	L [m]	W [mm]	
YT-71551	30	13	10
YT-71552	50	13	10

Long steel measuring tape

SS STAINLESS STEEL STAL NIERDZEWNA | ABS | 20m 13mm | 30m 13mm | 50m 13mm | SPEEDY RETRACTING SZYBKIE ZWIJANIE



- *High-reinforced blade*
- *3-times speedy retraction*

YATO	L [m]	W [mm]	
YT-71560	20	13	5/20
YT-71561	30	13	5/20
YT-71562	50	13	5/20

Electronic ruler for curves

0.05-99.9 m | 0.5% ACCURACY DOKŁADNOŚĆ | 3.7 V 200mAh Li-Po



YATO	Measuring range [m]	
YT-70990	0.05-99.9	50/300

Fiberglass tape

ABS | 30m 13mm | 50m 13mm



- *high impact-resistant ABS frame*
- *high-reinforced blade*
- *fiberglass blade*

YATO	L [m]	W [mm]	
YT-71555	30	13	10
YT-71556	50	13	10

Fiberglass Tape

SS STAINLESS STEEL STAL NIERDZEWNA | ABS | 20m 15mm | 30m 15mm | 50m 15mm | SPEEDY RETRACTING SZYBKIE ZWIJANIE



- *High-reinforced blade*
- *3-times speedy retraction*

YATO	L [m]	W [mm]	
YT-71565	20	15	5/20
YT-71566	30	15	5/20
YT-71567	50	15	5/20

NON-SPARKING

Folding builder's square

mm/inch | Al



YATO	Dimensions [mm]	
YT-70850	840x600x600	6/24
YT-70851	1720x1220x1220	10

Safety cutting ruler

Al



YATO	L [mm]	
YT-70725	200	20/200
YT-70726	300	20/120
YT-70727	450	10/80

Stainless steel try square

SS



YATO	Size [mm]	
YT-7083	150x300	25/100
YT-7084	250x500	10/50

Diameter and circumference measuring tape

mm/inch | +/- 0,01 mm | SS



YATO	Ø [mm]	Circumference [mm]	
YT-71700	20-300	60-950	50
YT-71701	300-700	940-2200	50
YT-71702	700-1100	2190-3460	50

Aluminium ruler

x2 | Al



YATO	L [mm]	
YT-70713	500	8/32
YT-70715	1000	8/32

Combination square

150 mm | x1 | SS



YATO	L [mm]	
YT-70843	150	6/48

Stainless steel flexible ruler

INOX | II



YATO	L [mm]	
YT-70720	150	10/500
YT-70721	300	12/300
YT-70722	500	20/120
YT-70723	600	20/120
YT-70724	1000	20/60

Aluminium try square

1200 mm | 90° | +/- 0,03 mm | Al



YATO	L [mm]	
YT-70855	1200	10

Adjustable ruler

120x250 mm | mm/inch | Al



YATO	Size [mm]	
YT-70880	250x120	10/50

Aluminium ruler

Al



YATO	L [mm]	
YT-7070	300	25/100
YT-7071	600	10/50

Aluminium try square

45° | 90° | Al



YATO	L [mm]	
YT-7080	250	6/36
YT-7081	300	6/36
YT-7082	350	6/36

Aluminium try square

mm/inch | Al



YATO	Size [mm]	
YT-70791	600x360	6/24
YT-70792	1220x560	6/12

Adjustable angle square

45° 90° 135° 300 mm Al SS



YATO	L [mm]	
YT-70794	300 (listwa), 160 (stopka)	60

3D aluminium mitre square

3D METRIC Al



YATO	Dimensions [mm]	
YT-70825	150x70x215	10/50

Steel set square

INOX Al



YATO	L [mm]	
YT-70780	170	6/72
YT-70781	270	6/36

Multi-purpose bevel

45° 90° 300 mm mm inch x1 Al SS



YATO	L [mm]	
YT-70771	300	12/72

3D aluminium mitre square

3D 45° 90° Al



YATO		
YT-70797		25/100

Aluminium aloy triangle

Al



YATO	L [mm]	
YT-70786	180	8/64
YT-70787	300	6/24

Multi-purpose bevel

45° 90° 150 mm mm inch x1 Al SS



YATO	L [mm]	
YT-70770	150	12/72

Steel measuring tape

20m 13mm 30m 13mm 50m 13mm POWLOKA NYLONOWA ABS STEEL STAL SPEEDY RETRACTING SZYBKIE ZWIJANIE II



YATO	L [m]	W [mm]	
YT-71580	20	13	10/40
YT-71581	30	13	10/40
YT-71582	50	13	5/20

Adjustable quick square

170 mm METRIC Al



YATO	Dimensions [mm]	
YT-70782	175x175x275	6/24

Multi-purpose bevel with protract

45° 90° 300 mm mm inch x1 Al SS



YATO	L [mm]	
YT-70772	300	12/36

Fibreglass measuring tape

20m 15mm 30m 15mm 50m 15mm ABS FIBERGLASS WŁÓKNO SZKLANE SPEEDY RETRACTING SZYBKIE ZWIJANIE II



YATO	L [m]	W [mm]	
YT-71570	20	15	10/40
YT-71571	30	15	10/40
YT-71572	50	15	5/20

Extension layout tool

METRIC Al



YATO	Dimensions [mm]	
YT-70783	165x185x210-290	6/24

3D aluminium mitre square

3D | 45° | 90° | Al



YATO		
YT-70796		10/100

Digital caliper

0-150 mm | mm/inch | +/- 0.03 mm | LCD | 1x SR44 | SS



YATO	Measuring range [mm]	
YT-7201	0-150	10/50

Disc brake digital caliper

mm/inch | 180 mm | 0-70 mm | +/- 0.03 mm | 55mm | LCD | SS | 1x CR2032



YATO	Measuring range [mm]	
YT-72093	0-70	50

Kitchen worktop jig

1000x390 x53 mm | max 700 mm | HARDENED LAMINATE LAMINAT UTWARDZANY



YATO	Dimensions [mm]	
YT-70890	1000x390x12	5

Digital caliper

0-150 mm | mm/inch | +/- 0.01 mm | LCD | 1x SR44 | SS



YATO	Measuring range [mm]	
YT-7205	0-150	10/50

Vernier caliper

0-150 mm | mm/inch | +/- 0.02 mm | SS



YATO	Measuring range [mm]	
YT-7200	0-150	50

Vernier caliper

mm/inch | +/- 0.02 mm | SS



YATO	Measuring range [mm]	L [mm]	
YT-72002	0-150	150	30
YT-72003	0-200	200	30
YT-72004	0-300	300	20

Disc brake vernier caliper

160 mm | 0-60 mm | +/- 0.01 mm | SS



YATO	Measuring range [mm]	
YT-72090	0-60	50

Vernier caliper

70 mm | +/- 0.05 mm | SS



YATO	Measuring range [mm]	
YT-71990	0-70	10/100

NON-SPARKING

Vernier caliper

100 mm | +/- 0.05 mm | SS



YATO	Measuring range [mm]	
YT-71993	0-100	10/100

Dial indicator

0-10 mm | +/- 0.01 mm | Ø 55 mm | 8 mm



YATO	Measuring range [mm]	
YT-72450	0-10	50

Micrometer with a digital display

mm inch | 0-25 mm | +/- 0.001 mm | LCD



YATO	Measuring range [mm]	
YT-72305	0-25	50

Paint thickness tester

ALUMINIUM | STEEL | 0-1.3 mm | 0.1 µm | +/- 3% | 2x AAA



YATO	
YT-72900	60

Electronic dial indicator

0-12.7 mm | +/- 0.01 mm | Ø 57 mm | 8 mm | 1x LR44



YATO	Measuring range [mm]	
YT-72453	0-12.7	50

Digital detector with moisture test

4 in 1 4 w 1 | LCD | 6h | 5-50% | 1.5-33% | max 8 mm | AUTO POWER OFF | 9 V 6F22



YATO	
YT-73138	40

Magnetic indicator stand

50x65 x55mm | max 70 kg



For YT-72450, YT-72453

YATO	
YT-72460	10

Micrometer

+/- 0.01 mm



YATO	Measuring range [mm]	
YT-72300	0-25	100
YT-72301	25-50	50
YT-72302	50-75	50
YT-72303	75-100	30

Stud finder

3 in 1 3 w 1 | LCD | 6h | 9 V 6F22



YATO	
YT-73131	40

Laser distance meter

2x60 m | 0.15-60m +/-3mm | x100 | x10 | MAX MIN | DIGITAL LEVEL CYFROWA POZIOMICA | 3.7 V 700mAh Li-Ion | USB

NEW



YATO	
YT-731249	50

Laser distance meter

50m | 0.05-50m +/-2mm | x99 | x6 | MAX MIN | DIGITAL LEVEL CYFROWA POZIOMICA | CALIBRATION MODE TRYB KALIBRACJI | 2x AAA





YATO	
YT-731251	50

Laser distance meter

30m | 0.05-30m +/-5mm | x8 | MAX MIN | 3.7 V 220mAh Li-Ion | USB

NEW



YATO	
YT-731240	40

Laser distance meter

120 m | 0.05-120m +/-2mm | x100 | x10 | MAX MIN | DIGITAL LEVEL CYFROWA POZIOMICA | CALIBRATION MODE TRYB KALIBRACJI | 3.7 V 2000mAh Li-Ion | USB

NEW





YATO	
YT-73128	20

Laser distance meter

100 m | 0.05-100m +/-2mm | x99 | x6 | MAX MIN | DIGITAL LEVEL CYFROWA POZIOMICA | CALIBRATION MODE TRYB KALIBRACJI | 2x AAA





YATO	
YT-731252	50

Distance measuring wheels

0.1-9999.9 m | 0.5% ACCURACY DOKŁADNOŚĆ | Ø 160 mm | 38-92 cm | Al



YATO	
YT-71650	8

Laser distance meter

2x100 m | 0.05-100m +/-2mm | x100 | x10 | MAX MIN | DIGITAL LEVEL CYFROWA POZIOMICA | CALIBRATION MODE TRYB KALIBRACJI | 3.7 V 850mAh Li-Ion | USB

NEW





YATO	
YT-731250	40

Laser distance meter

30m | 0.05-30m +/-3mm | x9 | 3.7 V 250mAh Li-Ion | USB

NEW



YATO	
YT-731244	200

Distance measuring wheels

m/ft | 0.1-9999.9 m | 0.5% ACCURACY DOKŁADNOŚĆ | Ø 160 mm | LCD | 82-104 cm | Al | ABS



YATO	
YT-71655	10

Laser distance meter

5-1000m ±1m | 905 nm | 20-300 ±5 km/h | H | CLASS I | Cr2 3V

NEW



YATO	
YT-731290	30

Line green laser

±3.0mm /10m | ±4° | 510-530 nm | 1/4" (6.3 mm) | -10 +50 °C | ≤1 mW | CLASS II | IP54 | 6V | 4x AA



YATO	
YT-30435	20

Auto level

100m | 32x ⌀38mm | ±1.5 mm /1 km | IP54



YATO	
YT-30552	1

Underground Wire Tracker

50-10000 PPM | METHANE PROPANE BUTANE METAN PROPAN BUTAN

NEW



YATO	
YT-73135	20

Line green laser 3D

±3.0mm /10m | ±4° | 510-530 nm | 3.7 V 2200mAh Li-Ion | 1/4" (6.3 mm) | -10 +50 °C | ≤1 mW | CLASS II | IP54



YATO	
YT-30436	12

Aluminium tripod

1/4" 5/8" | Al



YATO	H [mm]	
YT-30471	150-280	20
YT-30473	320-750	10
YT-30475	460-1200	20
YT-30477	470-1500	20

Cross line green laser

±3.0mm /10m | ±4° | 510-530 nm | 3.7 V 2200mAh Li-Ion | 1/4" (6.3 mm) | -10 +50 °C | ≤1 mW | CLASS II



YATO	
YT-30434	20

Auto level

110m | 32x ⌀38mm | ±1.0 mm /1 km | IP66



YATO	
YT-30550	4

Aluminium tripod

max 1500 mm | min 950 mm | 1/4" 5/8" | Al



YATO	H [mm]	
YT-30479	950-1500	4

Aluminium tripod

max 1200 mm | min 510 mm | max 1500 mm | min 610 mm | 1/4" 5/8" TRIPOD THREAD SWIVEL STATYWU



YATO	H [mm]	
YT-30482	510-1200	10
YT-30483	610-1500	10

Laser pole with tripod

max 370 cm | Al



YATO	H [m]	
YT-30500	maks. 3.7	4

Leveling patch

Al



YATO	L [mm]	
YT-30491	1040-3000	12
YT-30492	1200-5000	12

Laser mounting pole

max 4m | Al





YATO	H [m]	
YT-30503	maks. 4	6

Line green laser with accessories

±3.0 mm /10 m | ±4° | 510-530 nm | 1/4" (6.3 mm) TRIPOD THREAD SWIVEL STATYWU | -10 +50 °C | ≤1 mW | II CLASS / KLASA | IP54 | 6V | 4x AA | max 1500 mm | min 470 mm | 1/4" 5/8" TRIPOD THREAD SWIVEL STATYWU | Al



YATO	
YT-30440	8

Auto level with accessories

110 m | 32x ⌀ 38 mm | ± 1.0 mm /1 km | IP66



YATO	
YT-30551	4

Auto level with accessories

100 m | 32x ⌀ 38 mm | ± 2.0 mm /1 km | IP54



YATO	
YT-30553	1

Line green laser 4D with accessories

25m ± 3.0 mm /10 m
3.7 V 2400mAh Li-Ion
IP52
100 cm
1/4" 5/8"
4D



YATO	
YT-30415	5

Green beam laser receiver

1-70m LED



For YT-30417, YT-30419

YATO	
YT-30421	50

Laser battery

3.7 V 4000mAh Li-Ion



For YT-30419

YATO	[mAh]	
YT-30420	4000	100

Line green laser 4D with accessories

30m ± 2.0 mm /10 m
3.7 V 4000mAh Li-Ion
IP54
4D



YATO	
YT-30417	8

Laser battery

3.7 V 2400mAh Li-Ion



For YT-30415

YATO	[mAh]	
YT-30416	4000	100

Green rotary laser level

NEW



YATO	
YT-30520	1

Line green laser 4D

30m ± 3.0 mm /10 m
3.7 V 4000mAh Li-Ion
IP54
4D



YATO	
YT-30419	20

Laser battery

3.7 V 4000mAh Li-Ion



For YT-30417

YATO	[mAh]	
YT-30418	4000	100

Green rotary laser level

NEW



YATO	
YT-30521	1

Green rotary laser level



YATO	
YT-30522	1

Line green laser 4D with accessories



YATO	
YT-30423	1/4

Tile laser



YATO	
YT-30410	4/16

Electronic laser alignment base



YATO	
YT-30431	1/12

Machine mounted green laser receiver



YATO	
YT-30540	1

Red glasses for laser



YATO	
YT-30460	80

Red and green beam laser receiver



YATO	
YT-30422	1

Laser line marker



YATO	
YT-30414	6/36

Green laser glasses



YATO	
YT-30461	80

Floating rule



YATO	L [mm]	
YT-3071	1500	10
YT-3072	2000	10
YT-3073	2500	10
YT-3074	3000	10

Floating rule



YATO	L [mm]	
YT-3076	1500	10
YT-3077	2000	10
YT-3078	2500	10
YT-3079	3000	10

Aluminium level



YATO	L [mm]	
YT-3022	600	10/30
YT-3023	800	10/30
YT-3024	1000	30
YT-3025	1200	20
YT-3026	1500	20

Red laser target card



YATO	Dimensions [mm]	
YT-30464	75x105x3.2	400

Trapezoid floating rule



YATO	L [mm]	
YT-3081	1500	10
YT-3082	2000	10
YT-3083	2500	10
YT-3084	3000	10

Aluminium level



YATO	L [mm]	
YT-30071	600	10/40
YT-30072	800	10/30
YT-30073	1000	10/20

Green laser target card



YATO	Dimensions [mm]	
YT-30465	75x105x3.2	400

Aluminium level



YATO	L [mm]	
YT-3001	400	20/60
YT-3002	600	20/60
YT-3003	800	10/40
YT-3004	1000	10/40
YT-3005	1200	10/20

Aluminium level



YATO	L [mm]	
YT-30060	400	10/40
YT-30061	600	10/40
YT-30062	800	10/30
YT-30063	1000	10/20
YT-30064	1200	10/20

Aluminium level

300 mm | 0.027° = 0.5 mm/m ACCURACY DOKŁADNOŚĆ | x2 | Al | x3



YATO	L [mm]	
YT-30310	300	40

Trapezoidal spirit level

0.027° = 0.5 mm/m ACCURACY DOKŁADNOŚĆ | x2 | ALUMINIUM HIGH QUALITY PROFILE ALUMINIOWY PROFIL WYSOKIEJ JAKOŚCI | SHOCK-PROOF OPORNA NA WSTRZĄSY



YATO	L [mm]	
YT-30370	250	60

Tile-setting spirit level

600 mm | 0.027° = 0.5 mm/m ACCURACY DOKŁADNOŚĆ | x2 | ALUMINIUM HIGH QUALITY PROFILE ALUMINIOWY PROFIL WYSOKIEJ JAKOŚCI | Al | SHOCK-PROOF OPORNA NA WSTRZĄSY





YATO	L [mm]	
YT-30320	600	30

Aluminium try square with spirit level

300x400 mm | x4 | 0.027° = 0.5 mm/m ACCURACY DOKŁADNOŚĆ | Al

NEW



YATO	L [mm]	
YT-70744	400x300	6/24
YT-70745	500x300	6/24
YT-70746	600x400	6/24
YT-70747	800x500	6/24
YT-70748	1000x500	6/24
YT-70749	1200x500	6/24

Torpedo level

230 mm | x3 | ABS | Al



YATO	L [mm]	
YT-30330	230	45

Digital level with distance meter

230 mm | 0.5-20m +/-3mm | x2 | x3 MODES TRYBY | 3.7 V 300mAh Li-Ion | USB | USB CABLE KABEL | II CLASS / KLASA | Al | LED DISPLAY WYŚWIETLACZ



YATO	L [mm]	
YT-30340	230	40

Aluminium level

0.027° = 0.5 mm/m ACCURACY DOKŁADNOŚĆ | x3 | Al



YATO	L [mm]	Magnet quantity	
YT-30311	600	5	20
YT-30312	800	6	20
YT-30313	1000	7	15

Torpedo level

300 mm | x4 | ABS | Al



YATO	L [mm]	
YT-30331	300	45

Magnetic digital level

150 mm | Al | LED DISPLAY WYŚWIETLACZ



YATO	L [mm]	
YT-30395	150	30

NON-SPARKING

Magnetic digital level



YATO	L [mm]	
YT-30397	400	30

Digital level aluminium box with magnet



YATO		
YT-71000		9/45

Feeler



YATO	L [mm]	W [mm]	[mm]	
YT-7222	100	10	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.20, 0.30, 0.40, 0.50	10/100

Digital angle ruler



YATO	L [mm]	
YT-71003	200	10/50
YT-71004	300	10/40
YT-71005	500	5/20

Feeler



YATO	L [mm]	W [mm]	[mm]	
YT-7220	100	10	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.0	10/200

Feeler



YATO	L [mm]	W [mm]	[mm]	
YT-7223	200	12.8	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50	10/100

Digital laser level





YATO	L [mm]	
YT-30400	610	20

Feeler



YATO	L [mm]	W [mm]	[mm]	
YT-7221	200	12.8	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.0	10/100

Divider



YATO	L [mm]	
YT-72100	150	50
YT-72101	200	50
YT-72102	300	50

Protractor

+/- 0.1 mm



YATO	Size [mm]	
YT-72140	120x150	50
YT-72141	150x200	50

Steel contour gauge

150 mm | 46 mm | STEEL NEEDLES STALOWE IGŁY | mm / inch





YATO	L [mm]	
YT-70870	150	12/48

Screw pitch gauges

WHITWORTH 4-62 55° | x28 BLADES OSTRZA



YATO	Thread size metric [mm]	
YT-29982	4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 24, 25, 26, 28, 30, 32, 36, 40, 48, 60, 62	30/300

Bevel protractor

380 mm | 10-170° 5-85° | Al



YATO	L [mm]	
YT-70853	380	10/60

Hinge hole drilling guide locator

85x40 x22 mm | ABS



YATO	Dimensions [mm]	
YT-44135	85x40x22	50/200

Screw pitch gauges

METRIC 0.25-6.0 mm 60° | x24 BLADES OSTRZA



YATO	Thread size metric [mm]	
YT-29980	0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1, 1.25, 1.5, 1.75, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6	30/300

Digital thermometer

130 mm | +/-1 °C | LCD | °C -50 +300 | 1x LR44



YATO	L [mm]	
YT-72971	130	250

Hinge hole drilling guide locator

270x55 x3.6 mm | ABS



YATO	Dimensions [mm]	
YT-44136	270x55x3.6	50/200

Screw pitch gauges

METRIC 0.25-6.0 mm 60° | WHITWORTH 4-62 55° | x52 BLADES OSTRZA



YATO	Thread size metric [mm]	Thread size Whitworth	
YT-29984	0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1, 1.25, 1.5, 1.75, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6	4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 36, 40, 48, 60, 62	20/200

Spring divider



YATO	L [mm]	
YT-72106	150	50
YT-72107	200	50
YT-72108	300	50

Inside caliper with spring



YATO	L [mm]	
YT-72125	150	50
YT-72126	200	25/50
YT-72127	250	10/50

Electronic platform scale

max 100 kg | 30x40 cm | +/- 20 g | LCD BACKLIGHT POSSIBILITY



YATO	Max. load capacity [kg]	
YT-73275	100	1

Outside caliper



YATO	L [mm]	
YT-72115	200	50
YT-72116	300	50

Multifunction tool for drawing lines

SS STAINLESS STEEL | Al



YATO	
YT-70730	20

Electronic platform scale

max 300 kg | 30x40 cm | +/- 50 g | LCD BACKLIGHT POSSIBILITY



YATO	Max. load capacity [kg]	
YT-73283	300	1

Outside caliper with spring



YATO	L [mm]	
YT-72120	150	50
YT-72121	200	50
YT-72122	250	50

Electronic scale

max 40 kg | 33x23 cm | +/- 5 g | LED BACKLIGHT POSSIBILITY



YATO	Max. load capacity [kg]	
YT-73270	40	1

Electronic platform scale

max 150 kg | 30x40 cm | +/- 50 g | LCD BACKLIGHT POSSIBILITY



YATO	Max. load capacity [kg]	
YT-73280	150	1


YATO
OIL DAILY

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 119 l/min | 550 Nm | 7500 min⁻¹ | STANDARD



TWIN HAMMER TYPE



L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 5,47 ± 1,5 m/s²

YATO	[Nm]	
YT-09511	550	6

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 120 l/min | 1000 Nm | 6000 min⁻¹ | STANDARD



TWIN HAMMER TYPE

L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 5,47 ± 1,5 m/s²

YATO	[Nm]	
YT-09528	1000	6

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 198 l/min | 1700 Nm | 7000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



TWIN HAMMER TYPE



L_{pA} = 92,2 ± 3,0 dB; L_{wA} = 103,2 ± 3,0 dB; a_h = 4,66 ± 1,5 m/s²

YATO	[Nm]	
YT-09544	1700	10

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 184 l/min | 680 Nm | 7000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD





TWIN HAMMER TYPE

L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 106,0 ± 3,0 dB; a_h = 9,1 ± 1,5 m/s²

YATO	[Nm]	
YT-09524	680	5

Impact wrench

SHORT BODY

1/2" 12.7mm | SINGLE HAMMER TYPE | 0.63 MPa | 142 l/min | 1200 Nm | 10000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD





SINGLE HAMMER TYPE



L_{pA} = 87,0 ± 1,0 dB; L_{wA} = 94,0 ± 2,0 dB; a_h = 9,4 ± 0,9 m/s²

YATO	[Nm]	
YT-09515	1200	10

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 153 l/min | 1356 Nm | 10000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD





TWIN HAMMER TYPE



L_{pA} = 93,7 ± 3,1 dB; L_{wA} = 104,7 ± 3,1 dB; a_h = 4,4 ± 0,4 m/s²

YATO	[Nm]	
YT-0953	1356	10

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.6-0.8 MPa | 119 l/min | 850 Nm | 7000 min⁻¹ | STANDARD



TWIN HAMMER TYPE



L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 5,47 ± 1,5 m/s²

YATO	[Nm]	
YT-09525	850	6

Twin hammer impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.62 MPa | 127.5 l/min | 475 Nm | 10000 min⁻¹ | STANDARD | COMPOSITE BODY KOMPOZYTOWY KORPUS



YATO	[Nm]	
YT-0950	475	10

Impact wrench

1/2" 12.7mm | TWIN HAMMER TYPE | 0.63 MPa | 184 l/min | 1560 Nm | 8000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



TWIN HAMMER TYPE



L_{pA} = 87,0 ± 1,0 dB; L_{wA} = 94,0 ± 2,0 dB; a_h = 9,4 ± 0,9 m/s²

YATO	[Nm]	
YT-09545	1560	5

Impact wrench

3/4" 19 mm | PINLESS HAMMER TYPE | 0.63 MPa | 580 l/min | 2800 Nm | 4600 min⁻¹ | STANDARD



TWIN HAMMER TYPE

L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 11,11 ± 1,43 m/s²

YATO	[Nm]	
YT-09580	2800	2

Twin hammer impact wrench

3/4" 19 mm | TWIN HAMMER TYPE | 0.62 MPa | 195 l/min | 1626 Nm | 5750 min⁻¹ | G3/8 | COMPOSITE BODY KOMPOZYTOWY KORPUS



YATO	[Nm]	
YT-0957	1626	4

Impact wrench

1" 25 mm | PINLESS HAMMER TYPE | 1.0 MPa | 450 l/min | 4800 Nm | 5000 min⁻¹ | G1/2

PINLESS HAMMER TYPE



L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 108,0 ± 3,0 dB; a_h = 12,579 ± 1,5 m/s²

YATO	[Nm]	
YT-09618	4800	1

Impact wrench

1/2" 12.7 mm | TWIN HAMMER TYPE | 0.63 MPa | 180 l/min | 1800 Nm | 7400 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



TWIN HAMMER TYPE

L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 5,47 ± 1,5 m/s²

YATO	Nm	
YT-09546	1800	8

Impact wrench

3/4" 19 mm | TWIN HAMMER TYPE | 0.63 MPa | 255 l/min | 2300 Nm | 7000 min⁻¹ | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



TWIN HAMMER TYPE

L_{pA} = 97,9 ± 3,0 dB; L_{wA} = 108,9 ± 3,0 dB; a_h = 5,75 ± 1,5 m/s²

YATO	[Nm]	
YT-09575	2300	4

Impact wrench

1" 25 mm | PINLESS HAMMER TYPE | 0.63 MPa (max.) | 650 l/min | 5800 Nm | 7000 min⁻¹ | G1/2

PINLESS HAMMER TYPE



L_{pA} = 84,4 ± 3,0 dB; L_{wA} = 95,4 ± 3,0 dB; a_h = 2,6 ± 1,5 m/s²

YATO	[Nm]	
YT-09620	5800	1

Impact wrench

3/4" 19 mm | TWIN HAMMER TYPE | 0.63 MPa | 660 l/min | 1300 Nm | 5000 min⁻¹ | G3/8



TWIN HAMMER TYPE

L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 5,47 ± 1,5 m/s²

YATO	[Nm]	
YT-09564	1300	4

Impact wrench

1" 25 mm | PINLESS HAMMER TYPE | 0.6-1.0 MPa | 355 l/min | 3200 Nm | 3500 min⁻¹ | G1/2

PINLESS HAMMER TYPE



L_{pA} = 97,1 ± 3,0 dB; L_{wA} = 108,1 ± 3,0 dB; a_h = 13,75 ± 1,5 m/s²

YATO	[Nm]	
YT-09615	3200	1

Ratchet wrench kit

1/2" 12.7 mm | 0.62 MPa | 110 l/min | 68 Nm | 160 min⁻¹ | STANDARD | CrV | OIL POT OLIWIARKA



10, 11, 12, 13, 14, 17, 19 mm; 1/2" (12.7 mm) (L=75 mm); 1/2" (12.7 mm); 6 mm x 1/2" (12.7 mm); PH2, PH3, PH4; T20, T25, T27, T30, T40; 4, 5, 6, 7, 8 mm

L_{pA} = 93,1 ± 1,9 dB; L_{wA} = 104,4 ± 2,7 dB; a_h = 19,98 ± 2,47 m/s²

YATO	[Nm]	
YT-0982	68	4

NON-SPARKING

Impact wrench

1" 25mm | PINLESS HAMMER TYPE | 0.63 MPa | 4000 Nm | 450 l/min | 4000 min⁻¹ | G1/2 | ULTRA LIGHT



YATO		
YT-09617		2

Impact wrench

1" 25mm | PINLESS HAMMER TYPE | 0.63 MPa | 560 l/min | 2600 Nm | 4000 min⁻¹ | G1/2

PINLESS HAMMER TYPE



L_{pA} = 97,2 ± 2,0 dB; L_{wA} = 107,7 ± 2,8 dB; a_h = 23,58 ± 4,76 m/s²

YATO	[Nm]	
YT-0960	2600	1

Ratchet air wrench

1/2" 12.7mm | 95 Nm | 0.62 MPa | 160 min⁻¹ | 71 l/min | STANDARD | CE



YATO	[Nm]	
YT-0984	95	15

Impact wrench

1" 25mm | PINLESS HAMMER TYPE | 0.63 MPa | 560 l/min | 2600 Nm | 4000 min⁻¹ | G1/2

PINLESS HAMMER TYPE



L_{pA} = 94,1 ± 2,8 dB; L_{wA} = 104,8 ± 2,8 dB;
a_h = 14,53 ± 1,93 m/s²

YATO	[Nm]	
YT-0959	2600	1

3 in 1 air combo kit

1/2" 12.7mm | 0.63 MPa | 113 l/min | 85 Nm | 180 min⁻¹ | 15000 min⁻¹ | 18000 min⁻¹ | 6 mm | STANDARD

3in1



L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 99,0 ± 3,0 dB; a_h = 3,95 ± 1,5 m/s²

YATO	[Nm]	
YT-09860	85	10

Ratchet air wrench

1/2" 12.7mm | 0.63 MPa | 142 l/min | 80 Nm | 160 min⁻¹ | 360° AIR EXHAUST ROTATION POWIETRZA | SPEED REGULATOR REGULACJA PREDKOSCI | 1.4 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 94,0 ± 3,0 dB; L_{wA} = 105,0 ± 3,0 dB; a_h = 2,6 ± 1,5 m/s²

YATO	[Nm]	
YT-09803	80	12

Pneumatic kit

6 PCS | 0.8 MPa (max.) | 5m | PU | STANDARD

NEW



YATO		
YT-23780		20

Ratchet air wrench

1/2" 12.7mm | 0.62 MPa | 110 l/min | 68 Nm | 160 min⁻¹ | STANDARD



L_{pA} = 93,1 ± 1,9 dB; L_{wA} = 104,4 ± 2,7 dB;
a_h = 19,98 ± 2,47 m/s²

YATO	[Nm]	
YT-0980	68	20

Ratchet air wrench

1/4" 6.3mm | 113 l/min | 27 Nm | SPEED REGULATOR REGULACJA PREDKOSCI | 0.63 MPa | 180 min⁻¹ | 360° AIR EXHAUST ROTATION POWIETRZA | 0.5 kg | ULTRA LIGHT ULTRALEKKI | STANDARD | COMPOSITE BODY KOMPOZYTOWY KORPUS



ULTRA LIGHT

YATO	[Nm]	
YT-09795	27	20

Air grinder

0.63 MPa | 113 l/min | 25000 min⁻¹ | 6 mm | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD





L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 99,0 ± 3,0 dB; a_h = 2,9 ± 1,5 m/s²

YATO	
YT-09632	20

Air grinder

0.63 MPa | 113 l/min | 25000 min⁻¹ | 6 mm | 360° AIR EXHAUST WYDMUCH POWIETRZA | SPEED REGULATOR REGULACJA PRĘDKOŚCI | 0,33 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 108,0 ± 3,0 dB;
a_h = 0,9 ± 1,5 m/s²

YATO	
YT-09633	20

Air cut-off tool

0.63 MPa | 481 l/min | 20000 min⁻¹ | 75x9.5 mm | STANDARD



L_{pA} = 91,7 ± 3,0 dB; L_{wA} = 102,7 ± 3,0 dB;
a_h = 4,67 ± 1,5 m/s²

YATO	
YT-09716	12

Air grinder

0.62 MPa | 113 l/min | 20000 min⁻¹ | 6 mm | STANDARD | CE



YATO	
YT-0963	20

Air grinder

0.62 MPa | 160 l/min | 20000 min⁻¹ | 3, 6 mm | STANDARD



L_{pA} = 100,7 ± 2,4 dB; L_{wA} = 106,2 ± 3,7 dB;
a_h =2,83 ± 0,93 m/s²

YATO	
YT-0965	25

Air angle grinder

0.63 MPa | 113 l/min | 20000 min⁻¹ | 6 mm | 360° AIR EXHAUST WYDMUCH POWIETRZA | SPEED REGULATOR REGULACJA PRĘDKOŚCI | 0,48 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 1,4 ± 1,5 m/s²

YATO	[Nm]	
YT-09676	27	30

Die grinder kit

11 PCS | 0.62 MPa | 113 l/min | 20000 min⁻¹ | 6 mm | STANDARD | CE



YATO	[Nm]	
YT-0964	700	10

Air drill

0.63 MPa | 141 l/min | 20000 min⁻¹ | max Ø 10 mm | 360° AIR EXHAUST WYDMUCH POWIETRZA | SPEED REGULATOR REGULACJA PRĘDKOŚCI | 0,66 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 6,2 ± 1,5 m/s²

YATO	
YT-09695	20

Air angle grinder

0.63 MPa | 141 l/min | 11000 min⁻¹ | 125 x 16|22 mm | M10 | STANDARD



L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 3,4 ± 1,5 m/s²

YATO	
YT-09675	8

Air angle grinder

0.6 MPa (max.) | 963 l/min | STANDARD | CE



YATO	Size	
YT-09680	4"	10
YT-09681	5"	10

Air sander

0.63 MPa | 113 l/min | 20000 min⁻¹ | ⌀ 50 mm | 2.5 mm | M6 | SPEED REGULATOR REGULACJA PRĘDKOŚCI | 0.65 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 2,3 ± 2,5 m/s²

YATO	
YT-09730	20

Air sander

0.63 MPa | 84 l/min | 10500 min⁻¹ | ⌀ 150 mm | VACUUM SYSTEM SYSTEM ODPYLANIA | STANDARD





L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 4,4 ± 2,5 m/s²

YATO	
YT-09740	10

Angle polisher

0.62 MPa | 283 l/min | 0-2500 min⁻¹ | STANDARD | CE



YATO	Size	
YT-09755	7"	6

Air sander

0.63 MPa | 128 l/min | 12000 min⁻¹ | ⌀ 150 mm | 5.0 mm | VACUUM SYSTEM SYSTEM ODPYLANIA | M8 | STANDARD





L_{pA} = 91,0 ± 3,0 dB; L_{wA} = 105,0 ± 4,0 dB; a_h = 10,3 ± 1,2 m/s²

YATO	
YT-09738	10

Metal cutting discs

5 PCS | max 80 m/s | 18000 min⁻¹ | 75x9.5 x2 mm



For YT-0993, YT-09715, YT-09717

YATO	
YT-0994	12/48

Air sander

230 l/min | 0.62 MPa | STANDARD | 9000 min⁻¹ | ⌀ 150 mm | 6.0 mm | CE



YATO	
YT-0967	10

Air sander

0.63 MPa | 84 l/min | 12000 min⁻¹ | ⌀ 150 mm | 2.5 mm | 360° AIR EXHAUST WYDMUCH POWIETRZA | STANDARD



L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 4,4 ± 2,5 m/s²

YATO	
YT-09739	10

Air cut-off tool

0.65 MPa | 127 l/min | 18000 min⁻¹ | 75x9.5 mm | STANDARD



L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 1,36 ± 1,5 m/s²

YATO	
YT-09715	10

Air cut-off tool

0.8 MPa | 170 l/min | 18000 min⁻¹ | 75x9.5 mm | 360° AIR EXHAUST DIRECTION | SPEED REGULATOR | 0.7 kg | ULTRA LIGHT | COMPOSITE BODY | STANDARD



ULTRA LIGHT

L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 1,2 ± 1,5 m/s²

YATO	
YT-09717	20

Endless sanding belt



For YT-09741
- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	pcs	
YT-09743	P60	10x330	10	100
YT-09744	P80	10x330	10	100
YT-09745	P100	10x330	10	100
YT-09746	P120	10x330	10	100

Air shears

0.63 MPa | 141 l/min | 2500 min⁻¹ | 5.5 mm | max 1.2 mm STEEL STAL | max 1.4 mm Al | STANDARD



L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 4,6 ± 1,5 m/s²

YATO	
YT-09945	15

Air belt sander

0.63 MPa | 170 l/min | 20000 min⁻¹ | 10x330 mm | EASY BELT REPLACEMENT LATWA WYMIANA PASKA | STANDARD



Includes belts: P60, P80, P120

L_{pA} = 93,0 ± 3,0 dB; L_{wA} = 104,0 ± 3,0 dB; a_h = 4,8 ± 1,5 m/s²

YATO	Abrasive belt size [mm]	
YT-09741	10x330	10

Air body saw

0.63 MPa | 170 l/min | 9000 min⁻¹ | STANDARD



L_{pA} = 78,0 ± 3,0 dB; L_{wA} = 89,0 ± 3,0 dB; a_h = 23 ± 1,5 m/s²

YATO	
YT-09955	20

Air drill

0.63 MPa | 113 l/min | 1800 min⁻¹ | max Ø 10 mm | 0.9 kg | ULTRA LIGHT ULTRALEKKI | COMPOSITE BODY KOMPOZYTOWY KORPUS | STANDARD



ULTRA LIGHT

L_{pA} = 98,0 ± 3,0 dB; L_{wA} = 109,0 ± 3,0 dB; a_h = 2,8 ± 1,5 m/s²

YATO	
YT-09703	10

Air belt sander

0.63 MPa | 200 l/min | 20000 min⁻¹ | 20x520 mm | EASY BELT REPLACEMENT LATWA WYMIANA PASKA | STANDARD



Includes belts: P60, P80, P120

L_{pA} = 93,0 ± 3,0 dB; L_{wA} = 104,0 ± 3,0 dB; a_h = 4,8 ± 1,5 m/s²

YATO	Abrasive belt size [mm]	
YT-09742	20x520	10

Air saw blades

5 PCS



For YT-09955

YATO	TPI	
YT-09958	24	50/200
YT-09959	32	50/200

Air drill

0.63 MPa | 198 l/min | 700 min⁻¹ | max Ø 10 mm | 1.7 kg | STANDARD



L_{pA} = 89,7 ± 3,0 dB; L_{wA} = 100,7 ± 3,0 dB; a_h = 0,89 ± 1,5 m/s²

YATO	
YT-09702	12

Endless sanding belt



For YT-09742
- *Application: metal, wood*
- *Abrasive: aluminium oxide*
- *Bond: synthetic resin*
- *Coating: closed*

YATO	Grit	[mm]	pcs	
YT-09747	P60	20x520	10	50
YT-09748	P80	20x520	10	50
YT-09749	P100	20x520	10	50
YT-09750	P120	20x520	10	50

Air shears pistol type

0.63 MPa | 141 l/min | 1800 min⁻¹ | 5.5 mm | max 1.2 mm STEEL STAL | max 1.4 mm Al | STANDARD



L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 91,0 ± 3,0 dB; a_h = 6,5 ± 1,5 m/s²

YATO	
YT-09944	10

Reversible air drill

0.62 MPa | 180 l/min | 0-1800 min⁻¹ | max Ø 10 mm | STANDARD | CE



YATO	
YT-0970	20

Reversible air drill



YATO	
YT-09701	10

Air needle scaler



L_{pA} = 100,0 ± 3,0 dB; L_{wA} = 111,0 ± 3,0 dB; a_h = 13,0 ± 1,5 m/s²

YATO	
YT-09910	8

Inflating gun



L_{pA} = 89,0 ± 2,5 dB; L_{wA} = 100,0 ± 2,5 dB; a_h = <2,5 m/s²

YATO	[mm]	
YT-23701	440	20

Air hammer



L_{pA} = 96,3 ± 1,3 dB; L_{wA} = 107,7 ± 2,5 dB; a_h = 2,62 ± 9,1 m/s²

YATO	
YT-0990	10

Needle head



For YT-09910

YATO	
YT-09911	20

Inflating gun



L_{pA} = 89,0 ± 2,5 dB; L_{wA} = 100,0 ± 2,5 dB; a_h = <2,5 m/s²

YATO	[mm]	
YT-23702	440	10/40

Air hammer



L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 106,0 ± 3,0 dB; a_h = 20,0 ± 4,5 m/s²

YATO	
YT-09904	10

Air needle scaler



L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 108,0 ± 3,0 dB; a_h = 18,9 ± 1,5 m/s²

YATO	
YT-09912	6

Inflating gun



L_{pA} = 89,0 ± 2,5 dB; L_{wA} = 100,0 ± 2,5 dB; a_h = <2,5 m/s²

YATO	
YT-23703	20

Shank chisel for air hammer



For YT-0990, 81133, YT-09904

YATO	
YT-09901	50

Inflating gun



L_{pA} = 89,0 ± 2,5 dB; L_{wA} = 100,0 ± 2,5 dB; a_h = <2,5 m/s²

YATO	
YT-2370	8/40

Inflating gun



YATO	
YT-23705	20

Inflating head

1.0 MPa (max.)



YATO	Connector diameter	
YT-2371	6	50/300
YT-2372	8	50/300

Spray gun with fluid cup

0.3 MPa | 410 l/min | ⌀ 1.5 mm | 0.6 L | HVLP



L_{pA} = 76,0 dB; L_{wA} = 87,0 dB; a_h = <2,5 m/s²

YATO	
YT-2341	20

Spray gun with fluid cup

0.3 MPa | 220 l/min | ⌀ 0.8 mm | 0.1 L | HVLP



L_{pA} = 67,0 dB; L_{wA} = 78,0 dB; a_h = <2,5 m/s²

YATO	
YT-2357	20

Spot drill & hook

0.62 MPa | 300 l/min | 18000 min⁻¹ | STANDARD | CE



YATO	
YT-09711	10

Spray gun with fluid cup

0.4 MPa | 380 l/min | ⌀ 1.8 mm | 1 L



L_{pA} = 79,0 dB; L_{wA} = 90,0 dB; a_h = <2,5 m/s²

YATO	
YT-2346	10

Cleaning foam gun

0.62 MPa (max.) | 113 l/min | 220 mm | 1 L | Al | STANDARD



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO	
YT-23640	10

Air sand blaster

0.8 MPa | 160 l/min | 1/4" 6.3 mm | ⌀ 6.3 mm | 1 m | Al



L_{pA} = 90,0 dB; L_{wA} = 101,0 dB; a_h = <2,03 m/s²

YATO	
YT-2375	10

Spray gun with fluid cup

0.25 MPa | 80 l/min | ⌀ 1.0 mm | 0.1 L



YATO	
YT-2355	20

Cleaning foam gun

0.62 MPa (max.) | 113 l/min | TURBO NOZZLE DYSZA TURBO | 1 L | Al | STANDARD



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO	
YT-23641	10

Spray gun with fluid cup

0.3 MPa (max.) | 410 l/min | ⌀ 1.4 mm | 0.6 L | HVLP



L_{pA} = 74,0 dB; L_{wA} = 85,0 dB; a_h = <2,5 m/s²

YATO	
YT-2340	20

Air vaccum cleaner

0.62 MPa | ⌀ 25 mm | Al | STANDARD



L_{pA} = 83,0 ± 3,0 dB; L_{wA} = 94,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO	
YT-09990	10

Pneumatic brake and clutch bleeding set

0.62 MPa | 1 L | 180 cm | STANDARD



YATO	
YT-06835	20

Blow gun with extension

0.8 MPa (max.) | 320 mm | PP | BRASS MOSIĄDZ | STANDARD



L_{pA} = 89,0 dB; L_{wA} = 100,0 dB; a_h = <2,5 m/s²

YATO	
YT-23732	30/60

Blow gun with extension

0.8 MPa (max.) | 520 mm | PP | BRASS MOSIĄDZ | STANDARD



L_{pA} = 89,0 dB; L_{wA} = 100,0 dB; a_h = <2,5 m/s²

YATO	
YT-23733	30/60

Work bench

max. 10 kg 50x85 cm | max. 150 kg 100x45 cm



YATO	
YT-5555	1

Short air blow gun with turbo

0.62 MPa | 45 mm | TURBO NOZZLE DYSZA TURBO | STANDARD



L_{pA} = 86,0 ± 3,0 dB; L_{wA} = 97,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO	
YT-23722	50

Long air blow gun with turbo

0.62 MPa (max.) | 110 mm | TURBO NOZZLE DYSZA TURBO | STANDARD



L_{pA} = 86,0 ± 3,0 dB; L_{wA} = 97,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO	
YT-23723	25

Blow gun with extension

0.8 MPa (max.) | 110 mm | BRASS MOSIĄDZ | PP | STANDARD



L_{pA} = 89,0 dB; L_{wA} = 100,0 dB; a_h = <2,5 m/s²

YATO	
YT-23731	20/40

Blow gun with extension

0.8 MPa (max.) | 1/4" 6.3mm | Al | STANDARD



L_{pA} = 91,0 dB; L_{wA} = 102,0 dB; a_h = <2,5 m/s²

YATO	
YT-2373	20/40

Air washing gun

0.8 MPa (max.) | 130 l/min | 0.85L | Al | STANDARD



L_{pA} = 92,0 dB; L_{wA} = 103,0 dB; a_h = <2,5 m/s²

YATO		
YT-2374	2/12

Mini filter

1.4 MPa (max.) | 8 cm³ | 1/4" 6.3mm



YATO		
YT-2380	25/50

Air filter and regulator

0.93 MPa (max.) | 15 cm³ | 1/4" 6.3mm | max °C 60



YATO		
YT-2382	25/50

Gun suitable for sand-blasting

0.8 MPa | 160 l/min | 1L | Al



L_{pA} = 91,0 dB; L_{wA} = 102,0 dB; a_h = 2,03 m/s²

YATO		
YT-2376	20

Pneumatic riveting machine

0.70 MPa | 1060 kg 10400 N | 54 l/min | 1/4" 6.3mm 180° | ALUMINUM | STAINLESS STEEL | STEEL | x3 | x3



L_{pA} = 83,6 ± 1,9 dB; L_{wA} = 97,4 ± 2,8 dB; a_h = 0,66 ± 0,21 m/s²

YATO	Ø [mm]	Max. piston stroke [mm]	F [kg]	F [N]	
YT-36171	2.4, 3.2, 4, 4.8, 5	18	757-1060	7430-10400	10

Air filter and regulator

0.93 MPa (max.) | 90 cm³ | 1/2" 12.7mm | max °C 60



YATO		
YT-2383	20

Air grease gun

0.62 MPa | IN 0.2-0.62 MPa | OUT 30-40 MPa | 400 cm³ | 28 l/min | STANDARD



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = ≤2,5 m/s²

YATO		
YT-07055	10

Pneumatic riveting machine

0.70 MPa | 1255 kg 12300 N | 60 l/min | 1/4" 6.3mm 180° | ALUMINUM | STAINLESS STEEL | STEEL | x3 | x3



L_{pA} = 87,2 ± 2,3 dB; L_{wA} = 94,5 ± 3,0 dB; a_h = 0,54 ± 0,15 m/s²

YATO	Ø [mm]	Max. piston stroke [mm]	F [kg]	F [N]	
YT-36177	4, 4.8, 5, 5.4, 6, 6.4	20	1255	12300	10

Air filter regulator and lubricator

0.93 MPa (max.) | 90cm² FILTER | 60cm² LUBRICATOR | 1/4" 6.3mm | max °C 60



YATO		
YT-2385	10

Air grease gun

0.63 MPa | IN 0.2-0.63 MPa | OUT 6-28 MPa | 400 cm³ | 220 l/min | STANDARD



L_{pA} = ≤70,0 dB; L_{wA} = ≤80,0 dB; a_h = ≤2,5 m/s²

YATO		
YT-07057	10

Pressure reducing valve with manometer

1.2 MPa (max.) | 1/4" 6.3mm



YATO		
YT-2381	25/50

Air filter regulator and lubricator

0.93 MPa (max.) | 25cm² FILTER | 15cm² LUBRICATOR | 1/4" 6.3mm | max °C 60



YATO		
YT-2384	25/50

NON-SPARKING

Hybrid air hose

2.0 MPa (max.) | PVC NBR HYBRID | G 3/8 BSPT



YATO	Internal diameter [mm]	L [m]	
YT-24236	12.5	10	10
YT-24237	12.5	20	5

Hybrid air hose

2.0 MPa (max.) | PVC NBR HYBRID | G 1/4 BSPT



YATO	Internal diameter [mm]	L [m]	
YT-24230	6.5	10	10
YT-24231	6.5	20	5
YT-24232	6.5	30	4

Air hose reel

2.0 MPa (max.) | 15 m | ⌀ 10 mm | PVC | STANDARD | x4 ANCHORS KOTWY | EASILY MOUNT ŁATWY MONTAŻ



YATO	
YT-24240	2

Reinforced air hose with quick couplers

2.0 MPa (max.) | PVC | STANDARD



YATO	Internal diameter [mm]	L [m]	
YT-24220	8	10	10
YT-24221	8	20	4
YT-24224	10	10	10
YT-24225	10	20	4

Hybrid air hose

2.0 MPa (max.) | PVC NBR HYBRID | G 1/4 BSPT



YATO	Internal diameter [mm]	L [m]	
YT-24233	8	10	10
YT-24234	8	20	5

Air hose reel

2.0 MPa (max.) | 10 m | ⌀ 8 mm | G 1/4 BSPT | x4 ANCHORS KOTWY | EASILY MOUNT ŁATWY MONTAŻ | PVC



YATO	
YT-24242	4

Spiral hose with quick couplers

1.2 MPa (max.) | PU | STANDARD



YATO	Internal diameter [mm]	External diameter [mm]	L [m]	
YT-24201	5.5	8	5	50
YT-24202	5.5	8	10	25
YT-24203	5.5	8	15	25
YT-24204	6.5	10	5	50
YT-24205	6.5	10	10	20

YATO	Internal diameter [mm]	External diameter [mm]	L [m]	
YT-24206	6.5	10	15	10
YT-24207	8.0	12	5	20
YT-24208	8.0	12	10	10
YT-24209	8.0	12	15	10
YT-24201UL	8.0	8	5	50

Air hose reel

2.0 MPa (max.) | 14 m | ⌀ 6,5 mm | G 1/4 BSPT | x4 ANCHORS KOTWY | EASILY MOUNT ŁATWY MONTAŻ | PVC



YATO	
YT-24243	4
YT-24243UL	

Spiral tube with quick coupling

1.2 MPa (max.) | G 1/4 BSPT | PU | ⌀ 8mm ⌀ 12mm | 10 m



YATO	Internal diameter [mm]	External diameter [mm]	L [m]	
YT-242081	8.0	12.0	10	25

Air hose reel

2.0 MPa (max.) | 15 m | ⌀ 9,5 mm | PVC NBR HYBRID | STANDARD | x4 ANCHORS KOTWY | EASILY MOUNT ŁATWY MONTAŻ



YATO	
YT-24241	2

Air hose reel

2.0 MPa (max.) | 20 m | ⌀ 8 mm | G 1/4 BSPT | x4 ANCHORS KOTWY | EASILY MOUNT ŁATWY MONTAŻ | PVC



YATO	
YT-24244	2

Air hose reel



YATO	
YT-24245	1

Air hose reel



YATO	
YT-24251	1

Quick coupler



YATO	Thread size	
YT-2399	G1/4	50/250
YT-2401	G3/8	50/250
YT-2402	G1/2	50/250

Air hose reel



YATO	
YT-24246	1

Quick coupler



YATO	Thread size	
YT-2390	G1/4	20/120
YT-2391	G3/8	20/120
YT-2392	G1/2	20/120

Quick coupler



YATO	Thread size	
YT-2403	G1/4	50/250
YT-2404	G3/8	50/250

Air hose reel



YATO	
YT-24253	1

Quick coupler



YATO	Thread size	
YT-2393	G1/4	20/120
YT-2394	G3/8	20/120
YT-2395	G1/2	20/120

Quick coupler



YATO	Connector diameter [mm]	
YT-2405	6	50/250
YT-2406	8	50/250
YT-2407	10	50/250

Air hose reel



YATO	
YT-24250	1

Quick coupler



YATO	Connector diameter [mm]	
YT-2396	6	20/120
YT-2397	8	20/120
YT-2398	10	20/120

Air hose swivel connector



YATO	
YT-24130	20/100

Quick coupler



YATO	
YT-24092	50/100

Quick coupler



YATO	
YT-24094	50/100

Quick coupler



YATO	
YT-24103	6/60

Quick coupler



YATO	
YT-24093	50/100

2 way quick coupler



YATO	
YT-24091	25/50

Quick coupler



YATO	
YT-24102	6/60

Quick coupler



YATO	
YT-24095	50/100

Quick coupler



YATO	
YT-24101	6/60

Quick coupler



YATO	
YT-24100	6/60


YATO

Service tool cabinet with tools

211 PCS | 980x770 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 13, 14, 15, 17, 19, 21 mm (L=76 mm),
1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E10, E11, E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm; AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1 x2 , PH2 x2, PH3; AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2, PZ3; AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40; AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150

Drawer 2 / Szuflada 2

200 mm; CrV;
Ø 3-6 mm (L=52 mm), Ø 6-8 mm (L=58 mm), Ø 8-11 mm (L=66 mm), Ø 11-14 mm (L=75 mm), Ø 14-18 mm (L=80 mm), Ø 18-25 mm (L=88 mm);
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV;
T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 4x100, 5x100, 6x100 mm; PH0x100, PH1x100, PH2x38, PH2x150, PH3x150 mm; T7x75, T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100 mm; S2;
6.0x150 mm; PH2x150 mm; CrV 6150

Drawer 4 / Szuflada 4

180 mm;
160 mm;
200 mm;
250 mm;
400 g;
340 g;
12.5x152, 16.0x172 mm; CrV 6150;
3x150, 4x150, 5x150, 6x150, 8x150 mm; CrV 6150;
8x112 mm; CrV 6150

Drawer 5 / Szuflada 5

M3x0.5 x3, M4x0.7 x3, M5x0.8 x3, M6x1.0 x3, M7x1.0 x3, M8x1.25 x3, M10x1.5 x3, M12x1.75 x3; HSS M2;
M3, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; HSS M2;
M7-M9;
M3-M12;
#2, 200 mm;
#2, 200 mm;
#2, 200 mm;
LED;
3 m x 16 mm;
300 mm;
0-150 mm

YT-55490



YT-55494



YT-55492



YT-55498



YT-55497



YATO	
YT-55290	1

Service tool cabinet with tools

141 PCS | 932x665 x453 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ø125mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x





Drawer 1 / Szuflada 1

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV
- 22, 24, 27, 28, 30, 32 mm; CrV
- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
- 1/2" (12.7 mm); (127 mm); CrV 50BV30;
- 1/2" (12.7 mm); CrV 50BV30;
- 1/2" (12.7 mm): 16; 21 mm; CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); 72T; CrV 6140

Drawer 2 / Szuflada 2

- 1/2" (12.7 mm): E10, E12, E14, E16, E18, E20 (L=38 mm); CrV 50BV30;
- 1/2" (12.7 mm): 10 mm; CrV 6150;
- M5, M6, M8, M10, M12 (L=30 mm); AISI S2;
- 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150
- 300 g (L=300 mm);
- 40 mm (L=350 mm);
- 10x8x142 mm, 12x10x152 mm, 16x13x172 mm; CrV
- 250 mm; CrV;
- 125 mm; CrMo;
- 300 mm; CrV

Drawer 3 / Szuflada 3

- 140 mm; SS;
- 200 mm; 3Cr13;
- 19 mm x 20 m;
- 4x190 mm; 250 V;
- 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm; HSS 6542
- #2, 200 mm; T12;
- #2, 200 mm; T12;
- #2, 200 mm; T12;
- #2, 200 mm; T12
- #2, 200 mm; T12
- 180 mm; CrV;
- 160 mm; CrV;
- 160 mm long nose; CrV;
- 160 mm bent nose; CrV

Drawer 4 / Szuflada 4

- 3x75, 5x75, 4x100, 6x100; PH0x75, PH1x75, PH2x100 mm; S2;
- 1.4x50, 2x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; S2
- 300 mm; Al;
- 0-150 mm; SS;
- 2 m;
- 3m x 16 mm; ABS;
- 0.02-1.00 mm
- 2.4, 3.2, 4.0, 4.8 mm; CrV;
- 9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm; Al

- Light weight tool cabinet auti-skid desktop general standard hanging holes
- Industrial universal wheel with brake two-tone EVA module


YT-5531


YT-5532


YT-5537


YT-55451


YT-5540


YT-55473


YT-55471


YT-55453


YT-5534


YT-55455


YT-55474


YT-55466

YATO	
YT-55291	1

Service tool cabinet with tools

189 PCS | 980x770 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x





Drawer 1 / Szuflada 1

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV;
22, 24, 27, 28, 30, 32 mm; CrV;
T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
4, 5, 6, 7, 8, 10, 12 (L=30 mm); 4, 5, 6, 7, 8, 10, 12 (L=75 mm); AISI S2;
M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm), 3/8" (9.5 mm);

Drawer 2 / Szuflada 2

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16; 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140
180 mm; CrV;
160 mm; CrV;
160 mm long nose; CrV;
160 mm bent nose; CrV
300 g (L=300 mm);
40 mm (L=350 mm);
10x8x142 mm, 12x10x152 mm, 16x13x172 mm; CrV

Drawer 3 / Szuflada 3

3x75, 5x75, 4x100, 6x100; PH0x75, PH1x75, PH2x100 mm; S2;
1.4x50, 2x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; S2
6x150, 8x200, PH2x150, PH3x200 mm; CrV
200, 250 mm;
250 mm; CrMo;
150 mm; CrMo

Drawer 4 / Szuflada 4

M3x0.5 x3, M4x0.7x3, M5x0.8 x3, M6x1.0 x3, M7x1.0 x3, M8x1.25, M10x1.5, M12x1.75; HSS M2;
M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; HSS M2;
M7-M9;
M3-M12;
0.5 – 1.75 mm; 27G; 28G
180 mm; external straight; CrV;
180 mm; internal straight; CrV;
180 mm; external bent; CrV;
180 mm; internal bent; CrV
#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12

Drawer 5 / Szuflada 5

140 mm; SS;
200 mm; 3Cr13;
19 mm x 20 m;
4x190 mm; 250 V;
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm; HSS 6542
1" (25 mm), L=330 mm; CrV;
250 mm; CrMo;
2.4, 3.2, 4.0, 4.8 mm;
9.6x3.2, 9.6x4.0, 12.7x4.8 mm; Al


YT-5531


YT-5532


YT-5538


YT-5537


YT-5534


YT-5540


YT-55455


YT-55469


YT-55444


YT-55465


YT-55443


YT-55453


YT-55471


YT-55478

YATO	
YT-55292	1

Service tool cabinet with tools

165 PCS | 958x766 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTYPOŚLIZGOWY | ⌀125 mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NARÓŻNE ODBOJNIKI | 3x





Drawer 1 / Szuflada 1

1/2" (12.7 mm), 3/8" (9.5 mm);
T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
4, 5, 6, 7, 8, 10, 12 mm (L=30 mm); 4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV;
22, 24, 27, 28, 30, 32 mm; CrV

Drawer 2 / Szuflada 2

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16; 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12, 13 mm; CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
180 mm;
160 mm;
160 mm long nose;
160 mm bent nose

Drawer 3 / Szuflada 3

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; S2;
PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; S2;
180, 250 mm;
280 mm

Drawer 4 / Szuflada 4

3/4" (19.0 mm): 21, 22, 24, 27, 28, 29, 30, 32, 34, 36, 41, 46, 50, 55 mm; CrV 50BV30;
3/4" (19.0 mm); (200 mm); CrV 6140;
3/4" (19.0 mm); CrV 50BV30;
3/4" (19.0 mm); (500 mm); 72T; CrV 6140;
3/4" (19.0 mm); (500 mm); CrV 50BV30

Drawer 5 / Szuflada 5

1/2" (12.7 mm) x 5/16" (7.9 mm);
8 mm (L=35 mm); 8 mm (L=75 mm);
PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm);
12-38 mm;
3" (75 mm);
82 mm;
200 mm;
135 mm;
300, 400, 500 mm

13 interchangeable trays with YATO tools





YATO	Drawer quantity	
YT-55293	7	1

Roller cabinet with tools

267 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x

FOR AUDI CAR REPAIR





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
E6xE8, E10xE12, E14xE18, E20xE24 mm; CrV

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 6x100 mm;
PH0x75, PH1x100 mm;
T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
6.0x100, 6.0x150, 8.0x200 mm;
PH2x100, PH2x150 mm; CrV 6150;
200 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;

Drawer 4 / Szuflada 4

180 mm; 160 mm;
160 mm; 200 mm;
180 mm; CrMo; 250 mm;
18x0.5 mm; SK2; 250 mm;
500 g; 340 g;
400 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;

Drawer 5 / Szuflada 5

1/2" (12.7 mm): T30, T40, T45 (L=100 mm);AISI S2 / CrV 6150;
T52 (L=125 mm); S2 / CrV ;
1/2" (12.7 mm): 5, 6, 8 mm (L=100 mm); 9 mm (L=92 mm);AISI S2 / CrV 6150;
1/2" (12.7 mm): M6, M8, M10, M12 (L=100 mm);
17, 19 mm;
6p/36, 14p/74 mm;
0.02-1.00 mm;
1/2" (12.7 mm); (500 mm); CrV 6140;
10x10 mm (L=304 mm);
16 mm (L=310 mm);
8, 10, 13mm; CrV 6140;
9 LED;

YT-55294T1



YT-55294T3



YT-55294T2



YT-55294T5



YT-55294T4



YATO	
YT-55294	1

Roller cabinet with tools

FOR BMW CAR REPAIR

261 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ø125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
E6xE8, E10xE12, E14xE18, E20xE24 mm; CrV

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 6x100 mm;
PH0x75, PH1x100 mm;
T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
6.0x100, 6.0x150, 8.0x200 mm;
PH2x100, PH2x150 mm; CrV 6150;
200 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;

Drawer 4 / Szuflada 4

180 mm; 160 mm;
160 mm; 200 mm;
180 mm; CrMo; 250 mm;
18x0.5 mm; SK2; 250 mm;
500 g; 340 g;
400 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;

Drawer 5 / Szuflada 5

1/2" (12.7 mm): T50, T55, T60 (L=200 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 7 mm (L=36 mm); 9 mm (L=92 mm);AISI S2 / CrV 6150,
17, 19 mm;
6p/36, 16p/87 mm;
0.02-1.00 mm;
1/2" (12.7 mm); (500 mm); CrV 6140;
10x10 mm (L=304 mm);
16 mm (L=310 mm);
14 mm (L=90 mm);
8, 10, 13mm; CrV 6140;
9 LED;

YT-55294T1



YT-55294T3



YT-55294T2



YT-55295T5



YT-55294T4



YATO	
YT-55295	1

Roller cabinet with tools

264 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x

FOR MERCEDES-BENZ CAR REPAIR





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
E6xE8, E10xE12, E14xE18, E20xE24 mm; CrV

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 6x100 mm; PH0x75, PH1x100 mm;
T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
6.0x100, 6.0x150, 8.0x200 mm;
PH2x100, PH2x150 mm; CrV 6150;
200 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;

Drawer 4 / Szuflada 4

180 mm; 160 mm;
160 mm; 200 mm;
180 mm; CrMo; 250 mm;
18x0.5 mm; SK2; 250 mm;
500 g; 340 g;
400 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;

Drawer 5 / Szuflada 5

1/2" (12.7 mm): E22, E24 (L=38 mm); 34 mm (L=44 mm); CrV 50BV30;
1/2" (12.7 mm): 17 mm (L=78 mm);
1/2" (12.7 mm): 11 mm (L=90 mm);
3/8" (9.5 mm): 7 mm (L=36 mm); 9 mm (L=92 mm);AISI S2 / CrV 6150,
17, 19 mm; 14p/74, 14p/84 mm;
7 mm;
0.02-1.00 mm
1/2" (12.7 mm); (500 mm); CrV 6140;
10x10 mm (L=304 mm);
16 mm (L=310 mm);
14 mm (L=90 mm);
8, 10, 13mm; CrV 6140;
9 LED;

YT-55294T1



YT-55294T3



YT-55294T2



YT-55296T5



YT-55294T4



YATO	
YT-55296	1

Roller cabinet with tools

268 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x

FOR PORSCHE CAR REPAIR



Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;



Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
E6xE8, E10xE12, E14xE18, E20xE24 mm; CrV

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 6x100 mm;
PH0x75, PH1x100 mm;
T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
6.0x100, 6.0x150, 8.0x200 mm;
PH2x100, PH2x150 mm; CrV 6150;
200 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;

Drawer 4 / Szuflada 4

180 mm; 160 mm;
160 mm; 200 mm;
180 mm; CrMo; 250 mm;
18x0.5 mm; SK2; 250 mm;
500 g; 340 g;
400 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;

Drawer 5 / Szuflada 5

1/2" (12.7 mm): T30, T40, T45, T50, T55 (L=100 mm); T60 (L=200 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 7 mm (L=36 mm); AISI S2 / CrV 6150;
1/2" (12.7 mm): H17mm; CrMo;
1/2" (12.7 mm): M6, M8, M10, M12 (L=100 mm);
17, 19 mm;
6p/36, 14p/74 mm;
36 mm;
0.02-1.00 mm;
1/2" (12.7 mm); (500 mm); CrV 6140;
10x10 mm (L=304 mm);
16 mm (L=310 mm);
8, 10, 13mm; CrV 6140;
9 LED;

YT-55294T1



YT-55294T3



YT-55294T2



YT-55297T5



YT-55294T4



YATO	
YT-55297	1

Roller cabinet with tools

274 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x



FOR LAND ROVER CAR REPAIR



Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24 mm; CrV;
E6xE8, E10xE12, E14xE18, E20xE24 mm; CrV

Drawer 3 / Szuflada 3

6x38, 2x75, 3x75, 6x100 mm;
PH0x75, PH1x100 mm;
T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm; S2;
6.0x100, 6.0x150, 8.0x200 mm;
PH2x100, PH2x150 mm; CrV 6150;
200 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;

Drawer 4 / Szuflada 4

180 mm; 160 mm;
160 mm; 200 mm;
180 mm; CrMo; 250 mm;
18x0.5 mm; SK2; 250 mm;
500 g; 340 g;
400 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;

Drawer 5 / Szuflada 5

3/8" (9.5 mm): 14 mm ; CrV ;
1.6, 2.0, 2.4, 2.8, 3.2, 3.6, 4.0, 4.8, 5.6, 6.3, 7.9, 9.5 mm;
8, 10, 12, 13, 14, 17 mm; CrV;
17, 19 mm;
15p/76, 15p/92 mm;
0.02-1.00 mm;
1/2" (12.7 mm); (500 mm); CrV 6140;
10x10 mm (L=304 mm);
16 mm (L=310 mm);
8, 10, 13mm; CrV 6140;
9 LED;

YT-55294T1



YT-55294T3



YT-55294T2



YT-55298T5



YT-55294T4



YATO	
YT-55298	1

Service tool cabinet with tools

177 PCS | 975x765 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ø125mm | 2x BRAKE HANDLES | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV;
22, 24, 27, 28, 30, 32 mm; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm; CrV

Drawer 2 / Szuflada 2

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo;
PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo;
180 mm;
160 mm;
160 mm long nose;
160 mm bent nose

Drawer 3 / Szuflada 3

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
4, 5, 6, 7, 8, 10, 12 mm (L=30 mm); 4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm), 3/8" (9.5 mm);
1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=76 mm); CrV 50BV30

Drawer 4 / Szuflada 4

300 g (L=300 mm);
40 mm (L=350 mm);
10x8x142 mm, 12x10x152 mm, 16x13x172 mm;
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm; CrV 50BV30;
3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (198 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140;
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12, 13 mm; CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 50BV30
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30

12 interchangeable trays with YATO tools

YT-5531 YT-5532 YT-5533 YT-5534 YT-5535 YT-5536



YT-5537 YT-5538 YT-5539 YT-5540 YT-5541 YT-5542



YATO	Drawer quantity	
YT-55300	6	1

NON-SPARKING

Service tool cabinet with tools

163 PCS | 905x685 x455 mm | 3x | BALL BEARINGS ŁOŻYSKA KULKOWE | 25kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x | 310x200 mm FOLDING SHELF ROZKŁADANA PÓŁKA





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/2" (12.7 mm): 17, 19, 21mm (L=39); CrMo;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30,
1/4" (6.3 mm): E4, E5, E6, E7, E8 ; CrV 50BV30;
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm(L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16, E18 ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 17, 19 mm (L=77 mm); CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12 mm (L=50 mm); CrV 50BV30,
3/8" (9.5 mm): 14, 16, 21 mm;
3/8" (9.5 mm) x 8 mm ; CrV 6140;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
5.5, 6.5 mm (L=70 mm); AISI S2;
4, 5, 6 mm (L=25 mm); AISI S2;
PH1, PH2 (L=70 mm); AISI S2;
PH1 x 2, PH2 x 2, PH3(L=25 mm); AISI S2;
4, 5, 6, 7, 8 (L=70 mm); AISI S2;
3, 4, 5, 6, 7 (L=25 mm); AISI S2;
M5, M6, M8, M10, M12 (L=70 mm); AISI S2;
T20, T30, T40, T45, T50, T55, T60 (L=70 mm); AISI S2;
T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm), 3/8" (9.5 mm); (200 mm); CrV 6140;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm),
1/4" (6.3 mm); (50.8 mm),
3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;

Drawer 2 / Szuflada 2

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21; CrV;
8x10, 11x12, 13x14, 15x17 mm; CrV;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
200 mm;
0.02-1.00 mm
250-750 mm, 2kg;
140 mm; 6V-24V;
140 mm;
9 LED;

Drawer 3 / Szuflada 3

6x100 mm; Crv6150; PH2x100 mm; Crv 6150;
6x38, 3x75 mm; S2; PH0x75, PH2x38 mm; S2;
180 mm; CrV 50;
160 mm; CrV 50;
160 mm; CrV 6150;
150 mm;
180 mm; CrMo;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YT-55280T1



YT-55495



YT-55280T2



YATO	
YT-55280	1

Roller cabinet with tools

249 PCS | 975x765 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ⌀125mm | 2x BRAKE HANDLES | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21; CrV;
8x10, 11x12, 13x14, 15x17, 17x19 mm; CrV;
6x38, 3x75, 6x150 mm;
PH0x75, PH2x38, PH2x150 mm;
180 mm; CrV 50;
160 mm; CrV 50;
160 mm; CrV 6150;
150 mm;
250 mm;

Drawer 3 / Szuflada 3

7pcs;
18x0.5 mm; SK2;
1/2" (12.7 mm); (500 mm); CrV 6140;
0.02-1.00 mm;
680 g; 740 g;
140 mm; 6V-24V;
8 m x 25 mm;
0.02-1.00 mm
250-750 mm, 2kg;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
110 mm; 440 mm;

Drawer 4 / Szuflada 4

1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
230 mm;
55-75, 75-95 mm;
14p/64, 14p/67, 14p/75, 15p/79, 15p/80 mm;
3/8" (9.5 mm): 7, 8, 10, 11, 12, 13, 14 mm;
5/16" (7.9 mm), 3/8" (9.5 mm);
3/8" (9.5 mm): 8, 9, 10, 12, 14, 17 mm;
3/8" (9.5 mm): 10 mm;
3/8" (9.5 mm): 10 mm;
3/8" (9.5 mm): 160 mm
12pcs;

YT-55260T2



YT-55294T1



YT-55260T4



YT-55260T3



YATO	
YT-55260	1

Service tool cabinet with tools

238 PCS | 975x765 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32, 34x36 mm; CrV;

Drawer 3 / Szuflada 3

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
12x130 mm;
5.5x130 mm;
Ø 3.8x150 mm;
Ø 3.3x120 mm;
3.8x120 mm;
1/2" (12.7 mm): 16 mm (L=64 mm);
1/2" (12.7 mm): 21 mm (L=64 mm); CrV 50BV30;
1/2" (12.7 mm): T52 (L=125 mm); S2 / CrV;
500 g; 740 g ;
140 mm; 6V-24V;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
18x0.5 mm; SK2;
0.02-1.00 mm
250-750 mm, 2kg;
110 mm;

Drawer 4 / Szuflada 4

180 mm; external straight; CrV;
180 mm; internal straight; CrV;
180 mm; external bent; CrV;
180 mm; internal bent; CrV
200 mm; CrV;
160 mm; CrV;
160 mm; CrV;
200 mm;
250 mm; CrMo;
3x75, 5x100, 6x38, 6x150 mm; PH0x75, PH1x100, PH2x38, PH2x150 mm;

YT-55302T3



YT-55294T1



YT-55302T5



YT-55261T4



YATO	
YT-55261	1

Service tool cabinet with tools

365 PCS | 958x766 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ø125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/2" (12.7 mm): 17, 19, 21, 23 mm (L=39); CrMo;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=76 mm); CrV 50BV30,
1/2" (12.7 mm): 10, 11, 12, 13, 14 mm (L=77 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo,
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M);
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); (250 mm); CrV 50BV30;

Drawer 2 / Szuflada 2

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30
3/8" (9.5 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30,
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20 ; CrV 50BV30;
1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30,
3/8" (9.5 mm): 8, 10, 11, 12, 13, 14, 15, 17, 19 (L=63 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3; AISI S2 / CrV 6150,
3/8" (9.5 mm): PH1, PH2; AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2; AISI S2 / CrV 6150,
3/8" (9.5 mm): PZ1, PZ2; AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T27, T30, T40; AISI S2 / CrV 6150,
3/8" (9.5 mm): T10, T15, T20, T25, T27, T30, T40, T45, T50, T55; AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 8 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 3, 4, 5, 6, 8 mm (L=50 mm); AISI S2 / CrV 6150;
T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
3/8" (9.5 mm): 4, 5, 6, 7, 8, 10, 12 mm (L=30 mm);
4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm); CrV 6150;
1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M),
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm), 3/8" (9.5 mm); (76, 254 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm), 3/8" (9.5 mm); (198 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm), 3/8" (9.5 mm); (200 mm); CrV 6140;

Drawer 3 / Szuflada 3

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32, 34x36 mm; CrV;

Drawer 4 / Szuflada 4

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28 mm; CrV;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17; CrV;
6x150, 8x200, PH2x150, PH3x200 mm; CrV; 250 mm;

Drawer 5 / Szuflada 5

180 mm; external straight; CrV; 180 mm; internal straight; CrV;
180 mm; external bent; CrV; 180 mm; internal bent; CrV
200 mm; CrV; 160 mm; CrV; 160 mm; CrV; 200 mm;
250 mm; CrMo;
3x75, 5x100, 6x38, 6x150 mm; PH0x75, PH1x100, PH2x38, PH2x150 mm;

Drawer 6 / Szuflada 6

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
12x130 mm; 5.5x130 mm; Ø 3.8x150 mm;
Ø 3.3x120 mm; 3.8x120 mm;
Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm),
Ø 14-18 (L=80 mm), Ø 18-25 (L=88 mm);
3/8" (9.5 mm): 14, 16, 21 mm;
1/2" (12.7 mm): M10 (L=100 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): T52 (L=125 mm); S2 / CrV;
300 g (L=300 mm); 740 g (L=300 mm);
140 mm; 6V-24V;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
5 m x 19 mm; 18x0.5 mm; SK5;
0.02-1.00 mm;
250-750 mm, 2kg;
110 mm; 440 mm;

YT-55302T2



YT-55302T1



YT-55302T4



YT-55302T3



YT-55302T6



YT-55302T5



YATO	
YT-55262	1

NON-SPARKING

Service tool cabinet with tools

253 PCS | 980x770 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x





Drawer 1 / Szuflada 1

1/4" (6.3 mm): E4, E5, E6, E7, E8 mm ; CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16 mm ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 6, 7, 8, 9,10, 11, 12, 13, 14, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm),
1/4" (6.3 mm); (50.8, 101.6 mm),
3/8" (9.5 mm); (42,76, 152.4 mm); CrV 50BV30;
M14x80mm,M16x80; CrMo ;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrMo,
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
1/4" (6.3 mm); (L=150 mm);CrV 6140;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm),
1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm): T20, T25, T27, T30, T40, T45, T50, T55, T60 (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=37 mm);
AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50 (L=50 mm); AISI S2 / CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7 , 8 , 9 , 10 , 12 , 14 mm (L=50 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150;
3/8" (9.5 mm): 6, 7 , 8 , 10 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
200 mm;
140 mm; 6V-12V-24V;

Drawer 2 / Szuflada 2

180 mm; external straight; CrV; 180 mm; internal straight; CrV;
180 mm; external bent; CrV; 180 mm; internal bent; CrV
200 mm; CrV; 160 mm; CrV; 160 mm; CrV;
200 mm; 250 mm; CrMo;
3x75, 5x100, 6x38, 6x150 mm; PH0x75, PH1x100, PH2x38, PH2x150 mm;

Drawer 3 / Szuflada 3

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
12x130 mm; 5.5x130 mm; Ø 3.8x150 mm;
Ø 3.3x120 mm; 3.8x120 mm;
1/2" (12.7 mm): 16 mm (L=64 mm);
1/2" (12.7 mm): 21 mm (L=64 mm); CrV 50BV30;
1/2" (12.7 mm): T52 (L=125 mm); S2 / CrV;
500 g; 740 g ;
140 mm; 6V-24V;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
18x0.5 mm; SK2;
0.02-1.00 mm
250-750 mm, 2kg; 110 mm;

Drawer 4 / Szuflada 4

7pcs; 740 g ;
10x142, 12x152 mm;
Ø 3x152, 6x152 mm;
Ø 2x140 mm;
Ø 8x115 mm
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
10pcs

Drawer 5 / Szuflada 5

T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm), Ø 14-18 (L=80 mm),
Ø 18-25 (L=88 mm);
200 mm; 225 mm;
225 mm; 280 mm; CrV
5pcs;

YT-55294T1



YT-55261T4



YT-55302T5



YT-55303T5



YT-55303T4



YATO	
YT-55263	1

Service tool cabinet with tools

400 PCS | 958x766 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/2" (12.7 mm): 17, 19, 21, 23 mm (L=39); CrMo;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=76 mm); CrV 50BV30,
1/2" (12.7 mm): 10, 11, 12, 13, 14 mm (L=77 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo,
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M);
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); (250 mm); CrV 50BV30;



Drawer 2 / Szuflada 2

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30,
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20 ; CrV 50BV30;
1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30,
3/8" (9.5 mm): 8, 10, 11, 12, 13, 14, 15, 17, 19 (L=63 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3; AISI S2 / CrV 6150,
3/8" (9.5 mm): PH1, PH2; AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2; AISI S2 / CrV 6150,
3/8" (9.5 mm): PZ1, PZ2; AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T27, T30, T40; AISI S2 / CrV 6150,
3/8" (9.5 mm): T10, T15, T20, T25, T27, T30, T40, T45, T50, T55; AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 8 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 3, 4, 5, 6, 8 mm (L=50 mm); AISI S2 / CrV 6150;
T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
3/8" (9.5 mm): 4, 5, 6, 7, 8, 10, 12 mm (L=30 mm);
4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm); CrV 6150;
1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M),
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm), 3/8" (9.5 mm); (76, 254 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm), 3/8" (9.5 mm); (198 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm), 3/8" (9.5 mm); (200 mm); CrV 6140;

YT-55302T1



Drawer 3 / Szuflada 3

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32, 34x36 mm; CrV;

YT-55302T3



YT-55302T2



Drawer 4 / Szuflada 4

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28 mm; CrV;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17; CrV;
6x150, 8x200, PH2x150, PH3x200 mm; CrV; 250 mm;

Drawer 5 / Szuflada 5

180 mm; external straight; CrV; 180 mm; internal straight; CrV;
180 mm; external bent; CrV; 180 mm; internal bent; CrV
200 mm; CrV; 160 mm; CrV; 160 mm; CrV; 200 mm;
250 mm; CrMo;
3x75, 5x100, 6x38, 6x150 mm; PH0x75, PH1x100, PH2x38, PH2x150 mm;

YT-55302T5



YT-55302T4



Drawer 6 / Szuflada 6

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm;
12x130 mm; 5.5x130 mm; Ø 3.8x150 mm;
Ø 3.3x120 mm; 3.8x120 mm;
Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm), Ø 14-18 (L=80 mm), Ø 18-25 (L=88 mm);
3/8" (9.5 mm): 14, 16, 21 mm;
1/2" (12.7 mm): M10 (L=100 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): T52 (L=125 mm); S2 / CrV;
300 g (L=300 mm); 740 g (L=300 mm);
140 mm; 6V-24V;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
5 m x 19 mm; 18x0.5 mm; SK5;
0.02-1.00 mm; 250-750 mm, 2kg;
110 mm; 440 mm;

YT-55302T7



YT-55302T6



Drawer 7 / Szuflada 7

9 pcs;
1/2" (12.7 mm):M17 (L=100 mm); AISI S2/ CrV 6150; 1/2" (12.7 mm):M16 ; CrMo;
1/2" (12.7 mm): H17mm; 7/8" (22 mm); CrMo;
7/8" (22 mm); CrV;
8x10, 11x12, 13x14, 15x17, 17x19 mm; CrV;
200 mm; 1/2" (12.7 mm): 0-300Nm ; CrV;
55-75, 75-95 mm; 7pcs;

YATO	
YT-55302	1

Service tool cabinet with tools

217 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



Drawer 1 / Szuflada 1

1/2" (12.7 mm): 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/2" (12.7 mm): 17, 19, 21mm (L=39); CrMo;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30,
1/4" (6.3 mm): E4, E5, E6, E7, E8 ; CrV 50BV30;
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm(L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30,
3/8" (9.5 mm): E10, E12, E14, E16, E18 ; CrV 50BV30;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 17, 19 mm (L=77 mm); CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12 mm (L=50 mm); CrV 50BV30,
3/8" (9.5 mm): 14, 16, 21 mm;
3/8" (9.5 mm) x 8 mm ; CrV 6140;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
5.5, 6.5 mm (L=70 mm); AISI S2;
4, 5, 6 mm (L=25 mm); AISI S2;
PH1, PH2 (L=70 mm); AISI S2;
PH1 x 2, PH2 x 2, PH3(L=25 mm); AISI S2;
4, 5, 6, 7, 8 (L=70 mm); AISI S2;
3, 4, 5, 6, 7 (L=25 mm); AISI S2;
M5, M6, M8, M10, M12 (L=70 mm); AISI S2;
T20, T30, T40, T45, T50, T55, T60 (L=70 mm); AISI S2;
T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm),
3/8" (9.5 mm); (200 mm); CrV 6140;
1/2" (12.7 mm); 1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm),
1/4" (6.3 mm); (50.8 mm),
3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;

Drawer 2 / Szuflada 2

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21; CrV;
8x10, 11x12, 13x14, 15x17 mm; CrV;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
200 mm;
0.02-1.00 mm
250-750 mm, 2kg;
140 mm; 6V-24V;
140 mm;
9 LED;

Drawer 3 / Szuflada 3

6x100 mm; Crv 6150; PH2x100 mm; Crv 6150;
6x38, 3x75 mm; S2; PH0x75, PH2x38 mm; S2;
180 mm; CrV 50;
160 mm; CrV 50;
160 mm; CrV 6150;
150 mm;
180 mm; CrMo;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

Drawer 4 / Szuflada 4

7pcs; 740 g ;
10x142, 12x152 mm;
Ø 3x152, 6x152 mm;
Ø 2x140 mm;
Ø 8x115 mm
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
#2, 150 mm;
10pcs

Drawer 5 / Szuflada 5

T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm),
Ø 14-18 (L=80 mm), Ø 18-25 (L=88 mm);
200 mm; 225 mm;
225 mm; 280 mm; CrV
5pcs;



YT-55280T1



YT-55495



YT-55280T2



YT-55303T5



YT-55303T4



YATO	
YT-55303	1

Service tool cabinet with tools

109 PCS | 958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTI-POŚLIZGOWY | ⌀125mm | 2x BRAKE HANDLES | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); CrV 50BV30,
1/2" (12.7 mm); (L=76, 254 mm),
1/2" (12.7 mm); CrV 50BV30;
4, 5, 6, 7, 8 (L=70 mm); AISI S2;
M5, M6, M8, M10 (L=70 mm); AISI S2;
T20, T27, T30, T40, T45, T50 (L=70 mm); AISI S2;
1/2" (12.7 mm); (255 mm),
8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21; CrV;
8x10, 11x12 mm; CrV;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
6x100 mm;
PH2x100 mm;
160 mm; CrV 50;
160 mm; CrV 6150;
250 mm;
1/2" (12.7 mm); CrV 50BV30;

Drawer 2 / Szuflada 2

1/2" (12.7 mm): 17, 19, 21, 23 mm (L=39); CrMo;
200 mm;
18x0.5 mm; SK2;
250 mm; CrMo;
440 mm;
550Nm;
;
;
;
;
;
;
;

Drawer 3 / Szuflada 3

MAXØ10mm;
9 LED;
18pcs;
5/16" (7.9 mm) x 1/2" (12.7 mm);
7, 8 mm (L=35 mm); 8 mm (L=75 mm);
PH2, PH3 (L=35 mm); PH2 (L=75 mm);
3, 4, 6, 8, 10 mm;
2pcs;
;
;

YT-55304T1



YT-55304T3



YT-55304T2



YATO	
YT-55304	1

Service tool cabinet with tools

185 PCS | 970x770 x470 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV;
22, 24, 27, 28, 30, 32 mm; CrV;
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm; CrV

Drawer 2 / Szuflada 2

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo;
PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo;
180 mm;
160 mm;
160 mm long nose;
160 mm bent nose

Drawer 3 / Szuflada 3

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
4, 5, 6, 7, 8, 10, 12 mm (L=30 mm); 4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm), 3/8" (9.5 mm);
1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=76 mm); CrV 50BV30

Drawer 4 / Szuflada 4

300 g (L=300 mm);
Ø 40 mm (L=350 mm);
10x8x142 mm, 12x10x152 mm, 16x13x170 mm;
1/4 " (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12, 13 mm; CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.5 mm): E10, E12, E14, E16, E18, E20;
1/4" (6.3 mm): E4, E5, E6, E7, E8;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm;
T10, T15, T20, T25, T27, T30, T40, T45, T50

12 interchageable trays with YATO tools

YT-5531 YT-5532 YT-5533 YT-5534 YT-5535 YT-5536



YT-5537 YT-5538 YT-5539 YT-5540 YT-5541 YT-55450



YATO	Drawer quantity	
YT-55307	6	1

Service tool cabinet with tools

157 PCS | 977x725 x480 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | CENTRAL LOCK BLOKADA CENTRALNA | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT | 3 DRAWS TACE | EVA | ⌀120mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 (L=38 mm);
27, 30, 32 mm (L=42 mm),
1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 13, 14, 15, 17, 19, 21 mm (L=76 mm), 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E10, E11, E12, E14, E16, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm; AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1 (x2), PH2 (x2), PH3; AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2, PZ3; AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40; AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150

Drawer 2 / Szuflada 2

Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm), Ø 14-18 (L=80 mm), Ø 18-25 (L=88 mm);
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV;
200 mm; CrV;
T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

Drawer 3 / Szuflada 3

6x100 mm; S2; PH2x100 mm; CrMo;
6x38, 3x75 mm; S2; PH0x75, PH2x38 mm; CrMo;
180 mm; CrV 50;
160 mm; CrV 50;
160 mm; CrV 6150;
150 mm;
180 mm; CrMo;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
180 mm; CrV 50;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YT-55490



YT-55495



YT-55492



YATO	Drawer quantity	
YT-55308	7	1

Service tool cabinet with tools

426 PCS | 958x766 x465 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x





Drawer 1 / Szuflada 1

1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30,
1/2" (12.7 mm): 17, 19, 21, 23 mm (L=39); CrMo;
1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=76 mm); CrV 50BV30,
1/2" (12.7 mm): 10, 11, 12, 13, 14 mm (L=77 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo,
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M);
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (76,127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); (250 mm); CrV 50BV30;

Drawer 2 / Szuflada 2

1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30,
3/8" (9.5 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 15, 16 (L=28 mm);
17, 18, 19 mm (L=30 mm); CrV 50BV30,
3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20 ; CrV 50BV30;
1/2" (12.7 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30,
3/8" (9.5 mm): 8, 10, 11, 12, 13, 14, 15, 17, 19 (L=63 mm); CrV 50BV30;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3; AISI S2 / CrV 6150,
3/8" (9.5 mm): PH1, PH2; AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2; AISI S2 / CrV 6150,
3/8" (9.5 mm): PZ1, PZ2; AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T27, T30, T40; AISI S2 / CrV 6150,
3/8" (9.5 mm): T10, T15, T20, T25, T27, T30, T40, T45, T50, T55; AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 8 mm (L=37 mm); AISI S2 / CrV 6150,
3/8" (9.5 mm): 3, 4, 5, 6, 8 mm (L=50 mm); AISI S2 / CrV 6150;
T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
3/8" (9.5 mm): T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
3/8" (9.5 mm): 4, 5, 6, 7, 8, 10, 12 mm (L=30 mm);
4, 5, 6, 7, 8, 10, 12 mm (L=75 mm); AISI S2;
3/8" (9.5 mm): M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm) x 3/8" (9.5 mm), 3/8" (9.5 mm) x 3/8" (9.5 mm); CrV 6150;
1/4" (6.3 mm); 3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M),
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm); 1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm), 3/8" (9.5 mm); (76, 254 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm), 3/8" (9.5 mm); (198 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm), 3/8" (9.5 mm); (200 mm); CrV 6140;

Drawer 3 / Szuflada 3

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm;
6x7, 7x9, 8x10, 11x13, 14x15, 16x18, 18x19, 20x22, 21x23, 24x27, 23x26, 30x32, 32x36 mm;

Drawer 4 / Szuflada 4

5.5x7, 8x10, 9x11, 12x14, 13x15, 14x17, 16x18, 17x19, 21x23, 24x27, 27x30 mm;
3x75, 5x100, 6x100 mm; PH0x75, PH1x100, PH2x100 mm; 250 mm;

Drawer 5 / Szuflada 5

180 mm; external straight; CrV; 180 mm; internal straight; CrV;
180 mm; external bent; CrV; 180 mm; internal bent; CrV
200 mm; CrV; 160 mm; CrV; 160 mm; CrV;
250 mm; CrMo; 200 mm; 0.02-1.00 mm
6x150, 6x200, 8x200 mm; PH2x150, PH2x200, PH3x200 mm;

Drawer 6 / Szuflada 6

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; T10, T15, T20, T25, T27, T30, T40, T45, T50 mm;
12x130 mm; 5.5x130 mm; Ø 3.8x150 mm;
Ø 3.3x120 mm; 3.8x120 mm;
Ø 3-6 mm (L=52 mm), Ø 6-8 (L=58 mm), Ø 8-11 (L=66 mm), Ø 11-14 (L=75 mm), Ø 14-18 (L=80 mm), Ø 18-25 (L=88 mm);
3/8" (9.5 mm): 14, 16, 21 mm;
1/2" (12.7 mm): M10 (L=100 mm); AISI S2/ CrV 6150;
1/2" (12.7 mm): T52 (L=125 mm); S2 / CrV;
450 g; 440 g;
140 mm; 6V-12V-24V;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
5 m x 19 mm; 18x0.5 mm; SK5; 18 mm; SK5;;
110 mm; 440 mm;

Drawer 7 / Szuflada 7

6PCS; 200lm; 16, 22, 25, 28, 35, 40 mm;
23PCS;
1/2" 40-220Nm;
6PCS;

YT-55302T1



YT-55302T2



YT-55309T3



YT-55309T5



YT-55309T4



YT-55309T7



YT-55309T6



YATO	
YT-55309	1

Roller cabinet

958x766 x465 mm | 6x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



YATO	Drawer quantity	
YT-0902	6	1

Roller cabinet

977x725 x480 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | CENTRAL LOCK BLOKADA CENTRALNA | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT | ⌀120mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



YATO	Drawer quantity	
YT-09032	7	1

Roller cabinet

1000x1130 x570 mm | 6+1 | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT | ⌀160mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



YATO	Drawer quantity	
YT-09002	6+1	1

Roller cabinet

944x665 x453 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀127mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x



YATO	Drawer quantity	
YT-09000	7	1

Roller cabinet

1100x990 x480 mm | 7x | 1x | BALL BEARINGS ŁOŻYSKA KULKOWE | CENTRAL LOCK BLOKADA CENTRALNA | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT | ⌀120mm | 2x BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



YATO	Drawer quantity	
YT-09033	7+1	1

Roller cabinet

1000x1130 x570 mm | 12x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT | ⌀160mm | BRAKE HAMULEC | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x



YATO	Drawer quantity	
YT-09003	12	1

Roller cabinet

982x755 x455 mm | 7x | BALL BEARINGS ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | ⌀125mm | 2x BRAKE HAMULEC | LED LIGHT DIODA



YATO	Drawer quantity	
YT-09004	7	1

Roller cabinet

958x766 x465 mm | ⌀127mm | 2x BRAKE HAMULEC | DOUBLE WALLS PODWÓJNE ŚCIANY | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY | CORNER BUMPERS NAROŻNE ODBOJNIKI | 7x | DRAWERS LOCKING BLOKADA SZUFLAD



YATO	Drawer quantity	
YT-09031	7	1

Roller cabinet

958x766 x465 mm | 7x | DOUBLE WALLS PODWÓJNE ŚCIANY | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DRAWERS LOCKING BLOKADA SZUFLAD | CORNER BUMPERS NAROŻNE ODBOJNIKI | OIL PROOF STEEL WORKTOP OLEJOODPORNY STALOWY BLAT



YATO	Drawer quantity	
YT-0904	7	1

Roller cabinet

995x680 x458 mm · 6x · BALL BEARINGS ŁOŻYSKA KULKOWE · max 300 kg · DRAWERS LOCKING BLOKADA SZUFLAD · CENTRAL LOCK BLOKADA CENTRALNA · NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY · ⌀127 mm · 2x BRAKE HAMULEC · 2x



YATO	Drawer quantity	
YT-0913	6	1

Roller cabinet

1110x1020 x460 mm · 7x · 1x · BALL BEARINGS ŁOŻYSKA KULKOWE · DOUBLE WALLS PODWÓJNE ŚCIANY · 2x BRAKE HAMULEC · 2x



YATO	Drawer quantity	
YT-09141	6+1	1

Roller cabinet

1125x1000 x480 mm · 12x · BALL BEARINGS ŁOŻYSKA KULKOWE · DRAWERS LOCKING BLOKADA SZUFLAD · RUBBER WOOD DREWNO KAUCZUKOWE · ⌀125 mm · 2x BRAKE HAMULEC · UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA · DOUBLE WALLS PODWÓJNE ŚCIANY · CORNER BUMPERS NAROŻNE ODBOJNIKI · 2x



YATO	Drawer quantity	
YT-09005	12	1

Roller cabinet

995x680 x458 mm · 7x · BALL BEARINGS ŁOŻYSKA KULKOWE · max 300 kg · DRAWERS LOCKING BLOKADA SZUFLAD · CENTRAL LOCK BLOKADA CENTRALNA · NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY · ⌀127 mm · 2x BRAKE HAMULEC · 2x



YATO	Drawer quantity	
YT-0914	7	1

Roller cabinet

985x685 x455 mm · 3x · BALL BEARINGS ŁOŻYSKA KULKOWE · DRAWERS LOCKING BLOKADA SZUFLAD · NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY · ⌀125 mm · BRAKE HAMULEC · UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA · 2x · 310x200 mm FOLDING SHELF ROZKŁADANA PÓŁKA





YATO	Drawer quantity	
YT-55281	3	1

Roller cabinet

1425x575 x1095 mm · 20x · BALL BEARINGS ŁOŻYSKA KULKOWE · DRAWERS LOCKING BLOKADA SZUFLAD · UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA · RUBBER WOOD DREWNO KAUCZUKOWE · CORNER BUMPERS NAROŻNE ODBOJNIKI · CENTRAL LOCK BLOKADA CENTRALNA · 2x · 4x 360° · ⌀150 mm · 2x BRAKE HAMULEC

NEW



YATO	Drawer quantity	
YT-09006	20	4

Roller cabinet

990x750 x450 mm · 7x · BALL BEARINGS ŁOŻYSKA KULKOWE · DRAWERS LOCKING BLOKADA SZUFLAD · NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY · UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA · DOUBLE WALLS PODWÓJNE ŚCIANY · 2x



YATO	Drawer quantity	
YT-09140	7	1

Roller cabinet

975x765 x465 mm · 6x · BALL BEARINGS ŁOŻYSKA KULKOWE · DRAWERS LOCKING BLOKADA SZUFLAD · NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY · ⌀125 mm · 2x BRAKE HAMULEC · UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA · DOUBLE WALLS PODWÓJNE ŚCIANY · CORNER BUMPERS NAROŻNE ODBOJNIKI · 2x





YATO	Drawer quantity	
YT-55299	6	1

Workshop trolley

795x790 x370 mm · 3 TRAYS TACE · max 130 kg · 2x BRAKE HAMULEC · ⌀100 mm · BALL BEARINGS ŁOŻYSKA KULKOWE



YATO	Tray quantity	
YT-55210	3	1

NON-SPARKING

Bottle holder



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	Dimensions [mm]	
YT-0909	250x110x80	6

Magnetic towel holder



YATO	
YT-08680	24

Service utility key



YATO	
YT-66700	20/120

Compartmented shelf and paper roll holder



For YT-0902, YT-0903, YT-0904, YT-0905

YATO	Dimensions [mm]	
YT-0907	305x305x145	4

Magnetic tool tray set



	L (mm)	H (mm)	W (mm)	W1 (mm)
	310	120	115	125
	270	120	115	125
	210	120	115	125
	155	120	115	125



YATO	
YT-08682	6

Dustbin



For YT-0902, YT-0903, YT-0904, YT-0905

YATO	Dimensions [mm]	
YT-0908	300x300x190	4

Magnetic shelf



YATO	
YT-08681	10

Drawer insert / Impact sockets set



1/2" (12.5 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm; CrV 50BV30;
3/8" x 75 mm; 1/2" x 125 mm; CrMo SCM-440;
3/8"(F) x 1/4"(M); 3/8"(F) x 1/2"(M); 1/2"(F) x 3/4"(M); CrMo SCM-440;

YATO	
YT-55446	4

Separate board for drawer



For YT-0902, YT-0903, YT-0904, YT-0905

YATO	
YT-0910	24
YT-0911	24

Magnetic hooks set



YATO	
YT-08690	12/48

Drawer insert



6x7, 24x27, 30x32, 8x10, 10x12, 11x13, 12x14, 22x23 mm; CrV;
1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10 mm; CrV 6150;
T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150

YATO	
YT-55452	8

Drawer insert / Combination spanners

16 PCS | CrV



6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV

YATO	
YT-5531	1/8

Drawer insert / L-type socket wrench

10 PCS | CrV



7, 8, 9, 10, 11, 12, 13, 14, 17, 19 mm; CrV

YATO	
YT-55456	4

Drawer insert / Pliers

3 PCS | CrMo | CrV



180, 250 mm; CrMo;
280 mm; CrV

YATO	
YT-55472	8

Drawer insert / Combination spanners

6 PCS | CrV



22, 24, 27, 28, 30, 32 mm; CrV

YATO	
YT-5532	1/4

Drawer insert / Pliers

4 PCS | CrV



180 mm; CrV; 160 mm; CrV;
160 mm long nose; CrV; 160 mm bent nose; CrV

YATO	
YT-5534	8

Drawer insert / Pliers

3 PCS | CrMo | CrV



250 mm; CrV;
125 mm; CrMo;
300 mm; CrV

YATO	
YT-55473	8

Drawer insert / Bi-hexagonal ring spanner

7 PCS | CrV



6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm; CrV

YATO	
YT-5533	1/8

Drawer insert / Pliers

4 PCS | CrV



180 mm; external straight; CrV;
180 mm; internal straight; CrV;
180 mm; external bent; CrV;
180 mm; internal bent; CrV

YATO	
YT-55443	1/8

Drawer insert / Tool set for plumbers

4 PCS | CrV | CrMo



250 mm; CrV;
330 mm; CrV 6140;
250 mm; CrMo;
15 m x 19 mm; PTFE

YATO	
YT-55480	5

Drawer insert / Bi-hexagonal ring spanner

4 PCS | CrV



21x23, 24x27, 25x28, 30x32 mm; CrV

YATO	
YT-5543	8

Drawer insert / Pliers

3 PCS | CrMo | CrV



180 mm;
250 mm; CrMo;
250 mm; CrV

YATO	
YT-55463	8

Drawer insert / Tool set for plumbers

5 PCS | CrV | CrMo



250 mm; 300 mm;
250 mm; CrV; 3-32 mm;
10 m x 12 mm; PTFE

YATO	
YT-55481	5

Drawer insert / Pliers

4 PCS | CrV



180 mm; 1000V; CrV;
160 mm; 1000V; CrV;
160 mm; 1000V; CrV;
175 mm; 1000V

YATO	
YT-55464	8

Drawer insert / Screwdrivers set

13 PCS | S2



1.4x50, 2x50, 2.4x50, 3x75, 5x75, 6x100; PH00x50, PH0x50, PH0x75, PH1x50, PH1x75, PH2x100, PH3x150 mm; S2;

YATO	
YT-55448	8

Drawer insert / Socket set

25 PCS | CrV



1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12, 13 mm; CrV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30

YATO	
YT-5541	8

Drawer insert / Slotted screwdrivers

7 PCS | CrMo



3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo

YATO	
YT-5535	8

Drawer insert / Go-through screwdrivers

4 PCS | CrV



6x150, 8x200, PH2x150, PH3x200 mm; CrV

YATO	
YT-55469	8

Drawer insert / Tool set

4 PCS | CrV



3/4" (19.0 mm); (200 mm); CrV 6140;
3/4" (19.0 mm); CrV 50BV30;
3/4" (19.0 mm); (500 mm); CrV 50BV30;
3/4" (19.0 mm); (500 mm); 72T; CrV 6140

YATO	
YT-55458	4

Drawer insert / Phillips screwdrivers

7 PCS | CrMo



PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo

YATO	
YT-5536	8

Drawer insert / Screwdriver set

8 PCS | S2



2.5x75, 4x100, 5.5x125, 6.5x150, PH1x80, PH2x100, PH3x150 mm; 1000V; S2;
4x190 mm; 250V

YATO	
YT-55462	8

Drawer insert / Socket set

22 PCS | CrV



3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm; CrV 50BV30;
3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30;
3/8" (9.5 mm); (198 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140

YATO	
YT-5542	8

NON-SPARKING

Drawer insert / Socket set

24 PCS | CrV



1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 16; 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140

YATO	
YT-5537	4

Drawer insert / Deep sockets

14 PCS | CrV 50BV30



1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=76 mm); CrV 50BV30

YATO	
YT-5539	8

Drawer insert / Measuring tools

5 PCS | Al | SS STAINLESS STEEL STAL NIERDZEWNA | ABS



300 mm; Al;
0-150 mm; SS;
2 m;
3m x 16 mm; ABS;
0.02-1.00 mm

YATO	
YT-55474	8

Drawer insert / Screwdriver bits

40 PCS | S2



T20, T25, T30, T40, T45, T50, T55 (L=30 mm);
T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
4, 5, 6, 7, 8, 10, 12 (L=30 mm); 4, 5, 6, 7, 8, 10, 12 (L=75 mm); AISI S2;
M5, M6, M8, M10, M12 (L=30 mm);
M5, M6, M8, M10, M12 (L=75 mm); AISI S2;
1/2" (12.7 mm), 3/8" (9.5 mm)

YATO	
YT-5538	8

Drawer insert / Tool set

31 PCS | CrV | S2



1/2" (12.7 mm): E10, E12, E14, E16, E18, E20 (L=38 mm); CrV 50BV30;
1/2" (12.7 mm): 10 mm; CrV 6150;
M5, M6, M8, M10, M12 (L=30 mm); AISI S2;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150;
T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150

YATO	
YT-55451	1/8

Drawer insert / Steel file set

5 PCS | T12



#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12;
#2, 200 mm; T12

YATO	
YT-55453	8

Drawer insert / Socket set

14 PCS | CrV 50BV30



3/4" (19.0 mm): 19, 21, 22, 24, 27, 28, 30, 32, 34, 36, 41, 46, 50, 55 mm; CrV 50BV30

YATO	
YT-55457	4

Drawer insert / Automotive workshop tools

10 PCS | CrV



1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 6150;
8 mm (L=35 mm); 8 mm (L=75 mm); CrV 6150;
PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm); CrV 6150;
12-38 mm; CrV 6150;
3" (75 mm); CrV;
82 mm; CrV

YATO	
YT-55476	4

Drawer insert / Files set

8 PCS



200 mm;
200 mm;
200 mm;
200 mm;
200 mm;
5x180 mm;
5x180 mm;
5x180 mm;

YATO	
YT-55440	8

Drawer insert / Tool set

6 PCS | CrMo | CrV



1" (25 mm), L=330 mm; CrV;
250 mm; CrMo;
2.4, 3.2, 4.0, 4.8 mm;
9.6x3.2, 9.6x4.0, 12.7x4.8 mm; Al

YATO	
YT-55478	8

Drawer insert / Hand riveter with rivets

CrMo



2.4, 3.2, 4.0, 4.8 mm; CrV;
9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm; Al

YATO	
YT-55466	8

Drawer insert / Taps and die set

35 PCS | HSS M2



M3x0.5 x3, M4x0.7x3, M5x0.8 x3, M6x1.0 x3,
M7x1.0 x3, M8x1.25, M10x1.5, M12x1.75; HSS M2;
M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; HSS M2;
M7-M9;
M3-M12;
0.5 – 1.75 mm; 27G; 28G

YATO	
YT-55465	8

Drawer insert / Pliers and adjustable wrenches

4 PCS | CrMo



200, 250 mm;
250 mm; CrMo;
150 mm; CrMo

YATO	
YT-55444	8

Drawer insert / Tool set

23 PCS | SS | 3Cr13 | HSS



140 mm; SS;
200 mm; 3Cr13;
19 mm x 20 m;
4x190 mm; 250 V;
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm; HSS 6542

YATO	
YT-55471	8

Drawer insert



For YT-5531

YATO	
YT-55311	5/30

Drawer insert / Hammers and chisels

5 PCS | CrV



300 g (L=300 mm);
40 mm (L=350 mm);
10x8x142 mm, 12x10x152 mm, 16x13x172 mm; CrV

YATO	
YT-5540	8

Drawer insert / Automotive workshop tools

5 PCS | CrV



200 mm;
135 mm;
300, 400, 500 mm; CrV

YATO	
YT-55477	4

Drawer insert



For YT-5532

YATO	
YT-55321	5/30

Drawer insert



For YT-5533

YATO		
YT-55331	5/30	

Drawer insert



For YT-5537

YATO		
YT-55371	5/30	

Drawer insert



For YT-5541

YATO		
YT-55411	5/30	

Drawer insert



For YT-5534

YATO		
YT-55341	5/30	

Drawer insert



For YT-5538

YATO		
YT-55381	5/30	

Drawer insert



For YT-5542

YATO		
YT-55421	5/30	

Drawer insert



For YT-5535

YATO		
YT-55351	5/30	

Drawer insert



For YT-5539

YATO		
YT-55391	5/30	

Drawer insert



For YT-55454

YATO		
YT-55479	5/30	

Drawer insert



For YT-5536

YATO		
YT-55361	5/30	

Drawer insert



For YT-5540

YATO		
YT-55401	5/30	

Aluminium Tool box



YATO	Size [mm]	
YT-0881ZL	455x320x150	1

Tool box with tools

80 PCS | 460x220 x245 mm | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140
S2 | 72T | AS-DRIVE | ⊖ | ⊕









- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
- 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 1/2" (12.7 mm): 21 mm; CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
- 1/4" (6.3 mm): 3 x2, 4 x2, 5 x2, 5.5 x2, 6 x2 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): PH0, PH1 x2, PH2 x2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): PZ0, PZ1 x2, PZ2 (L=25 mm); AISI S2;
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
- 5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
- 180 mm; CrV;
- 160 mm; CrV;
- 160 mm; CrV;
- 250 mm;
- 300 g;
- 18 mm; SK2;
- 18x0.5 mm; SK2;
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm; T10, T15, T20, T25, T27, T30, T40; CrV

YATO	Dimensions [mm]	
YT-38951	460x220x245	1

Four wheel positioning toolbox set

53 PCS | 460x220 x245 mm | 1/2" 12.7mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6140
S2 | 72T | AS-DRIVE | ⊖ | ⊕









- 1/2" (12.7 mm): 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm (L=38 mm) ; CrV 50BV30,
- 1/2" (12.7 mm): 17, 19, 21, 23 mm (L=39); CrMo;
- 1/2" (12.7 mm); (76, 254 mm); CrV 50BV30;
- 1/2" (12.7 mm); (250 mm); CrV 50BV30;
- 200 mm; CrV;
- 160 mm; CrV;
- 680 g;
- 9 LED;
- 180 mm; CrMo;
- 5 m x 19 mm;
- 250 mm;
- 250 mm; CrMo;
- 1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
- 6x150 mm; CrV 6150;
- PH2x150 mm; CrV 6150;
- 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	Dimensions [mm]	
YT-38952	460x220x245	1

Tool box with tools

62 PCS | 475x230 x365 mm | 1/2" 12.7mm | CrV 50BV30 | CrV 6150 | CrV 6140 | 72T | AS-DRIVE





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (76, 127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); 72T; CrV 6140;
1/2" (12.7 mm); (450 mm); CrV 50BV30;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; CrV;
6x100, 6x150, 8x200 mm; S2;
PH2x100, PH3x150, PH3x200 mm; S2;
180 mm; CrV;
160 mm; CrV;
160 mm; CrV;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	Dimensions [mm]	
YT-3895	475x230x365	1

Tool box with tools

65 PCS | 495x200 x290 mm | 1/2" 12.7mm | CrV 50BV30 | CrV 6150 | CrV 6140 | CrMo | 72T | AS-DRIVE





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (76, 127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); 72T; CrV 6140;
1/2" (12.7 mm); (450 mm); CrV 50BV30;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; CrV;
5x100, 6x150, 8x200 mm; CrV 6150;
PH1x100, PH2x150, PH3x200 mm; CrV 6150;
180 mm; CrV;
160 mm; CrV;
160 mm; CrV;
180 mm; CrMo;
250 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	Dimensions [mm]	
YT-38950	495*200*290	1

Cantilever tool box

218x243 x520 mm | 2x



YATO	Drawer quantity	Dimensions [mm]	
YT-08872	2	218x243x520	1

Tool chest

690x465 x535 mm | 6x | 2x

DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTYPOŚLIZGOWY | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI



YATO	Drawer quantity	
YT-09155	6	1

Cantilever tool box

460x200 x180 mm



YATO	Dimensions [mm]	
YT-0884	460x200x180	1

Cantilever tool box

218x300 x520 mm | 3x



YATO	Drawer quantity	Dimensions [mm]	
YT-08873	3	218x300x520	1

Cantilever tool box



YATO	Dimensions [mm]	
YT-0881	495x200x290	1

Cantilever tool box

460x200 x225 mm



YATO	Dimensions [mm]	
YT-0885	460x200x225	1

Cantilever tool box

218x360 x520 mm | 4x



YATO	Drawer quantity	Dimensions [mm]	
YT-08874	4	218x360x520	1

Cantilever tool box

360x150 x115 mm



YATO	Dimensions [mm]	
YT-0882	360x150x115	4

Cantilever tool box

510x220 x240 mm



YATO	Dimensions [mm]	
YT-0886	510x220x240	1

Tool chest

690x465 x400 mm | 4x | 2x

DRAWERS LOCKING BLOKADA SZUFLAD | CENTRAL LOCK BLOKADA CENTRALNA | NON SLIP WORKTOP BLAT ANTYPOŚLIZGOWY | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | DOUBLE WALLS PODWÓJNE ŚCIANY | CORNER BUMPERS NAROŻNE ODBOJNIKI



YATO	Drawer quantity	
YT-09152	4	1

Cantilever tool box

428x180 x180 mm



YATO	Dimensions [mm]	
YT-0883	428x180x180	1

Cantilever tool box



YATO	Dimensions [mm]	
YT-0887	475x230x365	1


YATO
YATO
YATO
YATO

CREATE YOUR WORKPLACE - STWÓRZ SWOJE MIEJSCE PRACY



YT-08931
High workshop cabinet
Szafka warsztatowa wysoka

YT-08935
Wall cabinet
Szafka podwieszana

YT-08936
Hook panel
Panel perforowany

YT-08938, YT-08939
Worktop
Blat roboczy

YT-08934
Workshop cabinet
Szafka warsztatowa

YT-08933
Roller cabinet
Szafka serwisowa

Combination tool cabinet

1320x2000 x458 mm | 4x | BALL BEARINGS ŁOŻYSKA KULKOWE | ADJUSTABLE FEET REGULOWANE STOPY | 10x10 mm PERFORATION PERFORACJA | 5x HOOK





YATO	
YT-08902ZH	1

Combination tool cabinet

1980x2000 x458 mm | 4x | BALL BEARINGS ŁOŻYSKA KULKOWE | ADJUSTABLE FEET REGULOWANE STOPY | 10x10 mm PERFORATION PERFORACJA | 5x HOOK





YATO	
YT-08900ZH	1

NON-SPARKING

Combination tool cabinet

B

2640x2000 x458 mm | 4x BALL BEARINGS ŁOŻYSKA KULKOWE | ADJUSTABLE FEET REGULOWANE STOPY | 10x10 mm PERFORATION PERFORACJA | 5x HOOK







YATO	
YT-08901ZH	1

High workshop cabinet

660x457 x2000 mm | x3 SHELVES POLKI | ADJUSTABLE FEET REGULOWANE STOPY | 2x



YATO	
YT-08931	1

Workshop cabinet

660x457 x863 mm | SHELF POLKA | ADJUSTABLE FEET REGULOWANE STOPY | 2x



YATO	
YT-08934	1

Shelf

656x426 x22 mm



For YT-08931, YT-08934

YATO	
YT-08932	5

Workshop cabinet

660x457 x863 mm | 4x ADJUSTABLE FEET REGULOWANE STOPY | BALL BEARINGS ŁOŻYSKA KULKOWE | 2x



YATO	Drawer quantity	
YT-08933	4	1

Worktop

1980x457 x22 mm | RUBBER WOOD DREWNO KAUCZUKOWE | 1 2 3



YATO	
YT-08939	1

Hook for panel

5 PCS





For YT-08936

YATO	
YT-08937	20

Workshop cabinet

660x305 x410 mm | 2x





YATO	
YT-08935	1

Strengthening element

660x457 x54 mm



For YT-08939

YATO	
YT-08940	5

Hook panel support



For YT-08936 x 2

YATO	
YT-08942	1

Worktop

1320x457 x22 mm | RUBBER WOOD DREWNO KAUCZUKOWE | 1 2



YATO	
YT-08938	1

Hook panel

660x700 x20 mm | 10x10 mm PERFORATION PERFORACJA





YATO	
YT-08936	1

Hook panel support



For YT-08936 x 3

YATO	
YT-08941	1



Corner tool cabinet

924x457 x864 mm | 2x

NEW



YATO	Dimensions [mm]	
YT-08945	924x457x864	1

Corner tool wall cabinet

924x305 x406 mm | 2x

NEW



YATO	Dimensions [mm]	
YT-08946	924x305x406	1

Tool cabinet support

NEW



YATO	
YT-08948	1

Wall mounted hook panel

NEW



YATO	
YT-089361	2

Wooden workbench top

924x924 x25 mm | RUBBER WOOD DREWNO KAUCZUKOWE

NEW



YATO	Dimensions [mm]	
YT-08947	924x924x25	1

Power tool holder

576x225 x55 mm | x6



YATO	Socket quantity	
YT-09091	6	10

Power tool cabinet

480x430 x280 mm | x4 | 2x



YATO	Socket quantity	
YT-09093	4	1

Power tool organizer

465x405 x225 mm | x4



YATO	Tray quantity	Socket quantity	
YT-09092	2	4	1

Wall tool organizer

34 PCS | 555x455 x8 mm | x2 PANELS PANNEAUX | x4



YATO		
YT-08980		1

CREATE YOUR WORKPLACE- STWÓRZ SWOJE MIEJSCE PRACY



YT-08968
Wall cabinet
Szafka podwieszana

YT-08967
Power tool holder
Półka na elektronarzędzia

YT-08961
High workshop cabinet
Szafka warsztatowa wysoka

YT-08964
Hook panel
Panel perforowany

YT-08938, YT-08939
Worktop
Blat roboczy

YT-08962
Workshop cabinet with trash bin
Szafka warsztatowa z koszem na śmieci

YT-08963
Roller cabinet
Szafka serwisowa

Combination tool cabinet

2640x2000 x458 mm | 4x | BALL BEARINGS ŁOŻYSKA KULKOWE | ADJUSTABLE FEET REGULOWANE STOPY | 10x10 mm PERFORATION PERFORACJA | 5x HOOK



NEW

YATO	
YT-08903ZH	1

Combination tool cabinet

2640x2000 x458 mm | 4x | BALL BEARINGS ŁOŻYSKA KULKOWE | ADJUSTABLE FEET REGULOWANE STOPY | 10x10 mm PERFORATION PERFORACJA | 5x HOOK



NEW

YATO	
YT-08904ZH	1

High workshop cabinet

500x508 x2000 mm | x3 SHELVES / PÓŁKI | ADJUSTABLE FEET / REGULOWANE STOPY | 2x

NEW



YATO	Dimensions [mm]	
YT-08961	500x508x2000	1

Roller cabinet

635x457 x840 mm | 4x BALL BEARINGS / ŁOŻYSKA KULKOWE | ADJUSTABLE FEET / REGULOWANE STOPY | 2x | ⌀100 mm | 2x BRAKE / HAMULEC

NEW



YATO	Dimensions [mm]	
YT-08963	435x457x840	1

Power tool holder

655x280 x128 mm

NEW



YATO	Dimensions [mm]	
YT-08967	655x280x128	1

Wall cabinet

660x305 x410 mm | 2x

NEW



YATO	Dimensions [mm]	
YT-08968	660x305x410	1

Hook panel support

NEW



YATO		
YT-08965		1

Workshop cabinet with trash bin

660x457 x863 mm | ADJUSTABLE FEET / REGULOWANE STOPY

NEW



YATO	Dimensions [mm]	
YT-08962	660x457x863	1

Hook panel

660x700 x20 mm | 10x10 mm PERFORATION / PERFORACJA

NEW



YATO	Dimensions [mm]	
YT-08964	660x700x20	1

Hook panel support

NEW



YATO		
YT-08966		1

CREATE YOUR WORKPLACE - STWÓRZ SWOJE MIEJSCE PRACY



Workbench

1500x780 x830 mm | NON SLIP WORKTOP BLAT ANTY-POŚLIZGOWY



YATO	Dimensions [mm]	
YT-08920	1500x780x830	1

Legs for workbench, long

2 PCS | 140 cm



For YT-08920

YATO	L [mm]	
YT-08921	1400	2

Holders for workshop box

2 PCS | 500x100 x350 mm



For YT-08920, YT-09152

YATO	Dimensions [mm]	
YT-08922	500x100x350	2

Shutter cabinet

1500x605 x185 mm | CENTRAL LOCK BLOKADA CENTRALNA | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA



YATO	Dimensions [mm]	
YT-09061	1500x605x185	1

Double project center back wall

2 PCS | 652x610 x55 mm



For YT-0902, YT-0903, YT-09031, YT-0904, YT-55290, YT-55292, YT-55293, YT-5530

YATO	Dimensions [mm]	
YT-09072	652x610x55	2

Connection steel pipes set

2 PCS | 45 cm | ø 28 mm



For YT-09152, YT-09155 + YT-0902, YT-0903, YT-0904

YATO	L [mm]	Ø [mm]	
YT-09071	450	28	20

Folding workbench

850x610 x787(h) mm | max 650 kg | METAL PP

NEW



- *Multiple surface, slot and holes to insert clamps*
- *Carry handle*
- *Quick and easy setup*

YATO	Dimensions [mm]	
YT-08953	850x610x787	1

NON-SPARKING

3-module tool trolley with tools

78 PCS | 3 TRAYS / TIERS











Drawer 1 / Szuflada 1

- 1/2" (12.7 mm): 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm; CrV 50BV30;
- 1/2" (12.7 mm); (127 mm); CrV 50BV30;
- 1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
- 3x75, 6x100; PH0x75, PH2x100 mm; S2;
- 215 mm;
- 1/4" (6.3 mm): 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=25 mm); S2;
- 1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15 (L=25 mm); S2;
- 1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 5, 6, 7, 8 x2, 9, 10, 11, 12, 13 mm

Drawer 2 / Szuflada 2

- 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; CrV;
- 18 mm; SK5;
- 18 mm; SK5;
- 3 m x 16 mm

Drawer 3 / Szuflada 3

- 180 mm;
- 160 mm;
- 200 mm;
- 300 mm; 16-38 mm;
- 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

YATO	
YT-09104	1



Tool box







YATO	Drawer quantity	
YT-09108	1	2

YATO	Drawer quantity	
YT-09107	2	2

3-module tool trolley







YATO	
YT-09102	1

YATO	
YT-09101	1

Tool box

PP



YATO	Dimensions [mm]	
YT-88880	350x180x160	1/12
YT-88881	420x210x195	1/9
YT-88882	475x230x210	1/6

Hermetic tool box

339x295 x152 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08902	339x295x152	300x225x132	4

Hermetic tool box

559x351 x229 mm | ⌀60 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08905	559x351x229	501x279x193	1

Hermetic tool box

232x192 x111 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08900	232x192x111	208x144x92	12

Hermetic tool box

406x330 x174 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08903	406x330x174	371x258x152	2

Hermetic tool box

569x425 x215 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08906	569x425x215	505x350x140	2

Hermetic tool box

270x246 x124 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08901	270x246x124	235x181x105	8

Hermetic tool box

470x357 x176 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08904	470x357x176	425x284x155	2

Hermetic tool box

430x244 x341 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08907	430x244x341	344x146x297	2

NON-SPARKING

Hermetic tool box

270x246 x175 mm | 233x178 x155 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08908	270x246x175	233x178x155	8

Hermetic tool box

610x430 x310 mm | 547x350 x290 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP





YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08917	610x430x310	547x350x290	1

Hermetic tool box

465x355 x205 mm | 410x305 x185 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP67 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08890	465x355x205	410x305x185	1

Hermetic tool box

360x290 x165 mm | 330x234 x152 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP





YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08915	360x290x165	330x234x152	4

Hermetic tool box

715x430 x185 mm | 647x350 x120 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP





YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08918	715x430x185	647x350x120	1

Hermetic tool box

845x620 x490 mm | 757x528 x452 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP







YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08919	845x620x490	757x528x452	1

Hermetic tool box

550x438 x125 mm | 479x333 x97 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP





YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08916	550x438x125	479x333x97	6

Hermetic tool box

1020x360 x140 mm | 947x295 x128 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP67 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08893	1020x360x140	947x295x128	1

Hermetic tool box

465x355 x512 mm | 400x320 x500 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08895	465x355x512	400x320x500	1

Tool box

560x305 x165 mm | x21 | PP | Al



YATO	Size [mm]	
YT-08970	560x305x165	3

Hermetic tool box

275x210 x110 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW | IP67 | PP



YATO	Dimensions [mm]	
YT-088970	275x210x110	20

Hermetic tool box

465x355 x205 mm | 410x305 x185 mm INSIDE WEWNĄTRZ | 465x355 x512 mm | 400x320 x500 mm INSIDE WEWNĄTRZ | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP55 | PP



YATO	External dimensions [mm]	Internal dimensions [mm]	
YT-08896	465x355x205 (YT-08890), 465x355x512 (YT-08895)	410x305x185 (YT-08890), 400x320x500 (YT-08895)	1

Tool box

460x265 x158 mm | x3 SHELVES/ POLICE | max 30 kg | ABS PA | NEW



YATO	Dimensions [mm]	
YT-08977	460x265x158	4

Hermetic tool box

300x242 x150 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | NEW



YATO	Dimensions [mm]	
YT-088971	300x242x150	16

Organizer with bins

490x420 x115 mm | x12 | PP | Al



YATO	Size [mm]	
YT-08960	490x420x115	4

Tool box

460x265 x208 mm | x5 SHELVES/ POLICE | max 30 kg | ABS PA | NEW



YATO	Dimensions [mm]	
YT-08978	460x265x208	4

Hermetic tool box

349x290 x135 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW | IP67 | PP



YATO	Dimensions [mm]	
YT-088972	349x290x135	10

Hermetic tool box

390x295 x170 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088973	390x295x170	8

Hermetic tool box

440x350 x213 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088976	440x350x213	6

Hermetic tool box

DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088979	520x425x150	4

Hermetic tool box

405x325 x154 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088974	405x325x154	6

Hermetic tool box

475x368 x183 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088977	475x368x183	2

Hermetic tool box

535x423 x270 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · 2x · PP · NEW



YATO	Dimensions [mm]	
YT-088980	535x423x270	1

Hermetic tool box

412x370 x200 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088975	412x370x200	6

Hermetic tool box

495x368 x210 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · 2x · PP · NEW



YATO	Dimensions [mm]	
YT-088978	495x368x210	1

Hermetic tool box

420x340 x148 mm · DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088981	420x340x148	8

Hermetic tool box

582x475 x231 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | PP



YATO	Dimensions [mm]	
YT-088982	582x475x231	8

Hermetic tool box

495x395 x225 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | PP



YATO	Dimensions [mm]	
YT-088985	495x395x225	1

Hermetic tool box

535x423 x240 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | 2x | PP



YATO	Dimensions [mm]	
YT-088988	535x423x240	1

Hermetic tool box

843x592 x212 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | PP



YATO	Dimensions [mm]	
YT-088983	843x592x212	1

Hermetic tool box

510x410 x255 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP67 | 2x | PP | NEW



YATO	Dimensions [mm]	
YT-088986	510x410x255	1

Hermetic tool box

565x365 x255 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP67 | 2x | PP | NEW



YATO	Dimensions [mm]	
YT-088989	565x365x255	1

Hermetic tool box

412x370 x225 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | PP



YATO	Dimensions [mm]	
YT-088984	412x370x225	6

Hermetic tool box

520x425 x240 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | NEW

IP67 | PP



YATO	Dimensions [mm]	
YT-088987	520x425x240	3

Hermetic tool box

677x535 x364 mm | DECOMPRESSION VALVE ZAWÓR DEKOMPRESYJNY | SHOCK-PROOF ODPORNA NA WSTRZĄSY | FOAM INSERT WKŁAD GĄBKOWY | IP67 | PP | NEW



YATO	Dimensions [mm]	
YT-088990	677x535x364	1

Hermetic tool box

677x535 x364 mm · DECOMPRESSION VALVE ZAWÓR ODCIŚNIENIOWY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · 2x · PP · NEW



YATO	Dimensions [mm]	
YT-088991	677x535x364	1

Hermetic tool box

685x500 x220 mm · DECOMPRESSION VALVE ZAWÓR ODCIŚNIENIOWY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · PP · NEW



YATO	Dimensions [mm]	
YT-088992	685x500x220	1

Hermetic tool box

788x330 x258 mm · DECOMPRESSION VALVE ZAWÓR ODCIŚNIENIOWY · SHOCK-PROOF ODPORNA NA WSTRZĄSY · FOAM INSERT WKŁAD GĄBKOWY · IP67 · 2x · PP · NEW



YATO	Dimensions [mm]	
YT-088993	788x330x258	1

Folding hand truck

max 60 kg · Al · TELESCOPIC HANDLE UCHWYT TELESKOPOWY · TPR





YATO	Loading plate size [mm]	
YT-37410	390x280	1

Folding hand truck

max 60 kg · Al · TELESCOPIC HANDLE UCHWYT TELESKOPOWY · TPR





YATO	Loading plate size [mm]	
YT-37411	390x280	1

Folding hand truck

2 in 1 · 2 w 1 · max 137 kg · max 68 kg · 360° · 2x





YATO	Loading plate size [mm]	
YT-37412	390x280	1


YATO
YT-17205
OSTRZEŻENIE!
2.5t
465mm
100mm
CE
YATO

Oil-filter chain wrench

1/2" 12.7mm | DOUBLE CHAIN PODWÓJNY ŁAŃCUCH | CrV



YATO	Ø [mm]	
YT-08253	60-115	5/30
YT-08254	75-170	5/30

Oil filter wrench

1/2" 12.7mm | 105x150 mm | CrMo



YATO	Ø [mm]	
YT-08237	105-150	8

Belt oil filter wrench





YATO	Ø [mm]	
YT-0824	80-160	6/60
YT-0825	100-200	5/20

Oil filter chain wrench

Ø 60-160 mm | DOUBLE CHAIN PODWÓJNY ŁAŃCUCH | CrV



YATO	Ø [mm]	
YT-08255	60-160	6/24

Self-adjustable oil filters pliers

60-120 mm | 280 mm | ADJUSTABLE NASTAWNY



YATO	Ø [mm]	L [mm]	
YT-08231	60-120	280	6/36

Oil filter wrench

2.5"- 4" 63-120 mm | 3/8" 9.5 mm | 1/2" 12.7mm | HRC 40-50 | CrV



YATO	Ø [mm]	
YT-0826	63-120	12/36

Oil filter wrench

1/2" 12.7mm | CrMo



YATO	Ø [mm]	
YT-08235	60-80	20
YT-08236	80-105	20

Oil filter wrench





YATO	Ø [mm]	
YT-0820	60-73	6/36
YT-0821	73-85	6/36
YT-0822	85-95	6/36
YT-0823	95-111	6/36

Fuel filter socket

1/2" 12.7mm | 27 mm | CrV | FOR FUEL FILTER DO FILTRA PALIWA



YATO	Size	
YT-12000	1/2" (12.7mm)	20/40

Spark plug socket

3/8" 9.5 mm | CrV 50BV30 | magnet



YATO	O [mm]	
YT-38513	16	25/100

Haldex filter service tool

⌀ 46 mm | 390 mm | CrMo | VAG | HALDEX



YATO	L [mm]	
YT-05971	390	10/20

Cap type oil filter wrench set

13 PCS | 65-120 mm | 3/8" 9.5 mm | 1/2" 12.7 mm





number numer	size rozmiar	layers warstwy	grooves bruzdy	faces powierzchnie	car models modele samochodu
66/6	SW66	1	6		Fiat Punto 1.2, Renault Clio 1.2, Rapid, Twingo
76/8	SW76	1	8		Fiat, Lancia
76/12	SW76	1		12	Fiat, Mercedes, Renault
86/16	SW86	1		16	Volvo
86/18	SW86	1		18	VW Golf, Audi A6 TDI, Peugeot, Citroen
92/10	SW92	1		10	Fiat
93/45	SW93	1	45		VW, Audi TDI
96/18	SW96	1	18		Audi A4, A6 TDI, VQ Passat TDI, Renault Laguna
106/15	SW106	1		15	Fiat Ducato
108/15	SW108	1		15	Volvo
108/18	SW108	1	18		Renault Espace, Laguna, Safrane, Traffic

YATO	
YT-0594	5

Cap type oil filter wrench set

30 PCS | 3/8" 9.5 mm





number numer	size rozmiar	layers warstwy	grooves bruzdy	faces powierzchnie	car models modele samochodu
66/6	SW66	1	6		Fiat Punto 1.2, Renault Clio 1.2, Rapid, Twingo
65/14	SW65	1		14	Daihatsu, Toyota, Nissan, Fiat
65/67	SW65-67	1		14	Daihatsu, Toyota
68/14	SW68	1		14	Mazda, Ford, Subaru
73/14	SW73	1		14	Toyota, Lexus
74/15	SW74	1		15	Audi, Rover, Chrysler
74/76	SW74-76	2		15	Ford, Opel, VW, Audi, Mercedes
75/77	SW75-77	2		15	VW, Audi, Isuzu, Mercedes
76/12	SW76	1		12	Fiat, Mercedes, Renault
76/14	SW76	1		14	VW, Porsche, Mercedes, BMW, Audi, Opel
76/30	SW76	1	30		Ford
76/8	SW76	1	8		Fiat, Lancia
78/15	SW78	1		15	Nissan, Ford, Toyota
80/15	SW80	1		15	Nissan, Honda, Opel, Mazda
80/82	SW80-82	2		15	Subaru, Toyota, Honda, Nissan
86/16	SW86	1		16	Volvo
86/18	SW86	1		18	VW Golf, Audi A6 TDI, Peugeot, Citroen
90/15	SW90	1		15	Honda, Mitsubishi, Isuzu
92/10	SW92	1		10	Fiat
93/15	SW93	1		15	Mazda, Volvo, Mitsubishi, Nissan, Honda
93/36	SW93	1	36		Ford
93/45	SW93	1	45		VW, Audi TDI
95/15	SW95	1	15		Toyota, Alfa Romeo, Ford
96/18	SW96	1	18		Audi A4, A6 TDI, VQ Passat TDI, Renault Laguna
100/15	SW100	1		15	Isuzu, Mitsubishi
106/15	SW106	1		15	Fiat Ducato
108/15	SW108	1		15	Volvo
108/18	SW108	1	18		Renault Espace, Laguna, Safrane, Traffic

YATO	
YT-0596	3

NON-SPARKING

Oil filter offset wrench set

7 PCS | □ 3/8" 9.5 mm



24, 25, 27, 28, 29, 32, 36 mm

YATO		
YT-05985	3/8" (9.5 mm)	12/24

Oil pan drain plug removal set

6 PCS | VAG | PLASTIC OIL PLUGS, PLASTIKOWE KORKI OLEJU



VAG

YATO	
YT-05994	12/72

Square oil drain plug wrench

8mm | 10mm | PEUGEOT RENAULT VOLVO



Peugeot, Renault, Volvo

YATO	
YT-05995	6/36

Oil drain plug set

6 PCS | 3/8" 9.5 mm | CrV



□ □□ 8, 3/8", 10, 12, 1/2", 14 mm;
□ □□ 3/8" (9.5 mm), 1/2" (12.7 mm)

YATO		
YT-05997	3/8"(9.5mm)	10/40

Oil drain plug key set for plastic plugs

5 PCS | 3/8" 9.5 mm | PLASTIC OIL PLUGS, PLASTIKOWE KORKI OLEJU



BMW, Ford, PSA, VAG

YATO		
YT-05980	3/8" (9.5 mm)	20

Oil drain plug key set

18 PCS | 3/8" 9.5 mm | CrV 50BV30



□ □□ 3/8" (9.5 mm): 7, 8, 10, 11, 12, 13, 14 mm; □ □□ 5/16" (7.9 mm), 3/8" (9.5 mm);
□ □□ 5/16" (7.9 mm), 3/8" (9.5 mm); ⬡ ▤□ 3/8" (9.5 mm): 8, 9, 10, 12, 14, 17 mm;
△ □□ 3/8" (9.5 mm): 10 mm; ○ ▤□ 3/8" (9.5 mm): M16; ⛁ 3/8" (9.5 mm): 10 mm

YATO		
YT-05991	3/8" (9.5 mm)	5/10

Oil drain plug key set for plastic plugs

19 PCS | 3/8" 9.5 mm | PLASTIC OIL PLUGS, PLASTIKOWE KORKI OLEJU



Audi, BMW, Dodge, Ford, Lincoln, Mercedes, VW

YATO		
YT-05981	3/8" (9.5 mm)	20

Oil drain plug set

18 PCS | 3/8" 9.5 mm | CrV



□ □□ 3/8" (9.5 mm): 7, 8, 10, 11, 12, 13, 14 mm; □ □□ 5/16" (7.9 mm), 3/8" (9.5 mm); ⛁ 3/8" (9.5 mm): 10 mm;
⬡ ▤□ 3/8" (9.5 mm): 8, 9, 10, 12, 14, 17 mm; △ □□ 3/8" (9.5 mm): 10 mm; ⟷ 3/8" (9.5 mm): 160 mm

YATO		
YT-0599	3/8" (9.5 mm)	10

Grease gun

70 MPa (max.) | 31 MPa | 500 cm³ | Al



YATO	
YT-0700	20

Grease gun

27-41 MPa | 600 cm³ | Al



YATO	
YT-07042	6/12

Grease gun

55 MPa (max.) | 24,8 MPa | 400 cm³ | Al



YATO	
YT-07045	6

Grease gun

70 MPa (max.) | 31 MPa | 120 cm³ | Al



YATO	
YT-0701	30

Grease gun

27-41 MPa | 800 cm³ | Al



YATO	
YT-07043	4/8

Grease gun

69 MPa (max.) | 27.6 MPa | 400 cm³ | Al



YATO	
YT-07046	8

Grease gun

70 MPa (max.) | 31 MPa | 400 cm³ | Al



YATO	
YT-0705	20

Two-way operation grease gun

70 MPa (max.) | 42 MPa | 500 cm³ | Al



YATO	
YT-0704	12

Extraction & fill pump

200 ml



YATO	
YT-07083	24

Grease gun

70 MPa (max.) | 31 MPa | 600 cm³ | Al



YATO	
YT-07044	6

Two-way operation grease gun

70 MPa (max.) | 42 MPa | 500 cm³ | Al



YATO	
YT-07041	10

Extraction & fill pump

500 ml



YATO	
YT-07084	20

Oil transfer pump

70 MPa (max.) | 31 MPa | 500 cm³



YATO		
YT-0707		20

Multi-use transfer pump

170 ml | FOR OPERATIONAL LIQUIDS ODPOWIEDNI DO PŁYNÓW EKSPLOATACYJNYCH | PUMP FUNCTION FUNKCJA POMPKI | PVC | PP



YATO	[ml]	
YT-07071	170	6/24

Grease pump

13.8 MPa (max.) | 4 kg | 1.5 m



YATO	Grease tank capacity [kg]	
YT-07061	4	1

Oil drainer

70 MPa (max.) | 31 MPa | 500 cm³



YATO		
YT-0708		20

Manual hand pump

9 PCS | FOR OPERATIONAL LIQUIDS ODPOWIEDNI DO PŁYNÓW EKSPLOATACYJNYCH



Opel, PSA

YATO		
YT-07082		**20**

Grease pump

13.8 MPa (max.) | 8 kg | 1.5 m



YATO	Grease tank capacity [kg]	
YT-07063	8	1

Grease gun adaptors set

7 PCS | 38 cm | 90° | 180° | 360° | UNIVERSAL UNIWERSALNY



YATO		
YT-07110		10

Manual car oil pump

1.6 L | FOR GASOLINE DO BENZYNY | FOR OIL DO OLEJU | PE | PVC



YATO		
YT-07078		12

Grease pump

20.5 MPa (max.) | 16 kg | 1.5 m



YATO	Grease tank capacity [kg]	
YT-07065	16	1

Grease coupler

Ø 15 mm | G26



YATO	Ø [mm]	
YT-07102	15	18/72

Manual car oil pump

6 L | FOR GASOLINE DO BENZYNY | FOR OIL DO OLEJU | PVC



YATO		
YT-07079		12

Flexible tube for grease gun

Ø 3,2 mm



YATO	Size	L [mm]	
YT-0709	12"	300MM	12/144
YT-0710	18"	500MM	12/144

Flexible hose for grease gun

69 MPa (max.) | 440 mm | G26



YATO	L [mm]	
YT-07101	440	9/36

Oiler can with a flexible applicator

500 ml | IMPACT RESISTANT ODPORNY NA UDERZENIA



YATO	V [ml]	
YT-06914	500	10/80

Aluminium rotary oil pump

21 l/min | 500 cm | 300 cm | x3 PIPE RURA | Al | FOR OIL DO OLEJU



YATO		
YT-07115		10

Oiler can with a flexible applicator



YATO	V [cm³]	
YT-0690	220	10/120
YT-0691	270	10/120

Precision oiler

15 ml | 150 mm | Al



YATO	V [ml]	
YT-06977	15	12/120

Electric engine oil extractor pump

100 W | 12V | 2 l/min



Ø 6, 8, 10 mm

YATO	[W]	
YT-07140	100	12

Oiler can with a flexible applicator

200 ml | IMPACT RESISTANT ODPORNY NA UDERZENIA



YATO	V [ml]	
YT-06912	200	10/120

Engine oil filler set

15 PCS | 2L | FOR TIGHT SPACES DO CIASNYCH PRZESTRZENI



YATO		
YT-06919		4

Two arms jaw puller

12 mm | 4" 100 mm | max Ø 100 mm | max 1.4t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2516	12	100	100	1.4	12/48

Oiler can with a flexible applicator

300 ml | IMPACT RESISTANT ODPORNY NA UDERZENIA



YATO	V [ml]	
YT-06913	300	10/120

Oil pump

16-18 l/min | 45-90 cm | max 55 min | 0.3l CYCLE CYKL | Al | FOR OIL DO OLEJU



YATO		
YT-0712		1/10

Two arms jaw puller

10 mm | 3" 76 mm | max Ø 75 mm | max 1.1 t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2515	10	76	75	1.1	6/60

Two arms jaw puller

17 mm | 6" 150 mm | max Ø 120 mm | max 6t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2517	17	150	120	6	10/20

Three arms jaw puller

12 mm | 4" 100 mm | max Ø 100 mm | max 2.5t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2520	12	100	100	2.5	6/36

Three arms jaw puller

22 mm | 12" 300 mm | max Ø 180 mm | max 11t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2523	22	300	180	11	2

Two arms jaw puller

22 mm | 8" 200 mm | max Ø 180 mm | max 9t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2518	22	200	180	9	6

Three arms jaw puller

17 mm | 6" 150 mm | max Ø 130 mm | max 5t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2521	17	150	130	5	12

Three arms jaw puller

14 mm | 3" 76 mm | Ø 50-150 mm | CrV



YATO	[mm]	[mm]	Ø [mm]	
YT-2511	14	76	50-150	20

Three arms jaw puller

10 mm | 3" 76 mm | max Ø 80 mm | max 1.5t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2519	10	76	80	1.5	6/60

Three arms jaw puller

22 mm | 8" 200 mm | max Ø 180 mm | max 9t | CrV



YATO	[mm]	[mm]	max. Ø [mm]	max. [t]	
YT-2522	22	200	180	9	4

Three arms jaw puller

15 mm | 4" 100 mm | Ø 60-200 mm | CrV



YATO	[mm]	[mm]	Ø [mm]	
YT-2512	15	100	60-200	20

Universal puller set

12 PCS | DROP FORGED KUTE | FOR TIGHT SPACES DO CIASNYCH PRZESTRZENI



3 x 250 mm; 3 x 200 mm; 3 x 100 mm; 160 mm;



YATO	
YT-25105	2

Three arms jaw puller

19 mm | 6" 150 mm | Ø 80-300 mm | CrV



YATO	[mm]	[mm]	Ø [mm]	
YT-2513	19	150	80-300	10

Gear puller

13-38 mm
CrV 6150





YATO	Ø [mm]	
YT-2510	13-38	20

Gear puller set

14 PCS
35-130 mm
max 60 mm
max 75 mm





YATO		
YT-06412		2

Universal wheel hub puller

90-140 mm
130-180 mm
CrV





YATO		
YT-0602		6

Slide hammer set

16 PCS





YATO		
YT-25391		2

Separator and hydraulic cylinder turnbuckle

75-105 mm
50 kN
HRC 38-45
CrV





YATO	F [kN]	
YT-0609	50	2

Bearing extractor set

15 PCS
8-58 mm





YATO		
YT-25390		2

Gear puller set

35-150 mm
max 43 mm









YATO		
YT-0641		4

Wheel bearing and hub puller

16 PCS
ø72 mm



NEW

Audi: A1 (2011-), A2 (2000-); Seat Ibiza (2002-); Skoda Fabia (2000-); VW: Fox (2005-), Polo (2002-) etc.

YATO		
YT-25394		6

NON-SPARKING

Trailing arm bushing tool

4 PCS



Ford: Mondeo Mk IV (07-), S-Max (06-), Galaxy (06-); Volvo: S60, S80, V70, XC60, XC70 (06-)

YATO	
YT-06127	1

CV joint assembly removal tool

250 mm
145 mm
30 mm
UNIVERSAL



YATO	L [mm]	
YT-06144	250	5

Front wheel bearing adapter set

23 PCS
FOR FRONT WHEEL BEARINGS DO LOZYSK PRZEDNIEJ





YATO	
YT-2541	2

Bearing and bushing tool set

52 PCS
FOR BEARINGS AND BUSHINGS DO LOZYSK I TULEI

NEW



YATO	
YT-25410	2

Bearing and bush driver set

52 PCS
STEEL STAL



Ø 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 74 mm

YATO	
YT-25417	1

Bearing and bush driver set

33 PCS
METRIC SAE
Al



Included: SAE adapters: 3/8"x7/16", 7/16"x1/2", 1/2"x9/16", 9/16"x5/8", 39/64"x11/16", 5/8"x3/4", 11/16"x13/16", 47/64"x7/8", 13/16"x15/16", 55/64"x1", 15/16"x1-1/16", 1"x1-1/8", 1-1/8"x1-1/4", 1-1/4"x1-3/8", 1-1/16"x1-3/16", 1-3/16"x1-5/16"; metric adapters: Ø 10x12, 12x14, 14x16, 15x17, 16x18, 18x20, 20x22, 22x24, 25x27, 28x30, 30x34, 32x36, 35x40, 38x42 mm; pins: Ø 0.4", 0.6", 0.8"

YATO	
YT-25418	10

Bearing and bushing tool set

26 PCS
FOR BEARINGS AND BUSHINGS DO LOZYSK I TULEI





Ø 10, 12, 14, 16 mm (L=450 mm);
Yellow : 46 x 36 mm, 58 x 48 mm, 70 x 60 mm, 82 x 72 mm, 44 x 34 mm, 56 x 46 mm, 68 x 58 mm, 80 x 70 mm, 54 x 44 mm, 66 x 56 mm, 78 x 68 mm;
Silver : 52 x 42 mm, 64 x 54 mm, 76 x 66 mm, 50 x 40 mm, 62 x 52 mm, 74 x 64 mm, 48 x 38 mm, 60 x 50 mm, 72 x 62 mm;
(2 PCS)

YATO	
YT-25411	1

Bearing and bushing tool set

31 PCS
38 mm
FOR BEARINGS AND BUSHINGS DO LOZYSK I TULEI





YATO	
YT-25412	1

Ball joint separator tool kit

9 PCS | 22 mm | 130 mm | FOR PINS AND BUSHINGS DO SWORZNI I TULEI



Ø 45/51 x 44 mm, Ø 57/63 x 44 mm; Ø 70/76 x 55 mm

YATO	
YT-25413	1

Twist socket set

10 PCS | 3/8" 9.5 mm



3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

YATO	
YT-06031	20

Twist socket set

6 PCS | 1/2" 12.7 mm | CrMo



1/2" (12.5 mm): 17, 19, 21, 23, 27 mm; Ø 12 mm

YATO	
YT-06032	20

Self-tightening pull clamp

5t | 125 mm | 42x20mm | AUTO TIGHTEN SAMO-ZACISKOWA



YATO	L [mm]	
YT-2542	125	12

Twist socket set

10 PCS | 1/4" 6.3 mm | 40Cr



9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

YATO	
YT-060311	50

Universal extractor set

17 PCS | 1/2" 12.7 mm | 3/8" 9.5 mm | CrV 50BV30 | CrMo 42



3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 16 (L=28); 19 mm (L=30); CrMo 42;
1/2" (12.5 mm): 6, 8 (L=60 mm); 10, 12 mm (L=70 mm); CrV 50BV30;
M3-M6, M6-M8, M8-M11, M11-M14, M14-M18; CrMo 42

YATO	
YT-06033	10

C-type self-tightening pull clamp

3t | 142 mm | 35x15mm | C TYPE | AUTO TIGHTEN SAMO-ZACISKOWA



YATO	L [mm]	
YT-2543	142	10

Universal extractor set

26 PCS | 3/8" 9.5 mm | CrMo 35 | CrMo 42 | HSS 4341 | HRC 47-50

1/4", 8 mm, 3/8", 10 mm, 11 mm, 12 mm, 1/2", 13 mm, 14 mm, 16 mm, 17 mm, 11/16", 19 mm; CrMo 42;
M3-M6, M6-M8, M8-M11, M11-M14, M14-M18, M18-M24; CrMo 35;
2.4, 3.2, 4.0, 6.4, 7.2, 9.5 mm; HSS 4341;
1/4" (6.3 mm) x 3/8" (9.5 mm)



YATO	
YT-05893	10

Twist socket set

10 PCS | 3/8" 9.5 mm | HRC 52-55 | CrMo



3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16, 17, 19 mm; Ø 8 mm

YATO	
YT-0603	20

Screw extractor set & HSS drill bits

12 PCS | M3-M24 | Ø 1.4-15 mm | HSS

No.	Ø [mm]	M	Ø [mm]
#1	1.4 - 3.6	3 - 6	1.8
#2	2.1 - 4.9	6 - 8	2.6
#3	3.1 - 6.5	8 -11	3.7
#4	4.8 - 8.8	11 - 14	5.5
#5	6.2 - 11.0	14 - 18	7.0
#6	9.4 - 15.0	18 - 24	10.3



YATO	
YT-0591	20/40

Universal extractor set

26 PCS | 3/8" 9.5 mm | HSS | CrMo 42



6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrMo 42;
10-19 mm, 15-29 mm; CrMo 42;
M3-M5, M4-M6, M5-M8, M6-M10, M8-M14; CrMo 42;
2.5, 3.2, 4, 6.4, 7.2 mm; HSS;
1/4" (6.3 mm), 3/8" (9.5 mm)

YATO	
YT-06037	10

Twist socket set

16 PCS | 72T | CrMo 42 | HRC 47-50



1/4", 8 mm, 3/8", 10 mm, 11 mm, 12 mm, 1/2", 13 mm, 14 mm, 16 mm, 17 mm, 11/16", 19 mm; CrMo 42;
3/8" (9.5 mm); 72T; 1/4" (6.3 mm) x 3/8" (9.5 mm);

YATO	
YT-05897	10

Twist socket set

5 PCS | 3/8" 9.5 mm | CrMo



3/8" (9.5 mm): 10, 11, 13, 14, 16 mm

YATO	
YT-06038	10/20

Screw extractor set

6 PCS



No.	Ø [mm]	L [mm]
#1	3-6	52
#2	6-8	58
#3	8-11	66
#4	11-14	75
#5	14-18	80
#6	18-25	88

YATO	
YT-0590	12/48

Bolt extractor set

5 PCS | 1/2" 12.7 mm | HRC 49-52 | 8660



YATO	Ø [mm]	
YT-0624	8, 10, 12, 14, 16	20

Bolt extractor set

10 PCS | CrMo 42 | HRC 50-53



3, 4, 5.5, 6, 7, 8, 9, 10, 11 mm; 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32"

YATO	
YT-05890	20

Bolt extractor set

6 PCS | 3/8" 9.5 mm | HRC 49-52 | 8660



YATO	Ø [mm]	
YT-0623	2,3,4,6,8,10	50

Bolt extractor set

25 PCS | 3-23 mm | CrV 50 | HRC 50-53



3, 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 13.5, 14, 15, 16, 17, 17.5, 18, 19, 20, 21, 21.5, 22, 23 mm

YATO	
YT-06034	10

Damaged bolt removal set

8 PCS | 1/4" 6.3 mm | 3/8" 9.5 mm | AISI S2 | CrV



1/4" (6.3 mm): L=38 mm; H3, H4, H5, H6;
3/8" (9.5 mm): L=50 mm; H7, H8, H9, H10

YATO	
YT-04580	10/40

Roller stud extractor set

4 PCS | CrV 50BV30







No.	⬢ [mm]	D[mm]	L [mm]	A[mm]
#1	6	24	60	21
#2	8			
#3	10	28	70	
#4	12			

YATO	
YT-0620	6/24

Stud extractor

1/2" 12.7 mm | 8.5-19 mm



YATO	
YT-06251	10/30

Damaged bolt removal set

7 PCS | 1/4" 6.3 mm | AISI S2 | CrV



1/4" (6.3 mm): L=38 mm; TE10, TE15, TE20, TE25, TE27, TE30, TE40

YATO	
YT-04581	15/60

Heavy duty nut splitter

4 PCS | HRC 40-45 | CrV





YATO	
YT-0585	10

Stud extractor

FOR IMPACT TOOLS / DO NARZĘDZI UDAROWYCH | 6-11 mm | 3/8" 9.5 mm | 24 mm | HRC 40-45 | CrMo



YATO	
YT-06255	6/36

Wheel bearing and hub puller

19 PCS | 1/2" 12.7 mm | 1/4" 6.3 mm | 3/8" 9.5 mm | CrV | NEW



1/4" (6.3 mm): H1.5, H2, H2.5, H3, H4, H5, H6 (L=50 mm); 3/8" (9.5 mm): H8, H10 (L=38 mm);
1/4" (6.3 mm): TE10, TE15, TE20, TE25, TE27, TE30, TE40 (L=50 mm); 3/8" (9.5 mm): TE50, TE55 (L=38 mm);
1/2" (12.7 mm) x 3/8" (9.5 mm)

YATO		
YT-04584		6

Roller stud extractor set

11 PCS | 3/8" 9.5 mm | 1/2" 12.7 mm





3/8" (9.5 mm): 5, 6;
1/2" (12.7 mm): 7, 8, 9, 10, 10.5, 11, 12; (21 mm): 14, 16 mm

YATO		
YT-06201	3/8" (9.5mm), 1/2" (12.7 mm)	5

Stud extractor

FOR IMPACT TOOLS / DO NARZĘDZI UDAROWYCH | 6-11 mm | 1/2" 12.7 mm | 24 mm | HRC 40-45 | CrMo



YATO	
YT-06256	6/36

NON-SPARKING

Tie rod end lifter

19 mm | 100 mm | 20-60 mm | ⌀ 20 mm | 40Cr



YATO	[mm]	L [mm]	Ø [mm]	
YT-06122	19	100	20	20

Tie rod end lifter

16 mm | 265 mm | 275 mm



YATO	[mm]	L [mm]	Ø [mm]	
YT-0613	16	265	17	20
YT-0614	16	275	20	20

Inner tie rod tool

1/2" 12.7mm | ⌀ 40-47 mm | CrMo



YATO	
YT-061602	30

Tie rod end lifter

19 mm | 135 mm | 15-50 mm | ⌀ 17,5 mm



YATO	[mm]	L [mm]	Ø [mm]	
YT-0612	19	135	17.5	9/18

Inner tie rod tool

200 mm





YATO	L [mm]	
YT-0615	200	18/36

Inner tie rod tool

1/2" 12.7mm | ⌀ 30-42 mm | CrMo



YATO	
YT-06163	40

Tie rod end lifter

19 mm | 160 mm | 35-80 mm | ⌀ 30 mm



YATO	[mm]	L [mm]	Ø [mm]	
YT-06123	19	160	30	10

Inner tie rod tool

1/2" 12.7mm | ⌀ 35-42 mm



YATO	
YT-06160	25

Inner tie rod tool

1/2" 12.7mm | ⌀ 27-42 mm | CrMo



YATO	
YT-06162	10/20

Track rod end remover & installer set

4 PCS | ⌀ 30-45 mm





Ø 30-35mm, 35-40mm, 40-45mm

YATO	
YT-06155	2

Tie rod / ball joint tool kit

5 PCS







YATO	
YT-0616	10

Oil filter sockets

4 PCS | 3/8" 9.5 mm | CrV | AS-DRIVE | 27 mm | 32 mm | 36 mm | 38 mm



YATO		
YT-0598	3/8" (9.5 mm)	20

Seal puller

max ⌀ 85 mm





YATO	L [mm]	
YT-0642	200	12/48

Universal hook and pick set

5 PCS | 40Cr



200, 225, 23x220, 23x245 mm

YATO	
YT-08422	6/24

Tie rod / ball joint tool kit

6 PCS





YATO	
YT-06157	5

Mini pick & hook set

4 PCS | HRC 40



YATO	
YT-0843	12/72

Universal hook set

7 PCS | 40Cr



162, 205 mm

YATO	
YT-08425	6/24

Long reach hook and pick tool set

4 PCS | 240 mm | 40Cr



YATO	
YT-08429	6/72

Seal remover and hose pick set

6 PCS | SPECIAL SHAPE / SPECJALNY KSZTAŁT



120, 150, 160, 200, 210, 290 mm

YATO	
YT-08432	5

Hook set for o-ring

8 PCS | SPECIAL SHAPE / SPECJALNY KSZTAŁT



165, 225 mm

YATO	
YT-08431	48

Universal hook set

9 PCS | 40Cr



162, 240 mm

YATO	
YT-08426	6/12

Flexible magnetic pick up tool

SVCM



YATO	L [mm]	
YT-1385	400	6/72

Door upholstery remover

230 mm



YATO	L [mm]	
YT-0841	230	16/64

Gasket hook and pry bar set

6 PCS | NYLON | SPECIAL SHAPE / SPECJALNY KSZTAŁT | NEW



YATO	
YT-08427	6

Long reach hook and pick tool set

6 PCS | 240 mm | 40Cr



YATO	
YT-08428	6/48

Door upholstery remover

200 mm



YATO	L [mm]	
YT-0842	200	25/100

Car radio removal tool set

52 PCS





Included: radio removal keys: VW, Audi, Becker, Mercedes (4 PCS); Mercedes, Porsche, Becker (2 PCS); VW (2 PCS); new Becker (2 PCS); new Skoda (2 PCS); Fiat Brava (2 PCS); Mercedes-Benz, BMW (6 PCS); Kenwood II 1998-2001 (2 PCS); Sony II since 2002 (2 PCS); Kenwood III since 2002 (2 PCS); Pioneer, JVC (2 PCS); Sony I until 2001 (2 PCS); Panasonic (2 PCS); Kenwood I until 1998 (2 PCS); Kenwood Mask (2 PCS); new Clarion (2 PCS); old Clarion (2 PCS); Panasonic 2006 (2 PCS); Sony IDIC 2005 (2 PCS); radio removal U-hooks: Ford, VW, Audi, Grundig, Blaupunkt (2 PCS); new Blaupunkt (2 PCS); Opel (2 PCS); special pentagon wrench (BMW); allen hex wrench (BMW, Opel)

YATO	
YT-0838	10

Bearing and bush driver set

10 PCS | Al



No.	Ø (mm)
01	40
02	44
03	50
04	59
05	63
06	65
07	72
08	76
09	81



YATO	
YT-0638	5/10

Bearing and bush driver set

17 PCS | Al

No.	Ø (mm)	No.	Ø (mm)
01	10x12	08	22x24
02	12x14	09	25x27
03	14x16	10	28x30
04	15x17	11	30x34
05	16x18	12	32x36
06	18x20	13	35x40
07	20x22	14	38x42



YATO	
YT-25415	10

Panel removal set

11 PCS | IMPACT RESISTANT ODPORNY NA UDERZENIA | NO SCRATCH BEZ ZARYSOWAN | NYLON





YATO	
YT-0844	5/10

Panel removal tool kit

19 PCS | IMPACT RESISTANT ODPORNY NA UDERZENIA | NO SCRATCH BEZ ZARYSOWAN | NYLON





YATO	
YT-08442	12

Panel removal set

27 PCS | SCRATCH PROOF ODPORNE NA ZARYSOWANIA | NYLON





YATO	
YT-08443	10

Automotive lock-out tool set

9 PCS | PVC





YATO	
YT-08385	25

Panel removal set

6 PCS | IMPACT RESISTANT ODPORNY NA UDERZENIA | NO SCRATCH BEZ ZARYSOWAŃ | NYLON



YATO		
YT-0837		6/24

Plastic chisel set

6 PCS | NYLON



YATO		
YT-08477		10/60

Windscreen wiper arm removal tool

ADJUSTABLE NASTAWNY | CrMo



YATO		
YT-0846		20/120

Panel removal set

5 PCS | IMPACT RESISTANT ODPORNY NA UDERZENIA | NO SCRATCH BEZ ZARYSOWAŃ | NYLON



YATO		
YT-0836		6/24

Lockout wedge set

4 PCS | Ø 25 mm | 100x50 x25 mm



YATO		
YT-67370		12/48

Two leg puller for widescreen wiper arms

max 50 mm | ADJUSTABLE NASTAWNY



YATO		
YT-08461		15/60

Scraper set

3 PCS | 10x270 mm | 25x200 mm | 25x310 mm | CrV



YATO		
YT-08474		5/20

Lockout wedge set

5 PCS | NYLON



YATO		
YT-67371		6/24

Two leg puller for battery terminals and widescreen wiper arms

5-30 mm | ADJUSTABLE NASTAWNY



YATO	Ø [mm]	
YT-25145	5-30	48

Plastic scraper set

4 PCS | 265 mm | IMPACT RESISTANT ODPORNY NA UDERZENIA | NO SCRATCH BEZ ZARYSOWAŃ | NYLON



3/4" (19 mm); 7/8" (22 mm); 1" (25 mm); 1 1/2" (37.5 mm)

YATO	L [mm]	
YT-0847	265	6/36

Windshield removal set

7 PCS | HRC 38-42



YATO		
YT-0845		10

Two leg puller for battery terminals and widescreen wiper arms

10-40 mm | ADJUSTABLE NASTAWNY



YATO	Ø [mm]	
YT-08462	10-40	6/36

Spring clamp remover VAG

17 mm | VAG



YATO	
YT-25331	12/24

Universal pulley puller

24 mm | ⌀ 60-90 mm | 3 ARMS/RAMIONA | 8 SETTINGS/USTAWIENIA



YATO	
YT-06340	10

Camshaft sprocket pulley puller

5 PCS | 17 mm | VAG



YATO	
YT-06342	8

Puller for ribbed drive pulley

40-165 mm | 3/8" 9.5 mm | 17 mm



YATO	
YT-25480	10

Universal pulley puller

17 mm | ⌀ 50-80 mm | 3 ARMS/RAMIONA | 6 SETTINGS/USTAWIENIA | ADJUSTABLE/NASTAWNY



YATO	
YT-06341	10

Universal puller puller

14 mm | 40-90 mm



YATO	
YT-06343	20

Ballancer puller and installer

23 PCS



YATO	
YT-25483	5

Camshaft balancer puller

3 PCS | VAG | FOR CAMSHAFT BALANCER/DO WAŁKA WYRÓWNOWAŻAJĄCEGO | FOR GASOLINE ENGINES/DO SILNIKÓW BENZYNOWYCH



VAG: Audi: A3 (since 2004), A4 & A5 (since 2008), TT (since 2007); Seat: Alhambra (since 2011), Altea (since 2005), Altea XL & Altea Freetrack (since 2007), Exeo (since 2009), Leon (since 2006), Toledo (since 2005); Volkswagen: Eos (since 2006), Golf (since 2004), Passat (since 2006), Passat CC (since 2009), Tiguan (since 2008)

YATO	
YT-06208	10

Fuel tank sender unit spanner

24 mm | 75-160 mm | 3 REGULATED ARMS/REGULOWANE RAMIONA



YATO	
YT-06288	20

Vibration damper assembly tool set

5 PCS | VAG



1.8 TSI/TFSI: BYT, BZB, CABA, CABB, CABD, CDHA, CDHB, CJED, CJEE, CJSA; 2.0 TFSI: CAWA, CAWB, CBFA, CCTA, CCZA, CCZB, CCZC, CCZD, CDAA, CDAB, CDNB, CDNC, CDND, CESA, CETA, CFKA, CFPA, CGYA, CHHA, CHHB, CHHC, CHJA, CJKA, CJKB, CJSB, CJSC, CJXA, CJXB, CJXC, CJXE, CJXG, CJXH, CNCB, CNCD, CNCE, CPLA, CPSA, CULA, CULB, CULC, CYBB, CYGA, CYNB, CYPA, CYRB, CYRC, CWZA, DAJA, DAJB, DEDA

YATO	
YT-06260	5

Water pump removal tool set

4 PCS



VW: Transporter T5, Tuareg
AXD, AXE, BAC, BLJ, BLK, BPD, BPC, BPE (2003-)

YATO	
YT-05390	10

Transmission line disconnect tool set

23 PCS | FOR AIR CONDITIONING DO KLIMATYZACJI | FOR FUEL LINES DO PRZEWODÓW PALIWA



For fuel lines: 5/16" (8 mm), 3/8" (10 mm), 1/2" (12.5 mm), 5/8" (15.9 mm), 3/4" (19 mm), 7/8" (22.2 mm)
For air conditioning: 3/8" (10 mm), 1/2" (12.5 mm), 5/8" (15.9 mm), 3/4" (19 mm)

YATO	
YT-06301	10

CV boot clamp pliers

245 mm



YATO	L [mm]	
YT-06061	245	6/36

Conditioning tool set

12 PCS | 1/4" 6.3 mm | CrV



1/4" (6.3 mm): SW12, SW15 (L=40 mm); CrV;
1/4" (6.3 mm): 2.2, 3.2 mm (L=50 mm); CrV;
1/4" (6.3 mm);
1/4" (6.3 mm): TS10, TS15, TS20, TS25, TS27, TS30, TS40 (L=25 mm); CrV

YATO	
YT-12007	10/20

CV boot clamp pliers

3/8" 9.5 mm | 270 mm | 0-40 mm | CrMo



YATO	L [mm]	
YT-06535	270	5/20

Lock-ring pliers

225 mm | CrV



YATO	L [mm]	
YT-0607	225	12/72

Fuel feed pipe remover

220 mm | FOR FUEL LINES DO PRZEWODÓW PALIWA | SPECIAL SHAPE SPECJALNY KSZTAŁT



YATO	
YT-06082	6/48

Hose clamp tool

3/8" 9.5 mm | 14 mm | 0-40 mm



YATO	○	
YT-06477	3/8" (9.5 mm)	10/40

Fuel feel pipe pliers

Al



YATO	L [mm]	
YT-0608	210	10/40

CV boot clamp pliers

235 mm | CrV



YATO	L [mm]	
YT-0606	235	6/36

CV joint clamp banding tool

max 10 mm | CUT OFF ODCIĘCIE | HARDENED STEEL STAL HARTOWANA



YATO	
YT-06062	6/36

CV joint clamp banding tool with ratchet

max 10 mm | CUT OFF ODCIĘCIE | HARDENED STEEL STAL HARTOWANA



YATO	
YT-06064	6/36

Spark plug puller set VAG

4 PCS | VAG





VW, Audi, Skoda, Seat

T type 1		Volkswagen FSI Golf / Bora 1998, Polo 2002, Touran 2004, New Beetle 2003, Passat 1997, T4+Audi A2 2001
T type 2		Silniki/engines 6 cyl. 24V, 5 cyl, Golf / Bora 1998, Passat / Touareg 1997, Sharan 1996, Phaeton / Toureg 6 cyl. 2003, T5 z 6 cyl. silnikiem 2004
T type 3		Volkswagen silnik / engines 2.0 z bezp. wtrysk / direct injection, Touran 2004, Passat 2006, Audi z bezp.wtrysk / direct injection A3 2.0 2004, A6 3.2 2005
T type 4		Volkswagen z bezp. wtrysk / direct injection 2.0, Golf / Touran 2004, Passat 2006, Audi z bezp. wtrysk / direct injection, A3 2.0 2004, A6 3.2 2005

YATO	
YT-06205	10

Hose removing pliers

ø 5-15mm | 5-30mm



YATO	
YT-0657	6/36

Multi-purpose hose & wire pliers

2 PCS | 1/4" 6.3mm | 3/4" 19mm | 217 mm | 254 mm





YATO	L [mm]	
YT-0645	217, 254	6/24

Hose clamp pliers

V SLOT | 215 mm | ø 4.5 mm | LOCK BLOKADA | AISI 4130





YATO	L [mm]	
YT-0647	215	12/72

Hose clamp pliers

+ SLOT | 215 mm | ø 2.0 mm | LOCK BLOKADA | AISI 4130





YATO	L [mm]	
YT-0646	215	12/72

Hose clamp pliers

230 mm | 4mm | ø12mm | HRC 40 | LOCK BLOKADA





YATO	L [mm]	
YT-0650	230	6/36

NON-SPARKING

Hose clamp pliers

215 mm | 4mm | ⌀12mm | LOCK BLOKADA | HRC 40







YATO	L [mm]	
YT-0651	215	6/36

Hose clamp pliers with wire

LOCK BLOKADA | CrMo 4140





YATO	
YT-0653	12/36

Tensioner pulley wrench

32 mm



YATO	
YT-06273	20/100

Exhaust pipe clamp pliers

LOCK BLOKADA | 300 mm





Peugeot, Citroën, Renault, Fiat, Ford

YATO	L [mm]	
YT-0652	300	10/20

Hose clamp pliers with wire

LOCK BLOKADA | CrMo 4140



YATO	
YT-0677	25

Universal pulley holder & fan clutch set

11 PCS | ⌀ 6-10 mm | ⌀ 8-11 mm | ⌀ 10-12 mm | ⌀ 11-16 mm





Ø 6-10 mm, Ø 8-11 mm, Ø 10-12 mm, Ø 11-16 mm

YATO	
YT-0627	8

Valve stem seal pliers

270 mm | FOR VALVE STEM SEALS / DO USZCZELNIACZY ZAWOROWYCH



NON-SLIP
ANTYPOŚLIZGOWY



YATO	L [mm]	
YT-0648	270	12/60

Clic and Clic-R type hose clip pliers

170 mm | CLIC CLIC-R



YATO	L [mm]	
YT-06475	170	10/60

Serpentine belt tool set

8 PCS | 3/8" 9.5 mm | 1/2" 12.7 mm | CrV



3/8" (9.5 mm): 15, 16, 18 mm; CrV;
3/8" (9.5 mm): 13, 14, 15 mm; CrV;
590 mm

YATO	
YT-06278	6/12

Ratcheting serpentine belt tool set

15 PCS | 3/8" 9.5 mm | 1/2" 12.7 mm | 3/4" 19 mm | CrV 50BV30 | CrV



19 mm: 13, 14, 15, 16, 17, 18, 19 mm (L=26 mm); CrV 50BV30;
19 mm: 3/8", 1/2", 3/4"; 40Cr;
3/8" (9.5 mm): 13, 14, 15 mm; 40Cr;
7/8"x19 mm; CrV;
7/8" (22.2 mm): 360 mm

YATO	
YT-06279	10

Piston rings pliers

40-100 mm



YATO	
YT-06377	5/50

Cylinder honing tool

ø 32-89 mm | 230 mm | 51x7 mm | x3 HONES/KAMIENIE | ADJUSTABLE TENSION/REGULOWANY NACISK | FLEXIBLE SHAFT/ELASTYCZNY WALEK



YATO	L [mm]	
YT-05811	230	50/100

Timing belt double pin wrenches tool set for VAG

6 PCS | VAG



YATO	
YT-06275	5

Cylinder honing tool

ø 19-63 mm | 205 mm | 28x6 mm | x3 HONES/KAMIENIE | ADJUSTABLE TENSION/REGULOWANY NACISK | FLEXIBLE SHAFT/ELASTYCZNY WALEK



YATO	L [mm]	
YT-05810	205	50/100

Cylinder hone stones

3 PCS | 51x7 mm



For YT-05811

YATO	
YT-05816	50/200

Stretch fit belt tool kit

2 PCS | FOR ELASTIC STRAPS/DO PASKÓW ELASTYCZNYCH | ASSEMBLY DISASSEMBLY/MONTAŻ DEMONTAŻ



YATO	
YT-05830	20/80

Cylinder hone stones

3 PCS | 28x6 mm



For YT-05810

YATO	
YT-05815	50/200

Cylinder honing machine

ø 51-177 mm | 305 mm | 76x10 mm | x3 HONES/KAMIENIE | ADJUSTABLE TENSION/REGULOWANY NACISK | FLEXIBLE SHAFT/ELASTYCZNY WALEK



YATO	L [mm]	
YT-05812	305	5/20

Cylinder hone stones

3 PCS | 76x10 mm



For YT-05812

YATO	
YT-05817	50/100

Cylinder hone tool set

14 PCS | Ø 20-50 mm | Ø 25-70 mm | Ø 32-89 mm | FLEXIBLE SHAFT ELASTYCZNY WAŁEK | 28x5 mm | 50x7 mm | P220



P220 5x28 mm (8 PCS), P220 7x50 mm (3 PCS)

YATO	
YT-05800	10

Belt gauge





YATO	
YT-06019	20

Piston ring compressor

SK5 | AISI 301





YATO	Ø [mm]	H [mm]	
YT-0635	50-125	75	30/60
YT-0636	90-175	100	30/60
YT-0637	90-175	150	20/40

Cylinder hone tool set

7 PCS | Ø 51-177 mm | FLEXIBLE SHAFT ELASTYCZNY WAŁEK | 101x11 mm | 102x11 mm | P100 | P220 | P400



P100 11x102 mm (3 PCS), P220 11x101 mm (3 PCS), P400 11x101 mm (3 PCS)

YATO	
YT-05801	10

Special socket antechamber injection pump

1/2" 12.7mm | Ø 28 mm | MERCEDES



YATO	
YT-12005	15/60

Piston ring tool set

10 PCS | Ø 50-100 mm





75 x 50-125 mm, 100 x 60-175 mm, 130 x 60-175 mm

YATO	Ø [mm]	
YT-06373	50-125,60-175,60-175	4

Cylinder hone tool set

7 PCS | Ø 20-50 mm | Ø 25-70 mm | Ø 32-89 mm | Ø 51-177 mm | FLEXIBLE SHAFT ELASTYCZNY WAŁEK | 28x5 mm | 50x7 mm | 76x10 mm | 100x11 mm | P220



Cylinder hones: 28x5 mm P220 (2 PCS), 50x7 mm P220, 76x10 mm P220; Stones: 100x10 mm P220 (3 PCS)

YATO	
YT-05802	10

VAG high pressure pump pulley remover

15 mm | VAG



VAG
1.4 I, 1.6 I, 2.0 I TDI

YATO	
YT-17527	20

NON-SPARKING

Crankshaft rotating tool set

4 PCS | FOR ALL TYPES OF ENGINES / DO WSZYSTKICH TYPÓW SILNIKÓW



BMW: Series 1, 2, 3, 5 (2014-2017), 4, 7 (2015-2017), X1, X3, X4 (2014-2017), X5 (2015-2017); Mini: Clubman (2014-2017), Convertible (2016-2017), Hatch (2015-2017)

1.2 Pb: B38 A12A; 1.5 ON: B37 D15A, B37 C15A; 1.5 Pb: B38 B15A, B38 A15A, B38 K15A; 2.0 ON: B47 D20A, B47 D20B, B47 C20A, B47 C20B

YATO	
YT-06266	20

Diesel engine locking setting kit

3 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU



VW: Lupo, Polo, Golf, Bora, Beetle, Caddy, Sharan, Touran, Transporter (1998-2006); Audi: A2, A3, A4, A6; Ford: Galaxy (2000-2006); Seat: Arosa, Ibiza, Cordoba, Leon, Toledo, Alhambra (1999-2005); Skoda: Fabia, Octavia (2000-2006)

3 i 4 cyl 1.2, 1.4, 1.9 TDI PD, 2.0 SDI, 2.0 TDI PD



YATO	
YT-0632	10/50

Timing locking set

4 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH | DROP FORGED / KUTE





- *Camshaft locking pin*
- *Crankshaft locking pin*
- *2 camshaft locking clamps*

VW, Skoda, Seat 1.2 12V and 1.2 6V (HTP); VW: Polo; Seat: Ibiza, Cordoba; Skoda: Fabia HTP

AZQ, AWY, BMD, BME (02-07)

YATO	
YT-06012	10

Twin cam locking tool for petrol & diesel engines

DOHC | FOR DIESEL ENGINES / DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH





YATO	
YT-06008	5

Timing locking set

3 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH



Peugeot: 208 1.0/1.2 VTI 2008; Citroen: C3 1.0/1.2 VTI 2012

EBO (ZMZ), EB2 (HMZ)

YATO	
YT-06023	5

Timing locking set

4 PCS | VAG | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU



Audi (2012-2016): A1, A1 Sportback, A3, A3 Sportback, A3 Cabrio, A3 Sedan, Q3; Seat (2012-2016): Ibiza, Leon; Skoda Superb (2015-); VW (2012-2016): Golf, Passat, Polo

1.4 TSI i TFSI: CPTA, CZEA

YATO	
YT-060171	5

Twin cam locking tool for petrol & diesel engines

FOR DIESEL ENGINES / DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH





YATO	
YT-06011	10/20

Timing locking set

3 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH | FOR DIESEL ENGINES / DO SILNIKÓW DIESLA



Renault: Twingo, Clio, Kangoo, Megane, Scenic, Laguna, Espace 1.2, 1.4, 1.6, 1.8, 2.0 16V (98-06), 1.5dCi; Nissan: Micra 1.5dCi, Kubistar 1.6 16V (03-06); Opel: Vivaro 2.0 16V (01-06)

Renault: D4F, K4J, K4M, F4P, F4R, F4Rt, F5R740, K9K; Nissan: K9K, K4M; Opel: F4R720

YATO	
YT-06014	10

Timing locking set

4 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH



BMW: E30 318iS, E34 520i, E34 525i/525ix, E34 Serie 5, E36 318i/318iS/318ti, Z3 1.9, E36 320i, E36 Serie 3, E36 325i/325is, E36 Z3 2.2i, E36 M3, E36/7 Z3 2.5i, E36 Z3 3.0i, E36/E46 328i, E39 520i, E39 525i, E39 528i, E39 530i, E46 320i/320Ci, E46 325i/325xi, E46 325Ci, E46 325ti, E46 330i/330xi, E46 330Ci, E53 X5 3.0i, E60 530i, E60/E61 520i, E60/E61 525i/525xi, E85 Z4 2.5i, E83 X3 2.5i, E83 X3 3.0i, E85 Z4 2.2i, E85 Z4 3.0i

M42B18, M44B19, M50B20, M50B24, M50B25, M52B21, S50B30US, M54B22, M54B25, M54B30

YATO	
YT-06332	10

NON-SPARKING

Timing locking set

4 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Dacia: Duster (2010-2014), Logan & Logan MCV (2005-2013), Sandero (2008- 2013); Nissan: Kubistar (2003-2009), Primastar (2002-2011); Opel: Vivaro (2002-2011); Renault: Avantime (2000-2003), Clio II (1998-2010), Clio III (2005-2013), Espace III (1998-2003), Espace IV (2002-2010), Kangoo (2001-2008), Kangoo II (2008-2013), Laguna (1998-2001), Laguna II (2001-2007), Laguna III (2007-2013), Megane & Megane Scenic (1999-2003), Megane II (2002-2009), Megane III (2008-2013), Modus (2004-2008), Modus & Grand Modus II (2008-2013), Scenic (1999-2003), Scenic & Grand Scenic II (2002-2009), Scenic & Grand Scenic III (2009-2013), Trafic II (2001-2011), Twingo II (2007-2014), Vel Satis (2000-2010)

Nissan: K9K, K4M; Opel: FR4 720; Renault: D4F, K4J, K4M, F4P F4R, F4Rt, F5R740, K9K

YATO	
YT-06326	4

Timing locking set

4 PCS | VAG | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Audi: A3 (03-10); Seat: Altea, Ibiza, Leon; Skoda: Fabia II (07-09), Octavia (04-09), Roomster (06-09), Superb (09-10); VW: Eos (06-09), Golf (03-09), Golf Plus (05-09), Jetta (06-09), Passat (05-09), Polo (02-08), Scirocco (09-10), Tiguan (07-09), Touran (03-09)

1.4 FSI (AXU, BKG, BLN), 1.4 TFSI (BLG, BMY, BWK, CAVA, CAVB, CAVC, CAVD, CAVF, CAXA, CAXC, CDGA), 1.6 FSI (BAG, BLF, BLP, BTS)

YATO	
YT-06017	10

Timing locking set

5 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Fiat: 500, Panda, Punto, Grande Punto, Albea, Linea, Bravo, Brava, Palio, Idea, Weekend, Siena, Stilo, Marea (97-10); Lancia: Ypsilon, Musa (96-10)

1.2 16V: 176B9.000, 182B2.000, 188A5.000; 1.4 16V: 843A1.000, 169A3.000, 192B2.000, 198A1.000, 198A4.000, 199A6.000

YATO	
YT-06016	10

Timing locking set

5 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



BMW: 520i E60 (04-08), Z4 2.0 E85 (04-08), X3 2.0i E83 (05-08), 118i E87 (04-07), 120i E87 (04-07), 316i E46 (01-05), 316 ti Compact E46 (04-05), 318i E46 (01-07), 318i Compact E46 (01-05), 318i E90 (05-08), 320i E90 (05-08), 116i E81/E87 (03-08), 316i E46/E90 (01-08), 316Ci E46 (01-05), 128i E82 (07-08), 130i E81/E87 (05-08), 135iS E82 (07-08), 323i E90/91/92/93 (04-08), 325i/xi E90/91/92/93 (04-08), 328i/xi E90/91/92/93 (04-08), 330i/xi E90/91/92/93 (04-08), 335i/xi E90/91/92/93 (05-08), 523i/Li E60/61 (04-08), 525 i/Li/xi E60/61 (04-08), 528i/xi E60/E61 (06-08), 530i/xi E60/E61 (05-08), 535i/xti E60/E61 (06-08), X5 3.0 E70 (06-08), Z4 2.5/3.0 E85/86 (05-08), 630 E63/E64 (04-08), 730i/Li E65/66 (04-08), X3 2.5/3.0 E83 (06-08); BMW Mini: R55, R56 Cooper S (06-09), R56 Mini One (07-09); Peugeot: 207, 207 CC, 308 (07-09); Citroën: C4, C4 Picasso (08-09)

N22/B12: N24-B18A, B20A, B20B; N40/N45/N45T/B16, N51/N52/N52K/N53/N54/N53/N54 (direct injections), N12/N14: EP3 (8FS), EP6 (5FW), EP6DT (5FX), EP6DTS (5FY); OEM: OEM119280, OEM115140, OEM113340, OEM119330

YATO	
YT-06004	5

Timing locking set

5 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Opel: Agila, Astra G/H, Corsa, Corsa B, Combo C, Meriva, Tigra B

1.0 12V, 1.0 16V, 1.2 16V, 1.4 16 V (chain); X10XE, Z10XE, Z10XEP, X12XE, Z12XE, Z14XEP

YATO	
YT-06002	10

Timing locking set

5 PCS | FOR DIESEL ENGINES DO SILNIKÓW DIESLA

NEW



BMercedes: A-Class (2013), B-Class (2011), C-Class (2007-2014), CLA (2014), E-Class (2010-2011), GLK (2007-2014), GLS (2012), M-Class (2005-2013), SLK (2011), Sprinter (2006-2011), Viano (2004-2010), Vito (2003-)

1.8, 2.1, 2.2: M651

YATO	
YT-060226	5

NON-SPARKING

Timing locking set



Audi: A2, A3, A4, A5, A6, TT, Q5 (98-11); Ford Galaxy; Seat: Alhambra, Altea, Arosa, Cordoba, Ibiza, Leon, Toledo (99-11); Skoda: Fabia, Octavia, Roomster, Superb (00-11); VW: Beetle, Bora, Caddy, Fox, Golf, Golf Plus, Jetta, Lupo, Passat, Polo, Scirocco, Sharan, Tiguan, Touran, Transporter (98-11)

1.2, 1.4, 1.9 TDI PD; 1.6, 2.0 TDI Common Rail

YATO	
YT-06321	10/20

Timing locking set

6 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Opel

LLWZ20DMH, Z20DM, Z20DMHRA420, Z20SI, Z20S3, Z20S4, Z20S5

YATO	
YT-060022	10

Timing locking set

6 PCS | VAG | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Audi: A3 (since 2013) 1.2/.1.4 TSI; Skoda: Citigo 1.0/1.0 Ecofuel/1.0 Green Tech, Octavia (since 2013); Seat: Leon (since 2013), Mii 1.0/1.0 Ecofuel/1.0 Ecomotive; VW: Golf VII (since 2012), Jetta (since 2012), Up 1.0/1.0 BlueMotion/1.0 Ecofuel

1.0 CHYA, CHYB, CPGA, 1.2 TFSI: CJZA,CJZB, 1.4 TFSI: CMBA, CXSA, CHPA, 1.4 TGI: CPWA, 1.4 TSI Multi Fuel CPVA, CZDA, CZDB, CZDC, 1.4 Hybrid CRJA

YATO	
YT-06025	4

Timing locking set

6 PCS | VAG | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Audi: A1, A1 Sportback, A3, A3 Cabrio, A3 Saloon, A3 Sportback, A4, A4 Allroad, A4 Quattro, A5, A5 Cabriolet, A5 Coupe, A5 Sportback, A6, TT, Q3, Q5; Seat: Alhambra, Ibiza, Leon, Leon ST; Skoda: Fabia III, Fabia III Estate, Octavia III, Rapid, Rapid Spaceback, Superb III; VW: Golf VI, Golf VII, Golf VII Estate, Golf VII SV/Sportsvan, Passat, Polo, Scirocco, Sharan II, Touran II, Tiguan

1.4: CUSA, CUSB, CUTA; 1.6: CLHA, CLHB, CRKA, CRKB, CXXA, CXXB; 2.0: CKFB, CKFC, CRBC, CRBD, CRFA, CRFC, CRMB, CRLB, CRLC, CRVA, CRVC, CUAA, CUNA, CUPA, CUUA, CUUB, CUWA, DDAA, CNHA, CNHC, CSUA, CSUB, CSUD, CSUE

YATO	
YT-060176	10

Timing locking set

6 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Fiat: 500, Panda, Punto (10-16)

312 A2 000, 312 A4 000, 312 A6 000, 199 B6 000 etc.

YATO	
YT-06331	10

Timing locking set

6 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Opel: Astra, Vectra, Signum, Zafi ra, 1.9 CDTi (04-06); Fiat: 1.9, 2.4 JTD; 16V, 20V; Alfa Romeo: 147, 156, GT 1.9 JTD 16V, 2.4 JTD 20V

Opel: Z19DTH, Z19DT; Alfa Romeo: 192 A5.000, 192 B1.000, 937 A4.000, 937 A5.000

YATO	
YT-06013	10

Timing locking set

6 PCS | 1/2" 12.7mm | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



BMW: Serie 1 (E81, E82, E87, E88, F20), Serie 3 (E90, E91, E92, E93, F30), Serie 5 (E60, E61, F10, F11), X1 (E84), X3 (E83, F25)
2.0 N47, N47S (2007-2010)

YATO	
YT-06018	10

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Ford: B-Max (since 2010), C-Max (03-12), Fiesta (since 2013), Galaxy (since 2010), Focus (04-15), Grand C-Max (since 2010), Kuga (since 2013), Mondeo (since 2010), S-Max (since 2010), Tourneo Connect (since 2013), Transit Connect (since 2013); Volvo: S60 Cross Country T4 (11-15), S80 GTDi T3 (10-15), V40 GTDi T4 (12-15), V60 GTDi T4F (11-15), V70 T2/T3/T4 (10-15)
HXJA, HXJB, HXDA, IQDA, IQDB, PNBA, RHBA, SIDA, 1.6Ti-VCT FFV, PNDA, JTWB, JTWA, JTDB, JTDA, JQDB, JQDA, IQJA, B4164T4, B4164T3, B4164T2, B4164T, JQMA, JQMB, JTMA, XTDA, MUDA, JTJA, JTBA, JTBB, KGBA, JQGA

YATO	
YT-06029	5

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Opel: Adam, Ampera, Astra J, Corsa D, Meriva B, Mokka, Zafira C Tourer; Chevrolet: Aveo
1.0 A10 XEP, 1.2 A12 XEL, 1.2 A12 XER, 1.4 A14 XFL, 1.4 A14 XEL, 1.4 A14 XER, 1.4 A14 NEL, 1.4 A14 NET

YATO	
YT-06009	5

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | VAG



Audi: A3, A5, A6, S3, TT (03-11); Seat: Altea/XL, Exeo, Ibiza, Leon (04-11); Skoda: Fabia II, Oktavia II, Roomster, Superb II (04-11); VW: Golf, Golf Plus, Jetta, Eos, Passat, Scirocco, Tiguan (03-11)
2.0 FSI: AWA, AXW, BHD, BLR, BLX, BLY, BMB, BVX, BVY, BVZ; 2.0 TFSI: AXX, BGB, BHZ, BPG, BPJ, BPY, BUL, BWA, BWE, BWJ, BWT, BYK, BZC, CDLA, CDLB, CDLC, CDLD, CDMA

YATO	
YT-060251	10

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Opel: Astra G, H, Corsa D, Meriva (06-08), Vectra (06-08), Signum (06-08), Zafi ra (03-08); Chevrolet: Cruze, Orlando 1.4, 1.6, 1.8; Fiat: Croma; Alfa Romeo: 159
Opel: 1.6-Z16LEL, Z16LER, Z16LET, Z16XE, Z16XER, 1.8-Z18XER; Chevrolet, Fiat, Alfa Romeo: 939A4.000

YATO	
YT-06005	10

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Opel; Renault: Clio, Espace, Kangoo, Master, Megane, Safrane, Scenic, Spider, R5, R9, R11, R19, R21, R25, Trafic, Twingo
Opel: DF7, E5F, E6J, E7F, E7J, K7M, F1N, F2N+R, F3N, F3P, F3R, J5R, J5T, J6R, J7R, J7T, DF4, F7P, F7R, F8M, F8Q, F9Q, J8S, G8T, S8U, S9U, S9W; Renault: 1.2, 1.4, 1.6, 1.7, 1.8, 2.0, 2.2, 1.2 16 V, 1.8 16 V, 2.0 16 V, 1.9 D, 1.9 TD, 1.9 dTi, 2.1 D, 2.1 Turbo, 2.2 D, 2.2 TD, 2.5 D, 2.5 TD, 2.8 D, 2.8 Turbo

YATO	
YT-06325	10

NON-SPARKING

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH | VAG



AVW: Crafter (06-12), LT (96-06), Transporter (90-03)
2.4 D: AAB, AJA; 2.5D SDI: AGX: 2.5D TDI: AHD, AHY, AJT, ANJ, APA, AUF, AVC, AVR, AXG, AXL, AYC, AYY, BBE, BBF: 2.5 TDI CR: BJJ, BJK, BJL, BJM; 2.5 BlueTDI CR: CEBA, CEBB, CECA, CECB

YATO	
YT-060178	10

Timing locking set

7 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



BMW: 2.0 d & 3.0 d: 118d E8 & 120d E87 (2003-2007), 318d/td E46/E90/E91 (2000-2008), 320d E46/E90/E91 (1997-2008), 320crd E46/E90/E91 (1997-2008), 325d E90/91/92/93 (2006-2010), 330d E46/E90/91/92/93 & 330xd E46/E90/91/92/93 & 330crd E46/E90/91/92/93 (1998-2008), 335d E90/91/92 (2006-2010), 520d E39/E60/61 (1999-2010), 525d E39/E60/61 (1999-2010), 525xd E39/E60/61 (1999-2010), 530d E39/E60/61 (1998-2010), 530xd (E39/E60/61 (1998-2010), 535d E60/61 (2004-2010), 635d E63/E64 (2004-2010), 730d E38/E65/66 (1998-2008), X3 2.0d E83 (2003-2007), X3 3.0d E83 (2003-2010), X5 3.0d E53/E70 (2000-2010); Land Rover: Freelander 2.0 Td4 (2000-2006); Land Rover/Range Rover: 3.0 Td6 (2002-2006); Opel: Omega B (2001-2003)
M47, M47TU, M47T2, M57, M57TU, M57TU2, Y25DT

YATO	
YT-06333	5

Timing locking set

8 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Ford: Galaxy 2.0, Focus 2.0, Mondeo, S-Max 2.0
MGDA, TNBA, TNWA, TNWB, TPBA, TPWA, XQDA

YATO	
YT-06026	5

Timing locking set

8 PCS | AI





Citroen: Berlingo, Dispatch, Relay, Synergie, Santia, Xsara, ZX; Fiat: Ducato, Ulysse; Ford; Isuzu; Opel: Astra, Calibra, Cavalier, Omega, Sintra, Vectra, Zafira; Peugeot: 205, 305, 306, 309, 406, 605, 806, Boxer, Expert, Partner 1.9 D, Talbot; Rover: 25, 45, 75, 200, 214, 216, 218, 414, 416, BRM; Saab: 900-9000; Volkswagen: Bora, Golf, Lupo, Polo, Passat
Citroen: Berlingo 1.9 D, Dispatch 1.9 D/TD-FSO 1.9 D, Relay 1.9 D/TD, Synergie 1.9/2.0 T, Santia 1.9/2.0 D/TD/HDI, Xsara 1.9/2.0 D/HDI, ZX 1.9 D/TD, most diesels; Fiat: Ducato 2.0 D, Ulysse 1.8/2.0 Turbo; Ford: most diesels; Isuzu: 1.5/1.7 diesel engines; Opel: Astra G 1.4/1.6/1.8 16V (>1994), 1.7 TD, 2.0 16 V, Calibra 2.5/2.5I/2.6 V6, Cavalier 2.5I V6, Omega B 2.5/2.6/3.0/3.2 V6, Sintra 3.0 V6, Vectra 1.6, 1.8/2.0 16V (>1995), A 2.5I/2.6 V6, Zafira 1.6/1.8 16V; 1.6/1.7 diesel engines,1.2/1.4/1.6/1.8/2.0 OHC petrol engines; Peugeot: 205 1.6/1.8/1.9 D, 305 1.6/1.8/1.9 D, 306 1.8/1.9 D/TD, 309 1.6/1.9 D-4.5 1.6/1.9D, 406 1.9 D, 605 2.0 D/TD, 806 1.9T D, Boxer 1.9/2.0 D/TD, Expert 1.9 D, Partner 1.9 D, Talbot (Express D, Horizon D-J5 D, Solara); Rover: 25 1.4/1.6/1.8/VVC, 45 1.4/1.6/1.8, 75 1.8, 200 Vi, 214 16V, 216 16V/Cabrio/Coupe, 218 Coupe, 414 16V, 416 16V, BRM 1.8VV; Volkswagen: Bora 1.9 TDI, Golf 1.9 TDI, Lupo 1.2/1.4/3.0 TDI, Polo 1.4 TDI, Passat 1.9 TDI

YATO	
YT-0633	16

Timing locking set

8 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Ford: B-Max (12-15), C-Max (03-07), C-Max (07-10), C-Max (10-15), Fiesta (08-15), Focus (04-15), Galaxy (10-15), Grand C-Max (10-15), Kuga (13-15), Touneo Connect (13-15), Grand Touneo Connect (13-15), S-Max (10-15), Transit Connect (13-15); Mazda: 5 (CW) (10-15), 6 (GH) (10-13); Volvo: S60 (10-11); S80 (09-14), V40 Cross Country (10-14), V60 (10-14), V70 (09-14), XC60 (09-14)
1.6: B4164T, B4164T2, B4164T3, HXDA, HXDB, HXJA, HXJB, IQDA, IQDB, IQJA, JQDA, JQDB, JQGA, JQMA, JQMB, JTDA, JTDB, JTJA, JTMA, JTWB, MUDA, PNDA, RVJA, SIDA, U5JA, XTDA; 2.0: B4204T6, B4204T7, B4204T7 (MZRDIDSI), MGDA, MZR2.0 (LF), R9DA, TNBA, TNBB, TNWA, TPBA, TPWA, ZQDA

YATO	
YT-06028	5

Timing locking set

8 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



BMW: Serie 1: 118i, 120i (E81, E82, E87, E88; 2004-2014); Serie 3: 316i/316ti Compact, 318i/318ti Compact (E46; 2001-2007), 318i, 320i (E90, E91, E92, E93; 2005-2012); X1: sDrive18i, xDrive18i (E84; 2010-2012); X3: 2.0 (E83; 2005-2010); Z4: 2.0 (E85; 2005-2008)
N42: B18A, B20A; N46: B18, B20, B20B; N46T: B20, B20B, B20BD, B20BZ, B20O2

YATO	
YT-06334	5

Timing locking set

8 PCS | +/- 0.01 mm | VAG | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



VAG: Audi: A3 (03-10); Seat: Altea, Ibiza, Leon; Skoda: Fabia II (07-09), Octavia (04-09), Roomster (06-09), Superb (09-10); VW: Eos (06-09), Golf (03-09), Golf Plus (05-09), Jetta (06-09), Passat (05-09), Polo (02-08), Scirocco (09-10), Tiguan (07-09), Touran (03-09)
1.4 FSI: AXU, BKG, BLN; 1.4 TFSI: BLG, BMY, BWK, CAVA, CAVB, CAVC, CAVD, CAVF, CAXA, CAXC, CDGA; 1.6 FSI: BAG, BLF, BLP, BTS

YATO	
YT-06328	5

Timing locking set

9 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



BMW: 316i, 316i Compact, 318i, 320i, 323i, 325i, 328i, 330i, 518i, 520i, 523i, 525i, 528i, 728i, 730i

M52TU, M54, M56, M40, M42, M43, M44, M50, M52

YATO	
YT-06022	1

Timing locking set

9 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Ford: Fiesta (18-), Focus (18-), Focus Active (19-), Kuga (19-)

1.5 EcoBoost: Y1DA, Y2DA, YZDA, YZJA

YATO	
YT-060263	5

Timing locking set

10 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Citroën: EP3C (8F01), EP6C (5F01), EP3 (8FS), EP6 (5FW), EP6DT (5FX), EP6CDT (5F04); Peugeot: EP3 (8FS), EP6 (5FW), EP6C (5F01), EP6DT (5FX), EP5DTS (5FY), EP3C (8F01), EP6DTX (5FU), EP6DTS (5FY), EP6CDT (5F04), EP6 (5FX), EP6CDTX (5FU); BMW Mini: N12 1.4 Valvetronic (1.4 VTI, 1.5 VTI), N14 1.6 Direkteinspritzer (1.6 THP); BMW: 1.4 VTI, 1.5 VTI, N14 (1.6 THP)

YATO	
YT-06001	5

Timing locking set

9 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Clio II, Megane / Scenic, Megane II, Scenic II, Laguna, Laguna II, Espace (since 1998)

1.8 16 V F4P 720, 722, 760; 2.0 Turbo 16 V F4R 700, 701, 712, 713, 714, 715, 720, 722, 730, 732, 740, 741, 744, 746, 770, 771, 776, 780, 784, 786, 787, 790, 791, 792, 794, 795, 796, 797, 820, 830

YATO	
YT-06327	5

Timing locking set

9 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Nissan: Primastar (2006-), Qashqai (2007-); Renault: Espace/ Grand Espace (2006-), Grand Scenic II (2006-), Koleos (2008-), Laguna II (2005-), Laguna III (2007-), Latitude (2010-), Megane II (2006-), Megane III (2009-), Scenic, Trafic (2008-), Vel Satis (2005-)

Nissan: NV400 (2011-): 2.3 CDTi R9M, X-Trial (2007-): 2.0 DCi M9R; Opel: Movano B (2010-): 2.3 CDTi, Vivaro (2006-): 2.0 CDTi/ecoFlex; Renault: Grand Scenic III (2009-): 2.0DCi M9R, Master III (2010-): 2.3 DCi M9T

YATO	
YT-06010	5

Timing locking set

10 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



BMW: Serie 1: 116d, 118d, 120d, 123d (E81, E82, E87, E88, F20); Serie 3: 316d, 318d, 320d, 325d, 330d (E90, E91, E92, E93, F30); Serie 5: 520d, 525d, 530d, 530d, 535d (E60, E61, F07, F10, F11); Serie 6: 640d (F12); Serie 7: 730d, 740d, 750d (F01); X1: 1.8d, 2.0d, 2.3d (E84); X3: 1.8d, 2.0d, 3.0d, 3.5d (F25, E83); X5: 3.0d, 4.0d, M5.0d (E70); X6: 3.0d, 4.0d, M5.0d (E71)

2.0 N47, N47S (2007-2015)

YATO	
YT-060181	2

Timing locking set

9 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Ford: Cougar, Fiesta/Courier, Focus/C-Max, Fusion, Galaxy, Mondeo, Puma, S-Max, Tourneo Connect, Transit Connect

IQDA, IQDB, JQDA, JQDB, JQGA, IQJA, JQMA, JQMB, JTBA, JTBB, JTDA, JTDB, JTJA, JTMA, JTWA, JTWB, KGBA, MUDA, PNDA, XTDA

YATO	
YT-060261	10

Camshaft locking tool

48 mm





VW: Lupo (since 1999), Polo (since 1995), Caddy (since 1996), Polo Classic (since 1996), Polo Variant (since 1996), New Beetle 1.4 l, Golf 1.4 l, 1.6 l (since 1998), Bora 1.4 l, 1.6 l (since 1999)

YATO	
YT-0601	6/36

Timing locking set

10 PCS | VAG | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



Audi: A1/A1 Sportback, A3 Cabrio, A3 Saloon, A3 Sedan, A3/A3 Sportback, A4, Allroad, A4 Quattro, A4/A5 Sportback, A5 Cabriolet, A5 Coupe, A6, TT, Q3, Q5; Seat: Alhambra, Ibiza, Leon, Leon ST; Skoda: Fabia III, Fabia III Estate, Rapid, Rapid Spaceback, Octavia III, Superb III; VW: Golf VI, Golf VII, Golf VII Estate, Golf VII SV/Sportsvan, Golf VII Wagon, Passat, Polo, Scirocco, Sharan II, Touran II, Tiguan

1.4: CUSA, CUSB, CUTA; 1.6: CLHA, CLHB, CRKA, CRKB, CXXA, CXXB; 2.0: CKFB, CKFC, CNHA, CNHC, CRBC, CRBD, CRFA, CRFC, CRLB, CRLC, CRMB, CRVA, CRVC, CSUA, CSUB, CSUD, CSUE, CUAA, CUNA, CUPA, CUUA, CUUB, CUWA, DDAA; OEM#: T10490, T10492, T10051, 3359, T10060A, T10264, T10265

YATO	
YT-060175	5

Timing locking set

11 PCS | FOR MERCEDES | FOR VALVETRAIN | FOR DIESEL ENGINES



Mercedes: A-Class (2012-2018), B-Class (2012-2019), C-Class (2009-2018), CLA Coupe (2013-2019), CLS (2011-2018), E-Class (2009-2016), GLA (2014-2020>), GLC (2015-2019), GLE (2015-2019), GLK (2008-2015), M-Class (2011-2015), S-Class (2010-2013), S-Class (2013-2017), SLC (2016-2017), SLK (2012-2016), Sprinter (2009-2020>), Vito/Viano (2010-2015), Vito/V-Class (2014-2020>)

M651: 1.8 (651.901), 2.1 (651.XXX), 2.2 (651.925), ENE (651.925)

YATO	
YT-06322	5

Timing locking set

10 PCS | FOR VALVETRAIN | FOR GASOLINE ENGINES | VAG



Audi: A1, A1 Sportback, A3, A3 Cabriolet, A3 Sportback, A4, A4 Allroad, A4 Quattro, A5 Cabriolet, A5 Coupe, A5 Sportback, A6, TT, Q3, Q5; Skoda: Fabia II, Octavia II, Praktik, Rapid, Rapid Spaceback, Roomster, Superb II, Yeti, Yeti Outdoor; Seat: Alhambra, Altea, Altea XL, Exeo, Ibiza, Leon, Toledo; VW: Beetle / Coccinelle / Maggiolino, Caddy, Caddy Maxi, CC, Eos, Golf V Estate, Golf VI, Golf VI Cabrio, Golf VI Estate, Golf Plus, Jetta, Passat, Passat Alltrack, Passat CC, Polo, Scirocco, Sharan, Tiguan, Touran, Transporter T5, Transporter T6

1.2: CFWA; 1.6: CAYA, CAYB, CAYC; 2.0: CAAA, CAAB, CAAC, CAGA, CAGB, CAGC, CAHA, CAHB, CBAA, CBAB, CBAC, CBBA, CBBB, CBDA, CBDB, CBDC, CCHA, CEGA, CFFA, CFFB, CFFD, CFFE, CFHC, CFHF, CFGC, CFJA, CGLA, CGLB, CGLC, CJAA, CJCA, CJCB

YATO	
YT-06319	5

Timing locking set

12 PCS | FOR VALVETRAIN | FOR DIESEL ENGINES



Ford: 1.3 TDCi; Fiat: Punto 1.3 JTD Multi-Jet (2003-2007), Panda, Idea, Doblo: 1.3 JTD Multi (2003-2009); Suzuki: Ignis, Wagon, Swift: 1.3 CDTI (2003-2010); Opel: Corsa C, Combo C, Astra H, Tigra B, Meriva (2003-2009)

188A9.000, 169A1.000, 188A8.000, 188A9.000, Z13DT, Z13DTJ

YATO	
YT-06003	5

Timing locking set

12 PCS | FOR VALVETRAIN | FOR DIESEL ENGINES | FOR GASOLINE ENGINES



Ford: Fiesta, Puma, Focus (1998-2008), Focus C-Max, Escort, Orion, Mondeo (1998-2000), Cougar, Courier, Transit, Fusion, Sierra, Sierra, Tourneo (1983-2000), Connect; Mazda: 1.8D (199-1999), 121 (1995-2000), 2 (2002-2007), 3 (2003-), 5 (2005-), 6 (2002-), MX-5 (2005-), MPV (2002-2005), Tribute (2001-2004); Volvo: S40 (2004-2010), V50 (2004-2010), C30 (2006-2010)

Diesel 1.8 D / TD, 1.8 Di, 1.8 TDCi, 2.5 Di / TD / TDCi / Turbo, 1.25 16 V, 1.4 16 V, 1.6 16 V, 1.8 16 V, 2.0 16 V, 2.3 16 V; C9DC, F9DA/B, FFDA, C9DA/B, BHDA/B, BHPA, HCPA, HCPB, P7PA, P9PA, R2PA, R3PA, RWPA, KKDA, G6DA, G6DB, G6DC, RTN, RTP, RTQ, RFK, RFN, RKD, RTJ, RTK, 4EB, 4EC, 4ED, 4FA, 4FB, 4FC, 4FD, 4GA, 4GB, 4GC, 4GD, 4GE, 4HB, 4HC, DHA, FUJA, FUJB, FXJA, FXJB, FYJA, L8, LF, YF, L3

YATO	
YT-06021	4

Timing locking set

15 PCS | FOR VALVETRAIN | FOR DIESEL ENGINES



Mercedes-Benz: A-Class 176 (2012-), B-Class 242/246 (2012-), C-Class 204 (2011-), C-Class Coupe (2011-), CLA 117 (2012-), E-Class (2012-)

M270, M274

YATO	
YT-060225	2

Timing locking set

12 PCS | FOR VALVETRAIN | FOR DIESEL ENGINES



Renault: Avantime (2005-2007), Clio (2001-2008), Espace (2000-2008), Kangoo (2000-2008), Laguna (1999-2001), Laguna II (2004-2007), Master (2000-2006), Megane (1999-2008), Modus (2004-2008), Scenic (1999-2008), Traffic (2001-2008), Twingo (2007-2008); Nissan: Almera N16 (2002-2006), Interstar (2002-2006), Kubistar (2003-2008), Micra K12 (2003-2008), Note (2006-2008), Primastar (2002-2007), Primera P12 (2003-2007), Qashqai (2008-2009); Opel: Movano (2000-2008), Vivaro (2001-2008)

1.5 (K9K), 1.9 (F9Q), 2.2 (G9T), 2.5 (G9U)

YATO	
YT-06006	8

Timing locking set

14 PCS | FOR VALVETRAIN | FOR GASOLINE ENGINES



Chevrolet: Captiva; Opel: Antara, Astra, Insignia; Saab: 9-5

2.0: LHU/A20NFT, LTG/A20NHT, LDK/A20NHT; 2.4: LE5, LE9, A24XE, A24XF

YATO	
YT-06027	5

Timing locking set

16 PCS | VAG | FOR VALVETRAIN | FOR GASOLINE ENGINES



Audi: A3 (8P7), A4 (8K2/8K5), A5 (8T3), Q5, TT (8J3); Seat: Alhambra (710); Skoda: Octavia (1Z3/1Z5), Superb II; VW: Beetle (5C1/5C7), Jetta III+IV, Passat (3C5/CC)

2006-2014 TSI, TFSI (1.8/2.0): CEAA, CGMA, CCZA, CCZB, CCZC, CCZD, CCUA, CAEB, BYJ, BYE, CDAA, CDAB, CDNC, CDZA, CADA, CPSA

YATO	
YT-06024	5

NON-SPARKING

Timing locking set

16 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Ford: B-Max, C-Max, EcoSport, Fiesta, Focus, Grand C-Max, Tourneo Connect, Transit Courier, Transit Connect
1.0 EcoBoost: M1DA, M1JA, M2DA, M2GA, P4JA, P4JB, SFJA, SFJB, XMJA, XMJB

YATO	
YT-060262	2

Timing locking set

29 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Opel: Agila, Combo C, Corsa, Frontiera, Omega, Sintra, Tigra, Vectra, Zafira
1.3 CDTI 16V, 1.9 CDTI, 2.0 DTI, 2.2 DTI, 1.0 DTI, 1.0 IZU, 1.2 16V (since 1996); 1.4 16V, 1.6 16V, 1.8 16V, 2.0 16V, 2.2 16V (since 1995)

YATO	
YT-06007	2

Injector seat cleaning brush set

38 PCS | 150 mm | 1/4" 6.3mm | SS STAINLESS STEEL STAL NIERDZEWNA | BRASS MOSIĄDZ | NYLON



Ø 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

YATO	Ø [mm]	
YT-08196	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	10

Timing locking set

17 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



Renault: Clio 1.2/1.4, 1.4/1.6/1.8 16V, Clio Sport 2.0 16V R19 1.4, Clio Williams 2.0 16V R19 1.4 Eco, Espace 2.0 R19 1.8 16V, 2.0 16V, 2.2 TD, Express 1.4, Extra 1.4, Kangoo 1.2/1.4, Laguna 1.6 16V, 1.8/2.0, 1.8/2.0 16V, 2.2 D/TD, 2.5 D/TD, Megane 1.4/1.6/2.0 16V, 2.5D/TD, Rapid 1.4, Safrane 2.0 16V, 2.2 TD, 2.5 20V, Scenic 1.4/1.6/2.0 16V, Trafic 2.5D, Twingo 1.2

YATO	
YT-06324	4

Timing locking set

34 PCS | VAG



YATO	
YT-06015	4

Diesel injector puller

M8 | M12 | M14 | BOSCH TYPE | LUCAS TYPE





YATO	
YT-0617	20

Timing locking set

22 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | VAG



Audi: A3 (8P), A3 Cabriolet, A4 (B7, B8), A5, A6, S1, S3, TT, TT Mk2 (8J), Q3, Q5 Skoda: Octavia II, Octavia III, Superb Mk2 (3T), Yeti; Seat: Alhambra, Altea, Altea Freetrack, Altea XL, Exeo, Leon Cupra, Leon FR, Leon Mk2 (1P), Leon ST, Toledo; VW: Amarok, Beetle, Eos, Golf Mk5 GTI, Golf Mk6 GTI, Jetta Mk5 Sagitar, Jetta Mk6, Passat B6, Passat CC, Scirocco, Sharan, T5, Tiguan
1.8, 2.0 16V TSI/TFSI (EA888): BYT, BZB, CABA, CABB, CABD, CADA, CAEA, CAEB, CAWA, CAWB, CBFA, CCTA, CCZA, CCZB, CCZC, CCZD, CDAA, CDAB, CDHA, CDHB, CDNB, CDNC, CDND, CESA, CETA, CFKA, CGYA, CJEB, CJBA, CJSB

YATO	
YT-060252	5

Injector seat cleaning brush set

20 PCS | 150 mm | 1/4" 6.3mm | SS STAINLESS STEEL STAL NIERDZEWNA | BRASS MOSIĄDZ | NYLON



YATO	Ø(mm)	
YT-08195	9, 11, 13, 15, 17, 19	10/20

Injector puller set

10 PCS | HDI | BOSCH SIEMENS



YATO	
YT-05338	4

Injector puller set

16 PCS | FOR DIESEL ENGINES / DO SILNIKÓW DIESLA



Ford: Edge, Focus, Galaxy, Kuga, Mondeo, Ranger, S-Max, Tourneo Custom, Transit, Transit Custom
2.0 EcoBlue (2016-)

YATO	
YT-053381	2

Diesel injector master removal set

14 PCS | 1/2" 12.7mm | BOSCH DELPHI DENSO SIEMENS



YATO	
YT-06174	2

Injector seat and manhole cleaning set

21 PCS





17x17 mm, 17x19 mm;
120° 17x17 mm

YATO	
YT-17627	4

Pneumatic injector puller set

21 PCS | 0.8 MPa (max.) | STANDARD | BOSCH DELPHI DENSO SIEMENS



L_{pA} = 102,0 ± 3,0 dB; L_{WA} = 113,0 ± 3,0 dB; a_h = 23,8 ± 1,5 m/s² M8x1.0, M8x1.25, M10x1.5, M12x1.5, M16x1.5, M17x1.0, M18x0.75, M18x1.5, M20x1.0, M20x1.5, M22x1.5, M25x0.5, M25x1.0, M26x0.75, M27x0.75, M27x1.0 (2 PCS), M29x1.0, M31x0.75

YATO	
YT-05335	2

Injector seat cleaning set

19 PCS | 1/4" 6.3mm | SS STAINLESS STEEL / STAL NIERDZEWNA | NYLON | BRASS MOSIĄDZ



Brass: Ø 17, 20, 23 mm; Nylon: Ø 16, 17, 18 mm;
Steel: Ø 7 mm

YATO	
YT-17623	10

Glow plug reamer set

3 PCS | M10x1.0 M12x1.25 M12x1.25 | CrV



M10 x 1 mm; M12 x 1.25 mm; M12 x 1.25 mm

YATO	
YT-05341	10/20

Injector puller set CDI

8 PCS





Mercedes: CDI OM611, OM612, OM613

YATO	
YT-06176	5

Injector seat cleaning set

23 PCS | Ø 10 mm | Ø 20 mm | BRASS MOSIĄDZ



YATO	
YT-17622	25

Glow plug reamer set

10 PCS | M8 x1.0 | M10 x1.0 | M10 x1.25 | M12 x1.25 | S45C



YATO	
YT-17712	10

Broken glow plug removal set

16 PCS | 3/8" 9.5 mm | HSS 4241 | CrV





YATO	
YT-05342	5

Glow plug heater element removal set

22 PCS | HSS



M8 x 1 mm; M10 x 1 mm; M10 x 1.25 mm

YATO	
YT-05345	10

Overhead valve spring compressor

320 mm | OHV | FOR ENGINE VALVES / DO ZAWORÓW SILNIKOWYCH



YATO	
YT-06184	10/20

Glow plug puller set

7 PCS





YATO	
YT-05343	5

Valve grinding set

2 PCS | ⌀ 15-20 mm | ⌀ 30-36 mm



YATO	
YT-06187	40

Exhaust pipe expander set

3 PCS | 17 mm | 19 mm | 29-42 mm | 38-62 mm | 54-89 mm



YATO	
YT-06166	5

Broken glow plug removal set

40 PCS | 1/4" 6.3 mm | 3/8" 9.5 mm | HSS | CrV





YATO	
YT-05344	5

Overhead valve spring compressor

FOR VALVETRAIN / DO UKŁADU ROZRZĄDU





YATO	
YT-0618	5/25

Exhaust pipe cutter

max 2.5 mm STEEL / STAL | ⌀ 18-95 mm | ◎ x15 | GCr15



YATO	
YT-06169	12/24

Oxygen sensor crowfoot wrench

22 mm | FOR OXYGEN SENSOR DO SONDY LAMBDA | CrMo SCM440



YATO		
YT-1753		15/60

Oxygen sensor extra-long socket

EXTRA LONG EKSTRA DŁUGI | 1/2" 12.7 mm | 22 mm | 150 mm | CrV | FOR OXYGEN SENSOR DO SONDY LAMBDA



YATO		L [mm]	
YT-17513	1/2" (12.7 mm)	150	10/60

Oxygen flexi head wrench

270 mm | 22 mm | 22 mm | FOR OXYGEN SENSOR DO SONDY LAMBDA | CrV



YATO	
YT-17515	6/36

Oxygen sensor crowfoot wrench

22 mm | CrV 50BV30 | FOR OXYGEN SENSOR DO SONDY LAMBDA



YATO	
YT-1754	6/36

Oxygen sensor and fuel injectors wrench set

7 PCS | 1/2" 12.7 mm | 3/8" 9.5 mm | CrMo SCM440 | CrV 50BV30 | FOR OXYGEN SENSOR DO SONDY LAMBDA | FOR FUEL INJECTORS DO WTRYSKÓW PALIWA

- 1/2" (12.7 mm) x 29 mm; L=90 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=90 mm; 6PT;
- 1/2" (12.7 mm) x 27 mm; L=78 mm; 12PT;
- 3/8" (9.5 mm) x 27 mm; L=74 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=80 mm; 6PT;
- 1/2" (12.7 mm) x 22 mm; L=50 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=30 mm; 6PT



YATO		
YT-1751	1/2" (12.7 mm), 3/8" (9.5 mm)	5

Socket and oxygen sensor set

3 PCS | 22 mm | CrMo SCM440 | CrV 50BV30 | FOR OXYGEN SENSOR DO SONDY LAMBDA



- 22 mm; L= 50 mm; 6PT; CrMo SCM440;
- 22 mm; L=30 mm; 6PT; CrMo SCM440;
- 22 mm; L=80 mm; 6PT; CrV 50BV30

YATO	
YT-1752	20

Slotted special socket set

12 PCS | 3/8" 9.5 mm | CrV | NEW



YATO	
YT-17505	10

Flexible crowfoot socket wrench set

6 PCS | 3/8" 9.5 mm | 12-19 mm | HRC 43-47 | CrV | 40Cr



3/8" (9.5 mm): 12, 14, 16, 17, 18, 19 mm; 40Cr/CrV

YATO		
YT-01440	3/8" (9.5 mm)	10

Oxygen sensor socket & thread chaser set

5 PCS | 1/2" 12.7 mm | 3/8" 9.5 mm | M12 x1.25 | M18 x1.5 | CrMo | CrV | FOR OXYGEN SENSOR DO SONDY LAMBDA



- 22 mm; L=50 mm; 6PT; CrMo;
- 22 mm; L=30 mm; 6PT; CrMo;
- 22 mm; L=80 mm; 6PT; CrV

YATO		
YT-17510	1/2" (12.7 mm), 3/8" (9.5 mm)	20

Slotted special socket set

7 PCS | 3/8" 9.5 mm | 1/2" 12.7 mm | CrV



3/8" (9.5 mm): 10, 11, 12, 13 mm; 1/2" (12.7 mm): 14, 17, 19 mm

YATO	
YT-17508	6/24

Flexible crowfoot socket wrench set

12 PCS | 3/8" 9.5 mm | 8-19 mm | HRC 42-48 | CrV



3/8" (9.5 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV

YATO		
YT-38550	3/8" (9.5 mm)	10

NON-SPARKING

Diesel injection socket set

6 PCS | 1/2" 12.7mm | CrV | AS-DRIVE | FOR FUEL INJECTORS DO WTRYSKIWACZY PALIWA



21x90; 22x78; 22x110; 27x78; 28x78; 28x83 mm

YATO		
YT-0622	1/2" (12.7 mm)	10

Diesel injector and cutter set

8 PCS | CrMoV SKD11





17x17 mm, 17x19 mm, 15x19 mm; CrMoV SKD11; 120° 17x17 mm, 120° 17x21 mm; CrMoV SKD11

YATO		
YT-17625		10

Tooth socket for injection nozzle

4 PCS | 1/2" 12.7mm | CrMo | S45C | CrV | FOR FUEL INJECTORS DO WTRYSKIWACZY PALIWA



1/2" (12.7 mm); L=72 mm; 4T; CrV; 32 mm; M14 x 1.5 mm; L=70 mm, 4T; S45C;
1/2" (12.7 mm); L=120 mm; 3T; CrMo; 32 mm; L=120 mm, 4T; S45C

YATO		
YT-1762	1/2" (12.7 mm)	5

Bosch VE injection pumps socket set

3 PCS | 1/2" 12.7mm | FOR VE PUMPS DO POMP TYPU VE | CrV



YATO		
YT-17525	1/2" (12.7 mm)	12/48

Camshaft adapter socket set

3 PCS | 3/8" 9.5 mm | VAG



Audi: A3 (2011-, 2005-2013), A3 Quattro (2009-2013), A4 (2008, 2009-2015, 2016-), A4 Quattro (2009-2015), A5 (2008-2011), A5 Cabriolet (2009), A5 Coupe (2008), A5 Quattro (2009-2016), A6 2.0 TFSI (2012-2014), Tiguan (2016-), Q3 (2012-2015), Q5 (2008; 2009-2016), TT (2010-2014), TT Quattro (2009-2014); Seat: Alhambra (2011), Altea (2011), Altea XL (2009), Exeo (2009), Freetrack (2011), Leon (2011); Skoda: Octavia (2009-2013), Superb (2009-2015), Yeti 1.8 TSI (2010-2015); VW: Beetle 2.0 TSI (2012-2016), CC 1.8 TSI/2.0 TSI (2012-2016), EOS 2.0 TSI (2010-2016), Golf GTI 1.8 TSI/2.0 TSI (2009-2013), Jetta GLI 2.0 TSI (2008-2014), Passat 1.8 TSI/2.0 TSI (2009-2015), Passat CC 1.8 TSI/2.0 TSI (2009-2012), Scirocco 2.0 TSI (2009-2016), Sharan 1.8 TSI/2.0 TSI (2011-2016), Tiguan 2.0 TSI (2008-2016)
Audi: BYT, BZB, CABA, CABB, CABD, CAEA, CAEB, CAED, CBFA, CCTA, CCZA, CCZC, CDAA, CDHA, CDHB, CDNB, CDNC, CESA, CETA, CHJA, CPMA, CPMB, CPSA; Skoda: CCZA; VW: CAWB, CBFA, CCTA, CCZA, CCZB

YATO		
YT-06336	3/8" (9.5 mm)	20

Fuel pressure tester

20 PCS | 0-1 MPa | 0-140 psi | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



YATO		
YT-73025		6

Compression tester

5 PCS | 2.1 MPa | M14 M18 | FOR SPARK IGNITION DO ZAPLONU ISKROWEGO | RUBBER ADAPTOR ZŁĄCZE GUMOWE





FOR ALL TYPES
DO WSZYSTKICH TYPÓW

YATO		
YT-73011		10

Compression pressure gauge in a diesel engine

16 PCS | 7.0 MPa | FOR DIESEL ENGINES DO SILNIKÓW DIESLA







YATO	
YT-7307	5

Compression tester kit

8 PCS | 0-2 MPa | 0-300 psi | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



YATO	
YT-73022	6

Compression pressure gauge in a diesel engine

19 PCS | 7.0 MPa | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



YATO	
YT-73072	10

Oil combustion spraying pressure meter

10 PCS | 0-0.7 MPa | 0-100 psi



YATO	
YT-73023	10

Testing tweezer

3.7 V 500mAh Li-Po | OLED | LCR | AUTO RANGE AUTO ZAKRES | DATA HOLD | USB

NEW



YATO	
YT-73074	1

Oil combustion spraying pressure meter

9 PCS | 0-0.7 MPa | 0-100 psi



YATO	
YT-73024	10

Compression tester

50 PCS | 4.0 MPa | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH



YATO	
YT-73012	4

Vacuum and fuel pump tester

9 PCS | 0-0.1 MPa | 0-14 psi



YATO	
YT-73050	10

Oil pressure tester

12 PCS | 3.5 MPa | 185cm | FOR ALL TYPES OF ENGINES DO WSZYSTKICH TYPÓW SILNIKÓW



YATO	
YT-73030	10

Induction heater

9 PCS | 230-240V~ 50/60Hz | 1000 W | LED | x8



Ø 30 mm (2 PCS), Ø 40 mm (2 PCS), Ø 50 mm (2 PCS), wire (L=750 mm; 2 PCS)

YATO	[W]	
YT-05880	1000	6

Oil pressure tester

12 PCS | 0-1 MPa | 0-140 psi | 125cm | FOR ALL TYPES OF ENGINES DO WSZYSTKICH TYPÓW SILNIKÓW



Adapters / Adaptery: R1/8 DIN 2999; 1/8" 27 NPT; 1/4" 18 NPT; 3/8" 20 UNF; 1/2" 20 UNF; M10 x 1.0; M12 x 1.5; M14 x 1.5; M16 x 1.5; M18 x 1.5

YATO	
YT-73031	10

Compression tester

2.1 MPa | FOR SPARK IGNITION DO ZAPŁONU ISKROWEGO | THREADED ADAPTER ZŁĄCZE GWINTOWANE



FOR ALL TYPES DO WSZYSTKICH TYPÓW

YATO	
YT-7301	12/24

Cylinder leak detector

4 PCS | 0.7 MPa | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH | STANDARD



YATO	
YT-73055	5

Compression tester

2.1 MPa | FOR SPARK IGNITION DO ZAPŁONU ISKROWEGO | THREADED ADAPTER ZŁĄCZE GWINTOWANE | RUBBER CONNECTOR ZŁĄCZE GUMOWE



YATO	
YT-7302	6/24

Common cool gas meter

6 PCS | x3 145cm | R-134a | 0-0.8 MPa | 0-120 psi | 0-3.4 MPa | 0-500 psi



YATO	
YT-72990	6

Injection nozzle tester

60 MPa (max.) | 600 ml | M12 | M14 | FOR DIESEL ENGINES DO SILNIKÓW DIESLA



YATO	
YT-72963	4

Combined sockets for alternator

22 PCS | 1/2" 12.7mm | 3/8" 9.5mm | CrV | HRC 40-44 | S45C | HRC 38-42 | 8660 | HRC 53-57



1/2" (12.7 mm): M10, HBS, 33T, L=113 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
1/2" (12.7 mm): T50, HBS, 33T, L=113 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
3/8" (10 mm); M10; HBS, 33T; L=80 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
1/2" (12.5 mm); M10; HBS, 33T; L=140 mm; CrV; HRC 40-44;
M8, M10, L=75 mm; 8660; HRC 53-57;
T40, T50, L=75 mm; 8660; HRC 53-57;
H8, H10, L=75 mm; 8660; HRC 53-57;
M10xH12, L=64 mm; 8660; HRC 53-57;
H15, 33T, Ø 17 mm, L=30 mm, H15, 33T, Ø 19 mm, L=30 mm, H22, 33T, Ø 19 mm, L=30 mm; CrV; HRC 40-44;
H17, H22, L=30 mm; S45C; HRC 38-42;
Ø 35 x 30 mm; S45C; HRC 38-42;
Ø 38 mm; S45C; HRC 38-42;
H19x28, H21x28, H22x28; S45C; HRC 38-42;
1/2" (12.5 mm) (F) x H10 mm (F); CrV; HRC 40-44



YATO		
YT-04211	3/8" (9.5 mm), 1/2" (12.7 mm)	5

Diesel fuel pump timing set

10 PCS | +/- 0.01 mm



For fuel pump: Bosch, Denso, Lukas, Nippon

YATO		
YT-05337		5

Combined sockets for alternator

13 PCS | 1/2" 12.7mm | CrV | HRC 40-44 | S45C | HRC 38-42 | 8660 | HRC 53-57





1/2" (12.7 mm): M10, HBS, 33T, L=110 mm; CrV; HRC 40-44;
1/2" (12.7 mm): T50, HBS, 33T, L=110 mm; CrV; HRC 40-44;
M8, M10, L=75 mm; 8660; HRC 53-57;
T40, T50, L=75 mm; 8660; HRC 53-57;
H8, H10, L=75 mm; 8660; HRC 53-57;
H15, 33T, L=30 mm; CrV; HRC 40-44;
H22, 33T, L=30 mm; CrV; HRC 40-44;
H22, L=30 mm; S45C; HRC 38-42;
Ø 35 x 30 mm; CrV; HRC 40-44;
1/2" (12.7 mm) x 10 mm; CrV; HRC 40-44

YATO		
YT-0421	1/2" (12.7 mm)	15

Flow meter common rail adapter set

31 PCS | FOR 6 CYLINDERS DO 6 CYLINDRÓW





YATO		
YT-7306		5

Universal radiator pressure kit

14 PCS | 0.25 MPa (max.) | max. °C 200





Acura, Alfa Romeo, Audi, BMW, Chrysler, Citroen, Fiat, Ford, General Motors, GEO, Honda, Infiniti, Isuzu, Jaguar, Jeep, Land Rover, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Renault, Saab, Subaru, Suzuki, Toyota, Volkswagen, Volvo

YATO		
YT-0672		4

Hand-held vacuum pump

16 PCS | -1-0 bar



YATO		
YT-0673		10

Cooling system vacuum purge and refill kit

6 PCS | -1 bar | ⌀ 30-48 mm



YATO	
YT-72996	10

Cooling system vacuum purge and refill kit

3 PCS | -1 bar | ⌀ 15-45 mm



YATO	
YT-72995	10

Hand-held vacuum pump

22 PCS | -1-3 bar



YATO	
YT-0674	5

Water tank leak detector

28 PCS | 0.25 MPa (max.)



Acura; Alfa Romeo; Audi: A4, A5, A6; Audi VW (1975-1993); BMW: 345, E32, E34, E36, E38, E39, E46, E60, E63, E64, E65, E90; Buick; Cadillac; Chevrolet; Citroen; Chrysler; Daewoo; Dodge; Eagle; Fiat; Ford: C-Max, Focus, Mondeo, USA versions etc.; General Motors; GMC; Honda; Hummer; Hyundai; Infiniti; International; Isuzu; Jaguar; Jeep; Kia; Land Rover; Lexus; Lincoln; Mazda: M3 etc.; Mercedes-Benz: A, C, E, M, S Class (W140, W168, W210, W211, W215, W216, W220, R230), W123, W126, W124, W201, Vito; Mercury; Mini; Mini Coopper; Mitsubishi; Nissan; Oldsmobile; Opel; Peugeot; Pontiac; Porsche: Cayenne etc.; Renault; Saab; Saturn; Ssangyong; Sterling; Subaru; Suzuki; Toyota: Celica, MR2, Previa, RAV4 etc.; Vauxhall; Volvo; VW: Beatle, Golf, Passat (1996, 1997-2002), Sharan (1.8T, 2.8), T4, Vento



YATO	
YT-06721	3

Flexible line clamp set

3 PCS | NON-CUTTING NIETNĄCE | BENT WYGIĘTE | NON-CONDUCTIVE NIEPRZEWODZĄCE





- *Max. 13 mm - for brake and fuel lines*
- *Max. 17 mm - for flexible hose*
- *Max. 32 mm - for radiator hose clamp*

YATO	
YT-08403	5/15

Steel line clamp

4 PCS | NYLON | FOR STEEL LINES DO PRZEWODÓW METALOWYCH



YATO	
YT-08390	10/20

Flexible line clamp set

3 PCS | NON-CUTTING NIETNĄCE | NON-CONDUCTIVE NIEPRZEWODZĄCE





- *1/4"-3/4" (6.3-19 mm) for brake and fuel lines*
- *1/2"-5/4" (12.5-32 mm) for flexible hose*
- *3/4"-9/4" (19-57 mm) for radiator hose clamp*

YATO	
YT-0840	25/50

Steel line clamp

8 PCS | FOR STEEL LINES DO PRZEWODÓW METALOWYCH | NYLON



YATO	
YT-08391	10

Spark plug socket

3/8" 9.5 mm | 16 mm | 14 mm | THIN WALL CIENKA ŚCIANKA



YATO	⬡	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-38510	3/8" (9.5mm)	14	18	16	63	25/100

Spark plug socket

3/8" 9.5 mm | CrV 50BV30



YATO	⬡ [mm]	
YT-38514	14	25/100
YT-38515	16	25/100

Spark plug socket

3/8" 9.5 mm | 310 mm | ⬡ | THIN WALL CIENKA ŚCIANKA | CrV | 🧲





YATO	A [mm]	
YT-08163	14	15/60
YT-08164	16	15/60
YT-0818	18	10/40

Spark plug socket

3/8" 9.5 mm | 16 mm | 16 mm | THIN WALL CIENKA ŚCIANKA



YATO	⬡	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-38511	3/8" (9.5 mm)	16	20	16	62	25/100

Spark plug socket

3/8" 9.5 mm | ⬡ | THIN WALL CIENKA ŚCIANKA | CrV | 🧲



YATO	⬡	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-38516	3/8" (9.5 mm)	14	19	19	98	25/100
YT-38517	3/8" (9.5 mm)	16	20	19	98	25/100

Spark plug socket set

4 PCS | 3/8" 9.5 mm | CrV



3/8" (9.5 mm): 14, 16, 18, 21 mm

YATO	⬡	
YT-38520	3/8" (9.5 mm)	5/20

Spark plug socket

3/8" 9.5 mm | 14 mm | THIN WALL CIENKA ŚCIANKA | CrV | 🧲





YATO	⬡	A [mm]	D1 [mm]	D2 [mm]	L [mm]	
YT-38512	3/8" (9.5 mm)	14	20	19	88	25/100

Extra long spark plug socket

3/8" 9.5 mm | 250 mm | ⬡ | THIN WALL CIENKA ŚCIANKA | CrV | 🧲



YATO	A [mm]	
YT-38521	14	12/48
YT-38522	16	12/48

Joined glow plug socket set

6 PCS | 3/8" 9.5 mm | CrV





3/8" (9.5 mm): 8, 9, 10, 12, 14, 16 mm

YATO	⬡	
YT-05339	3/8" (9.5 mm)	10

Torque angle gauge

1/2" 12.7mm | 360° | CrV



YATO		
YT-0593	1/2" (12.7 mm)	12/48

Clutch alignment tool set

2 PCS | ⌀ 15-20 mm | ⌀ 20-27 mm | ADJUSTABLE NASTAWNY





YATO	
YT-06312	25

SAC clutch tool set

43 PCS | SAC



YATO	
YT-06315	1

Torque angle gauge with magnet

1/2" 12.7mm | 360° | 35 cm | GRADUATION OF 2 DEGREES PODZIAŁKA PO 2 STOPNIE



YATO		
YT-05934	1/2" (12.7 mm)	10/40

Clutch alignment tool set

⌀ 15-28 mm | 360 l/min | FOR PASSENGER CARS DO AUT OSOBOWYCH



YATO	
YT-06313	12/24

Twin-clutch transmission removal tool

DTC



6DCT450 MPS6 transmission: Chrysler: Sebring; Dodge: Avenger, Journey; Ford: C-Max, Focus (2004-), Galaxy, Kuga, Mondeo (2007-), S-Max; Volvo: C30, C40 (2004-), C70 (2006-), S60 (2011-), S80 (2007-), S80L, V40 (2013-), V40 Cross Country, V50, V60, V70 (2008-), XC60

YATO	
YT-06317	10

Clutch alignment tool set

9 PCS | ⌀ 11-25 mm



Ø 11, 12, 15, 17, 19, 20, 22, 25 mm

YATO	
YT-06311	20

DSG mechatronic unit remover

260 mm | VAG | DSG



YATO	
YT-05333	10/40

DSG double clutch tool set

6 PCS | VAG | DSG



YATO	
YT-06316	2

Twin-clutch transmission tool

16 PCS | POWER SHIFT



Ford (PowerShift transmission 6DCT250 DPS6): B-Max (2012-), C-Max (2008-), Ecosport (2012-2017, BR 2013-2017), Edge Diesel (UE 2016-), Fiesta (2010-2017), Focus (2008-2019, USA 2012-2018), Galaxy (2010-2018), Kuga (2010-2018), Mondeo (2008-), S-Max (2010-2019), Tourneo Connect (USA 2012-), Transit Connect (USA 2012-)

YATO	
YT-06314	1

Brake fluid tester

5 LED | 1x AAA



YATO	
YT-72982	12/72

Brake retainer spring tool

FOR DRUM BRAKES / DO HAMULCÓW BĘBNOWYCH





YATO	
YT-0685	12/96

Pipe bending pliers

255 mm | Ø 4,75-10 mm | Ø 25 mm



YATO	L [mm]	
YT-08144	255	6/24

Brake fluid tester

DOT3 DOT4 DOT5.1 | 180 cm | LCD | LED | SOUND SIGNAL / DŹWIĘKOWY SYGNAŁ | FLEXIBLE PROBE / ELASTYCZNA SONDA



YATO	
YT-72985	10/20

Brake spring pliers kit

3 PCS | FOR DRUM BRAKES / DO HAMULCÓW BĘBNOWYCH



YATO	
YT-0684	6/24

Brake line double flaring tool

6 PCS | BRASS / MOSIĄDZ | COPPER / MIEDŹ | STEEL / STAL | Al



Ø 4.75, 6.35 mm

YATO	
YT-06086	10

Brake fluid tester

DOT3 DOT4 DOT5.1 | LCD / BACKLIGHT / PODŚWIETLENIE | LED / LIGHT / DIODA | SOUND SIGNAL / DŹWIĘKOWY SYGNAŁ | DATA HOLD | FLEXIBLE PROBE / ELASTYCZNA SONDA | USB / CABLE / KABEL | 600 mAh Li-Ion



YATO	
YT-72986	28

Brake line double flaring tool

14 PCS | BRASS / MOSIĄDZ | COPPER / MIEDŹ | STEEL / STAL | Al

NEW



YATO	
YT-06087	1

NON-SPARKING

Brake spring pliers kit

8 PCS | FOR DRUM BRAKES DO HAMULCÓW BĘBNOWYCH



YATO		
YT-0680		4

Brake caliper press tool

40-70 mm | 116x55 mm | 175x60 mm | 1 2 4 FOR BRAKE CALIPER PISTONS DO ZACISKÓW TŁOCZKOWYCH



YATO		
YT-06804		20

Disc brake spreader

0-65 mm | 1/2" 12.7 mm | 21 mm





YATO		
YT-0610		12/24

Interial bent nose snap ring pliers

90° | 190 mm | 55 mm | BENT WYGIĘTE



YATO	[mm]	
YT-06561	190	4/40

Brake caliper press tool

43-70 mm | 110x55 mm | 1 2 4 FOR BRAKE CALIPER PISTONS DO ZACISKÓW TŁOCZKOWYCH



YATO		
YT-06101		6/24

Disc brake piston tool

3/8" 9.5 mm | CrV



General Motors, Ford, Chrysler, VW, Fiat

YATO		
YT-0683		12/96

Brake caliper press tool

40-68 mm | 116x60 mm | 1 2 4 FOR BRAKE CALIPER PISTONS DO ZACISKÓW TŁOCZKOWYCH



YATO		
YT-06805		20

Universal brake tool set

15 PCS | 1/2" 12.7 mm | 3/8" 9.5 mm | CrV



YATO		
YT-06802		4

Brake socket bit set

3 PCS | 1/2" 12.7 mm | CrV



YATO		
YT-06807		10/20

Brake socket bit set

4 PCS | 1/2" 12.7mm | CrV



12, 14, 19 mm;
1/2" (12.5 mm): 10 mm; CrV

YATO	
YT-06806	20

Brake cliper socket set

17 PCS | 1/4" 6.3mm | 3/8" 9.5mm | 1/2" 12.7mm | CrV | SPECIAL SHAPE / SPECJALNY KSZTAŁT



1/2" (12.7 mm): 10, 12.5, 14, 19 mm (5 points); 14, 22 mm (7 points); 11.5, 15, 20 mm (10 points); CrV;
1/2" (12.7 mm): 10 mm (5 points); CrV;
1/4" (6.3 mm): 9 mm (L=20 mm); 3/8" (9.5 mm): 7, 8 mm (L=24 mm); CrV;
3/8" (9.5 mm): 7 mm (L=65, 92 mm), 9 mm (L=50 mm), 11 mm (L=100 mm); CrV

YATO	
YT-06812	10

Brake socket bit set

11 PCS | 3/8" 9.5mm | 1/2" 12.7mm | SPECIAL SHAPE / SPECJALNY KSZTAŁT | S2 | CrV | CrMo



BMW, Mercedes, VAG
1/2" (12.7 mm): 11.5, 15, 20 mm (10 points), 22 mm (7 points); CrMo; 3/8" (9.5 mm): 7, 8, 9 mm; CrMo;
3/8" (9.5 mm): 7x72, 7x92, 9x50, 11x100 mm; AISI S2 / CrV

YATO	
YT-06808	20

Brake cliper socket set

16 PCS | 1/2" 12.7mm | CrMo | CrV | SPECIAL SHAPE / SPECJALNY KSZTAŁT



1/2" (12.7 mm): 14, 19 mm (5 points); 14, 22 mm (7 points); 11.5, 15, 20 mm (10 points); CrV;
1/2" (12.7 mm): 14, 17, 19 mm (L=45 mm); 7, 9, 11 mm (L=78 mm); CrMo;
1/2" (12.7 mm): M14; (L=45 mm); M18 (L=78 mm); CrMo;
1/2" (12.7 mm): 14 mm (10 points; L=78 mm); CrMo

YATO	
YT-06811	5

Pneumatic brake caliper rewind tool kit

16 PCS | 0.75 MPa | STANDARD



No.	zacisk przedni / front	zacisk tylny / rear
0	General Motors - zaciski 2 1/2" (12.5 mm)	
2	Citroen XM, Xantia	
3	Audi, Alfa Romeo, Fiat, Ford Fiesta, Isuzu, Honda Concerto, Jaguar (F/R), BMW, Mercedes - Benz, Mitsubishi Colt, Nissan: Almera, Stanza, Sunny, Rover,Toyota Camry, Volvo, VW: Passat, Golf GTI	
4		Ford, Mazda, Saab, Alfa Romeo 164 2.0, Honda, General Motors
5	adapter z gniazdem 3/8" (10 mm)	
6		Nissan Primera, VW Golf IV
7		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VW
8	General Motors - zaciski 1 7/8" (47,6 mm)	
9	General Motors - zaciski 2 1/8" (54 mm)	
A		Renault
E	Nissan Maxima	
F		Opel
K		Citroen
M		Ford, Cooper
N	Saab, Honda	



YATO	
YT-0671	5

Disc brake pad and caliper service tool kit

12 PCS





Nr. / No.	Zacisk przedni / Front caliper	Zacisk tylny / Rear caliper
0	General Motors - zaciski / calipers 2 1/2"	
1	Adapter do przedniego zacisku / Front caliper adapter	
2	Citroen XM, Xantia	
3		Opel
4		Ford, Mazda, Saab, Alfa Romeo 164 2.0, Honda, General Motors
5	Nissan Maxima	
6		Nissan Primera, VW Golf IV
7	Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VW	
8	General Motors - zaciski / calipers 1 7/8"	
9	General Motors - zaciski / calipers 2 1/8"	
11		Adapter do tylnego zacisku / Rear caliper adapter

YATO	
YT-0611	5

Disc brake pad and caliper service tool kit

18 PCS







No.		zacisk przedni / front	zacisk tylny / rear
1-1		siłowniki z lewym i prawym gwintem	
1		płytka oporowa	
5	3/8"	adapter z gniazdem	
0	2 1/2"	General Motors	
2	2 1/64"	Citroen XM, Xantia	
3	2 5/32"	Audi, Alfa Romeo, Fiat, Ford Fiesta, Honda, Jaguar, BMW, Mercedes, Mitsubishi Colt, Nissan, Rover, Austin,Toyota Camry, Volvo, VW: Passat, Golf GTI	Jaguar
4	1 1/4"		Ford, Mazda, Saab, Alfa Romeo 164 2.0, Honda, General Motors
6	1 21/32"		Nissan Primera, VW Golf IV
7	1 21/32"		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VW
8	1 7/8"	General Motors	
9	2 1/8"	General Motors, Cadillac	
E	1 21/32"		Nissan Maxima
F	1 1/4"		Opel
K	2 1/8"		Citroen
M	1 1/4"		Ford
N	1 1/4"	Saab, Honda	
A	1 3/16"		Renault

YATO	
YT-0682	5

Disc brake pad and caliper service tool kit

11 PCS | 3/8" 9.5 mm





No.	zacisk przedni / front	zacisk tylny / rear
1-1	siłownik	
1	płytka oporowa	
5	adapter z gniazdem	
2	Citroen: XM, Xantia	
3	Alfa Romeo, Audi, Austin, BMW, Honda, Jaguar, MB, Mitsubishi, Nissan, Rover, Toyota, VW	
4		Ford, Mazda, Subaru, Alfa Romeo, Saab
6		Nissan
7		Audi, Ford, Honda, Nissan, Rover, Saab, Subaru, VW
8	General Motors	
9	General Motors	

YATO	
YT-0681	5

Disc brake pad and caliper service tool kit

35 PCS
3/8" 9.5 mm






No.		zacisk przedni / front	zacisk tylny / rear
2	2 1/64" (51,0 mm)	Citroen Xantia, Honda Prelude	
3	2 5/32" (55,0 mm)	Fiat, Alfa Romeo, Isuzu, Mercedes Benz, BMW, Citroen, Ford, Honda, Jaguar, Nissan, Peugeot, Rover, Toyota, VAG, Volvo	Jaguar
4	1 1/4" (32,0 mm)		Ford, Mazda, Saab, Fiat, Alfa Romeo, General Motors
5	3/8" (10,0 mm)	adapter z gniazdem	
7	1 21/32" (42,0 mm)		Nissan, VAG, Jaguar S
6	1 21/32" (42,0 mm)		Audi, Rover, Subaru, Ford, Nissan, Peugot, Toyota, VAG, Saab, Jaguar, GM
8	1 7/8" (48,0 mm)	General Motors	
9	2 1/8" (54,0 mm)	General Motors, Cadillac	
0	2 1/2" (63,5 mm)	General Motors	
A	1 1/5" (30,5 mm)		Renault, BMW, Mini
B	1 19/30" (41,5 mm)		Ford, Lincoln, Subaru
C	1 19/30" (41,5 mm)		Mini, Nissan, Opel, Toyota
D	2 1/64" (51,0 mm)	Renault, Citroen	
E	1 21/32" (42,0 mm)		Nissan Maxima
F	1 1/4" (32,0 mm)		Opel, Fiat
G	3/8" (10,0 mm)		Peugeot, GM
J	1 22/33" (42,5 mm)	Fiat, Alfa Romeo, Audi, Citroen, Renault, Peugeot, Ford, Nissan, Saab, VAG, Subaru, Volvo	
K	2 1/8" (54,0 mm)		Citroen, Opel
K1	2 1/8" (54,0 mm)	Renault, Citroen	
K2	1 22/23" (50,0 mm)		Citroen, Renault, Audi
P	1 19/30" (41,5 mm)		VAG, BMW, Ford, Lancia, Proton, Renault, Rover, Citroen
M	1 1/4" (32,0 mm)		Ford, Mini, Nissan
N	1 1/4" (32,0 mm)		Saab, Honda, Alfa Romeo, Ford Mondeo, Lancia, Volkswagen
Z	1 3/16" (30,0 mm)		Ford, Mazda, Mitsubishi, Toyota Corolla
1, 11, 12		płytka oporowa	

YATO		
YT-06822		5

Brake disc run out kit

3 PCS
+/- 0.01 mm



YATO	
YT-72970	6

Stud cleaning tool set

9 PCS
1/2" 12.7 mm
1/4" 6.3 mm
SDS PLUS
FOR IMPACT TOOLS / DO NARZĘDZI UDAROWYCH



Ø 12, 13, 14, 16, 22, 28 mm

YATO		
YT-25385	1/2" (12.7 mm)	10

Stud hub cleaner set

14 PCS
1/2" 12.7 mm
FOR IMPACT TOOLS / DO NARZĘDZI UDAROWYCH
HEAVY DUTY NYLON / WZMOCNIONY NYLON



YATO		
YT-25384	1/2" (12.7 mm)	10/40

ABS and brake pressure gauge

46 PCS
20.6 MPa (max.)
FOR BRAKING SYSTEMS / DO UKŁADÓW HAMULCOWYCH



Included: pressure gauges: 0-200 kg/cm^2, 0-20.6 MPa (2 PCS); adaptors: #1: 7/16, M10x1.5 mm (2 PCS); #2: 7/16, M10x1 mm (2 PCS); #3: 7/16, M7x1 mm (2 PCS); #4: 7/16, M8x1.25 mm (2 PCS); #5: Ø9.34, G3/8, 24T (2 PCS); #6: Ø6.1, G1/4, 28T (2 PCS); #7: Ø10.9, 7/16, 24T (2 PCS); #8: Ø10.9, 7/16, 20T (2 PCS); #9: Ø7.64, 7/16, 24T (2 PCS); #10: M8x1 mm (2 PCS); #11: M10x1 mm (2 PCS); #12: M10x1.25 mm (2 PCS); #13: M6x1 mm (2 PCS); #A: 7/16, M10x1 mm; #B: 7/16, M10x1 mm; #C: Ø9.34, 24T; #D: M12x1 mm; #E: M11x1.5 mm; #F: Ø13, M13x1.5 mm; #G: Ø12.6, 20T; #H: Ø14, 20T; #I: Ø10.9, 24T; #J: Ø14, 18T; #K: M10x1.25; connectors: 90° (2 PCS); 45° (2 PCS); connecting pipe; connecting pipe M8x1.0 mm; angle connecting pipe M4x1.5 mm

YATO	
YT-73040	5

NON-SPARKING

Power steering tester kit

15 PCS | 14 MPa (max.) | FOR POWER STEERING SYSTEM DO UKŁADU WSPOMAGANIA



Included: pressure gauge 140 bar / 2000 PSI; flexible hose 250 mm 1/8" NPT x M11 x 1.25; adapters: 1/8" NPT x M16 x 1.5 (2 PCS), 1/8" NPT x M18 x 1.5, 1/8" NPT x M11 x 1.0, M11 x 1.0 x M11 x 1.25, M11 x 1.25 x M18 x 1.5, M11 x 1.25 x M16 x 1.5 (2 PCS), M16 x 1.5 x M11 x 1.25, 1/8" NPT x M16 x 1.5, M11 x 1.25 x 1/8" NPT, 1/8" NPT x M16 x 1.5, M11 x 1.25 x M16 x 1.5

YATO		
YT-73045		10

Brake system filling and bleeding kit

400 ml | 1.37 bar (max.) | HDPE



• *Standard cap 45 mm*

YATO		
YT-06837		10

Coil spring compressor

2 PCS | 1/2" 12.7mm | 21 mm | COLD FORGED KUTE NA ZIMNO





YATO	Ø [mm]	L [mm]	
YT-2546	82	280	8
YT-2547	82	355	8

Air brake bleeder

0.27 MPa | 5L | 6 m | STANDARD





L_{pA} = ≤70 dB; L_{wA} = ≤85 dB; a_h = ≤2,5 m/s²

YATO		
YT-06845		1

Coil spring compressor

2 PCS | 1/2" 12.7mm | 21 mm | 90x200 mm





YATO	Ø [mm]	L [mm]	
YT-0605	90	200	5/10

Coil spring compressor

20 mm | Ø 145 mm | 300 mm | DROP FORGED KUTE



YATO	Ø [mm]	L [mm]	
YT-25472	145	300	6/12

Brake cylinder socket

1/2" 12.7mm | CrMo



YATO	size
YT-10644	7PT-14MM-M12
YT-10645	7PT-22MM-M16
YT-10647	10PT-11.5MM-M9
YT-10648	10PT-15MM-M12
YT-10649	10PT-20MM-M15

Coil spring compressor

2 PCS | 1/2" 12.7mm | 21 mm | 82x370 mm | CrV





YATO	Ø [mm]	L [mm]	
YT-2544	82	370	8

Drive nut set

5 PCS





10.5 mm (VW Golf rear),
12.5 mm (VW Golf front),
14.5 mm (VW Polo, Golf, Passat, Audi 80),
14.5 mm (Austin Maestro),
14.0 mm (Mercedes Benz C-Class (W203))

YATO	Size [mm]	
YT-0621	10.5, 12.5, 14.5, 14.5, 14	12/48

Shock absorber tool set

39 PCS | CrMo SCM415 | CrV 6140 | CrV 50BV30 | 8660



10.5x3.5 mm (VW Golf rear axle), 12.5x3 mm, 12.5x3.5 mm (VW Golf front axle), 14x2.5 mm (Mercedes-Benz: C-Class W203, CLK W209), 14.5x3 mm (Austin Maestro), 14.5x5 mm (Audi 80; VW: Polo, Golf, Passat); CrMo SCM415;

14 mm (Honda, Nissan), 16 mm (Audi, Fiat, Seat, VW), 17 mm (Audi, Fiat, Ford, Seat, VW), 18 mm (Audi, Fiat, Ford, Opel, Peugeot, Renault, Rover, Seat, VW, Japanese cars), 19 mm (Audi, Citroen, Fiat, Opel, Peugeot, Seat, Toyota, VW), 21 mm (Audi, Chrysler, Ford, Mercedes-Benz W203, VW, Japanese cars), 22 mm (Audi, BMW, Citroen, Fiat, Opel, Peugeot, Renault, Seat, VW), 24 mm (Volvo), 27 mm (Audi, Citroen, Peugeot, VW); CrV 50BV30;

4 mm (Nissan), 5.2 mm (Audi, Nissan, VW), 6 mm (Audi, Renault, VW), 6.3 mm (Nissan), 7 mm (Audi, Fiat, Seat, VW), 8 mm (Fiat, Seat), 9 mm (Japanese cars), 10 mm (Fiat, Seat, Volvo), 12 mm (Fiat, Seat); CrV 6140;

D5 (Nissan), D10 (Ford, Nissan); CrV 6140;

8 mm (Mercedes-Benz), 9 mm (Chrysler, Opel/Vauxhall), 10 mm (Chrysler, Ford), 11 mm (Japanese cars); CrV 6140;

T50 (Ford, Nissan), T60 (Ford); steel 8660;

3 mm (Mercedes-Benz, Opel, Renault), 3.5 mm (Chrysler, Citroen, Ford, Peugeot), 4 mm (Citroen, Peugeot); steel 8660;

5 mm (Honda), 6 mm (BMW, Citroen, Fiat, Ford, Peugeot, Renault, Seat, Japanese cars), 7 mm (Audi, Citroen, Fiat, Mercedes-Benz W203, Peugeot, Renault, Seat, VW), 8 mm (Mercedes-Benz); steel 8660;

M12 (Opel/Vauxhall); steel 8660



YATO	
YT-0628	3

Interchangeable fork spring compressor and removal tool

7 PCS | 65-125 mm | 88-160 mm | 126-212 mm | max 1500 kg







YATO	
YT-2536	1

Shock absorber tool set

19 PCS | 1/2" 12.7mm | AISI S2 | CrV 50BV30



116 mm (Audi, Fiat, Seat, VW), 17 mm (Audi, Fiat, Ford, Seat, VW), 18 mm (Audi, Fiat, Ford, Opel, Peugeot, Renault, Rover, Seat, VW, Japanese cars), 19 mm (Audi, Citroen, Fiat, Opel, Peugeot, Seat, Toyota, VW), 21 mm (Audi, Chrysler, Ford, Mercedes-Benz W203, VW, Japanese cars), 22 mm (Audi, BMW, Citroen, Fiat, Opel, Peugeot, Renault, Seat, VW), 24 mm (Volvo); CrV 50BV30;

6 mm (BMW), 7 mm, 8 mm; T50 (Opel Astra H); 5x8 mm, 6x8 mm, 7.1x9.6 mm (e.g. Porsche Cayenne S, VW Touareg); 7 mm (MB Vaneo), 8 mm (BMW), 9 mm (Opel: Astra F/G, Corsa B, Vectra B)

YATO	
YT-06282	5

Shock absorber tool set

50 PCS | CrMo 440 | CrMo 42 | AISI S2 | CrV 50BV30



10.5x3.5 mm (VW Golf rear axle), 12.5x3 mm, 12.5x3.5 mm (VW Golf front axle), 14x2.5 mm (Mercedes-Benz: C-Class W203, CLK W209), 14.5x3 mm (Austin Maestro), 14.5x5 mm (Audi 80; VW: Polo, Golf, Passat); CrMo SCM435;

14 mm (Honda, Nissan), 15 mm (Buick), 16 mm (Audi, Fiat, Seat, VW), 17 mm (Audi, Fiat, Ford, Seat, VW), 18 mm (Audi, Fiat, Ford, Opel, Peugeot, Renault, Rover, Seat, VW, Japanese cars), 19 mm (Audi, Citroen, Fiat, Opel, Peugeot, Seat, Toyota, VW), 21 mm (Audi, Chrysler, Ford, Mercedes-Benz W203, VW, Japanese cars), 22 mm (Audi, BMW, Citroen, Fiat, Opel, Peugeot, Renault, Seat, VW), 24 mm (Volvo), 27 mm (Audi, Citroen, Peugeot, VW); CrV 50BV30;

4 mm (Nissan), 5.2 mm (Audi, Nissan, VW), 6 mm (Audi, Renault, VW), 6.3 mm (Nissan), 7 mm (Audi, Fiat, Seat, VW), 8 mm (Fiat, Seat), 9 mm (Japanese cars), 10 mm (Fiat, Seat, Volvo), 12 mm (Fiat, Seat); CrV;

D5 (Nissan), D10 (Ford, Nissan); CrV;

7 mm, 8 mm (Mercedes-Benz), 9 mm (Chrysler, Opel/Vauxhall), 10 mm (Chrysler, Ford), 11 mm (Japanese cars); CrV;

T40, T45, T50 (Ford, Nissan), T60 (Ford); CrMo440;

3 mm (Mercedes-Benz, Opel, Renault), 3.5 mm (Chrysler, Citroen, Ford, Peugeot), 4 mm (Citroen, Peugeot); CrMo440;

5 mm (Honda), 6 mm (BMW, Citroen, Fiat, Ford, Peugeot, Renault, Seat, Japanese cars), 7 mm (Audi, Citroen, Fiat, Mercedes-Benz W203, Peugeot, Renault, Seat, VW), 8 mm (Mercedes-Benz); CrMo440;

M10, M12 (Opel/Vauxhall); CrMo440;

3/8" (9.5 mm), 1/2" (12.7 mm);

1/2" (12.7 mm): 7x5 mm, 8.2x5.5 mm

YATO	
YT-06212	2

Wheel balance pliers



YATO	
YT-0643	6/48

Impact spline bit socket

1/2" 12.7mm | CrMo SCM440 | AS-DRIVE



YATO	O	O [mm]	
YT-10650	1/2"	M14	25/100
YT-10651	1/2"	M16	25/100

Deep thin wall impact sockets

1/2" 12.7mm | CrMo SCM440 | AS-DRIVE



YATO	O	O [mm]	
YT-10562	1/2" (12.7 mm)	19	12/48

Socket bit

1/2" 12.7mm | CrV | S2

Mercedes-Benz | RANGE ROVER | The Ultimate Driving Machine | PORSCHE



YATO	O	O [mm]	L [mm]	
YT-77191	1/2"	T52	125	100

Impact bit socket

1/2" 12.7mm | CrMo SCM440



YATO	O	O [mm]	L [mm]	
YT-1066-H5	1/2" (12.7 mm)	H5	78	100
YT-1066-H6	1/2" (12.7 mm)	H6	78	100
YT-1066-H7	1/2" (12.7 mm)	H7	78	100
YT-1066-H8	1/2" (12.7 mm)	H8	78	100
YT-1066-H10	1/2" (12.7 mm)	H10	78	100
YT-1066-H12	1/2" (12.7 mm)	H12	78	100
YT-1066-H14	1/2" (12.7 mm)	H14	78	50
YT-1066-H17	1/2" (12.7 mm)	H17	78	50
YT-1066-H19	1/2" (12.7 mm)	H19	78	50

Deep thin wall impact sockets

1/2" 12.7mm | CrMo SCM440 | AS-DRIVE



YATO	O	O [mm]	
YT-10561	1/2" (12.7 mm)	17	12/48

Impact bit socket spline

1/2" 12.7mm | CrMo



YATO	O	O [mm]
YT-106500	1/2"	M9
YT-106501	1/2"	M15
YT-106502	1/2"	M10
YT-106512	1/2"	M18

Fan clutch tool

PORSCHE



YATO	O	L [mm]	
YT-06272	36	345	10

Deep impact sockets

1/2" 12.7mm | CrMo SCM440 | AS-DRIVE

Mercedes-Benz



YATO	O	O [mm]	L [mm]	
YT-10560	1/2"	17	78	12/48

Deep aluminium wheel nut socket set

6 PCS | 1/2" 12.7mm | 150 mm | ○ 17 19 21 mm | ⌀ 27 29 31 mm | CrMo | AS-DRIVE



17, 19, 21 mm

YATO	○	
YT-10563	1/2" (12.7 mm)	10

Deep thin wall impact sockets

3 PCS | 1/2" 12.7mm | ○ 17 19 21 mm | ⌀ 26 29 31 mm | AS-DRIVE | CrMo SCM440



- *For service station and tire workshops*
- *For maximum impact loads*
- *Drive locks*
- *Ultra thin walls and nylon cover for working with alu rims*
- *Anodised colour finish for fast identification of size*

17, 19, 21 mm

YATO	○	
YT-1056	1/2" (12.7 mm)	12/24

Locking wheel nut socket set

22 PCS | 1/2" 12.7mm | CrMo



Audi (2002-2012)
A, B, C, E, F, G, H, I, J, L, M, N, P, Q, R, S, T, V, W, X

YATO	○	
YT-060304	1/2" (12.7 mm)	20

Deep thin wall impact sockets

10 PCS | 1/2" 12.7mm | CrMo | AS-DRIVE



15, 17, 19, 21, 22, 23, 24 mm; 7/8";
17 mm (Mercedes); 21 mm (Kia, Hyundai)

YATO	○	
YT-10564	1/2" (12.7 mm)	5

Wheel lock lug nut removal set

10 PCS | 18-25 mm | CrMo



18, 19, 20, 21, 22, 23, 24, 25 mm; CrMo;
17x180 mm, 22x180 mm

YATO	
YT-060302	5

Locking wheel nut socket set

22 PCS | 1/2" 12.7mm | CrMo



VW (2006-2011): Beetle, EOS, Golf/Golf GTI, Jetta, Passat, Tiguan
#521, #522, #523, #524, #525, #526, #527, #528, #529, #530, #531, #532, #533, #534, #535, #536, #537, #538, #539, #540

YATO	○	
YT-060305	1/2" (12.7 mm)	20

Wheel nut impact and twist sockets set

NEW

7 PCS | 1/2" 12.7mm | ○ 17 19 21 mm | ⌀ 17 19 21 mm | CrMo | AS-DRIVE



1/2" (12.7 mm): 17, 19, 21 mm; CrMo;
1/2" (12.7 mm): 17, 19, 21 mm; CrMo;
Ø 12 mm

YATO	○	
YT-10559	1/2" (12.7 mm)	10

Locking wheel nut socket set

22 PCS | 1/2" 12.7mm | CrMo



BMW: 1 Series F20/F21, 3 Series F30/F31, 4 Series F32/F34/F36, 5 Series F10/F11, 6 Series F12/F13, 7 Series F01/F02/F04
041, 042, 043, 044, 045, 046, 047, 048, 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 060

YATO	○	
YT-060303	1/2" (12.7 mm)	20

Locking wheel nut socket set

21 PCS | 1/2" 12.7mm | CrMo



Opel: Agila, Astra F/G/H, Calibra, Corsa B/C/D, Meriva, Omega B, Signum, Speedster, Tigra A/B, Vectra B/C, Zafira A/B
#181, #182, #183, #184, #185, #186, #187, #188, #189, #190, #191, #192, #193, #194, #195, #196, #197, #198, #199, #200

YATO	○	
YT-060306	1/2" (12.7 mm)	5

NON-SPARKING

Steering and suspension indicator

1/2" 12.7mm | ⌀ 50 mm | 390 mm



YATO		
YT-17490	1/2" (12.7 mm)	20

Rubber valve core torque tool

0.25 Nm | RUBBER VALVES. ZAWORY GUMOWE



YATO	
YT-0795	50/200

Tire expander

85-385 mm | 450 mm | FOR TIRES DO OPON



YATO	L [mm]	
YT-08120	450	9

Cross rim wrench

CrV



YATO	Size [mm]	
YT-0800	17x19x21x22	10
YT-0801	17x19x21x1/2" (12.7 mm)	10
YT-08002	24x27x32x3/4" (19.0 mm)	10

Telescopic wheel wrench

1/2" 12.7mm | 385-530 mm | CrV



1/2" (12.7 mm): 17x19 mm, 21x23 mm

YATO		
YT-08040	1/2" (12.7 mm)	5/10

Rectangular telescopic inspection mirror

285-770 mm | 50x90 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY



YATO	
YT-0660	12/144

Folding cross wrench

4 PCS | 1/2" 12.7mm | CrV | ETUI FUTERAŁ





1/2" (12.7 mm): 17, 19, 21, 23 mm

YATO		
YT-08035	1/2" (12.7 mm)	10

Folding cross wrench

4 PCS | 1/2" 12.7mm | CrV



1/2" (12.7 mm): 17, 19, 21, 23 mm

YATO		
YT-08033	1/2" (12.7 mm)	5/10

LED lighted telescopic inspection mirror

255-950 mm | ⌀ 54 mm | LED | SS STAINLESS STEEL STAL NIERDZEWNA



YATO	
YT-0663	10/100

Telescopic magnetic pick up tool

200-840 mm | max 2 kg | TELESCOPIC HANDLE UCHWYT TELESKOPOWY



YATO		
YT-0661		12/144

Telescopic magnetic pick up tool

590-990 mm | ⌀ 82 mm | max 22.5 kg | TELESCOPIC HANDLE UCHWYT TELESKOPOWY



YATO	L [mm]	
YT-0860	590-990	6/24

Inspection set

5 PCS | SS STAINLESS STEEL STAL NIERDZEWNA | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | FLEXIBLE HANDLE ELASTYCZNY UCHWYT | LED | 2x CR2032 | 4x LR44





YATO		
YT-06622		48

Telescopic magnetic pick up tool

190-800 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | LED LIGHT DIODA



YATO		
YT-06611		12/144

Magnetic sweeper

12-22 kG | FERRITE FERRYTOWY | Al



YATO	Dimensions [mm]	
YT-17400	450X75X101	2
YT-17401	600X75X101	2

Magnetic parts tray

⌀ 110 mm



YATO		
YT-08295		12/48

3 in 1 pick up tool

3 in 1 / 3 w 1 | 585 mm | FLEXIBLE HANDLE ELASTYCZNY UCHWYT | LED LIGHT DIODA | 3x LR1130



YATO		
YT-06613		10/60

Telescopic pick up and mirror set

4 PCS | 170-640 mm | 240-940 mm | max 0.5 kg / 1.5 kg | TELESCOPIC HANDLE UCHWYT TELESKOPOWY



YATO		
YT-0662		10/40

Magnetic parts tray

⌀ 150 mm



YATO		
YT-0830		12/48

NON-SPARKING

Magnetic parts tray

152x68 mm



YATO	
YT-08312	48

Magnetic parts tray

Ø 150 mm | 0.10-0.12 T (TESLA)



YATO	
YT-08305	20

Magnetic tool holder

max 13 kg



YATO	
YT-0835	4/16

Magnetic parts tray

350x150 mm



YATO	
YT-0831	6/12

Magnetic parts tray

2 PCS | Ø 108 mm | Ø 150 mm | 0.10 T (TESLA)



YATO	
YT-08302	6/24

Magnetic screwdriver rack

350 mm | x9 | ABS



YATO	L [mm]	
YT-08353	350	6/24

Magnetic parts tray

Ø 110 mm | 0.10 T (TESLA)



YATO	
YT-08304	24

Magnetic parts tray

190x120 x34 mm | PVC



YATO	
YT-08320	48

Magnetic pliers rack

350 mm | x9 | ABS



YATO	L [mm]	
YT-08354	350	6/24

Magnetic holder for tools



YATO	
YT-08707	5/10

Workshop seat with drawer



YATO	
YT-08791	2

Workshop creeper



YATO	
YT-08802	1

Workshop seat



YATO	
YT-08792	1

Adjustable roller stool with drawers



YATO	
YT-08795	1

Workshop creeper



YATO	
YT-0880	1

Workshop seat with drawer



YATO	
YT-08790	1

Adjustable workshop seat



YATO	
YT-08793	1

Kneeling mat



YATO	
YT-08280	40

Workshop mat set

6 PCS | 60x60 cm | max 12 mm | EVA



YATO	
YT-08780	6

Automotive circuit tester

3-48V | 2.7 m | LED



YATO	
YT-28667	25/100

Lambda sensor thread chaser

M12 x1.25 | M18 x1.5 | HRC 50 | FOR OXYGEN SENSOR / DO SONDY LAMBDA



YATO	
YT-1756	12/96

Automotive circuit tester

6-24V | 90 cm



YATO	
YT-2865	25/250

Automotive circuit tester

145 mm | 6-24V



- Test range: 6-24VDC
- Pocket clip, with clamp

YATO	L [mm]	
YT-28522	145	12/120

Oxygen sensor thread repair kit

12 PCS | M18 x1.5 | SS STAINLESS STEEL / STAL NIERDZEWNA



YATO	
YT-17562	1/20

Automotive circuit tester

6-12V | 90 cm



YATO	
YT-2866	10/100

Cloth cable wrap tape

HOT MELT GLUE / KLEJ GORĄCO-TOPLIWY | NONWOVEN FABRIC / WŁÓKNINA | °C -40 +105



YATO	W [mm]	L [mm]	↔ [mm]	
YT-81500	19	15	0.3	10/200
YT-81501	19	25	0.3	10/120

Oil pan thread repair set

64 PCS | CrMo



M13, M15, M17, M20;
M13, M15, M17, M20 (x5 PCS);
13, 15, 17, 20 mm (x10 PCS)

YATO	
YT-1757	5

NON-SPARKING

Oil pan thread repair set

114 PCS | GCr15



M13x1.25, M13x1.5, M15x1.5, M17x1.5, M20x1.5, M22x1.5; GCr15;
M13x1.25, M13x1.5, M15x1.5, M17x1.5, M20x1.5, M22x1.5 (x6 PCS); A3;
13 mm (24 PCS), 15, 17, 20, 22 mm (x12 PCS); Al

YATO	
YT-17565	5

Oil pan thread repair set

7 PCS



YATO	Thread size	
YT-17567	M11x1.5 mm	10/40
YT-17571	M13x1.5 mm	10/40
YT-17568	M14x1.25 mm	10/40
YT-17572	M15x1.5 mm	10/40
YT-17573	M17x1.5 mm	10/40
YT-17569	M18x1.5 mm	10/40
YT-17574	M20x1.5 mm	10/40
YT-17575	M22x1.5 mm	10/40

Spark plug thread repair set

5 PCS | M14 x1.25 | M16 x1.25



Rethreader tap: M16x1.25;
Spark plug inserts: M14x1.25 (10, 11, 13, 19 mm)

YATO	
YT-17582	12/96

Wire threads

SS





YATO	Dimensions	Pcs	For	
YT-1764	M5x0.8x6.7 mm	20	YT-1763, YT-17631	40/200
YT-1765	M6x1x10.8 mm	20	YT-1763, YT-17632, YT-1769	200
YT-1766	M8x1.25x10.8 mm	20	YT-1763, YT-17633, YT-1769	50/200
YT-176821	M10x1x15 mm	15	YT-17682	200
YT-176831	M10x1.25x15 mm	15	YT-17683	200
YT-1767	M10x1.5x13.5 mm	15	YT-1763, YT-17634, YT-1769	200
YT-176841	M12x1.25x18 mm	10	YT-17684	200
YT-176851	M12x1.5x18 mm	10	YT-17685	200
YT-1768	M12x1.75x16.3 mm	10	YT-1763, YT-17635	25/200
YT-176861	M14x1.25x21 mm	10	YT-17686	200
YT-176871	M14x1.5x21 mm	10	YT-17687	200

Thread repair set

88 PCS | HSS 4341 | SS



YATO	Dimensions	
YT-1769	M6x1x10.8 mm, M8x1.25x10.8 mm, M10x1.5x13.5 mm	5/10

Thread repair set

HSS 4241 4341
SS



YATO	Dimensions [mm]	pcs	
YT-17631	M5x0.8	30	20/40
YT-17632	M6x1.0	30	20/40
YT-17633	M8x1.25	30	20/40
YT-17682	M10x1.0	30	20/40
YT-17683	M10x1.25	30	20/40
YT-17634	M10x1.5	30	20/40

YATO	Dimensions [mm]	pcs	
YT-17684	M12x1.25	20	20/40
YT-17685	M12x1.5	20	20/40
YT-17635	M12x1.75	30	20/40
YT-17686	M14x1.25	15	10/30
YT-17687	M14x1.5	15	10/30
YT-17688	M16x2.0	15	10

Thread repair set

131 PCS | HSS 4341 | SS



YATO	Dimensions [mm]	
YT-1763	M5x0.8x6.7	5/10
	M6x1x10.8	
	M8x1.25x10.8	
	M10x1.5x13.5	
	M12x1.75x16.3	

Spark plug thread cleaner

M14 x1.25



YATO	
YT-17720	40/160

Internal spark plug thread chaser set

7 PCS | LONG DŁUGI | CrMo



M8 x 1.0 x 115 mm, M10 x 1.0 x 115 mm, M12 x 1.25 x 135 mm, M12 x 1.25 x 260 mm, M14 x 1.25 x 130 mm, M14 x 1.25 x 260 mm, M18 x 1.5 x 80 mm

YATO	
YT-17708	10

Glow plug threads repair kit

68 PCS | GCr15



Included: reamers: M8x1.0, M9x1.0, M10x1.0, M10x1.25, M12x1.25; threaded sleeves: M8x1.0 (11 mm), M9x1.0 (11 mm), M10x1.25 (12 mm), M10x1.0 (12 mm), M10x1.0 (19 mm), M12x1.25 (12 mm), M12x1.25 (19 mm), M12x1.25 (26 mm) (x5 PCS); taps for threaded sleeves (5 PCS); screws (8 PCS); taps for rethreading the original thread (5 PCS); taps for new thread (5 PCS)

YATO	
YT-17711	5

Spark plug thread repair set

16 PCS | M14 x1.25 | 11.5 mm | M16 x1.25 | 17.5 mm



Rethreader tap: M16x1.25;
Spark plug inserts: M14x1.25 (15 PCS)

YATO	
YT-17580	20

Brake calliper guide bolt repair tool set

12 PCS | M10 x1.25 | HSS | VAG | FORD OPEL



Ford, Opel, VAG

YATO	
YT-17588	20

Brake thread repair set

16 PCS | M9 x1.25 | HSS



Ford, Opel, VAG

YATO	
YT-17700	10

Spark plug thread repair set

25 PCS | M14 x1.25 | 10 mm | 15 mm | 3/8" 9.5 mm | HSS



YATO	
YT-17581	10

Glow plug threads repair kit

33 PCS | M8 x1.0 | M10 x1.0 | M10 x1.25 | M12 x1.25



Included: reamers: M8x1.0, M10x1.0, M10x1.25, M12x1.0, M12x1.25, M14x1.25; threaded sleeves: M8x1.0, M10x1.0, M10x1.25, M12x1.25 (x5 PCS); screws (3 PCS); taps for rethreading the original thread (2 PCS); handle

YATO	
YT-17710	10

Rethread tool kit set

15 PCS | METRIC METRYCZNY



Metric thread file pitches: 0.75, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0 mm;
Rethreader dies: 6x1.00, 8x1.25, 10x1.25, 10x1.50, 12x1.25, 12x1.50, 12x1.75 mm;
Rethreader taps: 6x1.00, 8x1.25, 10x1.25, 10x1.50, 12x1.25, 12x1.50, 12x1.75 mm

YATO	
YT-17705	20

Axle spindle rethreading set

8 PCS | 5/4" 32 mm



M24x1.5, M24x2.0, M22x1.0, M22x1.5, M20x1.25, M20x1.5, 3/4"x20 UNEF, 13/16"x20 UNEF

YATO	
YT-17695	20

Internal and external thread chaser set

9 PCS | 40Cr



M14x1.5, M16x1.5, M18x1.5, M20x1.5, M22x1.5, M24x1.5, M27x2.2, M30x1.5; 40Cr

YATO	
YT-17600	10

Foot pump with gauge

0.7 MPa (max.)



YATO	
YT-7349	10

Axle spindle rethreading set

10 PCS | 40Cr | CrV 50BV30



M20x1.25, M20x1.50, M22x1.00, M22x1.50, M24x1.50, M24x2.00, 13/16"x20 UNEF, 3/4"x20 UNEF; 40Cr;
27 mm; CrV 50BV30 ,

YATO	
YT-17605	10

Injector clamping bolt thread repair kit

10 PCS | MERCEDES | M6X1 | HSS



YATO	
YT-06036	10

Foot pump with gauge

0.7 MPa (max.) | TWIN PISTON PODWÓJNY TŁOK



YATO	
YT-7350	10

Wheel stud thread repair kit

8 PCS | METRIC METRYCZNY



M12x1.25, M12x1.5, M14x1.5;
M12x1.25, M12x1.5, M12x1.75, M14x1.5;
24 mm

YATO	
YT-17595	20

Pressure gauge

0-15 bar | 0-220 psi | 140 mm | FOR TRUCKS DO AUT CIĘŻAROWYCH



YATO	
YT-24301	25/100

Hand pump with manometer

0.8 MPa (max.) | 0-120 psi | 65 cm | UNIVERSAL DOUBLE HEAD UNIWERSALNA GŁOWICA PODWÓJNA



YATO	
YT-73521	3

Rechargeable air compressor

120 W | 1.0 MPa | 25 l/min | 11.1 V 2200mAh Li-ion | 4h | 20min | USB CHARGING ŁADOWANIE | 25cm | LED LIGHTING OŚWIETLENIE



Setups: 3-150 psi, 0.2-10.3 bar, 20-995 kPa, 0.2-10.5 kg/cm²

YATO	[V.d.c]	
YT-82950	11.1 (3.7 x3)	12

Car air compressor

250 W | 1.0 MPa | 12V | 60 l/min | 5 m | 3 m



YATO	[W]	
YT-73462	250	4

Water hose reel

0.8 MPa | 35 cm | ø11.5mm | AUTO REWIND AUTOMATYCZNE ZWIJANIE | EASILY MOUNT ŁATWY MONTAŻ | PVC | NEW



YATO	
YT-24260	1

Car air compressor

120 W | 1.0 MPa | 12V | 25 l/min | LCD | 60 cm | 3 m



LED

YATO	[W]	
YT-73470	120	12

Water hose reel

0.8 MPa (max.) | 15 m | ø11.5mm | AUTO REWIND AUTOMATYCZNE ZWIJANIE | EASILY MOUNT ŁATWY MONTAŻ | PVC



YATO	
YT-24258	1

Air wedge

50 mm | TPU





YATO	Size [mm]	
YT-67380	150x160	24
YT-67381	165x150	48
YT-67382	190x110	48
YT-67383	270x130	48

Car air compressor

180 W | 1.0 MPa | 12V | 40 l/min | 1 m | 3 m



YATO	[W]	
YT-73460	180	8

Water hose reel

0.8 MPa | 25cm | ø11.5mm | AUTO REWIND AUTOMATYCZNE ZWIJANIE | EASILY MOUNT ŁATWY MONTAŻ | PVC | NEW



YATO	
YT-24259	1

Air pump wedge set

3 PCS | 165x150 mm | 190x110 mm | 270x130 mm | 50 mm | max 135 kg | TPU





YATO	
YT-67385	48

NON-SPARKING

Mobile tire rack

max 225 mm | max 100 kg (4x25) | 4x BRAKE HAMULEC | 360° 4x



YATO	
YT-55691	6

Funnel

Ø 135 mm | PP



YATO	Ø [mm]	
YT-0694	135	192

Operating fluids funnel

Ø 240 mm | PP



YATO	Ø [mm]	
YT-0696	240	48

Oil jug

PE | FOR AUTOMOTIVE FLUIDS | FLEXIBLE SPOUT



YATO	[l]	
YT-06980	1	48
YT-06983	3	40
YT-06985	5	16

Long funnel

Ø 120 mm | 455 mm | PP



YATO	L [mm]	Ø [mm]	
YT-0693	455	120	48

Oil funnel

Ø 280 mm | PP



YATO	Ø [mm]	
YT-0697	280	48

Oil jug

10 L | PE | FOR AUTOMOTIVE FLUIDS



YATO	[l]	
YT-06987	10	8

Operating fluids funnel

Ø 100 mm | PP



YATO	Ø [mm]	
YT-0695	100	180

Oil funnel with handle

Ø 20/125 mm | NYLON | PP



YATO	[l]	
YT-06972	20, 125	10/20

Manual car oil pump

9 L | 3 SUCTION PROBES | FOR OIL DO OLEJU



YATO	
YT-07087	4

Oil drainer

20 L | Ø 42 cm | 75-155 cm | PE



YATO	[l]	Ø [mm]	
YT-0718	20	420	1

Farm jack



YATO	[t]	Lifting range [mm]	
YT-17261	3	125-1060	1
YT-17262	3	125-1320	1

Waste oil storage container

600x330 x110 mm | 8 L | PE



YATO	[l]	[mm]	
YT-06995	8	600x330x110	4

Oil drain pan

PE



YATO	[l]	Ø [mm]	
YT-0716	10	370	6
YT-0717	15	420	6

Pneumatic grease injector

40 MPa (max.) | 0,6-0,8 MPa | 30 L | 4 m | 50:1 RATIO SPRĘŻANIE | STANDARD



L_{pA} = 99,0 ± 3,0 dB;
L_{wA} = 110,0 ± 3,0 dB

YATO	[l]	
YT-07068	30	1

Mobile drainer with pump

65 L | 1110x700 x155 mm | 185mm | 4x



YATO	
YT-07183	1

Farm jack

2t | 690 115 mm



YATO	[t]	Lifting range [mm]	
YT-172601	2	115-690	1

Pneumatic grease injector

40 MPa (max.) | 0,6-0,8 MPa | 45 L | 4 m | 50:1 RATIO SPRĘŻANIE | STANDARD



L_{pA} = 97,0 ± 3,0 dB;
L_{wA} = 108,0 ± 3,0 dB

YATO	[l]	
YT-07069	45	1

Pneumatic oil drain extractor

0.7-0.8 MPa SUCTION OSSYSANIE | 0.18 MPa EJECTION OPRÓŻNIANIE | 90 L | 6 SUCTION PROBES SONDY SSAGE | 4x | STANDARD



L_{pA} = 101,2 ± 3,0 dB;
L_{wA} = 119,8 ± 3,0 dB

YATO	[l]	
YT-07190	90	1

Pneumatic oiling machine

0.3 MPa (max.) | 20 L | 2.1 m | 2x | STANDARD



L_{pA} = 101,2 ± 3,0 dB;
L_{wA} = 119,8 ± 3,0 dB

YATO	[l]	
YT-07195	20	1

Pneumatic oil drain extractor

0.7-0.8 MPa SUCTION OSSYSANIE | 0.18 MPa EJECTION OPRÓŻNIANIE | 70 L | 6 SUCTION PROBES SONDY SSAGE | 4x | STANDARD



L_{pA} = 101,2 ± 3,0 dB;
L_{wA} = 119,8 ± 3,0 dB

YATO	[l]	
YT-07191	70	1

Pneumatic grease injector

40 MPa (max.) | 0.6-0.8 MPa | 12 L | 4 m | 50:1 RATIO SPRĘŻANIE | STANDARD



L_{pA} = 97,0 ± 3,0 dB;
L_{wA} = 108,0 ± 3,0 dB

YATO	[l]	
YT-07067	12	1

NON-SPARKING

Tyre changer



YATO	
YT-08042	6

Tyre changer



YATO	
YT-08043	6

Wheel balancer



YATO	
YT-08060	6

Wheel balancer



YATO	
YT-08061	6

Hydraulic bottle jack





YATO	[t]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	
YT-17015	2	172	88	112	372	28	103x105	4
YT-1702	5	212	110	145	467	25	110x112	5
YT-17025	8	220	115	153	488	45	124x127.5	2
YT-1704	10	220	115	148	483	48	124x127.5	3
YT-17045	12	236	110	160	506	45	130x136	2
YT-1706	15	231	113	154	498	56	140x142	2
YT-1707	20	241	115	165	521	60	165x161	2
YT-1709	30	244	108	140	492	65	186x174	1

Hydraulic bottle jack





YATO	[t]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	
YT-17000	2	181	48	116	345	25	88x92	6
YT-17001	3	194	60	118	372	27	92x100	6
YT-17002	5	216	70	127	413	29	96x110	4
YT-17003	8	230	80	147	457	32	103x118	2
YT-17004	10	230	80	150	460	36	110x123	2
YT-17005	12	230	80	155	465	40	116x134	2
YT-17006	15	230	80	150	460	43	140x134	2
YT-17007	20	242	60	150	452	45	144x150	2
YT-17008	32	285	-	180	465	69	190x152	1
YT-17009	50	300	-	180	480	83	218x176	1

Two-piston hydraulic bottle jack





YATO	[t]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	
YT-1711	5	230	270	500	41	130x136	130x136	2
YT-1713	10	125	90	215	47	160x165	160x165	2

Two-piston hydraulic bottle jack





YATO	[t]	A [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	
YT-1714	10	210	232	70	48	165x161	520	1
YT-1715	12	235	265	90	56	186x175	590	1

Hydraulic floor jack

2t | 359 ↕ 89 mm



YATO	[t]	
YT-1720	2	1

Hydraulic floor jack

3t | 465 ↕ 130 mm | LOW PROFILE NISKI PROFIL



YATO	[t]	
YT-17211	3	1

Hydraulic floor jack

2.5t | 465 ↕ 100 mm | DUAL PUMP PODWÓJNA POMPA | QUICK LIFT SZYBKIE PODNOSZENIE | AI



ULTRA LIGHT

YATO	[t]	
YT-17205	2.5	1

Hydraulic floor jack

3t | 500 ↕ 145 mm





YATO	[t]	
YT-17213	3	1

Hydraulic floor jack

2.5t | 508 ↕ 80 mm | DUAL PUMP PODWÓJNA POMPA | QUICK LIFT SZYBKIE PODNOSZENIE | LOW PROFILE NISKI PROFIL



YATO	[t]	
YT-17207	2.5	1

Hydraulic floor jack

3t | 465 ↕ 130 mm | DUAL PUMP PODWÓJNA POMPA | QUICK LIFT SZYBKIE PODNOSZENIE | LOW PROFILE NISKI PROFIL



YATO	[t]	
YT-17214	3	1

Hydraulic floor jack

2.5t | 455 ↕ 87 mm



YATO	[t]	
YT-1721	2.5	1

Pneumatic jack

4t | 0.8-1.2 Mpa | 400 ↕ 150 mm



YATO	[t]	Lifting range [mm]	
YT-17230	4	150-400	1

Pneumatic jack

4t | 0.8-1.2 Mpa | 500 150 mm



YATO	[t]	Lifting range [mm]	
YT-17233	4	150-500	1

Pneumatic jack

4t | 0.8-1.2 Mpa | 400 150 mm | NEW



YATO	[t]	Lifting range [mm]	
YT-17229	4	150-400	1

Pneumatic jack

6t | 0.8-1.2 Mpa | 400 150 mm



YATO	[t]	Lifting range [mm]	
YT-17237	6	150-400	1

Vehicle ramp

1 PCS | 1000 kg | 815x305 x200 mm



YATO	Dimensions	
YT-55670	815x305x200	10

Pneumatic jack

4t | 0.8-1.2 Mpa | 400 150 mm | NEW



YATO	[t]	Lifting range [mm]	
YT-17228	4	150-400	1

Vehicle ramp set

2 PCS | 200x330 x900 mm | 3t | NEW



YATO		
YT-55671		1
YT-55672		1

Hand pallet truck

3t

NEW



YATO	Size [mm]	
YT-37492	550	1
YT-37493	685	1

Porta power repair kit

4t



Included: hydraulic cylinder 270x395 mm, expander jaws 0.5T, extensions 115, 170, 250, 470 mm

YATO	[t]	
YT-55500	4	1

Porta power repair kit

10t



Included: hydraulic cylinder 355x495 mm, expander jaws 0.5T, extensions 140, 240, 340, 590 mm

YATO	[t]	
YT-55503	10	1

Jack stand



YATO	[t]	A [mm]	B [mm]	C [mm]	Pcs	
YT-17310	2	265-415	190x165	77x40	2	1
YT-17311	3	280-420	182x201	85x29	2	1
YT-17312	6	382-580	258x285	100x29	2	1

Accessories for porta power

4t



For YT-55512

YATO	[l]	
YT-55510	4	1

Accessories for porta power

4t



For YT-55510

YATO	[t]	
YT-55512	4	2

Dent removal slide hammer

5 PCS | Ø 75 mm | Ø 100 mm | Ø 125 mm | x1 MAX



YATO	
YT-06172	1

Accessories for porta power

10t



For YT-55513

YATO	[l]	
YT-55511	10	1

Accessories for porta power

10t



For YT-55511

YATO	[t]	
YT-55513	10	2

Electronic battery charger

220-240V~ 50-60Hz | 6V 12V | 1 | 4 A | max 120 Ah | WET MOKRY GEL ŻELOWY AGM | MICRO-PROCESSOR MIKRO-PROCESOR | LCD | ALTERNATOR TEST TEST ALTERNATORA | STARTER TEST TEST ROZRUSZNIKA | x1 HOOK HAK





YATO	
YT-83033	20

Battery charger with boost function

220-240V~ 50-60Hz | 12V | 15A | max 300 Ah | WET MOKRY GEL ŻELOWY AGM/EFB/MF | MICRO-PROCESSOR MIKRO-PROCESOR | LED DISPLAY WYŚWIETLACZ



YATO	
YT-83037	8

Battery charger with engine start-up supporting function

230V~ 50Hz | 110V~ 50Hz | 12V 38A START / ROZRUCH 540A | 24V 35A START / ROZRUCH 450A | 20-800 Ah | WET MOKRY



YATO	
YT-83062	1
YT-83062UL	1

Electronic battery charger

220-240V~ 50Hz | 6V 12V | max 200 Ah | WET MOKRY GEL ŻELOWY AGM / EFB | MICRO-PROCESSOR MIKRO-PROCESOR | LCD



YATO	[A]	
YT-83000	2A/4A	20
YT-83001	2A/8A	20
YT-83002	2A/10A	12

Battery charger with boost function

230V~ 50Hz | 12V 24V | 16A | 120-240 Ah | WET MOKRY



YATO	
YT-8304	2

Battery charger with engine start-up supporting function

230V~ 50Hz | 12V 32A START / ROZRUCH 390A | 24V 31A START / ROZRUCH 360A | 20-700 Ah | WET MOKRY



YATO	
YT-83061	1

Electronic battery charger

220-240V~ 50Hz | 12V | 2A | 8A | 15A | max 200 Ah | WET MOKRY GEL ŻELOWY AGM / EFB | MICRO-PROCESSOR MIKRO-PROCESOR | LCD



YATO	
YT-83003	8

Battery charger with engine start-up supporting function

230V~ 50Hz | 12V 27A START / ROZRUCH 300A | 24V 25A START / ROZRUCH 240A | 20-600 Ah | WET MOKRY



YATO	
YT-83060	1

Battery charger with engine start-up supporting function

230V~ 50/60Hz | 12V 32A START / ROZRUCH 320A | 24V 32A START / ROZRUCH 320A | 20-400 Ah | WET MOKRY

NEW



YATO	
YT-83063	1

NON-SPARKING

Battery charger with engine start-up supporting function



YATO	
YT-83064	1

Jump starter with power bank



YATO	
YT-83082	10

Power inverter



YATO	[W]	peak	
YT-81481	300	600	1
YT-81482	600	1200	1

Battery charger with engine start-up supporting function



YATO	
YT-83065	1

Power inverter



YATO	[W]	PEAK	
YT-81490	500	1000W	12
YT-81491	800	1600W	12

Power inverter



YATO	
YT-81483	1

Jump starter with power bank



YATO	
YT-83085	10

Car power inverter



YATO	
YT-81480	20

Inverter control panel



YATO	
YT-81484	1

Jumpstart wires

2.5m



YATO	[A]	
YT-83151	200	20

Digital battery tester

12V | CCA 150-1400 A | LED



YATO	
YT-8311	10

OBD2 multilingual scan tool

OBDII | DTC | CAN | LCD



YATO	
YT-72977	10/60

Jumpstart wires

2.5m



YATO	[A]	
YT-83152	400	10

Battery tester

12V | BATTERY TEST / TEST AKUMULATORA | ALTERNATOR TEST / TEST ALTERNATORA



YATO	
YT-83101	12/72

OBD2 multilingual scan tool

OBDII | DTC | CAN | LCD



YATO	
YT-72978	40

Jumpstart wires

2.5m



YATO	[A]	
YT-83153	600	10

Digital battery tester

12V | CCA 200-1200 A | ALTERNATOR TEST / TEST ALTERNATORA | STARTER TEST / TEST ROZRUSZNIKA | LED



YATO	
YT-83113	6/48

Injector tester scan tool

12V | LED | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH



YATO	
YT-72960	8/48

Analogue battery tester

6V | 12V | CCA 200-1000 A



YATO	
YT-8310	10

Digital battery tester

12V | CCA 100-2000 A | ALTERNATOR TEST / TEST ALTERNATORA | STARTER TEST / TEST ROZRUSZNIKA | LCD



YATO	
YT-83114	56

Refractometer



YATO	
YT-06722	25

NON-SPARKING

Sandblasting cabinet

230V~ 50Hz | 0.82 MPa | 90 L | 585x490 x490 mm | STANDARD



L_{pA} = 63,5 ± 3,0 dB; L_{wA} = 65,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO		
YT-55840		1

Sandblasting cabinet

230V~ 50Hz | 0.82 MPa | 220 L | 1380x940 x570 mm | STANDARD



L_{pA} = 63,5 ± 3,0 dB; L_{wA} = 65,0 ± 3,0 dB; a_h = <2,5 m/s²

YATO		
YT-55841		1

Nozzle for sandblaster cabinet

4 PCS | 4, 5, 6, 7 mm



For YT-55840

YATO	Ø [mm]	
YT-55844	4, 5, 6, 7	20/200

Protective films for sandblasting cabinet

4 PCS | 410x300 mm



For YT-55840

YATO	[mm]	
YT-55845	410x300	50/100

Protective films for sandblasting cabinet

4 PCS | 548x250 mm



For YT-55841

YATO	mm	
YT-55849	548x250	100

Gloves for sandblasting cabinet



For YT-55841

YATO		
YT-55847		25

Chain block

3m
6m
9m



YATO	Max. lifting capacity	
YT-58950	500	1
YT-58950-6M	500	1
YT-58950-9M	500	1
YT-58951	1000	1
YT-58951-6M	1000	1
YT-58951-9M	1000	1
YT-58953	2000	1
YT-58953-6M	2000	1
YT-58953-9M	2000	1
YT-58954	3000	1
YT-58954-6M	3000	1
YT-58954-9M	3000	1
YT-58955	5000	1
YT-58955-6M	5000	1
YT-58955-9M	5000	1
YT-58957	10000	1
YT-58957-6M	10000	1
YT-58957-9M	10000	1

Lever block

1.5 m



YATO	Max. lifting capacity	
YT-58962	750	1
YT-58964	1500	1
YT-58964-3M	1500	1
YT-58966	3000	1
YT-58967	6000	1
YT-58968	9000	1

Rope winch

1000 daN
3m
ø 5.0 mm



YATO	Rope length	Rope diameter	
YT-5911	3	5	6

Rope winch

3m



YATO	Rope length	Rope diameter	
YT-5913	3	5	6
YT-5914	3	6	3

Transmission jack

max 500 kg
1945 1140 mm
PRECISION VALVE PRECYZYJNY ZAWÓR



YATO	
YT-55600	1

Transmission jack

max 500 kg
1900 1100 mm
PRECISION VALVE PRECYZYJNY ZAWÓR



YATO	
YT-55601	1

Sandblaster

0.8 MPa (max.)
STANDARD
40L
860x480 x330 mm
2x



YATO	
YT-55830	1

NON-SPARKING

Hydraulic shop press

20t | 925 mm | 500 mm | 150mm



YATO	
YT-55584	1

Hydraulic shop press

12t | 695 mm | 400 mm



YATO	
YT-55580	1

Hydraulic shop press

30t | 1030 mm | 530 mm | 160mm



YATO	
YT-55585	1

Hydraulic shop press

30t | 795 mm | 520 mm



YATO	
YT-55582	1

Hydraulic shop press

20t | 695 mm | 490 mm



YATO	
YT-55581	1

Parts washer

230V~ 50Hz | 720x480 x260 mm | 880 mm | 80 L | 10 l/min | FOR SOLVENT WATER-BASED DO PŁYNÓW NA BAZIE WODY



YATO	
YT-55808	1

Crane crossbeam

315 mm
max 680 kg





YATO	
YT-55565	1

Engine stand

max 450 kg | 0-360° | 4x STEEL STAL



YATO	
YT-55570	1

Engine suspension beam

max 500 kg | 150 cm





YATO	
YT-55568	1

Engine bar with support arm

90-160 cm | max 320 kg



YATO	
YT-55567	1

Shop crane

2000 kg | 6x STEEL STAL



YATO	
YT-55557	1

Shop crane

1000 kg | 6x STEEL STAL





YATO	
YT-55556	1


YATO
YT-55562
YATO

Self locking nuts assortment

146 PCS | MIX | INTERNAL PULLER | METRIC METRYCZNY



M4, M5, M6, M8, M10, M12

YATO	
YT-06774	5/20

Hex nut with top assortment

150 PCS | MIX | METRIC METRYCZNY



M3, M4, M5, M6, M8, M10

YATO	
YT-06775	5/20

Aluminium washer set

450 PCS | MIX | METRIC METRYCZNY | Al



10x6x1.0 mm (40 PCS), 12x6x1.2 mm (40 PCS), 12x8x1.0 mm (40 PCS), 14x8x1.0 mm (40 PCS), 14x10x1.0 mm (40 PCS), 16x10x1.0 mm (40 PCS), 16x12x1.5 mm (20 PCS), 18x12x1.5 mm (20 PCS), 18x14x1.5 mm (20 PCS), 20x14x1.5 mm (20 PCS), 20x16x1.5 mm (20 PCS), 22x16x1.5 mm (20 PCS), 22x18x1.5 mm (20 PCS), 24x18x1.5 mm (20 PCS), 26x20x1.5 mm (20 PCS), 27x22x1.5 mm (10 PCS), 29x22x1.5 mm (10 PCS), 29x24x2.0 mm (10 PCS)

YATO	
YT-068652	24

Metric nuts assortment

300 PCS | MIX | METRIC METRYCZNY



M3, M4, M5, M6, M8, M10

YATO	
YT-06772	5/20

Metric wing nut assortment

150 PCS | MIX | METRIC METRYCZNY



M4, M5, M6, M8, M10

YATO	
YT-06776	5/20

Copper crush washer set

95 PCS | MIX | Cu



8.4x12x1.8 mm (10 PCS), 10.4x15.8x2.0 mm (15 PCS), 12.4x17.8x2.2 mm (15 PCS), 14.4x19.8x2.2 mm (20 PCS), 16.4x21.8x2.0 mm (20 PCS), 18.2x23.8x2.2 mm (10 PCS), 20.2x25.8x2.2 mm (5 PCS)

YATO	
YT-068713	24

Stainless steel nuts assortment

300 PCS | MIX | METRIC METRYCZNY | SS STAINLESS STEEL



M3, M4, M5, M6, M8, M10

YATO	
YT-06773	5/20

Aluminium washer set

300 PCS | MIX | METRIC METRYCZNY | Al



5x9x1.0 mm, 8x14x1.5 mm, 12x16x1.0 mm, 14x20x1.5 mm, 18x24x1.5 mm, 22x29x1.5 mm, 6x10x1.0 mm, 9x14x1.0 mm, 12x16x1.5 mm, 14x20x2.0 mm, 20x24.5x1.5 mm, 24x29x1.5 mm, 6x12x1.0 mm, 10x14x1.0 mm, 12x18x1.5 mm, 16x20x1.5 mm, 20x24.5x0.8 mm, 24x32x2.0 mm, 8x12x1.0 mm, 10x14x1.5 mm, 13x18x1.0 mm, 16x22x1.5 mm, 19x26x2.0 mm, 26x34x2.0 mm, 8x14x1.0 mm, 10x16x1.0 mm, 14x18x1.5 mm, 18x22x1.5 mm, 22x27x1.0 mm, 28x36x2.0 mm (x10 PCS)

YATO	
YT-06865	5/20

Drain plug gasket assortment

120 PCS | MIX | NYLON | FIBER WŁÓKNO | STEEL STAL | Al | Cu | NBR



12x24.7x2 mm, 13.6x24.7x2 mm; Steel+NBR; 13x19x2.3 mm, 16x26x2.3 mm, 18x22x2.3 mm, 19x27x2.3 mm, 24x29x2.3 mm, 14.5x24x2 mm, 13x24x1.5 mm, 12x22x1.5 mm, 14x19.5x1.5 mm; Nylon; 12x22x1.5 mm, 18x28x2 mm, 20x27x1.5 mm, 13x22x2 mm, 14x20x1.5 mm; Fibre; 13x18x1.2 mm, 16x22x1.5 mm, 20x26x2.5 mm, 14x20x1.3 mm; Cu; 14x24x2 mm; Al; 12x18x2 mm; Cu crush; 12x20x2mm, 14x21x2.5mm; NBR; (x5 PCS)

YATO	
YT-068641	12

NON-SPARKING

Copper washer set

150 PCS | MIX | Cu



5x10x1.0 mm, 6x10x1.0 mm, 7x10x1.0 mm, 8x11x1.0 mm, 10x16x1.0 mm, 10.5x17x1.5 mm, 11x17x1.5 mm, 14x18x1.0 mm, 12x20x1.5 mm, 12.5x20x1.5 mm, 14x20x1.5 mm, 15x20x2.0 mm, 16x22x2.0 mm, 16.5x24x2.0 mm, 17.5x24x2.0 mm (x10 PCS)

YATO	
YT-06871	5/20

Copper washer set

580 PCS | MIX | Cu



4x8x1 mm, 4x9x1 mm, 7x10x1 mm, 8x12x1 mm, 6x12x1 mm, 8x14x1 mm, 10x16x1 mm, 11x17x1 mm, 10.5x17x1 mm, 12x16x1 mm (x30 PCS); 8x16x1 mm, 13x18x1 mm, 14x18x1 mm, 12x19x1 mm, 14x20x1 mm, 16x20x1 mm (x20 PCS); 17x21x1 mm, 17x23x1 mm, 18x22x1 mm, 18x24x1 mm (x15 PCS); 19x26x1 mm, 22x26x1 mm, 24x29x1 mm, 20x28x1 mm, 22x29x1 mm, 26x31x1 mm, 24x32x1 mm, 27x32x1 mm, 26x34x1 mm, 30x36x1 mm (x10 PCS)

YATO	
YT-068711	20

Oil seal washer assortment

90 PCS | MIX | NBR70 | STEEL STAL



M10x1.9 mm (20 PCS), M12x1.9 mm (20 PCS), M14x1.9 mm (20 PCS), M16x1.9 mm (10 PCS), M18x1.9 mm (5 PCS), M20x1.9 mm (5 PCS), M22x1.9 mm (5 PCS), M24x1.9 mm (5 PCS)

YATO	
YT-068581	24

Copper washer set

220 PCS | MIX | SOFT MATERIAL MIĘKKI MATERIAŁ | Cu



4x8x1 mm, 5x9x1 mm, 6x10x1 mm, 6x12x1 mm (x25 PCS); 8x12x1 mm, 8x14x1 mm, 10x14x1 mm, 10x16x1 mm, 12x16x1.5 mm, 12x18x1.5 mm, 14x18x1.5 mm, 14x20x1.5 mm, 16x20x1.5 mm, 18x24x1.5 mm, 20x26x1.5 mm, 22x27x1.5 mm (x10 PCS)

YATO	
YT-068721	24

Copper gasket & oil drain plug assortment

534 PCS | MIX | Cu



6 mm (50 PCS), 8 mm (50 PCS), 10 mm (50 PCS), 12 mm (50 PCS), 13 mm (50 PCS), 14 mm (50 PCS), 15 mm (50 PCS), 16 mm (50 PCS), 18 mm (50 PCS), 20 mm (50 PCS); M8x1.0 (5 PCS), M10x1.0 (5 PCS), M12x1.5 (5 PCS), M14x1.5 (5 PCS), M16x1.5 (3 PCS), M18x1.5 (3 PCS), M20x1.5 (3 PCS); G1/4 (5 PCS)

YATO	
YT-06864	10

Oil seal washer assortment

150 PCS | MIX | NBR70 | STEEL STAL



M6x1.0 mm (10 PCS), M8x1.9 mm (10 PCS), M10x1.9 mm (10 PCS), M12x1.9 mm (20 PCS), M14x1.9 mm (20 PCS), M16x1.9 mm (20 PCS), M18x1.9 mm (20 PCS), M20x1.9 mm (20 PCS), M22x1.9 mm (10 PCS), M24x1.9 mm (10 PCS)

YATO	
YT-068582	24

Copper washer set

300 PCS | MIX | METRIC METRYCZNY | Cu | SOFT MATERIAL MIĘKKI MATERIAŁ



5x9x1.0 mm, 8x14x1.5 mm, 12x16x1.0 mm, 14x20x1.5 mm, 18x24x1.5 mm, 22x29x1.5 mm, 6x10x1.0 mm, 9x14x1.0 mm, 12x16x1.5 mm, 14x20x2.0 mm, 20x24.5x1.5 mm, 24x29x1.5 mm, 6x12x1.0 mm, 10x14x1.0 mm, 12x18x1.5 mm, 16x20x1.5 mm, 20x24.5x0.8 mm, 24x32x2.0 mm, 8x12x1.0 mm, 10x14x1.5 mm, 13x18x1.0 mm, 16x22x1.5 mm, 19x26x2.0 mm, 26x34x2.0 mm, 8x14x1.0 mm, 10x16x1.0 mm, 14x18x1.5 mm, 18x22x1.5 mm, 22x27x1.0 mm, 28x36x2.0 mm (x10 PCS)

YATO	
YT-06872	5/20

Aluminum gasket and oil drain plug assortment

534 PCS | MIX | Al



6 mm (50 PCS), 8 mm (50 PCS), 10 mm (50 PCS), 12 mm (50 PCS), 13 mm (50 PCS), 14 mm (50 PCS), 15 mm (50 PCS), 16 mm (50 PCS), 18 mm (50 PCS), 20 mm (50 PCS); M10 (5 PCS), M12 (5 PCS), M13 (5 PCS), M14 (5 PCS), M15 (5 PCS), M16 (3 PCS), M18 (3 PCS), M20 (3 PCS)

YATO	
YT-06862	12

Bodywork nuts & screws assortment

170 PCS | MIX



M3, M4, M5, M6;
M3x8 mm, M4x16 mm, M5x12 mm, M6x20 mm

YATO	
YT-06780	5/20

Clevis pin assortment

60 PCS | ⌀ 5-12 mm | MIX



5x25 mm, 6x25 mm, 6x30 mm, 6x40 mm, 6x45 mm, 6x50 mm, 6x60 mm, 6x65 mm, 8x25 mm, 8x30 mm, 8x40 mm, 8x45 mm, 8x50 mm, 8x60 mm, 8x65 mm, 8x70 mm, 10x25 mm, 10x40 mm, 10x50 mm,12x40 mm, 12x50 mm

YATO	
YT-06786	4/16

Aluminium blind rivet assortment

400 PCS | MIX | Al



2.4, 3.2, 4.0, 4.8 mm

YATO	
YT-36420	5/20

Splint pin assortment

1000 PCS | MIX



1.5x25 mm, 2.4x25 mm, 2.4x38 mm, 3.0x32 mm, 3.0x50 mm, 4.0x60 mm

YATO	
YT-06885	6/12

Grease nipple set

110 PCS | METRIC METRYCZNY



M6x1 (60 PCS), M6x1 45° (5 PCS), M6x1 90° (5 PCS), M8x1 (10 PCS), M8x1 45° (5 PCS), M8x1 90° (5 PCS), M10x1 (10 PCS), M10x1 45° (5 PCS), M10x1 90° (5 PCS)

YATO	
YT-06888	5/20

Hitch pin assortment set

150 PCS | 6 SIZES ROZMIARY



2.0x33 mm, 2.0x40 mm, 2.4x31 mm, 2.8x42 mm, 3.5x45 mm, 4.0x75 mm

YATO	
YT-06883	6/24

Axle wave washer assortment

260 PCS | MIX | 65Mn



M3x10 mm (30 PCS), M4x11.5 mm (30 PCS), M5x14 mm (40 PCS), M6x16 mm (50 PCS), M8x18 mm (50 PCS), M10x20.5 mm (40 PCS), M12x26 mm (20 PCS)

YATO	
YT-06860	24

Spring assortment

200 PCS | MIX



4.0x79.5 mm (12 PCS), 4.5x44.5 mm (8 PCS), 5.0x20.5 mm (10 PCS), 5.5x17.5 mm (10 PCS), 5.5x25.5 mm (10 PCS), 5.5x38.0 mm (10 PCS), 6.5x10.0 mm (10 PCS), 6.5x22.0 mm (10 PCS), 7.0x12.5 mm (10 PCS), 7.0x19.0 mm (10 PCS), 7.0x38.0 mm (10 PCS), 7.0x51.0 mm (12 PCS), 8.0x28.5 mm (8 PCS), 8.0x31.5 mm (10 PCS), 8.0x44.5 mm (12 PCS), 8.5x36.5 mm (10 PCS), 8.5x47.0 mm (12 PCS), 9.0x35.0 mm (8 PCS), 9.5x16.0 mm (6 PCS), 9.5x19.0 mm (12 PCS)

YATO	
YT-06875	5/20

Splint pin assortment

555 PCS | MIX



1.6x25 mm, 2.4x25 mm, 2.4x38 mm, 3.2x32 mm, 3.2x50 mm, 4.0x64 mm

YATO	
YT-06873	5/10

E-ring circlips assortment

300 PCS | ⌀ 1.5-22 mm



1.5 mm, 3 mm, 5 mm, 6 mm, 10 mm, 12 mm, 15 mm, 19 mm, 22 mm

YATO	
YT-06884	25

Linch-pins assortment

50 PCS | MIX



Ø 4.5x36 mm, Ø 6.0x45 mm, Ø 8.0x45 mm, Ø 11.0x45 mm

YATO	
YT-06787	6/12

Hose clamp assortment

26 PCS | Ø 16-40 mm | MIX



16, 22, 25, 28, 35, 40 mm

YATO	
YT-06782	5/20

Steel and rubber hose clamps

52 PCS | MIX | SS304



6 mm (12 PCS), 8 mm (10 PCS), 10 mm (10 PCS), 13 mm (8 PCS), 16 mm (8 PCS), 19 mm (4 PCS)

YATO	
YT-067834	22

Metal tiller tin pin assortment

56 PCS | Ø 8-13 mm | MIX



8x50 mm (5 PCS), 9.5x50 mm (15 PCS), 11x64 mm (5 PCS), 13x50 mm (3 PCS), Pins: 2x30 mm (5 PCS), 2.5x40 mm (15 PCS), 2.5x40 mm (5 PCS), 3x44 mm (3 PCS)

YATO	
YT-06874	20

Hose clamp assortment

30 PCS | MIX | Ø 6-16 mm



6-8 mm (7 PCS), 7-9 mm (7 PCS), 8-10 mm (5 PCS), 9-11 mm (5 PCS), 10-12 mm (3 PCS), 14-16 mm (3 PCS)

YATO	
YT-06783	24

Double ear hose clamp assortment

175 PCS | MIX | GALVANIZED STEEL



5-7 mm (25 PCS), 7-9 mm (25 PCS), 9-11 mm (25 PCS), 11-13 mm (20 PCS), 13-15 mm (20 PCS), 15-18 mm (20 PCS), 17-20 mm (15 PCS), 20-23 mm (15 PCS), 23-27 mm (10 PCS)

YATO	
YT-06784	10

Single ear hose clamp assortment

170 PCS | MIX | SS304



5.8-7 mm (20 PCS), 7.3-9 mm (20 PCS), 8.8-10.5 mm (20 PCS), 10.8-13.3 mm (20 PCS), 12-14.5 mm (20 PCS), 12.3-14.8 mm (20 PCS), 14.5-17 mm (20 PSC), 16-19.2 mm (15 PCS), 17.8-21 mm (15 PCS)

YATO	
YT-067842	20

Steel and rubber hose clamps

18 PCS | MIX | GALVANIZED STEEL



6 mm (8 PCS), 8 mm (4 PCS), 10 mm (2 PCS), 13 mm (2 PCS), 16 mm (2 PCS)

YATO	
YT-067833	54

External / internal circlip assortment

225 PCS | MIX



Internal: Ø 11, 13, 14, 16, 19, 20 mm;
External: Ø 6, 8, 9, 11, 13, 14, 16, 19, 20, 22, 25, 32 mm

YATO	
YT-06882	5/20

NON-SPARKING

External circlip assortment

300 PCS



Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO	
YT-06880	5/20

Feather keys assortment

80 PCS | MIX



3.0x5.0x13 mm, 3.0x6.5x16 mm, 4.0x5.0x13 mm, 4.0x6.5x16 mm, 4.0x7.5x19 mm, 5.0x7.5x19 mm, 5.0x9.0x22 mm, 6.0x9.0x22 mm

YATO	
YT-06790	5/20

Rubber grommet assortment

180 PCS | MIX



6.3 mm (D=6.3 mm, ID=3.0 mm, OD=8.0 mm; 40 PCS), 7.9 mm (D=7.9 mm, ID=5.0 mm, OD=10.0 mm; 40 PCS), 9.5 mm (D=9.5 mm, ID=6.0 mm, OD=13.0 mm; 40 PCS), 11 mm (D=11.0 mm, ID=9.0 mm, OD=15.0 mm; 25 PCS), 12.7 mm (D=12.7 mm, ID=11.0 mm, OD=15.0 mm; 20 PCS), 15.8 mm (D=15.8 mm, ID=12.0 mm, OD=19.0 mm; 5 PCS), 22 mm (D=22.0 mm, ID=15.0 mm, OD=26.0 mm; 5 PCS), 25.4 mm (D=25.4 mm, ID=17.0 mm, OD=32.0 mm; 5 PCS)

YATO	
YT-06878	5/20

Internal circlip assortment

300 PCS



Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO	
YT-06881	5/20

Steel ball assortment

470 PCS | MIX | BEARING STEEL STAL ŁOŻYSKOWA



3/32" (2.4 mm, 50 PCS), 1/8" (3.2 mm, 50 PCS), 5/32" (4.0 mm, 50 PCS), 3/16" (4.8 mm, 50 PCS), 7/32" (5.6 mm, 50 PCS), 1/4" (6.3 mm, 50 PCS), 9/32" (7.1 mm, 50 PCS), 5/16" (7.9 mm, 30 PCS), 11/32" (8.7 mm, 50 PCS), 3/8" (9.5 mm, 20 PCS), 13/32" (10.3 mm, 20 PCS)

YATO	
YT-06680	5/20

Roll pin assortment

315 PCS | MIX



1.5x5 mm, 1.5x8 mm, 1.5x20 mm, 2x6 mm, 2x12 mm, 2x25 mm, 2.5x16 mm, 2.5x25 mm, 2.5x30 mm, 3x16 mm, 3x25 mm, 3x30 mm, 4x16 mm, 4x25 mm, 4x40 mm, 5x16 mm, 5x25 mm, 5x30 mm, 5.5x16 mm, 5.5x30 mm, 5.5x45 mm, 6x16 mm, 6x30 mm, 6x45 mm, 8x20 mm, 8x40 mm, 8x50 mm, 10x20 mm, 10x40 mm, 10x50 mm

YATO	
YT-06785	5/20

Feather key assortment

60 PCS | MIX



3x3x20 mm (4 PCS), 3x3x25 mm (4 PCS), 8x10x30 mm) (5 PCS), 5x5x20 mm (5 PCS), 8x7x30 mm (5 PCS), 5x5x25 mm (5 PCS), 8x7x40 mm (5 PCS), 5x5x30 mm (5 PCS), 6x6x20 mm (5 PCS), 10x8x40 mm (5 PCS), 6x6x30 mm (5 PCS), 6x6x40 mm (5 PCS), 8x12x40 mm (2 PCS)

YATO	
YT-06793	24

Socket head set screw assortment metric

160 PCS | MIX | METRIC METRYCZNY



3x5 mm, 4x5 mm, 5x6 mm, 6x6 mm, 6x6 mm F, 6x10 mm, 8x10 mm, 8x10 mm F, 8x12 mm, 10x10 mm, 10x10 mm F, 10x12 mm

YATO	
YT-06777	5/20

O-ring assortment

225 PCS | HEAT RESISTANT TEMPERATURO ODPORNE | CHEMICAL PROOF



Ø3x1 mm (20 PCS), Ø4x1 mm (20 PCS), Ø4.5x2 mm (20 PCS), Ø5x2 mm (20 PCS), Ø6x2 mm (20 PCS), Ø6x2.5 mm (20 PCS), Ø6x3 mm (20 PCS), Ø7x2 mm (20 PCS), Ø8x2 mm (20 PCS), Ø9x2 mm (5 PCS), Ø10x2 mm (5 PCS), Ø12x3 mm (5 PCS), Ø13x3 mm (5 PCS), Ø14x2.5 mm (5 PCS), Ø17x2.5 mm (5 PCS), Ø18x4 mm (5 PCS), Ø20x2 mm (5 PCS), Ø22x2 mm (5 PCS)

YATO	
YT-06877	5/20

O-Rings assortment for air conditioning

225 PCS | MIX | HNBR



Ø3x1 mm (20 PCS), Ø4x1 mm (20 PCS), Ø4.5x2 mm (20 PCS), Ø5x2 mm (20 PCS), Ø6x2 mm (20 PCS), Ø6x2.5 mm (20 PCS), Ø6x3 mm (20 PCS), Ø7x2 mm (20 PCS), Ø8x2 mm (20 PCS), Ø9x2 mm (5 PCS), Ø10x2 mm (5 PCS), Ø12x3 mm (5 PCS), Ø13x3 mm (5 PCS), Ø14x2.5 mm (5 PCS), Ø17x2.5 mm (5 PCS), Ø18x4 mm (5 PCS), Ø20x2 mm (5 PCS), Ø22x2 mm (5 PCS)

YATO	
YT-068791	5/20

Electrical clip assortment

28 PCS | MIX



50, 55, 60, 65, 70, 80 mm

YATO	
YT-06870	5/20

Terminal assortment

240 PCS | MIX



Connector red female: 6.4 mm (0.5-1.5 mm; 20 PCS),
Connector red full female: 4.8 mm (0.5-1.5 mm; 20 PCS),
Connector red male: 4.8 mm (0.5-1.5 mm; 20 PCS),
Connector red male male: 6.4 mm (0.5-1.5 mm; 40 PCS),
Connector blue female : 6.4 mm (1.5-2.5 mm; 20 PCS),
Connector red full female: 6.4 mm (0.5-1.5 mm; 20 PCS),
Connector blue full female: 6.4 mm (1.5-2.5 mm; 20 PCS),
Connector blue male male: 6.4 mm (1.5-2.5 mm; 40 PCS),
Connector blue male: 4.8 mm (1.5-2.4 mm; 20 PCS),
Connector blue female: 4.8 mm (1.5-2.5 mm; 20 PCS)

YATO	
YT-068912	60

O-Rings assortment for air conditioning

270 PCS | MIX | HNBR



Ø5.29x1.78 mm (20 PCS), Ø6.07x1.78 mm (20 PCS), Ø7.65x1.78 mm (20 PCS), Ø6.8x1.9 mm (20 PCS), Ø7.8x1.9 mm (20 PCS), Ø8x2 mm (20 PCS), Ø8.8x1.9 mm (20 PCS), Ø10x2 mm (10 PCS), Ø10.82x1.78 mm (15 PCS), Ø10.77x2.62 mm (15 PCS), Ø11x2 mm (15 PCS), Ø12x2 mm (15 PCS), Ø13.9x1.8 mm (10 PCS), Ø13.95x2.62 mm (10 PCS), Ø15x2 mm (10 PCS), Ø17x2 mm (10 PCS), Ø17.04x3.53 mm (10 PCS), Ø17.17x1.78 mm (10 PCS)

YATO	
YT-06879	6/24

Terminal assortment

160 PCS | MIX



Ø4 mm (8 PCS), Ø4 mm (10 PCS), Ø5 mm (4 PCS), Ø5 mm (10 PCS), Ø6 mm (10 PCS), Ø8 mm (4 PCS), Ø10 mm (4 PCS);
0.25-1.5 mm2 (12 PCS), 1.5-2.5 mm2 (18 PCS), 4-6 mm2 (12 PCS);
Ø4 mm (10 PCS);
1.5-2.5 mm2 (10 PCS);
1.5-2.5 mm2 (10 PCS), 4-6 mm2 (5 PCS);
1.5-2.5 mm2 (10 PCS);
1.5-2.5 mm2 (10 PCS), 4-6 mm2 (5 PCS);
0.25-1.5 mm2 (4 PCS), 1.5-2.5 mm2 (4 PCS)

YATO	
YT-06891	24

Terminal assortment

360 PCS | MIX



Ø5 mm - 2 mm2 (30 PCS), Ø6 mm - 2 mm2 (20 PCS), Ø9.5 mm - 2 mm2 (20 PCS), Ø5 mm - 5.5 mm2 (20 PCS), Ø6 mm - 5.5 mm2 (15 PCS), Ø9.5 mm - 5.5 mm2 (15 PCS);
1.25 mm2 (40 PCS), 2 mm2 (30 PCS), 5.5 mm2 (15 PCS);
Ø5 mm - 2 mm2 (30 PCS), Ø5 mm - 5.5 mm2 (20 PCS);
2 mm2 (25 PCS);
2 mm2 (35 PCS);
2 mm2 (10 PCS);
2 mm2 (35 PCS)

YATO	
YT-06890	12

O-ring assortment

419 PCS | MIX | NBR



Ø3x1.5 mm (20 PCS), Ø4.4x2 mm (20 PCS), Ø5x2 mm (18 PCS), Ø7x1.5 mm (23 PCS), Ø10x1.5 mm (23 PCS), Ø10x2.5 mm (14 PCS), Ø11x2.5 mm (13 PCS), Ø13x1.5 mm (23 PCS), Ø13x2.5 mm (14 PCS), Ø14x2.5 mm (13 PCS), Ø16x2.5 mm (14 PCS), Ø18x2.5 mm (14 PCS), Ø18x3.5 mm (10 PCS), Ø19x2.5 mm (13 PCS), Ø20x3.5 mm (10 PCS), Ø21x2.5 mm (14 PCS), Ø22x2.5 mm (13 PCS), Ø22x3.5 mm (10 PCS), Ø23.5x3.5 mm (10 PCS), Ø25x3.5 mm (10 PCS), Ø26.5x3.5 mm (10 PCS), Ø28x3.5 mm (10 PCS), Ø30x3.5 mm (10 PCS), Ø31x3.5 mm (10 PCS), 33x3.5 mm (10 PCS), Ø34.5x3.5 mm (10 PCS), Ø36x3.5 mm (10 PCS), Ø38x3.5 mm (10 PCS), Ø41x3.5 mm (10 PCS), Ø44x3.5 mm (10 PCS), Ø47x3.5 mm (10 PCS), Ø50x3.5 mm (10 PCS)

YATO	
YT-06876	5/20

Terminal assortment

250 PCS | MIX



Connector blue male: 6.4 mm (1.5-2.5mm; 50 PCS),
Connector blue female : 6.4 mm (1.5-2.5 mm; 50 PCS),
Connector red male: 6.4 mm (0.5-1.5 mm; 50 PCS),
Connector red female: 6.4 mm (0.5-1.5 mm; 50 PCS),
Connector tube red: (0.5-1.5 mm; 25 PCS),
Connector tube blue: (0.5-1.5 mm; 25 PCS)

YATO	
YT-068911	60

Terminal assortment

450 PCS | MIX | BRASS MOSIĄDZ



Connector female: 2.8 mm, 4.8 mm, 6.4 mm (x50 PCS);
Connector male: 2.8 mm, 4.8 mm, 6.4 mm (x50 PCS);
Connector with hole: Ø3.2 mm, Ø5.2 mm, Ø8.2 mm (x50 PCS)

YATO	
YT-068683	24

Terminal assortment

600 PCS | MIX | BRASS MOSIĄDZ



Connector female: 2.8 mm, 4.8 mm, 6.4 mm (x100 PCS);
Connector male: 2.8 mm, 4.8 mm, 6.4 mm (x100 PCS)

YATO	
YT-068684	24

Terminal assortment

750 PCS | MIX | BRASS MOSIĄDZ



Connector female: 2.8 mm, 4.8 mm, 6.4 mm (x100 PCS);
Connector male: 2.8 mm, 4.8 mm, 6.4 mm (x100 PCS);
Connector with hole: Ø3.2 mm, Ø5.2 mm, Ø6.2 mm,
Ø8.2 mm, Ø10.5 mm (x30 PCS)

YATO	
YT-068685	24

Insulated ferrules assortment

1200 PCS | MIX



E1012 red (25 PCS), E6012 green (25 PCS), E1008 red (200 PCS), E2508 blue (250 PCS), E4010 grey (50 PCS), E1508 black (250 PCS), E0508 white (200 PCS), E7508 grey (200 PCS)

YATO	
YT-068914	20

Terminal assortment

600 PCS | MIX



PBDD 1-250, PBDD 2-250, PBDD 5-250, FDFD 5-250, RV 5.5-4, RV 5.5-5, RV 5.5-6 (x10 PCS); E1008 red, E1508 red, E2508 blue(x50 PCS); TE1008 red, TE1508 red, TE2510 red, MDD 1-250, MDD 2-250 (x20 PCS); MDD 5-250, BV 5.5, FDD 5-250 (x10 PCS); FDFD 1-250, FDFD 2-250, RV 1.25-5, RV 2-5, BV 1.25, BV 2 (x15 PCS); RV 1.25-3, RV 1.25-4, RV 2-3, RV 2-4 (x30 PCS); FDD 1-250, FDD 2-250 (x20 PCS)

YATO	
YT-068913	20

Wire connector assortment

65 PCS | MIX | BRASS MOSIĄDZ



SC6-6 (15 PCS), SC6-8 (10 PCS), SC10-6 (10 PCS), SC10-8 (10 PCS), SC16-6 (5 PCS), SC16-8 (5 PCS), SC25-6 (5 PCS), SC25-8 (5 PCS)

YATO	
YT-068915	100

Terminal connectors

50 PCS | MIX





0.5-1.5 mm2 (25 PCS), 1.5-2.5 mm2 (25 PCS)

YATO	
YT-06868	5/20

Insulated ferrules assortment

685 PCS | MIX



0.5 mm (50 PCS), 0.75 mm (50 PCS), 1 mm (100 PCS), 1.5 mm (250 PCS), 2.5 mm (150 PCS), 4 mm (50 PCS), 6 mm (25 PCS), 10 mm (10 PCS)

YATO	
YT-06895	5/20

Crimp bootlace ferrules assortment

1000 PCS | MIX | BRASS MOSIĄDZ



0.5 mm (ferrule length: 6 mm), 0.75 mm (ferrule length: 6 mm), 1 mm (ferrule length: 6 mm), 1.5 mm (ferrule length: 7 mm), 2.5 mm (ferrule length: 7 mm) (x200 PCS)

YATO	
YT-06896	100

Heat-shrink tubing set

100 PCS | MIX | max °C 125



Ø1.5x100 mm (30 PCS), Ø2.5x100 mm (30 PCS), Ø4x100 mm (20 PCS), Ø6x100 mm (10 PCS), Ø10x100 mm (6 PCS), Ø13x100 mm (4 PCS)

YATO	
YT-068661	84

Heat-shrink tubing set

100 PCS | MIX | max °C 125



Ø1.5x100 mm (30 PCS), Ø2.5x100 mm (30 PCS), Ø4x100 mm (20 PCS), Ø6x100 mm (10 PCS), Ø10x100 mm (6 PCS), Ø13x100 mm (4 PCS)

YATO	
YT-068667	84

Heat-shrink tubing set

171 PCS | MIX | max °C 125



Ø2x30 mm (100 PCS), Ø4x60 mm (10 PCS), Ø4.5x60 mm (10 PCS), Ø5x60 mm (8 PCS), Ø6x60 mm (6 PCS), Ø8x90 mm (11 PCS), Ø9x90 mm (11 PCS), Ø12x90 mm (7 PCS), Ø18x90 mm (7 PCS), Ø10x1000 mm (1 PCS)

YATO	
YT-06867	24

Heat shrink solder sleeve

30 PCS | 0.25 x0.34 mm² | 105 °C



YATO	Cross-sectional area	
YT-81440	0.25-0.34 mm² / 24~22 AWG	25/1500

Heat-shrink tubing set

127 PCS | MIX | max °C 125 | max 600V



Ø2x40 mm, Ø2.5x40 mm, Ø3.5x40 mm, Ø5x40 mm, Ø7x80 mm, Ø10x80 mm, Ø13x85 mm

YATO	
YT-06866	84

Heat-shrink tubing with glue set

270 PCS | MIX | max °C 125 | HERMETIC HERMETYCZNE



Ø1.6x45 mm (70 PCS), Ø2.4x45 mm (80 PCS), Ø3.2x45 mm (80 PCS), Ø4.8x90 mm (20 PCS), Ø6.3x90 mm (12 PCS), Ø9.5x90 mm (8 PCS)

YATO	
YT-068671	60

Heat shrink solder sleeve

100 PCS | 0.25 x0.34 mm² | 105 °C



YATO	Cross-sectional area	
YT-81451	0.25-0.34 mm² / 24~22 AWG	558

Heat-shrink tubing set

128 PCS | MIX | max °C 125



Ø2.5x8 mm (40 PCS), Ø3.5x80 mm (32 PCS), Ø5x80 mm (24 PCS), Ø7x80 mm (16 PCS), Ø10x80 mm (8 PCS), Ø13x80 mm (8 PCS)

YATO	
YT-068668	24

Heat-shrink tubing with glue set

530 PCS | MIX | max °C 125



Ø1.5x45 mm (80 PCS), Ø2x45 mm (160 PCS), Ø3x45 mm (60 PCS), Ø4x45 mm (100 PCS), Ø5x45 mm (30 PCS), 6x45 mm (20 PCS), Ø8x45 mm (20 PCS), Ø10x45 mm (60 PCS)

YATO	
YT-068672	60

Heat shrink solder sleeve

30 PCS | 0.5 x1.5 mm² | 105 °C



YATO	Cross-sectional area	
YT-81441	0.5-1.5 mm² / 18~16 AWG	15/900

Heat shrink solder sleeve

100 PCS | 0.5 x1.5 mm² | 105 °C



YATO	Cross-sectional area	
YT-81452	0.5-1.5 mm² / 20~16 AWG	378

Heat shrink solder sleeve

100 PCS | 4.0 x6.0 mm² | 105 °C



YATO	Cross-sectional area	
YT-81454	4-6 mm² / 12~10 AWG	100

Heat shrink solder sleeve set

220 PCS | 0.25 x6.0 mm² | 105 °C



YATO	Cross-sectional area	
YT-81460	0.25-6 mm² / 24~10 AWG	60

Heat shrink solder sleeve

30 PCS | 1.5 x2.5 mm² | 105 °C



YATO	Cross-sectional area	
YT-81442	1.5-2.5 mm² / 16~14 AWG	5/300

Heat shrink solder sleeve

20 PCS | 4.0 x6.0 mm² | 105 °C



YATO	Cross-sectional area	
YT-81443	4-6 mm² / 12~10 AWG	5/300

Heat shrink butt connectors set

200 PCS | 0.5 x6.0 mm²



0.5-1.5 mm2 (90 PCS), 1.5-2.5 mm2 (90 PCS), 4.0-6.0 mm2 (20 PCS)

YATO	Cross-sectional area	
YT-81461	0.5-6 mm² / 20~10 AWG	60

Heat shrink solder sleeve

100 PCS | 1.5 x2.5 mm² | 105 °C



YATO	Cross-sectional area	
YT-81453	1.5-2.5 mm² / 16~14 AWG	130

Heat shrink solder sleeve set

100 PCS | 0.25 x6.0 mm² | 105 °C



YATO	Cross-sectional area	
YT-81450	0.25-6 mm² / 26~10 AWG	150

Superseal connectors wiring assortment

424 PCS | HERMETIC HERMETYCZNE | 1-6 PIN





YATO		
YT-06869		6/12

NON-SPARKING

Back probe kit

20 PCS | 0-30V A.C. | 0-30V D.C.



YATO	
YT-73079	24

Car fuse assortment

97 PCS | STANDARD | FUSE PULLER



3 A, 5 A, 7.5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x12 PCS)

YATO	
YT-83141	24

Car fuse assortment

88 PCS | STANDARD | MAXI | MINI



Mini: 3 A, 5 A, 7.5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x5 PCS); standard: 3 A, 5 A, 7.5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x5 PCS); max: 20 A, 30 A, 40 A, 50 A, 60 A, 70 A, 80 A, 100 A

YATO	
YT-83147	20

Car fuse assortment

24 PCS | MAXI



20 A, 30 A, 40 A, 50 A, 60 A, 70 A, 80 A, 100 A (x3 PCS)

YATO	
YT-83140	24

Car fuse assortment

100 PCS | MINI



7.5 A (10 PCS), 10 A (20 PCS), 15 A (20 PCS), 20 A (20 PCS), 25 A (20 PCS), 30 A (10 PCS)

YATO	
YT-83145	12/60

Car fuse assortment

301 PCS | STANDARD | MINI | FUSE PULLER



Mini: 2 A (6 PCS), 3 A (6 PCS), 5 A (12 PCS), 7.5 A (10 PCS), 10 A (28 PCS), 15 A (24 PCS), 20 A (22 PCS), 25 A (10 PCS), 30 A (14 PCS), 35 A (6 PCS), 40 A (12 PCS); standard: 2 A (6 PCS), 3 A (6 PCS), 5 A (12 PCS), 7.5 A (10 PCS), 10 A (28 PCS), 15 A (24 PCS), 20 A (22 PCS), 25 A (10 PCS), 30 A (14 PCS), 35 A (6 PCS), 40 A (12 PCS); clip

YATO	
YT-83148	20

Car fuse assortment

92 PCS | STANDARD | FUSE PULLER



5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x15 PCS); tester 6-24 V

YATO	
YT-83142	24

Car fuse assortment

120 PCS | MINI



5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x20 PCS)

YATO	
YT-83146	12

Car fuse assortment

121 PCS | MINI | FUSE PULLER



5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x20 PCS)

YATO	
YT-83143	24

Car fuse assortment

120 PCS | STANDARD



5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x20 PCS)

YATO	
YT-83144	12

Trim clips assortment

300 PCS | 6 TYPES



Renault

YATO	
YT-06651	20

Trim clips assortment

308 PCS | 12 TYPES



Fiat

YATO	
YT-06654	20

Glass fuse assortment

120 PCS | 6x30 mm | GLASS SZKŁO



5 A, 10 A, 15 A, 20 A, 25 A, 30 A (x20 PCS)

YATO	
YT-83130	5/20

Trim clips assortment

300 PCS | 6 TYPES



Opel

YATO	
YT-06652	20

Trim clips assortment

350 PCS | 12 TYPES



Volvo

YATO	
YT-06655	20

Trim clips assortment

360 PCS | 18 TYPES



Toyota, Lexus

YATO	
YT-06650	20

Trim clips assortment

345 PCS | 12 TYPES



Peugeot

YATO	
YT-06653	20

Trim clips assortment

418 PCS | 18 TYPES



Honda

YATO	
YT-06656	20

Trim clips assortment

408 PCS | 18 TYPES / TYPY



Nissan

YATO	
YT-06657	20

Trim clips assortment

415 PCS | 18 TYPES / TYPY



Ford

YATO	
YT-06660	20

Trim clips assortment

255 PCS | 12 TYPES / TYPY



Volkswagen

YATO	
YT-06663	20

Trim clips assortment

475 PCS | 18 TYPES / TYPY



Mazda

YATO	
YT-06658	20

Trim clips assortment

290 PCS | 6 TYPES / TYPY



BMW

YATO	
YT-06661	20

Trim clips assortment

160 PCS | 12 TYPES / TYPY



Audi

YATO	
YT-06664	20

Trim clips assortment

370 PCS | 12 TYPES / TYPY



Mitsubishi

YATO	
YT-06659	20

Trim clips assortment

270 PCS | 12 TYPES / TYPY



Mercedes

YATO	
YT-06662	20

Metric nuts & bolts assortment

347 PCS | MIX | METRIC / METRYCZNY



3x12 mm, 3x20 mm, 5x24 mm; 2.5x12 mm, 3x19 mm, 4x24 mm;M5, M6; M5x20 mm, M5x25 mm, M6x20 mm; M5/DIN126, M5/DIN555, M6/DIN126, M6/DIN555,

YATO	
YT-06771	5/20


YATO
www.yato.pl

Tool belt

600D POLYESTER POLIESTER



- Tool belt
- 4 large pockets
- 2 hammer holders
- 6 small pockets

YATO	
YT-74001	10

Tool belt

600D POLYESTER POLIESTER



- Tool belt
- 4 big patch pockets
- Measuring tape holder
- 10 small pockets

YATO	
YT-74002	10

Tooling belt with harness

600D POLYESTER POLIESTER | DETACHABLE HARNESS ODPINANA UPRZĄŻ





- Harness
- Tool bags
- Hammer holder
- Nails pouch

YATO	
YT-74070	10

Tooling belt with harness

600D POLYESTER POLIESTER | DETACHABLE HARNESS ODPINANA UPRZĄŻ





- Harness
- Tool bag
- 2 drill holsters
- Hammer holder
- Nails pouch

YATO	
YT-74071	10

Tool sleeves jacket

5 POCKETS KIESZENIE | HEAVY DUTY NYLON WZMOCNIONY NYLON | 510x600 mm





- High-strength nylon material,
- wear-resistant and waterproof
- Protable and durable2 drill holsters
- Multiple tool bag design and easy to classify

YATO	
YT-7405	12

Heavy duty nail & tool pouch

21 POCKETS KIESZENIE | 130 cm | HEAVY DUTY NYLON WZMOCNIONY NYLON





YATO	
YT-7400	10

Nail and tool pouch

8 POCKETS KIESZENIE | HEAVY DUTY NYLON WZMOCNIONY NYLON





YATO	
YT-7410	20/40

Drill pouch

HEAVY DUTY NYLON WZMOCNIONY NYLON





YATO	
YT-7414	48/96

Drill pouch



YATO		
YT-7413		10/40

Magnetic wristband



YATO	Size [mm]	
YT-74051	310	50

Tool pouch



YATO	
YT-74172	24

Drill pouch



YATO	
YT-74141	60

Nail and tool pouch



YATO	
YT-7416	20/40

Nail pocket + hammer loop



YATO	
YT-7419	40/80

Pouch belt



YATO	
YT-7409	50/100

Nail and tool pouch



YATO	
YT-7417	39/156

Mobile phone pouch



YATO	
YT-7420	27/54

Magnetic wristband



YATO	Size [mm]	
YT-74050	340	50

Pocket - bag for nails and tools



YATO	
YT-74171	30

Tool bag



YATO	
YT-74333	30

Tool bag

600D POLYESTER / POLIESTER



YATO	Size [mm]	
YT-74401	315x175x240	30

Tool bag

41 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER



YATO	
YT-74351	4

Open tote tool bag

9 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER



YATO	
YT-74371	6

Tool bag

600D POLYESTER / POLIESTER



YATO	Size [mm]	
YT-74402	390x160x340	30

Tool bag

17 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER · RUBBER BOTTOM / GUMOWE DNO



YATO	
YT-74360	8

Open tote tool bag

17 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER



YATO	
YT-74372	6

Tool bag

50 POCKETS / KIESZENIE · HEAVY DUTY NYLON / WZMOCNIONY NYLON · STEEL EDGES / STALOWE KRAWĘDZIE · EASY OPEN / ŁATWE OTWIERANIE · EASY CLOSE / ŁATWE ZAMYKANIE



YATO	
YT-7430	12

Tool bag

15 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER · RUBBER BOTTOM / GUMOWE DNO



YATO	
YT-74361	6

Open tote tool bag

11 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER



YATO	
YT-74373	6

Tool bag

16 POCKETS / KIESZENIE · HEAVY DUTY NYLON / WZMOCNIONY NYLON



YATO	
YT-7433	12

Open tote tool bag

16 POCKETS / KIESZENIE · 600D POLYESTER / POLIESTER



YATO	
YT-74370	6

Open tote tool bag

31 POCKETS / KIESZENIE · HEAVY DUTY NYLON / WZMOCNIONY NYLON



YATO	
YT-7435	4

Waterproof bag

IPX6 PVC



YATO	[l]	Size [mm]	
YT-74290	10	200x490	50
YT-74291	20	240x590	40

Tool backpack

MULTI POCKET DUŻO KIESZENI · PP · HEAVY DUTY NYLON WZMOCNIONY NYLON



YATO	
YT-74280	6

Tool backpack with wheels

27 L · MULTI POCKET DUŻO KIESZENI · 600D POLYESTER POLIESTER · TELESCOPIC HANDLE UCHWYT TELESKOPOWY · 2x



YATO	
YT-74287	4

Tool pouch

MULTI POCKET DUŻO KIESZENI · HEAVY DUTY NYLON WZMOCNIONY NYLON



YATO	
YT-74336	14

Tool backpack

MULTI POCKET DUŻO KIESZENI · PP · HEAVY DUTY NYLON WZMOCNIONY NYLON



YATO	
YT-74283	6

Tool backpack with wheels

48 L · MULTI POCKET DUŻO KIESZENI · 600D POLYESTER POLIESTER · TELESCOPIC HANDLE UCHWYT TELESKOPOWY · 2x



YATO	
YT-74288	2

Trolley tool bag

19 POCKETS KIESZENI · HEAVY DUTY NYLON WZMOCNIONY NYLON



- *High-strength nylon material, wear-resistant and waterproof*
- *Strong, durable and easy to use*
- *Tie rod design, easy to carry*

YATO	Size [mm]	
YT-7434	510x290x360	6

Tool backpack with wheels

35 L · 600D POLYESTER POLIESTER · TELESCOPIC HANDLE UCHWYT TELESKOPOWY · 2x



YATO	
YT-74286	2

Lifting and moving straps

3 PCS · 5x370 cm · PP





YATO	
YT-74261	10/20

Tool backpack

28 POCKETS / KIESZENI
HEAVY DUTY NYLON / WZMOCNIONY NYLON



YATO	Size [mm]	
YT-7440	330x160x430	12

Lifting and moving straps

4 PCS | 8x280 cm | PP



YATO	
YT-74262	8/16

Tool bag with foldable chair

22 POCKETS / KIESZENI
max 90 kg
HEAVY DUTY NYLON / WZMOCNIONY NYLON



YATO	
YT-7446	10

Furniture transport roller set

5 PCS | max 300 kg



YATO	
YT-37490	6

Lanyard with safety breakaway buckles

52-170 cm



YATO	Ø [mm]	Max. load capacity [kg]	
YT-74009	1.5	3	24/144


YATO
YATO
YATO

Silicone half mask respirator

GB2626 2019 · FFP2 · GEL



YATO	
YT-74990	1/50

Filter cotton

20 PCS · GB2626 2019 · FFP2 · GEL



For YT-74990

YATO	
YT-74995	1/50

Nitrile gloves

50 PCS · L / R · NITRILE NITRYL · DIAMOND TEXTURE TEKSTURA DIAMENTOWA · CE



NEW

YATO	Size	
YT-74741	M	10
YT-74742	L	10
YT-74743	XL	10
YT-74744	2XL	10

Working gloves

4131X EN 388 · NYLON · SPANDEX · NITRILE NITRYL · CE



YATO	Size	
YT-74757	8	12/120
YT-74758	9	12/120
YT-74759	10	12/120

Working gloves

COTTON BAWEŁNA · LATEX LATEKS · 2243X EN 388



YATO	Size	
YT-7471	10	12/120

Working gloves

3131X EN 388 · NYLON · NITRILE NITRYL · CE



YATO	Size	
YT-74754	8	12/144
YT-74755	9	12/144
YT-74756	10	12/144

Working gloves

3131X EN 388 · NYLON · PU · CE



YATO	Size	
YT-74751	8	12/144
YT-74752	9	12/144
YT-74753	10	12/144

Working gloves

4131X EN 388 · NYLON · PU · CE



YATO	Size	
YT-74728	8	50/100
YT-74729	9	50/100
YT-7473	10	50/100

Working gloves

4131X EN 388 · NYLON · PU · CE



YATO	Size	
YT-74699	9	50/100
YT-7470	10	50/100

Working gloves

4X43B EN 388 · HPPE · PU · CE



YATO	Size	
YT-74771	9	12/120
YT-74772	10	12/120

Working gloves

4121X EN 388 · NYLON · NITRILE NITRYL · CE



YATO	Size	
YT-74739	9	50/100
YT-7474	10	10/100

Working gloves

3131X EN 388 · POLYESTER POLIESTER · PU · CE



YATO	Size	
YT-74719	9	50/100
YT-7472	10	50/100

Working gloves



YATO	Size	
YT-7480	9	12/120
YT-7481	10	12/120

Working gloves



YATO	Size	
YT-7466	7	12/72
YT-7467	9	12/72

Gloves for sandblasting cabinet



For YT-55840

YATO	
YT-55846	25

Working gloves



YATO	Size	
YT-74713	10	120/480

Working gloves



YATO	Size	
YT-74663	9	12/72
YT-74664	10	12/72
YT-746641	11	12/120

Hand sanitizer



YATO	Size	
YT-01234T	2000ml	10

Working gloves



YATO	Size	
YT-74668	10	12/72

Working gloves



YATO	Size	
YT-74658	8	12/72
YT-74659	9	12/72
YT-74660	10	12/72
YT-746600	11	12/120

Safety glasses



YATO	
YT-7360	12/240

Working gloves



YATO	Size	
YT-746648	8	12/72
YT-74665	9	12/72
YT-74666	10	12/72
YT-746681	11	12/120

Working gloves



YATO	Size	
YT-74661	9	12/72
YT-74662	10	12/72
YT-746621	11	12/120

Safety glasses



YATO	
YT-7361	12/240

Safety glasses



YATO	
YT-7363	12/240

Safety glasses



YATO	
YT-7364	12/240

Safety glasses



YATO	
YT-73634	10/100

Safety glasses



YATO	
YT-7365	12/240

Safety glasses



YATO	
YT-7366	12/240

Safety glasses



TYPE B510 EN 166:2001 EN 169:2002

YATO	
YT-73744	12/300

Safety glasses



YATO	
YT-7367	12/240

Safety glasses



YATO	
YT-7368	12/240

Safety goggles



TYPE 2876 EN 166:2001 F

YATO	
YT-7377	12/120

Safety glasses



YATO	
YT-7362	12/240

Safety glasses



YATO	
YT-73641	12/300

Safety goggles



TYPE SG90B EN 166:2001 F

YATO	
YT-7381	20/200

Safety goggles with indirect ventilatation



TYPE KM2101 EN 166:2001 F

YATO	
YT-73831	10/100

Magnifier with LED light



Battery not included

YATO	
YT-73842	40

Infrared thermometer



YATO	
YT-73200	10/60

Safety goggles



TYPE SG90A EN 166:2001 F

YATO	
YT-7380	20/200

Helping hand with magnifying glass



Battery not included

YATO	
YT-73861	20

Infrared thermometer



YATO	
YT-73201	10/60

Safety goggles with indirect ventilatation



TYPE KM2101 EN 166:2001 F

YATO	
YT-73832	10/100

Magnifier



YATO	
YT-73855	10/120

Safety earmuffs



YATO	
YT-74631	20

Magnifier with LED light



Battery not included

YATO	
YT-73840	60

Magnifying glass with LED light



Battery not included

YATO	
YT-73845	10/120

Safety earmuffs



YATO	
YT-74621	60

Safety earmuffs



YATO		
YT-74632		40

Electronic earmuffs



YATO		
YT-74625		20

Ear plugs



YATO	Ø [mm]	Pairs	
YT-7451	5-11	5	25/500

Safety earmuffs



YATO		
YT-74633		24

Electronic earmuffs



YATO		
YT-74626		20

Ear plugs



YATO	Ø [mm]	Pairs	
YT-7455	8-12	5	25/500

Safety earmuffs



YATO		
YT-74630		20

Electronic earmuffs



YATO		
YT-74627		20

Ear plugs



YATO	Ø [mm]	Pairs	
YT-74551	7-12	5	40/800

Safety earmuffs



YATO		
YT-74624		20

Ear plugs



YATO	Ø [mm]	Pairs	
YT-74510	5-11	200	20

Ear plugs



YATO	Ø [mm]	Pairs	
YT-7456	8-12	50	20

Ear plugs

SNR 29dB, CE



YATO	
YT-7458	25/500

Cleaning pad set for copper pipes

10 PCS, 75x130 mm, Cu, METAL FREE / NIE ZAWIERA METALU, DRY WORK / PRACA NA SUCHO, WET WORK / PRACA NA MOKRO





YATO	Size [mm]	
YT-63740	75x130	50

Earplug dispenser

500 PCS, SNR 38dB, 5-11 mm, CE



YATO	Ø [mm]	Pairs	
YT-74520	5-11	250	4

Cable ties

50 PCS, PA66, UL94 V-2, UV



YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70630	7.6x200	55	50	50	75/150
YT-70631	7.6x300	55	80	50	50/100
YT-70632	7.6x350	55	90	50	50/100
YT-70633	7.6x400	55	105	50	50/100
YT-70634	7.6x430	55	105	50	50/100

YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70635	7.6x500	55	145	50	40/80
YT-70636	9.0x450	80	108	50	30/60
YT-70637	9.0x550	80	160	50	25/50
YT-70638	9.0x700	80	195	50	20/40

Cable ties

50 PCS, PA66, UL94 V-2, UV



YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70650	7.6x200	55	50	50	75/150
YT-70651	7.6x300	55	80	50	50/100
YT-70652	7.6x350	55	90	50	50/100
YT-70653	7.6x400	55	105	50	50/100
YT-70654	7.6x430	55	105	50	50/100

YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70655	7.6x500	55	145	50	40/80
YT-70656	9.0x450	80	108	50	30/60
YT-70657	9.0x550	80	160	50	25/50
YT-70658	9.0x700	80	195	50	20/40

Releasable cable ties

PA66, UL94 V-2, UV



YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70660	3.6x150	12	35	100	100/200
YT-70661	4.8x200	18	45	100	50/100
YT-70662	7.6x150	15	35	50	75/150
YT-70663	7.6x200	20	45	50	75/150
YT-70664	7.6x250	22	60	50	75/150

YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70665	7.6x300	22	75	50	50/100
YT-70666	7.6x350	22	85	50	50/100
YT-70667	7.6x400	22	100	50	50/100
YT-70668	7.6x450	22	125	50	35/70

Releasable cable ties

PA66 UL94 V-2 UV



YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70670	3.6x150	12	35	100	100/200
YT-70671	4.8x200	18	45	100	50/100
YT-70672	7.6x150	15	35	50	75/150
YT-70673	7.6x200	20	45	50	75/150
YT-70674	7.6x250	22	60	50	75/150

YATO	Size [mm]	Max. tensile strength [kg]	Max. wire bundle diameter [mm]	pcs	
YT-70675	7.6x300	22	75	50	50/100
YT-70676	7.6x350	22	85	50	50/100
YT-70677	7.6x400	22	100	50	50/100
YT-70678	7.6x450	22	125	50	35/70

Stainless steel cable ties

SS201 STAINLESS STEEL STAL NIERDZEWNA



YATO	Size [mm]	pcs	
YT-70560	4.6x125	100	100
YT-70561	4.6x200	100	100
YT-70562	4.6x250	100	50
YT-70563	4.6x300	100	50
YT-70564	4.6x350	100	50
YT-70565	4.6x400	100	50

YATO	Size [mm]	pcs	
YT-70566	4.6x450	100	50
YT-70567	4.6x500	100	50
YT-70580	8.0x200	50	80
YT-70581	8.0x250	50	80
YT-70582	8.0x300	50	60
YT-70583	8.0x350	50	60

YATO	Size [mm]	pcs	
YT-70584	8.0x400	50	50
YT-70585	8.0x450	50	50
YT-70586	8.0x500	50	50
YT-70587	8.0x550	50	50
YT-70588	8.0x600	50	40

Shock absorber

100% POLYESTER POLIESTER CE



YATO	
YT-74227	15

Shock absorber

1.8 m | 45 mm | max 100 kg | CE



YATO	
YT-74225	10

Carabiner hook

52 mm | SELF CLOSING AUTOMATYCZNE ZAMYKANIE | CE



YATO	
YT-74230	30

Single shock absorber with rope

100% POLYESTER POLIESTER CE



YATO	
YT-74236	12

Stranded hooks

100% POLYESTER POLIESTER CE



YATO	
YT-74231	15

Carabiner hook

16 mm | SELF CLOSING AUTOMATYCZNE ZAMYKANIE | MANUAL LOCKING RĘCZNE BLOKOWANIE | CE



YATO	
YT-74229	20

Safety harness for working at height

100% POLYESTER POLIESTER
CE



YATO	
YT-74220	10

Safety harness for working at height

x4 TOOL LOOP PETA NARZĘDZIOWA
max 100 kg
EVA PADDING WYSCIEŁKA
Al
CE



YATO	
YT-74218	5

Gel knee pads

600D POLYESTER POLIESTER
PVC
GEL SUPPORT OCHRONA



YATO	
YT-74615	10

Harness and lanyard set

100% POLYESTER POLIESTER
CE



YATO	
YT-74235	10

Gel knee pads

600D POLYESTER POLIESTER
EVA
PVC
GEL SUPPORT OCHRONA





YATO	
YT-7460	12

Knee pads

600D POLYESTER POLIESTER
PE
NBR



YATO	
YT-74612	20

Safety harness for working at height

100% POLYESTER POLIESTER
CE



YATO	
YT-74221	20

Gel knee pads

600D POLYESTER POLIESTER
EVA
PVC
GEL SUPPORT OCHRONA





YATO	
YT-7461	12

Rolling knee pads

2 PCS
31x26 x10 cm
ABS
PP
NEW



YATO	
YT-74592	6

NON-SPARKING

Rolling knee board

54.5x27 x10 cm | 5x ⌀50 mm | ABS | PP



YATO	
YT-74595	10

Tool apron

6 POCKETS / KIESZENI



YATO	
YT-74060	60

Safety helmet

CE





YATO	color	
YT-73980	white	40
YT-73981	red	40
YT-73982	blue	40
YT-73983	yellow	40
YT-73984	orange	40
YT-73985	green	40

Auto-darkening welding helmet

TRUE COLOR | DIN 5-8/9-13 | SHADE SCIEMNIANIE | DIN 4 | 98x56 mm | 4 ARC SENSOR CZUJNIKI ŁUKU | 0.3-1.0 ms SENSITIVITY CZUŁOŚĆ | 0.1-1.0 s DELAY OPÓŹNIENIE | FILTER TEST TEST FILTRA | DIN 16 UV/IR | SOLAR CELL OGNIWO SŁONECZNE | 2x CR2450 | LOW BATTERY ALARM WSKAŹNIK POZIOMU BATERII | 4-POINT HEADGEAR WIĘŹBA 4-PUNKTOWA | AUTO ON / OFF AUTO WŁ. WYŁ. | °C -5 +55 | MIG/MAG MMA/TIG | GRINDING SZLIFOWANIE | CUTTING CIĘCIE | CE





4 POINT HEADGEAR
WIĘŹBA 4 PUNKTOWA

Lock into a detent when lifted
Blokada w pozycji podniesionej

3 position slider to adjust the distance from eyes to lens
3 pozycje regulacji odległości od filtra

Regulation at the occipital area
Regulacja pozycji potylicznej

2-point crown strap adjustment to rise or lower the helmet
2 punktowa regulacja wysokości



Ratchet with soft rubber grip to adjust size without removing the helmet
Regulacji obwodu za pomocą systemu grzechotkowego



- *In accordance with standard EN 379*
- *Optical class: 1/1/1/1*
- *Cover lens YT-73924 included*



YATO	
YT-73921	6

NON-SPARKING

Auto-darkening welding helmet

TRUE COLOR | DIN 5-8/9-13 | SHADE SCIEMNIANIE | DIN 4
1/1/1/1 OPTICAL CLASS KLASA OPTYCZNA | 100x68 mm | 4 ARC SENSOR CZUJNIKI LUKU | 1/25000s REACTION TIME CZAS REAKCJI
SENSITIVITY CZULOSC | 0.2-1.0s | DELAY OPOZNIENIE | FILTER TEST TEST FILTRA
SOLAR CELL OGNIWO SLONECZNE | 1x LR2450 | USB CHARGING ŁADOWANIE | LOW BATTERY ALARM WSKAZNIK POZIOMU BATERII
4-POINT HEADGEAR WIEZBA 4-PUNKTOWA | MIG/MAG MMA/TIG | GRINDING AND WELDING SZLIFOWANIE I SPAWANIE | CUTTING CIECIE
CE







YATO	
YT-73930	6

Front cover lens

270x125 mm | PC



For YT-73930
TYPE EN 166:2001 F

YATO	
YT-73931	200

Auto-darkening welding helmet

TRUE COLOR | DIN 5-9/9-13 | SHADE SCIEMNIANIE | DIN 4
1/1/1/1 OPTICAL CLASS KLASA OPTYCZNA | 100x97 mm | 4 ARC SENSOR CZUJNIKI LUKU | 1/25000s REACTION TIME CZAS REAKCJI
SENSITIVITY CZULOSC | 0.2-1.0s | DELAY OPOZNIENIE | FILTER TEST TEST FILTRA
SOLAR CELL OGNIWO SLONECZNE | 1x CR2450 | LOW BATTERY ALARM WSKAZNIK POZIOMU BATERII | 4-POINT HEADGEAR WIEZBA 4-PUNKTOWA
MIG/MAG MMA/TIG | GRINDING AND WELDING SZLIFOWANIE I SPAWANIE | CUTTING CIECIE | CE







YATO	
YT-73932	6

Front cover lens

5 PCS | 139x122 mm | PC



For YT-73932
TYPE EN 166:2001 F

YATO	
YT-73933	120

Auto-darkening welding helmet

TRUE COLOR | DIN 5-9/9-13 | SHADE SCIEMNIANIE | DIN 4
1/1/1/1 OPTICAL CLASS KLASA OPTYCZNA | 100x60 mm | 4 ARC SENSOR CZUJNIKI LUKU | 1/25000s REACTION TIME CZAS REAKCJI
SENSITIVITY CZULOSC | 0.2-1.0s | DELAY OPOZNIENIE | FILTER TEST TEST FILTRA
SOLAR CELL OGNIWO SLONECZNE | 2x CR2032 | LOW BATTERY ALARM WSKAZNIK POZIOMU BATERII | 4-POINT HEADGEAR WIEZBA 4-PUNKTOWA
MIG/MAG MMA/TIG | GRINDING AND WELDING SZLIFOWANIE I SPAWANIE | CUTTING CIECIE | CE







- *In accordance with standard EN 379*
- *Optical class: 1/1/1/1*

YATO	
YT-73934	6

Front cover lens

5 PCS | 136x122 mm | PC



For YT-73934
TYPE EN 166:2001 F

YATO	
YT-73935	120

Auto-darkening welding helmet



YATO	
YT-73936	6

Front cover lens



For YT-73936
EN 166-2001 B

YATO	
YT-73937	20/360

Auto-darkening welding helmet



YATO	
YT-73938	6

Front cover lens



For YT-73938
EN ISO 16321-1:2022 E

YATO	
YT-73939	20/240

Front cover lens



For YT-73921
TYPE FC-11 EN 166:2001 B

YATO	
YT-73924	20/160

Work socks



75% cotton, 22% polyester, 3% spandex

YATO	Size	
YT-78340	39-42	4/40
YT-78341	43-46	4/40

Work socks



75% cotton, 22% polyester, 3% spandex

YATO	Size	
YT-78342	39-42	4/40
YT-78343	43-46	4/40

Premium shoe insoles



YATO	Size	L [cm]	
YT-808701	39	26.0	7/70
YT-808702	40	27.0	7/70
YT-808703	41	27.5	7/70
YT-808704	42	28.0	7/70
YT-808705	43	28.5	7/70

YATO	Size	L [cm]	
YT-808706	44	29.0	7/70
YT-808707	45	30.0	7/70
YT-808708	46	30.5	7/70
YT-808709	47	31.0	7/70

Spiked soles for work shoes

300 mm | TTTT 45mm | CE



YATO	L [mm]	
YT-80820	300	20

Low-cut safety shoes

S1PL | 15 kN (MAX.) | 200J (MAX.) | 1100N (MAX.) | SR | SHOCK ABSORBER | ANTI STATIC | CHEMICAL PROOF

NEW



PILSEN

YATO	Size	
YT-805950	39	10
YT-805951	40	10
YT-805952	41	10
YT-805953	42	10
YT-805954	43	10

YATO	Size	
YT-805955	44	10
YT-805956	45	10
YT-805957	46	10
YT-805958	47	10

Low-cut safety shoes

S1PL | COMPOSITE TOE CAP | 15 kN (MAX.) | 200J (MAX.) | 1100N (MAX.) | SR | TPU+EVA SOLE | SHOCK ABSORBER | ANTI STATIC | CHEMICAL PROOF

NEW



PHOENIX

YATO	Size	
YT-805960	39	10
YT-805961	40	10
YT-805962	41	10
YT-805963	42	10
YT-805964	43	10

YATO	Size	
YT-805965	44	10
YT-805966	45	10
YT-805967	46	10
YT-805968	47	10

Middle-cut safety shoes

S1P | STEEL TOE CAP | 15 kN (MAX.) | 200J (MAX.) | 1100N (MAX.) | SRC | PU | SHOCK ABSORBER | ANTI STATIC | CHEMICAL PROOF | CE



- Steel toe cap
- PU sole
- Insole & mesh coated EVA
- Shock absorber

TEZU

YATO	Size	
YT-80841	39	10
YT-80842	40	10
YT-80843	41	10
YT-80844	42	10
YT-80845	43	10

YATO	Size	
YT-80846	44	10
YT-80847	45	10
YT-80848	46	10
YT-80849	47	10

Safety boots

S3 | STEEL TOE CAP | 15 kN (MAX.) | 200J (MAX.) | 1100N (MAX.) | PU | SHOCK ABSORBER | ANTI STATIC | CHEMICAL PROOF

NEW



- Steel toe cap
- PU sole
- Artificial fur insole and mesh
- Fluorescent strap

TOWER

YATO	Size	
YT-808500	39	10
YT-808501	40	10
YT-808502	41	10
YT-808503	42	10
YT-808504	43	10

YATO	Size	
YT-808505	44	10
YT-808506	45	10
YT-808507	46	10
YT-808508	47	10

NON-SPARKING

Middle-cut safety shoes



- *Fiberglass toe cap*
- *ETPU midsole for extra shock absorption*

TICAT

YATO	Size	
YT-80832	39	10
YT-80833	40	10
YT-80834	41	10
YT-80835	42	10
YT-80836	43	10

YATO	Size	
YT-80837	44	10
YT-80838	45	10
YT-80839	46	10
YT-80840	47	10

Sport safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

PARAD

YATO	Size	
YT-80501	43	10

YATO	Size	
YT-80503	45	10

Low-cut safety shoes



- *Steel toe cap*
- *PU sole*
- *Insole & mesh coated EVA*
- *Shock absorber*

PUEBLE

YATO	Size	
YT-80583	39	10
YT-80584	40	10
YT-80585	41	10
YT-80586	42	10
YT-80587	43	10

YATO	Size	
YT-80588	44	10
YT-80589	45	10
YT-80590	46	10
YT-80591	47	10

Sport safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

POMPA

YATO	Size	
YT-80509	39	10
YT-80510	40	10
YT-80511	41	10
YT-80512	42	10
YT-80513	43	10

YATO	Size	
YT-80514	44	10
YT-80515	45	10
YT-80516	46	10
YT-80517	47	10

Middle-cut safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

TARAN

YATO	Size	
YT-80750	39	10
YT-80751	40	10
YT-80752	41	10
YT-80753	42	10
YT-80754	43	10

YATO	Size	
YT-80755	44	10
YT-80756	45	10
YT-80757	46	10
YT-80758	47	10

Sport safety shoes



- *Steel toe cap*
- *Puncture-resistant flexible composite midsole*
- *Comfortable EVA foam insole*

PUBS

YATO	Size	
YT-80620	39	10
YT-80621	40	10
YT-80622	41	10
YT-80623	42	10
YT-80624	43	10

YATO	Size	
YT-80625	44	10
YT-80626	45	10
YT-80627	46	10
YT-80628	47	10

Sport safety shoes



- *Steel toe cap*
- *Puncture-resistant flexible composite midsole*
- *Comfortable EVA foam insole*

PACS

YATO	Size	
YT-80629	36	10
YT-80630	37	10
YT-80631	38	10
YT-80632	39	10
YT-80633	40	10
YT-80634	41	10

YATO	Size	
YT-80635	42	10
YT-80636	43	10
YT-80637	44	10
YT-80638	45	10
YT-80639	46	10
YT-80640	47	10

Low-cut safety shoes



- *Steel toe cap*
- *Puncture-resistant flexible composite midsole*
- *Breathable and comfortable lining*

PRIME

YATO	Size	
YT-80530	39	10
YT-80531	40	10
YT-80532	41	10
YT-80533	42	10
YT-80534	43	10

YATO	Size	
YT-80535	44	10
YT-80536	45	10
YT-80537	46	10
YT-80538	47	10

Low-cut safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

PERA

YATO	Size	
YT-80490	41	10

Low-cut safety shoes



- *Steel toe cap*
- *PU sole*
- *Insole & mesh coated EVA*
- *Shock absorber*

PIURA

YATO	Size	
YT-80552	39	10

Low-cut safety shoes



- *Steel toe cap*
- *PU sole*
- *Insole & mesh coated EVA*
- *Shock absorber*

PUNO

YATO	Size	
YT-80521	39	10
YT-80522	40	10
YT-80523	41	10
YT-80524	42	10
YT-80525	43	10

YATO	Size	
YT-80526	44	10
YT-80527	45	10
YT-80528	46	10
YT-80529	47	10

Low-cut safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

PALMA

YATO	Size	
YT-805920	36	10
YT-805921	37	10
YT-805922	38	10
YT-805923	39	10
YT-805924	40	10
YT-805925	41	10

YATO	Size	
YT-805926	42	10
YT-805927	43	10
YT-805928	44	10
YT-805929	45	10
YT-805930	46	10
YT-805931	47	10

Low-cut safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

PARAN

YATO	Size	
YT-80650	39	10
YT-80651	40	10
YT-80652	41	10
YT-80653	42	10
YT-80654	43	10

YATO	Size	
YT-80655	44	10
YT-80656	45	10
YT-80657	46	10
YT-80658	47	10

Low-cut safety shoes



- *Fiberglass toe cap*
- *Puncture-resistant flexible composite midsole*

PLATO

YATO	Size	
YT-80660	39	10
YT-80661	40	10
YT-80662	41	10
YT-80663	42	10
YT-80664	43	10

YATO	Size	
YT-80665	44	10
YT-80666	45	10
YT-80667	46	10
YT-80668	47	10

Low-cut safety shoes



- *Steel toe cap*
- *Puncture-resistant flexible composite midsole*
- *Breathable and comfortable lining*

PORTO

YATO	Size	
YT-80670	39	10
YT-80671	40	10
YT-80672	41	10
YT-80673	42	10
YT-80674	43	10

YATO	Size	
YT-80675	44	10
YT-80676	45	10
YT-80677	46	10
YT-80678	47	10

Low-cut safety shoes



TOLU

YATO	Size	
YT-80792	**37**	10
YT-80793	**38**	10
YT-80794	**39**	10
YT-80795	**40**	10
YT-80796	**41**	10
YT-80797	**42**	10

YATO	Size	
YT-80798	**43**	10
YT-80799	**44**	10
YT-80800	**45**	10
YT-80801	**46**	10
YT-80802	**47**	10

Low-cut safety shoes



- *Steel toe cap*
- *Puncture-resistant flexible composite midsole*
- *Breathable and comfortable lining*

PASADENA

YATO	Size	
YT-80680	39	10
YT-80681	40	10
YT-80682	41	10
YT-80683	42	10
YT-80684	43	10

YATO	Size	
YT-80685	44	10
YT-80686	45	10
YT-80687	46	10
YT-80688	47	10

Low-cut safety shoes



- *Composite toe cap*
- *Puncture-resistant flexible composite midsole*

PRETORIA

YATO	Size	
YT-805940	39	10
YT-805941	40	10
YT-805942	41	10
YT-805943	42	10
YT-805944	43	10

YATO	Size	
YT-805945	44	10
YT-805946	45	10
YT-805947	46	10
YT-805948	47	10

Chelsea safety boots



CHELSEA BUFFALO

YATO	Size	
YT-807722	40	10
YT-807723	41	10
YT-807724	42	10

YATO	Size	
YT-807725	43	10
YT-807726	44	10
YT-807727	45	10

Chelsea safety boots



CHELSEA VIGOR

YATO	Size	
YT-807731	39	10
YT-807732	40	10
YT-807733	41	10
YT-807734	42	10

YATO	Size	
YT-807735	43	10
YT-807736	44	10
YT-807737	45	10

Chelsea safety boots



CHELSEA BASIC

YATO	Size	
YT-807741	39	10
YT-807742	40	10
YT-807743	41	10
YT-807744	42	10

YATO	Size	
YT-807745	43	10
YT-807746	44	10
YT-807747	45	10

Chelsea safety boots



CHELSEA NOVES

YATO	Size	
YT-807761	40	10
YT-807762	41	10
YT-807763	42	10

YATO	Size	
YT-807764	43	10
YT-807765	44	10
YT-807766	45	10

Chelsea safety boots



CHELSEA BASIC

YATO	Size	
YT-807751	39	10
YT-807752	40	10
YT-807753	41	10
YT-807754	42	10

YATO	Size	
YT-807755	43	10
YT-807756	44	10
YT-807757	45	10

Chelsea safety boots



CHELSEA NOMAD

YATO	Size	
YT-807771	40	10
YT-807772	41	10
YT-807773	42	10

YATO	Size	
YT-807774	43	10
YT-807775	44	10
YT-807776	45	10

Safety rain boots



- Steel toe cap
- Knee high PVC boots
- Cleated PVC outsole
- Shock absorber

PORTLAND

YATO	Size	
YT-80881	39	8
YT-80882	40	8
YT-80883	41	8
YT-80884	42	8
YT-80885	43	8
YT-80886	44	8
YT-80887	45	8
YT-80888	46	8

Winter jacket



100% polyester

FROST

YATO	Size	
YT-79620	S	10
YT-79621	M	10
YT-79622	L	10
YT-79623	XL	10
YT-79624	XXL	10
YT-79625	XXXL	10

Heated softshell jacket



100% polyester

RADIATOR

YATO	Size	
YT-79570	S	10
YT-79571	M	10
YT-79572	L	10
YT-79573	XL	10
YT-79574	XXL	10
YT-79575	XXXL	10

Rain boots



YATO	Size	
YT-80890	39	10
YT-80891	40	10
YT-80892	41	10
YT-80893	42	10
YT-80894	43	10
YT-80895	44	10
YT-80896	45	10
YT-80897	46	10
YT-80898	47	10

Softshell jacket



96% polyester,
4% spandex

OBSIDIAN

YATO	Size	
YT-79550	S	10
YT-79551	M	10
YT-79552	L	10
YT-79553	XL	10
YT-79554	XXL	10
YT-79555	XXXL	10

Softshell jacket



96% polyester,
4% spandex

NIMBOSTRATUS

YATO	Size	
YT-79540	S	10
YT-79541	M	10
YT-79542	L	10
YT-79543	XL	10
YT-79544	XXL	10
YT-79545	XXXL	10

Insulated bodywarmer



Main fabric: 100% polyester;
inserts fabric: 96% polyester, 4% elastane

ALASKA

YATO	Size	
YT-79660	S	10
YT-79661	M	10
YT-79662	L	10
YT-79663	XL	10
YT-79664	XXL	10
YT-79665	XXXL	10

Softshell jacket



96% polyester, 4% spandex

STRATUS

YATO	Size	
YT-79560	S	10
YT-79561	M	10
YT-79562	L	10
YT-79563	XL	10
YT-79564	XXL	10
YT-79565	XXXL	10

Fleece jacket



100% polyester

SOFT ROSE

YATO	Size	
YT-79200	S	10
YT-79201	M	10
YT-79202	L	10
YT-79203	XL	10
YT-79204	XXL	10
YT-79205	XXXL	10

Fleece jacket



420 g/m²
3 POCKETS / KIESZENIE

100% polyester

MAX HEAVY

YATO	Size	
YT-79520	S	10
YT-79521	M	10
YT-79522	L	10
YT-79523	XL	10
YT-79524	XXL	10
YT-79525	XXXL	10

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79176	S	20
YT-79177	M	20
YT-79178	L	20
YT-79179	XL	20
YT-79180	XXL	20
YT-79181	XXXL	20

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79194	S	20
YT-79195	M	20
YT-79196	L	20
YT-79197	XL	20
YT-79198	XXL	20
YT-79199	XXXL	20

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79160	S	20
YT-79161	M	20
YT-79162	L	20
YT-79163	XL	20
YT-79164	XXL	20
YT-79165	XXXL	20

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79182	S	20
YT-79183	M	20
YT-79184	L	20
YT-79185	XL	20
YT-79186	XXL	20
YT-79187	XXXL	20

Working jacket



275 g/m²
8 POCKETS / KIESZENIE

65% polyester, 35% cotton

DUERO

YATO	Size	
YT-8020	S	20
YT-8021	M	10
YT-8022	L	10
YT-8023	XL	10
YT-8024	XXL	10

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79170	S	20
YT-79171	M	20
YT-79172	L	20
YT-79173	XL	20
YT-79174	XXL	20
YT-79175	XXXL	20

Fleece jacket



300 g/m²
5 POCKETS / KIESZENIE
STRETCH / STRECZ
2 PVC

Main fabric: 100% polyester;
inserts fabric: 85% polyester, 15% elastane

SARNA

YATO	Size	
YT-79188	S	20
YT-79189	M	20
YT-79190	L	20
YT-79191	XL	20
YT-79192	XXL	20
YT-79193	XXXL	20

Working jacket



267 g/m²
8 POCKETS / KIESZENIE
2 PVC

65% polyester, 35% cotton

BASALT

YATO	Size	
YT-80140	S	10
YT-80141	M	10
YT-80142	L	10
YT-80143	L/XL	10
YT-80144	XL	10
YT-80145	XXL	10

Working jacket



267 g/m² | 8 pockets | PVC

65% polyester, 35% cotton

PEGMA

YATO	Size	
YT-80176	S	10
YT-80177	M	10
YT-80178	L	10
YT-80179	L/XL	10
YT-80180	XL	10
YT-80181	XXL	10

Working jacket



270 g/m² | 4 pockets | PVC

65% polyester, 35% cotton

DAN

YATO	Size	
YT-80280	S	10
YT-80281	M	10
YT-80282	L	10
YT-80283	XL	10
YT-80284	XXL	10

Working trousers



NEW

270 g/m² | 5 pockets | PVC

DAN

YATO	Size	
YT-80285	S	10
YT-80286	M	10
YT-80287	L	10
YT-80288	XL	10
YT-80289	XXL	10

Working jacket



245 g/m² | 5 pockets | PVC

65% polyester, 35% cotton

DORIA

YATO	Size	
YT-80395	S	10
YT-80396	M	10
YT-80397	L	10
YT-80398	L/XL	10
YT-80399	XL	10
YT-80400	XXL	10

Working shorts



245 g/m² | 7 pockets | PVC

65% polyester, 35% cotton

DORIA

YATO	Size	
YT-80924	S	10
YT-80925	M	10
YT-80926	L	10
YT-80927	L/XL	10
YT-80928	XL	10
YT-80929	XXL	10

Working trousers



190 g/m² | 9 pockets | PVC

DAN

YATO	Size	
YT-80906	S	10
YT-80907	M	10
YT-80908	L	10
YT-80909	L-XL	10
YT-80910	XL	10
YT-80911	2XL	10

Working jacket



NEW

190 g/m² | 8 pockets | PVC

65% polyester, 35% cotton

ANDESITE

YATO	Size	
YT-80900	S	10
YT-80901	M	10
YT-80902	L	10
YT-80903	XL	10
YT-80904	XXL	10
YT-80905	XXXL	10

Working shorts



245 g/m² | 10 pockets | PVC

100% cotton

ASH

YATO	Size	
YT-80930	S	10
YT-80931	M	10
YT-80932	L	10
YT-80933	L/XL	10
YT-80934	XL	10
YT-80935	XXL	10

Working trousers



325 g/m² | 17 pockets | SPANDEX | PVC

71% cotton, 25.5% polyester, 2% viscose, 1.5% spandex

YATO	Size	
YT-79050	S	10
YT-79051	M	10
YT-79052	L	10
YT-79053	L/XL	10
YT-79054	XL	10
YT-79055	XXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79090	S	10
YT-79091	M	10
YT-79092	L	10
YT-79093	XL	10
YT-79094	XXL	10
YT-79095	XXXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79120	S	10
YT-79121	M	10
YT-79122	L	10
YT-79123	XL	10
YT-79124	XXL	10
YT-79125	XXXL	10

Working trousers

275 g/m² | 9 POCKETS





65% polyester, 35% cotton

DUERO

YATO	Size	
YT-8025	S	10
YT-8026	M	10
YT-8027	L	20
YT-8028	XL	10
YT-8029	XXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79100	S	10
YT-79101	M	10
YT-79102	L	10
YT-79103	XL	10
YT-79104	XXL	10
YT-79105	XXXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79130	S	10
YT-79131	M	10
YT-79132	L	10
YT-79133	XL	10
YT-79134	XXL	10
YT-79135	XXXL	10

Working trousers

450 g/m² | 10 POCKETS | SPANDEX





72% cotton, 25% polyester, 3% spandex

MARA

YATO	Size	
YT-79080	S	10
YT-79081	M	10
YT-79082	L	10
YT-79083	XL	10
YT-79084	XXL	10
YT-79085	XXXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79110	S	10
YT-79111	M	10
YT-79112	L	10
YT-79113	XL	10
YT-79114	XXL	10
YT-79115	XXXL	10

Working trousers

260 g/m² | 11 POCKETS | SPANDEX





Main fabric: 65% polyester, 35% cotton; inserts fabric: 94% polyamide, 6% elastane

SERWAL

YATO	Size	
YT-79140	S	10
YT-79141	M	10
YT-79142	L	10
YT-79143	XL	10
YT-79144	XXL	10
YT-79145	XXXL	10

Working trousers

270 g/m² | 9 POCKETS | 2 PVC

NEW





100% cotton

PALEA

YATO	Size	
YT-80164	S	10
YT-80165	M	10
YT-80166	L	10
YT-80167	XL	10
YT-80168	XXL	10
YT-80169	XXXL	10

Working trousers

300 g/m² · 7 pockets





COMFY

100% brushed cotton

YATO	Size	
YT-79240	S	10
YT-79241	M	10
YT-79242	L	10
YT-79243	L/XL	10
YT-79244	XL	10
YT-79245	XXL	10

Working trousers

267 g/m² · 9 pockets





BASALT

65% polyester, 35% cotton

YATO	Size	
YT-80146	S	10
YT-80147	M	10
YT-80148	L	10
YT-80149	L/XL	10
YT-80150	XL	10
YT-80151	XXL	10

Reflective winter trousers with padding

400 g/m² · PU coating · 5000 mm · 5000 g/m² · 6 pockets



100% polyester

YATO	Size	
YT-80955	S	10

Working trousers

267 g/m² · 9 pockets





PEGMA

65% polyester, 35% cotton

YATO	Size	
YT-80182	S	10
YT-80183	M	10
YT-80184	L	10
YT-80185	L/XL	10
YT-80186	XL	10
YT-80187	XXL	10

Work overall





65% polyester, 35% cotton

YATO	Size	
YT-80194	S	10
YT-80195	M	10
YT-80197	L/XL	10
YT-80199	XXL	10
YT-80199A	XXXL	10
YT-80199B	XXXXL	10

Reflective winter bib pants with padding

400 g/m²





100% polyester

YATO	Size	
YT-79400	S	10
YT-79401	M	10
YT-79402	L	10
YT-79403	XL	10
YT-79404	XXL	10

Working trousers

245 g/m² · 5 pockets





DORIA

65% polyester, 35% cotton

YATO	Size	
YT-80401	S	10
YT-80402	M	10
YT-80403	L	10
YT-80404	L/XL	10
YT-80405	XL	10
YT-80406	XXL	10

Reflective winter bib pants with padding

400 g/m² · PU coating · 5000 mm · 5000 g/m² · 7 pockets





YATO	Size	
YT-80962	L	10
YT-80963	XL	10
YT-80964	XXL	10

Reflective waterproof winter safety jacket

440 g/m² · PU coating · 5000 mm · 5000 g/m² · 3 pockets





YATO	Size	
YT-80950	S	10
YT-80951	M	10
YT-80952	L	10
YT-80953	XL	10
YT-80954	XXL	10

Work bib pants

267 g/m²
11 POCKETS





PEGMA

65% polyester, 35% cotton

YATO	Size	
YT-80188	S	10
YT-80189	M	10
YT-80190	L	10
YT-80191	L/XL	10
YT-80192	XL	10
YT-80193	XXL	10

Work bib pants

270 g/m²
7 POCKETS





DAN

65% polyester, 35% cotton

YATO	Size	
YT-80290	S	10
YT-80291	M	10
YT-80292	L	10
YT-80293	XL	10
YT-80294	XXL	10

Work bib pants

300 g/m²
9 POCKETS





COMFY

100% brushed cotton

YATO	Size	
YT-79250	S	10
YT-79251	M	10
YT-79252	L	10
YT-79253	L/XL	10
YT-79254	XL	10
YT-79255	XXL	10

Work bib pants

245 g/m²
7 POCKETS





DORIA

65% polyester, 35% cotton

YATO	Size	
YT-80407	S	10
YT-80408	M	10
YT-80409	L	10
YT-80410	L/XL	10
YT-80411	XL	10
YT-80412	XXL	10

Work bib pants

275 g/m²
11 POCKETS





DUERO

65% polyester, 35% cotton

YATO	Size	
YT-8030	S	10
YT-8031	M	10
YT-8032	L	10
YT-8033	XL	10
YT-8034	XXL	10

Work bib pants

267 g/m²
11 POCKETS





BASALT

65% polyester, 35% cotton

YATO	Size	
YT-80152	S	10
YT-80153	M	10
YT-80154	L	10
YT-80155	L/XL	10
YT-80156	XL	10
YT-80157	XXL	10

Raincoat

100% POLYESTER POLIESTER
PVC COATING POWŁOKA
2 POCKETS KIESZENIE
2 PVC

NEW





NAVY LIGHT

100% polyester

YATO	Size	
YT-79716	S	20
YT-79717	M	20
YT-79718	L	20
YT-79719	XL	20
YT-79720	XXL	20
YT-79721	XXXL	20

Raincoat

100% POLYESTER POLIESTER
PVC COATING POWŁOKA
2 POCKETS KIESZENIE
2 PVC

NEW





NAVY COMFORT

100% polyester

YATO	Size	
YT-79728	S	20
YT-79729	M	20
YT-79730	L	20
YT-79731	XL	20
YT-79732	XXL	20
YT-79733	XXXL	20

Rainsuit

100% POLYESTER POLIESTER
PVC COATING POWŁOKA
2 POCKETS KIESZENIE
2 PVC

NEW





NAVY LIGHT

100% polyester

YATO	Size	
YT-79722	S	16
YT-79723	M	16
YT-79724	L	16
YT-79725	XL	16
YT-79726	XXL	16
YT-79727	XXXL	16


SARNA
SERWAL
PAERIS


YATO

Hose connector

5/16" 8 mm
ABS PP



YATO	
YT-89018	24/240

Waterstop hose connector

⌀1/2" 12.7mm
STOP
ABS PP TPR



YATO	
YT-99803	12/120

Hose connector

⌀3/4" 19 mm
STOP
ABS PP TPR



YATO	
YT-89012	24/240

Hose connector

⌀1/2" 12.7mm
ABS PP TPR



YATO	
YT-99801	12/120

Waterstop hose connector

⌀1/2" 12.7mm
STOP
ABS PP TPR



YATO	
YT-89011	24/240

Hose connector with lock

⌀3/4" 19 mm
ABS PP TPR



YATO	
YT-89032	24/240

Hose connector

⌀1/2" 12.7mm
ABS PP TPR



YATO	
YT-89010	24/240

Waterstop hose connector with lock

⌀1/2" 12.7mm
STOP
ABS PP TPR



YATO	
YT-89031	24/240

Waterstop hose connector

⌀3/4" 19 mm
STOP
ABS PP TPR



YATO	
YT-99804	12/120

Hose connector with lock

⌀1/2" 12.7mm
ABS PP TPR



YATO	
YT-89030	24/240

Hose connector

⌀3/4" 19 mm
ABS PP TPR



YATO	
YT-99802	12/120

Waterstop hose connector

⌀3/4" 19 mm
STOP
ABS PP TPR



YATO	
YT-89013	24/240

Waterstop hose connector with lock

⌀3/4" 19 mm
STOP
ABS PP TPR



NEW

YATO	
YT-89033	24/240

Hose mender

⌀3/4" 19 mm
ABS PP TPR



NEW

YATO	
YT-89015	24/240

Indoor tap adapter

ABS POM BRASS MOSIĄDZ



NEW

YATO	
YT-89070	12/120

Hose mender

⌀1/2" 12.7 mm
⌀3/4" 19 mm
ABS PP TPR



YATO	
YT-99810	12/120

Hose reducer

⌀1/2" 12.7 mm
⌀3/4" 19 mm
ABS



YATO	
YT-8979	24/240

Hose coupling with valve

ABS ASA



NEW

YATO	
YT-89075	12/120

Hose mender

⌀1/2" 12.7 mm
ABS PP TPR



NEW

YATO	
YT-89014	24/240

Hose reducer

⌀1/2" 12.7 mm
⌀3/4" 19 mm
ABS



NEW

YATO	
YT-89016	24/240

Hose connector with valve and coupler

ABS PP



NEW

YATO	
YT-89076	12/120

Hose mender

⌀3/4" 19 mm
ABS PP TPR



YATO	
YT-99811	12/120

Snap-in tap adaptor

ABS



YATO	
YT-8970	24/240

Hose connector with valve

⌀1/2" 12.7 mm
ABS PP TPR



NEW

YATO	
YT-89077	12/120

Hose connector with valve

⌀3/4" 19 mm | ABS PP



YATO	
YT-89078	12/120

Tap adaptor

(F) G3/4 | ABS TPR



YATO	
YT-99812	12/120

Tap adaptor

(F) G1 | ABS TPR



YATO	
YT-89021	24/240

Adjustable angle hose connector

⌀1/2" 12.7 mm | ABS PP



YATO	
YT-89080	12/120

Tap adaptor

(F) G3/4 | ABS TPR



YATO	
YT-89020	24/240

Snap-in tap adaptor

(F) G1/2 | (F) G3/4 | ABS



YATO	
YT-8973	12/120

Adjustable angle hose connector

⌀3/4" 19 mm | ABS PP TPR



YATO	
YT-89081	12/120

Tap adaptor

(F) G1 | ABS



YATO	
YT-8972	12/120

Tap adaptor

(F) G1/2 | (F) G3/4 | ABS TPR



YATO	
YT-99814	12/120

Tap adaptor

(F) G3/4 | ABS



YATO	
YT-8971	12/120

Tap adaptor

(F) G1 | ABS TPR



YATO	
YT-99813	12/120

Tap adaptor

(F) G1/2 | (F) G3/4 | ABS TPR



YATO	
YT-89022	24/240

Snap-in tap adaptor

(F) G3/4
(F) G1
ABS



YATO	
YT-8974	12/120

Hose coupling

ABS



YATO	
YT-8976	24/240

Y-switch coupling with swivel

(F) G3/4
(F) G1
ABS



YATO	
YT-99848	12/48

Tap adaptor

(F) G3/4
(F) G1
ABS TPR



YATO	
YT-99815	12/120

Hose coupling

ABS



YATO	
YT-8977	24/240

Y-switch coupling with swivel

(F) G3/4
BRASS MOSIĄDZ
Al
ABS



YATO	
YT-9941	12/48

Tap adaptor

(F) G3/4
(F) G1
ABS TPR



YATO	
YT-89023	24/240

Y-switch coupling with swivel

(M) G3/4
(F) G3/4
ABS



YATO	
YT-8978	24/240

2-way tap connector with swivel

(F) G3/4
(F) G1
ABS
POM



YATO	
YT-89100	6/24

Tap adaptor

(M) G3/4
ABS



YATO	
YT-8975	24/240

One way tap adaptor

(F) G3/4
BRASS MOSIĄDZ
Al
ABS



YATO	
YT-9940	12/48

4-way tap connector with swivel

(F) G3/4 (F) G1 ABS POM



YATO	
YT-89103	6/24

High flow spray nozzle

ø1" 25mm | ABS PP



YATO	
YT-89055	12/96

High flow hose reducer

ø3/4" 19mm | ø1" 25mm | ABS PP



YATO	
YT-89043	12/96

High flow hose coupling

ø1" 25mm | ABS



YATO	
YT-89060	12/96

High flow hose connector

ø1" 25mm | ABS PP



YATO	
YT-89040	12/96

High flow tap adaptor

(F) G1 | ø1" 25mm | ABS



YATO	
YT-89050	12/96

High flow hose coupling

ø1" 25mm | ABS



YATO	
YT-89061	12/96

High flow waterstop hose connector

ø1" 25mm | STOP | ABS PP



YATO	
YT-89041	12/96

High flow tap adaptor

(F) G3/4 | (F) G1 | ø1" 25mm | ABS



YATO	
YT-89051	12/96

High flow hose coupling

ø1/2" 12,7mm | ø1" 25mm | ABS



YATO	
YT-89062	12/96

High flow hose mender

ø1" 25mm | ABS PP



YATO	
YT-89042	12/96

High flow tap adaptor

(M) G1 | ø1" 25mm | ABS



YATO	
YT-89052	12/96

Adjustable spray nozzle

ABS PP TPR



YATO	
YT-99830	12/120

Spray nozzle



YATO	
YT-89500	12/24

Spray gun



YATO	
YT-89513	12/24

Multifunction sprinkling gun



YATO	
YT-99841	12/48

Spray gun



YATO	
YT-89510	12/24

Spray gun with dispenser



YATO	
YT-89512	6/24

Multifunction sprinkling gun



YATO	
YT-8968	12

Adjustable spray gun



YATO	
YT-8967	12

Spray gun



YATO	
YT-89514	6/24

Spray gun



YATO	
YT-89515	6/24

Spray gun



YATO	
YT-89511	12/24

Spray lance



YATO	
YT-89610	12

NON-SPARKING

Telescopic spray lance



YATO	
YT-89611	12

Telescopic garden shower



YATO	
YT-89620	6

Telescopic jet lance



YATO	
YT-89630	12

Basic hose set with straight nozzle



YATO	
YT-99831	48

Impulse sprinkler



YATO	
YT-8985	48

Tripod impulse sprinkler



YATO	
YT-8984	12

Basic hose set with straight nozzle



YATO	
YT-99832	48

Impulse sprinkler



YATO	
YT-8986	48

8 pattern sprinkler



YATO	
YT-8991	48

Impulse sprinkler with base



YATO	
YT-89911	12

Oscillating sprinkler



YATO	
YT-89933	6

Garden hose with reel



YATO	
YT-90130	2

Oscillating sprinkler



YATO	
YT-89912	12

Adjustable oscillating sprinkler



YATO	
YT-89934	6

Garden hose with cart



YATO	
YT-90120	1

Aluminium tube oscillating sprinkler



YATO	
YT-8993	6

Hose holder



YATO	
YT-99850	2



YATO	L [mm]	
YT-90121	30000	1

Aluminium tube oscillating sprinkler



YATO	
YT-99845	6

Hose cart



YATO	
YT-99852	2

Garden hose with cart



YATO	L [mm]	
YT-90122	20000	4

Auto retract garden hose reel

⌀1/2" 12.7mm | 15 m | °C -10 +50 | AUTO REWIND | EASILY MOUNT LATWY MONTAŻ | ABS | PVC | PP | POM



YATO		
YT-90100		1

Irrigation controller

⌀3/4" 19 mm | ⌀1" 25 mm | 1min-6h | LCD | MANUAL LOCKING RĘCZNE BLOKOWANIE | DELAY TIME OPÓŹNIONY START | ABS PC POM | 2x AAA | NEW



YATO		
YT-90201		12

Bypass pruner

⌀13mm | 180 mm | PTFE



YATO	L [mm]	
YT-8805	180	12/72

Auto retract garden hose reel

⌀1/2" 12.7mm | 25 m | °C -10 +50 | AUTO REWIND | EASILY MOUNT LATWY MONTAŻ | ABS | PVC | PP | POM



YATO		
YT-90101		1

Bypass pruner

⌀15mm | 205 mm



YATO	L [mm]	
YT-8800	205	12/72

Ratchet anvil pruner

⌀19mm | 200 mm | SK5 | PTFE



YATO	L [mm]	
YT-8807	200	12/72

Auto retract garden hose reel

⌀1/2" 12.7mm | 40 m | °C -10 +50 | AUTO REWIND | EASILY MOUNT LATWY MONTAŻ | ABS | PVC | PP | POM | NEW



YATO		
YT-90102		1

Bypass pruner

⌀25mm | 220 mm | PTFE



YATO	L [mm]	
YT-8801	220	12/72

Ratchet anvil pruner

⌀19mm | 200 mm | SK5 | PTFE



YATO	L [mm]	
YT-8808	200	12/72

Irrigation controller

⌀3/4" 19 mm | ⌀1" 25 mm | 1min-6h | LCD | MANUAL LOCKING RĘCZNE BLOKOWANIE | DELAY TIME OPÓŹNIONY START | ABS PC POM | 2x AAA | NEW



YATO	Size	
YT-90200	1/2"(12.7mm)	12

Anvil pruner

⌀19mm | 200 mm | PTFE



YATO	L [mm]	
YT-8802	200	12/72

Bypass pruner

⌀19mm | 210 mm | SK5 | PTFE



YATO	L [mm]	
YT-8809	210	12/72

Bypass pruner



YATO	L [mm]	
YT-8811	190	12/72

Flora scissors



YATO	L [mm]	
YT-87860	155	12/120

Fruit and flower shears



YATO	L [mm]	
YT-8816	190	12/72

Bypass pruner



YATO	L [mm]	
YT-8845	200	12/72

Flora scissors



YATO	L [mm]	
YT-87861	215	12/96

Fruit and flower shears





YATO	L [mm]	
YT-8817	190	12/72

Bypass pruner



YATO	L [mm]	
YT-8790	200	12/60

Fruit and flower shears



YATO	L [mm]	
YT-8791	200	12/60

Grafting tool



YATO		
YT-88505		20

Flora scissors with rose thorn remover



YATO	L [mm]	
YT-87850	205	50/100

Fruit and flower shears



YATO	L [mm]	
YT-8815	180	12/72

Bypass pruner



YATO	L [mm]	
YT-88180	208	12/48

Anvil pruner

⌀20mm | 208 mm | SK5 | PTFE | PP



YATO	L [mm]	
YT-88182	208	12/48

Bypass pruner

⌀20mm | 208 mm | SK5 | PTFE | PP | ADJUSTABLE RANGE / REGULOWANY ROZSTAW



YATO	L [mm]	
YT-88190	208	12/48

Bypass pruner

205 mm | ⌀20mm | LOCK / BLOKADA | SK5 | TPR / PP | PTFE



YATO	L [mm]	
YT-87890	205	20/40

Bypass pruner

⌀20mm | 205 mm | SK5 | PTFE | Al



YATO	L [mm]	
YT-88183	205	12/48

Anvil pruner

⌀20mm | 208 mm | SK5 | PTFE | PP | ADJUSTABLE RANGE / REGULOWANY ROZSTAW



YATO	L [mm]	
YT-88191	208	12/48

Anvil pruner

205 mm | ⌀20mm | LOCK / BLOKADA | SK5 | TPR / PP | PTFE



YATO	L [mm]	
YT-87891	205	20/40

Bypass pruner

⌀20mm | 220 mm | SK5 | PTFE | PP | ADJUSTABLE RANGE / REGULOWANY ROZSTAW



YATO	L [mm]	
YT-88185	220	12/48

Bypass pruner

⌀14mm | 180 mm | SS / STAINLESS STEEL / STAL NIERDZEWNA | Al / HANDLE / UCHWYT | LOCK / BLOKADA



YATO	L [mm]	
YT-8843	180	5/60

Bypass pruner

205 mm | ⌀20mm | LOCK / BLOKADA | SK5 | TPR | PTFE | Al



YATO	L [mm]	
YT-88120	205	20/40

Bypass pruner

⌀20mm | 220 mm | SK5 | PTFE | Al | ADJUSTABLE RANGE / REGULOWANY ROZSTAW



YATO	L [mm]	
YT-88186	220	12/48

Bypass pruner

⌀15mm | 200 mm | SK5 | Al / HANDLE / UCHWYT



YATO	L [mm]	
YT-8849	200	12/72

Anvil pruner

205 mm | ⌀20mm | LOCK / BLOKADA | SK5 | TPR | PTFE | Al



YATO	L [mm]	
YT-88121	205	20/40

Ratchet anvil pruner

190 mm | ⌀20mm | LOCK BLOKADA | SK5 | TPR | PTFE | Al



YATO	L [mm]	
YT-88122	190	20/40

Bypass lopper

⌀35mm | 705 mm | PTFE



YATO	L [mm]	
YT-8833	705	12

Telescopic bypass lopper

⌀32mm | 650-900 mm | PTFE



YATO	L [mm]	
YT-8839	650-900	6

Ratchet anvil pruner

200 mm | ⌀20mm | LOCK BLOKADA | SK5 | TPR | PTFE | Al



YATO	L [mm]	
YT-88123	200	20/40

Anvil lopper

⌀44mm | 780 mm | PTFE



YATO	L [mm]	
YT-8835	780	12

Telescopic anvil lopper

⌀38mm | 640-885 mm | PTFE



YATO	L [mm]	
YT-8840	640-885	6

Bypass lopper

⌀25mm | 625 mm



YATO	L [mm]	
YT-8831	625	12

Anvil lopper

⌀44mm | 770 mm | PTFE



YATO	L [mm]	
YT-8836	770	12

Telescopic bypass lopper

⌀32mm | 690-930 mm | PTFE



YATO	L [mm]	
YT-8841	690-930	6

Anvil lopper

⌀25mm | 635 mm



YATO	L [mm]	
YT-8832	635	12

Telescopic bypass lopper

⌀35mm | 630-960 mm | PTFE



YATO	L [mm]	
YT-8838	630-960	6/12

Telescopic anvil lopper

⌀41mm | 660-910 mm | PTFE



YATO	L [mm]	
YT-8842	660-910	12

Bypass lopper

760 mm | ⌀40 mm | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88290	760	8

Telescopic anvil lopper

660-910 mm | ⌀40 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88294	660-910	6

Blade and anvil for lopper

SK5 | NON-STICK COATING NIEPRZYWIERAJĄCA POWŁOKA

NEW



For: YT-88296, YT-88297

YATO	L [mm]	
YT-88298	610	25

Telescopic bypass lopper

660-910 mm | ⌀40 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88291	660-910	8

Blade and anvil for lopper

SK5 | NON-STICK COATING NIEPRZYWIERAJĄCA POWŁOKA

NEW



For: YT-88293, YT-88294

YATO	L [mm]	
YT-88295	610	25

Telescopic anvil lopper

660-910 mm | ⌀50 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88299	660-910	8

Blade for looper

SK5 | NON-STICK COATING NIEPRZYWIERAJĄCA POWŁOKA

NEW



For: YT-88290, YT-88291

YATO	L [mm]	
YT-88292	610	50

Telescopic anvil lopper

760 mm | ⌀40 mm | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88296	760	8

Blade and anvil for lopper

SK5 | NON-STICK COATING NIEPRZYWIERAJĄCA POWŁOKA

NEW



For YT-88299

YATO	L [mm]	
YT-88300	610	30

Anvil lopper

760 mm | ⌀40 mm | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88293	760	8

Telescopic anvil lopper

660-910 mm | ⌀40 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | TPR PP | PTFE | SK5 | Al



YATO	L [mm]	
YT-88297	660-910	6

Anvil lopper

480 mm | ⌀25 mm | NYLON | 65Mn | PTFE | ULTRA LIGHT ULTRALEKKOŚĆ



ULTRA LIGHT

YATO	L [mm]	
YT-88307	480	30

NON-SPARKING

Telescopic tree pruner

156-180 cm | ⌀35 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | 65Mn | PTFE | Al



YATO	L [mm]	
YT-88770	1560-1800	10

Hedge shears

205/520 mm



YATO	L [mm]	
YT-8821	520	24

Hedge shears

⌀6 mm | 220/610 mm | 65Mn | Al | TPR PP | PTFE | NEW



YATO	L [mm]	
YT-88212	610	8

Telescopic tree pruner with saw

166-200 cm | ⌀35 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | HRC 63-67 | 65Mn | PTFE | SK5 | Al



YATO	L [mm]	
YT-88771	1660-2000	10

Hedge shears

205/550 mm



YATO	L [mm]	
YT-8822	550	12

Telescopic hedge shears

⌀6 mm | 220/660-825 mm | 65Mn | Al | TPR PP | PTFE | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | NEW



YATO	L [mm]	
YT-88213	660-825	8

Saw blade for tree pruner

360 mm | HRC 63-67 | SK5 | NEW



For YT-88771

YATO	L [mm]	
YT-88772	610	32

Hedge shears

254/650 mm | PTFE



YATO	L [mm]	
YT-8823	650	12

Telescopic hedge shears

220/610 mm | ⌀6 mm | TPR PP | PTFE | 65Mn | Al



YATO	L [mm]	
YT-88214	610	8

Leverage tree pruner

⌀28 mm | 325 mm | PTFE



YATO	L [mm]	
YT-8876	325	12

Telescopic hedge shears

210/690-890 mm | PTFE



YATO	L [mm]	
YT-8824	690-890	6

Telescopic hedge shears

220/660-825 mm | ⌀6 mm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | TPR PP | PTFE | 65Mn | Al



YATO	L [mm]	
YT-88215	660-825	8

Hedge shears

200/605 mm | ⌀ 3 mm | NYLON | PTFE | 65Mn | ULTRA LIGHT



ULTRA LIGHT

YATO	L [mm]	
YT-88250	650	30

Grass shears

130/370 mm | 16 POSITIONS POSYCYLE | 360° | PTFE



YATO	L [mm]	
YT-8854	370	6/72

Folding pruning saw

9 TPI | 1.2 mm | HRC 62-64 | SK5 | PTFE | ABS TPR





YATO	L [mm]	
YT-87730	180	12/48
YT-87731	210	12/48
YT-87732	250	12/48

Grass shears

130/330 mm | 3 POSITIONS POSYCYLE | PTFE



YATO	L [mm]	
YT-8851	330	12/60

Telescopic pole saw

156-400 cm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | HRC 63-67 | SK5 | Al



YATO	L [mm]	
YT-88780	1560-4000	8

Transplanter

350 mm



YATO	L [mm]	
YT-8865	350	10/60

Grass shears

120/310 mm | 8 POSITIONS POSYCYLE | PTFE



YATO	L [mm]	
YT-8852	310	6/24

Telescopic pole saw

180-500 cm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | HRC 63-67 | SK5 | Al



YATO	L [mm]	
YT-88781	1800-5000	8

Rake

325 mm



YATO	L [mm]	
YT-8866	325	10/60

Grass shears

130/370 mm | 16 POSITIONS POSYCYLE | 360° | PTFE



YATO	L [mm]	
YT-8853	370	6/72

Pruning saw

350 mm | SK5 | Al



For YT-88780, YT-88781

YATO	L [mm]	
YT-87750	350	50/100

Hoe and cultivator

310 mm



YATO	L [mm]	
YT-8867	310	10/60

NON-SPARKING

Cultivator

420 mm



YATO	L [mm]	
YT-8868	420	10/60

Transplanter

340 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8886	340	12/72

Garden dibber

280 mm | SS STAINLESS STEEL STAL NIERDZEWNA



YATO	L [mm]	
YT-8894	280	10/60

Garden rake

400 mm



YATO	L [mm]	
YT-8869	400	10/60

Cultivator

270 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8890	270	12/72

Hoe

280 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8889	280	12/72

Transplanter

360 mm



YATO	L [mm]	
YT-8870	360	10/60

Rolling tiller

370 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8891	370	12/72

Garden dibber

290 mm | TPR PP | SS STAINLESS STEEL STAL NIERDZEWNA



YATO	L [mm]	
YT-88940	290	20/40

Transplanter

340 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8885	340	12/72

Hoe and cultivator

320 mm | CHROME PLATED CHROMO-WANE



YATO	L [mm]	
YT-8892	320	12/72

Bulb planter

240 mm | HRC 63-67 | PP | SS STAINLESS STEEL STAL NIERDZEWNA



YATO	L [mm]	
YT-88750	240	24

Sharp spade

120 cm
HRC 40-48
1050 Mn



YATO	L [cm]	
YT-86804	120	6

Digging fork

120 cm



YATO	L [cm]	
YT-86805	120	6

Lifting tongs

450 mm
300 mm



YATO	L [mm]	
YT-79904	450	6/24

Flat spade

120 cm
HRC 40-48
1050 Mn



YATO	L [cm]	
YT-86800	120	6

Digging fork

120 cm



YATO	L [cm]	
YT-86809	120	6

Lifting tongs

330 mm
180 mm



YATO	L [mm]	
YT-79905	330	20

Coal shovel

120 cm
HRC 40-48
1050 Mn



YATO	L [cm]	
YT-86801	120	6

Weed puller

995 mm
Al
PP



YATO	L [mm]	
YT-86840	995	6

Lifting tongs

770 mm
275 mm



YATO	L [mm]	
YT-79907	770	6/12

Sand shovel

120 cm
HRC 40-48
1050 Mn



YATO	L [cm]	
YT-86808	120	6

Long breaking bar with hook

830 mm
DROP FORGED KUTE



YATO	L [mm]	
YT-79901	830	2/8

Lifting hook

265 mm



YATO	L [mm]	
YT-79910	265	30

Log lifting pick

Al | ANTI-SLIP HANDLE UCHWYT ANTY-POŚLIZGOWY



YATO	L [mm]	
YT-79915	580	12
YT-79916	720	12

Multiple holder

18-32 mm | x5 HOLDERS UCHWYTY | x6 HOOKS HAK | 320 g | ABS TPR



YATO	
YT-87650	40

Sawhorse for cutting and storing logs

770x520 x1050 mm | max 200 kg



YATO	
YT-79926	1

Plastic felling wedge

WOOD DREWNO



YATO	Dimensions [mm]	m [g]	
YT-79883	136x65x25	95	50/100
YT-79882	205x72x30	220	20/40
YT-79881	245x85x30	315	20/40
YT-79880	300x85x35	430	20/40

Foot-operated log splitter

max 430x180 mm | 1.2t





YATO	
YT-79943	2

Sawhorse

920 x1020 mm | max 150 kg | ZINC PLATED OCYNKOWANA





YATO	
YT-79925	1

Felling wedges set

4 PCS | WOOD DREWNO | PP



YATO	L [mm]	
YT-79884	136, 205, 245, 300	20

Wood splitter (knife)

355x40 mm | 680x8mm





YATO	
YT-79940	4

Transport cart wheel

ø170 mm

NEW



For YT-86950

YATO	Ø [mm]	
YT-86951	170	12

NON-SPARKING

Folding transport cart

94x58 x100 cm | max 100 kg | ⌀170 mm



YATO	
YT-86950	1

Garden tipping cart

XL | 1020x710 x825 mm | max 350 kg | ⌀250 mm



- *Pneumatic wheels*

YATO	Max. load capacity [kg]	
YT-86960	350	1

Garden tipping cart

XXL | 1160x810 x1030 mm | max 550 kg | ⌀330 mm



- *Pneumatic wheels*

YATO	Max. load capacity [kg]	
YT-86961	550	1

Garden roller

65 L | 50 cm | ⌀40 cm | 13 kg



- *Adjustable mud scraper*
- *Handle with foam cover*

YATO	Working part width [mm]	
YT-86760	500	1

Compost spreader

60 cm | ⌀40 cm | max 50 kg



- *Telescopic handle with 3 levels of height adjustment*
- *Steel mesh basket 60 cm width*

YATO	Working part width [mm]	
YT-86763	600	1

Cylinder lawn mower

400 mm | 43 17 mm | PP



YATO		
YT-86650		1

Leaf and grass collector

530 mm | 100L | PP | PE



YATO		
YT-86660		1

Handheld spreader

3 L | 1.8-3.6 m | 1 2 3 4 5 | PP



- *Ergonomic armrest to ensure work comfort*
- *For sowing grass, fertilization, spreading of salt and sand*

YATO	[l]	
YT-86700	3	1

Universal spreader

25 L | 0.5 m | 1 2 3 ... 10 | 10" | PP



- *Dosage adjustment by lever*
- *For sowing grass, fertilization, spreading of salt and sand*

YATO	[l]	
YT-86713	25	1

Broadcast spreader

23 L | max 25 kg



- *Dosage adjustment by lever in handle*
- *Big pneumatic wheels 12"*
- *Set includes sieve and pouch*

YATO	[l]	
YT-86715	23	1


YATO



ONE BATTERY, LOTS OF POSSIBILITIES

The 18 V system means power, freedom and savings!

This series of YATO cordless tools is powered by the same type of heavy-duty 18 V battery and thanks to their extensive selection you can equip a professional workshop, as well as take care of your home and garden. These devices are available in two versions: in a set with batteries and quick charger or without them, which is a perfect solution if you are expanding your collection of tools

Cordless impact drill/driver (tool only)









Battery not included
Ohne Akku / Bez akumulatora / Bez baterie / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 93,0 ± 3,0 dB; a_h = 3,0 ± 1,5 / 9,89 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82787	18	5

Brushless cordless drill/driver









L_{pA} = 87,0 ± 5,0 dB; L_{wA} = 98,0 ± 5,0 dB; a_h = 6,23 ± 1,5 / 4,37 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-82791	18	3000	1.5	2		3
YT-82792	18	-	-	lack		6

Brushless cordless drill/driver









L_{pA} = 82,0 ± 5,0 dB; L_{wA} = 90,0 ± 5,0 dB; a_h = 1,3 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-827788	18	2000	1	1	6
YT-8277905	18	2000	1	2	6
YT-827790	18	-	-	lack	10

Brushless cordless drill/driver







L_{pA} = 82,0 ± 5,0 dB; L_{wA} = 90,0 ± 5,0 dB; a_h = 1,3 ± 1,5 / 11,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-827791	18	-	-	lack	8
YT-8277915	18	4000	2	2	4

Brushless cordless drill/driver









YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-827820	18	4000	2	1	5
YT-827821	18	4000	2	2	5
YT-827822	18	-	-	lack	5

Cordless impact screwdriver









L_{pA} = 99,0 ± 3,0 dB; L_{wA} = 107,0 ± 3,0 dB; a_h = 12,9 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-82798	18	4000	2	1		6
YT-82799	18	-	-	lack		6

Cordless drywall screwdriver

18 V Li-Ion | 0-4000 min⁻¹ | 1/4" 6.3 mm



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-82075	18	4000	2	1		5
YT-82076	18	-	-	lack		10

Cordless impact wrench

18 V Li-Ion | 1/2" 12.7mm | 850 Nm | 0-2350 min⁻¹ | 0-2600 min⁻¹ | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 16,1 ± 1,5 m/s²

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-827793	18	-	-	lack	6
YT-8277935	18	4000	2	2	4

Impact tool set

21 PCS | 18 V Li-Ion | 1/2" 12,7mm | 700 Nm | 0-2600 min⁻¹ | 0-5000 min⁻¹ | 3.0 Ah | 1.5h | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII





18V Li-Ion

1/2" (12.7 mm): 17, 19, 21 mm (L=87 mm); CrMo;
1/2" (12.7 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; CrMo;
1/2" (12.7 mm); (L=75 mm); CrMo

L_{pA} = 86,0 ± 3,0 dB; L_{wA} = 97,0 ± 3,0 dB; a_h = 7,58 ± 1,5 m/s²

YATO		[V d.c.]	
YT-82807	1/2" (12.7 mm)	18	2

Cordless impact wrench

18 V Li-Ion | 1/2" 12,7mm | 1200 Nm | I-0-1400 min⁻¹ II-0-1900 min⁻¹ III-0-2400 min⁻¹ | 2200 min⁻¹ | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII

HIGH INDUSTRIAL



L_{pA} = 98,0 ± 3,0 dB; L_{wA} = 106,0 ± 3,0 dB; a_h = 19,00 ± 1,5 m/s²

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-828071	18	4000	2	1		4
YT-828072	18	-	-	lack		6

Cordless impact wrench

18 V Li-Ion | 1/2" 12,7mm | 350 Nm | 0-2500 min⁻¹ | 0-3170 min⁻¹ | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY







18V Li-Ion

L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 16,1 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-827792	18	-	-	lack	10
YT-8277925	18	4000	2	2	4

Cordless impact wrench

18 V Li-Ion | 1/2" 12,7mm | 600 Nm | I-0-1400 min⁻¹ II-0-1900 min⁻¹ III-0-2600 min⁻¹ | I-0-1400 min⁻¹ II-0-3000 min⁻¹ III-0-3500 min⁻¹ | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828063	18	4000	2	1	5
YT-828064	18	4000	2	2	5

Cordless impact wrench

18 V Li-Ion | 4.0 Ah | 1/2" 12.7mm | 1000 Nm | I-0-1400 II-0-1900 III-0-2400 | I-0-1400 II-0-2000 III-0-3500 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY







NEW

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828066	18	4000	2	1	5
YT-828067	18	4000	2	2	5

Brushless cordless impact wrench

18 V Li-Ion | 1" 25mm | 2400 Nm | I-0-1150 II-0-1450 III-0-1850 | T 2200 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII | 6.0 Ah | 3h







HIGH INDUSTRIAL

Must use ≥6Ah battery

18V Li-Ion

YATO	[V d.c.]	
YT-828079	18	3

Cordless impact wrench

18 V Li-Ion | 3/4" 19mm | 2400 Nm | I-0-1150 II-0-1450 III-0-1850 | T 2200 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII








HIGH INDUSTRIAL

18V Li-Ion

L_{pA} = 102,0 ± 3,0 dB; L_{wA} = 110,0 ± 3,0 dB; a_h = 15,3 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-828073	18	6000	3	1		3
YT-828074	18	-	-	lack		4

Cordless ratchet (tool only)

18 V Li-Ion | 1/2" 12,7mm | 270 Nm (max.) | 0-3000 | T I-0-1550 II-0-2700 III-0-3600 | IMPACT FUNCTION FUNKCJA UDARU | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



NEW

Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-827795	18	10

Cordless impact wrench

18 V Li-Ion | 3/4" 19mm | 2000 Nm | 0-1200 1650 | T 0-2200 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII







18V Li-Ion

L_{pA} = 73,0 ± 5,0 dB; L_{wA} = 81,0 ± 5,0 dB; a_h = 9,00 ± 1.5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828075	18	4000	2	1	2
YT-828076	18	-	-	lack	4

Cordless ratchet

18 V Li-Ion | 1/4" 6,3mm | 160 Nm (max.) | I-0-1100 II-0-1450 III-0-1750 | T I-0-1500 II-0-2100 III-0-2600 | IMPACT FUNCTION FUNKCJA UDARU | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



NEW

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828030	18	4000	2	1	10
YT-828031	18	-	-	lack	10

Cordless ratchet (tool only)

18 V Li-Ion | 1/2" 12.7 mm | 370 mm | 110 Nm (max.) | I-0-150 / II-0-190 / III-0-250 | BRUSHLESS MOTOR BEZSZCZOTKOWY

NEW



Battery not included
Ohne Akku / Без акумулатора / Без аку / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-828033	18	10

Cordless car air compressor

36 V 2x 18 V Li-Ion | 8 bar | 98 l/min | 6 L



- *Pressure hose*
- *Tire inflation gun*

L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 90,7 ± 3,0 dB

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-23241	36(18X2)	3000	1.5	2	1
YT-23242	36(18X2)	-	-	lack	1

Cordless ratchet (tool only)

18 V Li-Ion | 1/2" 12.7 mm | 480 mm | 110 Nm (max.) | I-0-150 / II-0-190 / III-0-250 | BRUSHLESS MOTOR BEZSZCZOTKOWY

NEW



Battery not included
Ohne Akku / Без акумулатора / Без аку / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-828035	18	10

Cordless plastic welder with accessories

18 V Li-Ion | WORKING AREA LIGHT OŚWIETLENIE OBSZARU PRACY



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-824482	18	2000	1	1		5
YT-824483	18	-	-	lack		10

Cordless glue gun

18 V Li-Ion | 25 g/min | 3x ø 11 mm | ≥ 60 min | 2.0 Ah | 1h



18V Li-Ion

Fitting glue sticks: see chapter 12

YATO	[V d.c.]	
YT-82854	18	10

Cordless car air compressor

18 V Li-Ion | 12V | 11 bar | LED LIGHTING OŚWIETLENIE | LCD BACKLIGHT PODŚWIETLENIE



18V Li-Ion

L_{pA} = 71,2 ± 3,0 dB; L_{wA} = 82,2 ± 3,0 dB; a_h = 9,75 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-23247	18	3000	1.5	1	4
YT-23248	18	-	-	lack	4

Cordless inflator

18 V Li-Ion | 1.0 MPa | 14 l/min | 50 cm





18V Li-Ion

L_{pA} = 77,1 ± 3,0 dB; L_{wA} = 85,1 ± 3,0 dB; a_h = 2,33 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82894	18	2000	1	1	5
YT-82895	18	-	-	lack	5

Cordless spray gun

18 V Li-Ion | Ø 2.2 mm | 1 l/min | 1000 ml | 4.0 Ah | 2h



18V Li-Ion

L_{pA} = 72,1 ± 3,0 dB; L_{wA} = 83,1 ± 3,0 dB; a_h = 0,203 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82765	18	4

Cordless caulking gun

18 V Li-Ion | 2000 N | 0,5-8 mm/s | 225mm



18V Li-Ion

L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 91,0 ± 3,0 dB; a_h = 1,68 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82888	18	4000	2	1	5
YT-82889	18	-	-	lack	5

Cordless spray gun (tool only)

18 V Li-Ion | 25 kPa | Ø 1.8, 2.2, 2.6, 3.0 mm | 2 in 1 2 w 1 | 1000 ml | 1 l/min | HVLP | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-82767	18	4

Cordless grease gun

18 V Li-Ion | 62 MPa | 284 g/min | 76 cm | LED LIGHTING CONVEYANCE



18V Li-Ion

L_{pA} = 76,0 ± 3,0 dB; L_{wA} = 86,0 ± 3,0 dB; a_h = 0,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-07020	18	3000	1.5	1	2
YT-07021	18	-	-	lack	2

Cordless pressure washer (tool only)

18 V Li-Ion | IN (max.) 0.5 MPa | OUT 2.3 MPa | 6 m | SUCTION FUNCTION FUNKCJA ZASYSANIA

23 bar
WATER SUCTION FUNCTION



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-85930	18	6

Cordless backpack sprayer (tool only)

2 in 1 / 2 w 1 | 18 V Li-Ion | 12 L | ≤1.5 l/min | max 7 m



Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

- *Water tank*
- *Sprayer*

L_{pA} = 60,0 ± 3,0 dB; L_{wA} = 70,0 ± 3,0 dB; a_h = 0,74 ± 1,5 m/s²

YATO	[V d.c.]	
YT-86211	18	1

Hot wire foam cutter

230V~ 50/60Hz | 18 V Li-Ion | 200 W | 0-70° | 300-500 °C | POLYSTYRENE STYROPIAN | STYROPIANE STYROPIAN | 3 m

NEW



YATO		
YT-821905		1

Cordless heat gun (tool only)

18 V Li-Ion | 550 °C | 100 l/min



Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 93,0 ± 3,0 dB; a_h = 5,14 ± 1,5 / 4,65 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82285	18	10

Cordless stirrer (tool only)

18 V Li-Ion | 0-450 min⁻¹ 0-720 min⁻¹ | ⌀ 120 mm | M14 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW



Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-82877	18	2

Cordless hot knife for polystyrene foam

18 V Li-Ion | max 200 mm | x2 BLADES OSTRZA | STYROPIAN STYROPIANE | AUTO

NEW



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-821915	18	4000	2	1		5
YT-821916	18	-	-	lack		10

Cordless concrete vibrator (motor and poker shaft)

18 V Li-Ion | 3100 min⁻¹ | 12500 min⁻¹ | 1.2 m | ⌀ 25 mm



Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

L_{pA} = 63,0 ± 3,0 dB; L_{wA} = 74,0 ± 3,0 dB; a_h = 3,2 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82604	18	4

Cordless circular saw



Fitting blades: see chapter 10
L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = 5,33 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82810	18	2000	1	1	2
YT-82811	18	-	-	lack	2

Cordless circular saw



YATO	[V d.c.]	
YT-828080	18	4

Cordless circular saw



patrz rozdział 10
L_{pA} = 94,0 ± 3,0 dB; L_{wA} = 102,0 ± 3,0 dB; a_h = 1,2 ± 1,55 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-8281185	18	4000	2	2	4
YT-828118	18	-	-	lack	4

Cordless circular saw



YATO	[V d.c.]	
YT-828081	18	4

Cordless plunge saw



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-821701	18	4000	2	1	2
YT-821702	18	-	-	lack	2

Cordless jig saw



L_{pA} = 76,0 ± 3,0 dB; L_{wA} = 87,0 ± 3,0 dB; a_h = 6,28 ± 1,5 / 5,78 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82822	18	2000	1	1	4
YT-82823	18	-	-	lack	5

Cordless miter saw



Fitting blades: see chapter 10
L_{pA} = 83,14 ± 3,0 dB; L_{wA} = 96,14 ± 3,0 dB

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82816	18	4000	2	1	1
YT-82817	18	-	-	lack	1

Cordless sabre saw



Fitting blades: see chapter 10
L_{pA} = 81,0 ± 3,0 dB; L_{wA} = 92,0 ± 3,0 dB; a_h = 7,5 ± 1,5 / 8,3 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82814	18	2000	1	1	4
YT-82815	18	-	-	lack	4

Cordless router (tool only)



Battery not included
Ohne Akku / Bez akumulatora
без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

- *Planer*
- *Straight grinder*
- *Edge trimmer*

L_{pA} = 78,0 ± 3,0 dB; L_{wA} = 89,0 ± 3,0 dB; a_h = 2,47 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82194	18	6

Cordless sabre saw



L_{pA} = 87,3 ± 5,0 dB; L_{wA} = 95,3 ± 5,0 dB; a_h = 7,2 ± 1,5 / 9,4 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828151	18	4000	2	1	6
YT-828152	18	-	-	lack	6

Cordless planer (tool only)



Battery not included
Ohne Akku / Bez akumulatora
без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

L_{pA} = 84,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB; a_h = 5,22 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82192	18	6

Cordless sabre saw



L_{pA} = 88,0 ± 5,0 dB; L_{wA} = 96,0 ± 5,0 dB; a_h = 11,63 ± 1,5 / 9,59 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828153	18	2000	1	1	6
YT-828154	18	-	-	lack	6

Cordless multi-purpose oscillating tool



L_{pA} = 77,0 ± 3,0 dB; L_{wA} = 88,0 ± 3,0 dB;
a_h = 4,68 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82818	18	2000	1	1	4
YT-82819	18	-	-	lack	4

Brushless lithium electric hydraulic cable cutter



YATO	[V d.c.]	
YT-18590	18	1

Cordless magnetic drill



YATO	[V d.c.]	
YT-820507	18	1

Brushless lithium electric hydraulic cable cutter



YATO	[V d.c.]	
YT-18592	18	1

Lithium nut breaker



YATO	[V d.c.]	
YT-05855	18	1

Lithium electric hydraulic cable cutter



YATO	[V d.c.]	
YT-18594	18	1

Lithium electric hydraulic cable cutter

18 V Li-Ion | 4.0 Ah | 2h | max Ø 50 mm

NEW



18V Li-Ion

YATO	[V d.c.]	
YT-18595	18	1

Lithium electric ratchet cable cutter

18 V Li-Ion | 4.0 Ah | 2h | 60 kN | 4-300 mm²

NEW



18V Li-Ion

YATO	[V d.c.]	
YT-21731	18	1

Lithium electric hydraulic cable cutter

18 V Li-Ion | 4.0 Ah | 2h | max Ø 60 mm

NEW



18V Li-Ion

YATO	[V d.c.]	
YT-18596	18	1

Cordless cable puller (tool only)

18 V Li-Ion | 30m | 0-28 m/min | FIBERGLASS WŁÓKNO SZKLANE | LCD | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY

NEW



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-25021	18	2

Brushless lithium electric hydraulic crimping tool

18 V Li-Ion | 4.0 Ah | 2h | 120 kN | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY

NEW



18V Li-Ion

YATO	[V d.c.]	
YT-22855	18	1

Cordless riveter

18 V Li-Ion | Ø 2.4-5.0 mm | 2040 kg 20000 N | 25 mm | ALUMINIUM ALUMINIUM | STAINLESS STEEL STAL NIERDZEWNA | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY



L_{pA} = 81,0 ± 3,0 dB; L_{wA} = 92,0 ± 3,0 dB; a_h =3,94 ± 1,5 m/s²

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82955	18	3000	1.5	1	4
YT-82956	18	-	-	lack	6

Cordless nibbler

18 V Li-Ion | 1600 min⁻¹ | max 1.6 mm STEEL STAL



• *Blade in set*

L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = 6,77 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-82398	18	4000	1	1		5
YT-82399	18	-	-	lack		10

Cordless angle grinder

18 V Li-Ion | 10000-20000 min⁻¹

NEW



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-821593	18	4000	2	1	1
YT-821594	18	-	-	lack	1

Brushless cordless straight grinder

18 V Li-Ion | 8000-26000 min⁻¹ | 6 mm | max ⌀ 25 mm | SOFT START MIĘKKI START





Must use ≥4.0Ah battery

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-8282445	18	4000	2	2	4
YT-828244	18	-	-	lack	10

Cordless multi-purpose oscillating tool

18 V Li-Ion | 10500-20000 min⁻¹ | 4° | LED | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | SOFT GRIP MIĘKKI UCHWYT

NEW





YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82226	18	4000	2	1	6
YT-82227	18	-	-	lack	6

Cordless grinders kit

18 V Li-Ion | 8000-26000 min⁻¹ | 6 mm | max ⌀ 25 mm | ⌀ 125 mm | 3000-8500 min⁻¹ | M14 | 4.0 Ah | 2h | SOFT START MIĘKKI START | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



L_{pA} = 78,0 ± 3,0 dB; L_{wA} = 89,0 ± 3,0 dB; a_h = 2,47 ± 1,5 m/s²
(Straight grinder / Szlifierka prosta);

YATO	[V d.c.]	
YT-828296	18	4

Cordless angle grinder



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828245	18	4000	2	2	4
YT-828246	18	-	-	lack	4

Cordless angle grinder



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-828254	18	4000	2	1		4
YT-828255	18	4000	2	2		4
YT-828256	18	-	-	lack		4

Brushless cordless angle grinder



Must use ≥4.0Ah battery

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828299	18	-	-	lack	4
YT-8282995	18	4000	2	2	4

Cordless tool set – drill/driver and angle grinder



YATO	[V d.c.]	
YT-828297	18	3

Cordless angle grinder



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828251	18	4000	2	1	6
YT-828252	18	4000	2	2	4
YT-828253	18	-	-	lack	8

Cordless polisher



L_{pA} = 75,0 ± 3,0 dB; L_{wA} = 86,0 ± 3,0 dB; a_h = 4,56 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82924	18	4000	3	1	6
YT-82925	18	-	-	lack	6

Cordless orbital sander (tool only)

18 V Li-Ion | 13000 min⁻¹ | 2.0 mm | 90x187 mm



Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

Fitting sand papers: see chapter 10
L_{pA} = 77,8 ± 3,0 dB; L_{wA} = 88,8 ± 3,0 dB; a_h = 5,45 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82751	18	4

Cordless orbital polisher (tool only)

18 V Li-Ion | 2500 min⁻¹ | ⌀ 254 mm | DUAL ACTION RUCH ORBITALNY | 6.0 mm | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY





Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

L_{pA} = 81,0 ± 3,0 dB; L_{wA} = 92,0 ± 3,0 dB; a_h = 7,73 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82922	18	4

Cordless random orbital sander (tool only)

18 V Li-Ion | 0-12000 min⁻¹ | 2.0 mm | ⌀ 125 mm





Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

Fitting sand papers: see chapter 10
L_{pA} = 73,7 ± 3,0 dB; L_{wA} = 84,7 ± 3,0 dB; a_h = 7,0 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82753	18	4

Cordless orbital polisher (tool only)

NEW

18 V Li-Ion | 2000/3000 4000/5800 min⁻¹ | ⌀ 80 mm | M8 | DUAL ACTION RUCH ORBITALNY | 12 mm | SOFT START MIĘKKI START | SPEED REGULATOR REGULACJA PRĘDKOŚCI | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY





Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

YATO	[V d.c.]	
YT-82927	18	8

Cordless polisher

18 V Li-Ion | 1500-5000 min⁻¹ | ⌀ 150 mm | M8 | DUAL ACTION RUCH ORBITALNY | 16 mm | 3.0 Ah | 1.5h | SOFT START MIĘKKI START | SPEED REGULATOR REGULACJA PRĘDKOŚCI | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY





L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 99,0 ± 3,0 dB; a_h = 15,540 ± 1,5 / 18,859 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82920	18	4

Cordless polisher (tool only)

NEW

18 V Li-Ion | ⌀ 80 mm | 2800-7800 min⁻¹ | M6 | LED | SOFT START MIĘKKI START | SPEED REGULATOR REGULACJA PRĘDKOŚCI | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY





Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

YATO	[V d.c.]	
YT-82929	18	10

Cordless burnishing machine (tool only)

18 V Li-Ion | ⌀120/19 x100 mm | SOFT START MIĘKKI START | BRUSHLESS MOTOR SILNIK BEZ SZCZOTKOWY | WOOD DREWNO | METAL

NEW



Battery not included
Ohne Akku / Bez akumulatora
без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-81950	18	4

Cordless rotary hammer

18 V Li-Ion | SDS PLUS | 0-1400 min⁻¹ | T 5000 min⁻¹ | 2.5J | ⌀ 22 mm | BRUSHLESS MOTOR SILNIK BEZ SZCZOTKOWY | LED LIGHTING OŚWIETLENIE

NEW



L_{pA} = 94,3 ± 3,0 dB; L_{wA} = 102,3 ± 3,0 dB; a_h = 11,364 ± 1,5 m/s²

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-827721	18	4000	2	1		3
YT-827722	18	4000	2	2		3
YT-827723	18	-	-	lack		6

Cordless random orbital sander (tool only)

18 V Li-Ion | 4000-10000 min⁻¹ | ⌀ 125 mm | 2.5 mm | BRUSHLESS MOTOR SILNIK BEZ SZCZOTKOWY | ANTI-DUST PROTECTION ZABEZPIECZENIE PRZECIWPYŁOWE

NEW



Battery not included
Ohne Akku / Bez akumulatora
без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-827533	18	8

Cordless rotary hammer

18 V Li-Ion | 0-950 min⁻¹ | T 0-4700 min⁻¹ | 2.8J | SDS PLUS | ⌀ 26 mm | BRUSHLESS MOTOR SILNIK BEZ SZCZOTKOWY

NEW



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	Package	
YT-827724	18	4000	2	2		3
YT-827725	18	4000	2	1		3
YT-827726	18	-	-	lack		5

Cordless rotary hammer (tool only)

18 V Li-Ion | SDS PLUS | 0-1000 min⁻¹ | T 0-5000 min⁻¹ | 2.4J | ⌀ 24 mm



Battery not included
Ohne Akku / Bez akumulatora
без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

L_{pA} = 89,0 ± 3,0 / 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 / 100,0 ± 3,0 dB;
a_h = 13,286 ± 1,5 / 9,473 ± 1,5 m/s²

18V Li-Ion

YATO	[V d.c.]	
YT-82772	18	4

Cordless hybrid air fan(body only)

18 V Li-Ion | 100-240V~ 50/60Hz | HYBRID HYBRYDOWY | 1700 min⁻¹ | 2600 min⁻¹ | ⌀ 230 mm | 360°



Battery not included
Ohne Akku / Bez akumulatora
без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-82933	18	2

Cordless worksite radio (tool only)

18 V Li-Ion | 220-240V~ 50/60Hz | 3W | 36h | FM 87.5-108 MHz | AM 522-1710 kHz | x10 FM x10 AM PROGRAMOWALNE/PROGRAMOWANIE | LCD BACKLIGHT PODŚWIETLENIE | USB



Battery not included
Ohne Akku / Bez akumulatora
Bez šamapeu / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-82940	18	8

Cordless upright vacuum cleaner

18 V Li-Ion | 12 kPa | 3 in 1 3 w 1 | BAGLESS BEZWORKOWY | IPX4 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85688	18	4000	2	1	1
YT-85689	18	-	-	lack	1

Cordless transfer pump for oil and water

18 V Li-Ion | 380 W | ⌀3/4" 19 mm | 1800 l/h | 22 m | 9 m | IPX4 | FOR WATER AND OIL DO WODY I OLEJU



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85290	18	3000	1.5	1	2
YT-85291	18	-	-	lack	2

Cordless vacuum cleaner

18 V Li-Ion | 17 kPa | 15 L | HEPA | 1.5 m | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | IPX4

NEW



18V Li-Ion

YATO	
YT-85691	1

Cordless vacuum cleaner (tool only)

18 V Li-Ion | 3.8 kPa | 0.5 L | BAGLESS BEZWORKOWY







Battery not included
Ohne Akku / Bez akumulatora
Bez šamapeu / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-85680	18	4

Cordless vacuum cleaner

18 V Li-Ion | HEPA | BAGLESS BEZWORKOWY

NEW



18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85682	18	4000	2	1	6
YT-85683	18	-	-	lack	6

Cordless leaf blower

18 V Li-Ion | 13000 min⁻¹ 16000 min⁻¹ | 400-570 m³/h | 100-126 km/h | TURBO



18V Li-Ion

L_{pA} = 76,3 ± 3,0 dB; L_{wA} = 90,9 ± 2,67 dB; a_h = 0,49 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85176	18	4000	2	1	4
YT-85177	18	-	-	lack	4

Cordless leaf vacuum/blower(tool only)

3 in 1 3 w 1 | 36 V 2 x 18V Li-Ion | 6000-17000 min⁻¹ | 308-700 m³/h | 270 km/h | 45 L | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



- *Vacuuming*
- *Blowing*
- *Shredding*
- *Blowing air speed: 270 km/h*

L_{pA} =87,6 ± 3,0 dB; L_{wA} = 96,5 ± 3,0 dB; a_h = 1,69 ± 1,5 m/s²

Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-85173	36 (18 x2)	2

Cordless leaf blower(tool only)

36 V 2 x 18V Li-Ion | 19000 min⁻¹ | 900 m³/h | 200 km/h | TURBO | SOFT GRIP MIĘKKI UCHWYT



Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

L_{pA} = 76,3 ± 3,0 dB; L_{wA} = 90,9 ± 2,67 dB; a_h = 0,49 ± 2,67 m/s²

YATO	[V d.c.]	
YT-85179	36 (18 x2)	2

Cordless blower (tool only)

18 V Li-Ion | 22500-35000 min⁻¹ | 11 m³/min | AIR POWIETRZE | 198 km/h | BLOW FUNCTION FUNKCJA DMUCHAWY | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW



Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-829383	18	10

Cordless leaf vacuum / blower (tool only)

2 in 1 2 w 1 | 36 V 2 x 18V Li-Ion | 6000-12500 min⁻¹ | 8 m³/min | 45 L



Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

- *Leaves compress volume function 8:1*
- *Blowing air speed: 230 km/h*

L_{pA} = 80,5 ± 3,0 dB; L_{wA} = 92,7 ± 3,0 dB; a_h = 2,37 ± 1,5 m/s²

YATO	[V d.c.]	
YT-85175	36 (18 x2)	1

Cordless blower / vacuum (tool only)

18 V Li-Ion | 0-127 m/s | 1.01 m³/min | 71400 min⁻¹ | 20 kPa | LCD | 2 in 1 2 w 1 | BLOW FUNCTION FUNKCJA DMUCHAWY | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY

NEW





Battery not included
Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

18V Li-Ion

YATO	[V d.c.]	
YT-829385	18	8

Cordless pruning shears



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828380	18	2000	1	1	6
YT-828381	18	-	-	lack	6

Cordless garden multi tool



L_{pA} = 74,5 ± 3,0 dB; L_{wA} = 89,6 ± 3,0 dB; a_h = 1,446 ± 1,5 m/s² (Hedge trimmer);
L_{pA} = 74,5 ± 3,0 dB; L_{wA} = 88,0 ± 3,0 dB; a_h = 1,190 ± 1,5 m/s² (Pruner)

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828390	18	2000	1	1	2
YT-828391	18	-	-	lack	2

Cordless pruning shears



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828382	18	2000	1	1	6
YT-828383	18	-	-	lack	6

Cordless telescopic pole saw



L_{pA} = 78,2 ± 3,0 dB; L_{wA} = 91,2 ± 2,36 dB; a_h = 2,109 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82836	18	2000	1	1	2
YT-82837	18	-	-	lack	2

Cordless barrel pump (tool only)



Battery not included
Ohne Akku / Bez akumulatora / Bez baterie / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

L_{wA} = <70 dB

YATO	[V d.c.]	
YT-85283	18	4

Cordless grass trimmer



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 93,0 ± 3,0 dB; a_h = 2,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82830	18	2000	1	1	2
YT-82831	18	-	-	lack	2

Cordless grass trimmer (tool only)

18 V Li-Ion | 9000 min⁻¹ | 240 mm | ⌀ 1.6 mm 3 m | 440 + 170 mm | CUTTING LINE ŻYŁKA TNĄCA | PLASTIC BLADE PLASTIKOWE OSTRZE | x20





Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

L_{pA} = 74,5 ± 3,0 dB; L_{wA} = 89,6 ± 3,0 dB; a_h = 1,446 ± 1,5 m/s² (Hedge trimmer);
L_{pA} = 74,5 ± 3,0 dB; L_{wA} = 88,0 ± 3,0 dB; a_h = 1,190 ± 1,5 m/s² (Pruner)

YATO	[V d.c.]	
YT-85015	18	4

Cordless grass trimmer

18 V Li-Ion | 6000 min⁻¹ | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



NEW

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85013	18	4000	2	1	4
YT-85014	18	-	-	lack	4

Nylon blades

20 PCS





For YT-85015

YATO	
YT-85016	250

Cordless grass trimmer

18 V Li-Ion | 8000 min⁻¹ | ⌀ 250/300 mm | 123 103 cm



NEW

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85017	18	2000	1	1	1
YT-85018	18	-	-	lack	1

Cordless brush cutter (tool only)

36 V 2x 18V Li-Ion | 5800 min⁻¹ | 255x25,4 mm | 340 mm | ⌀ 1.6 mm 3 m | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

L_{pA} = 79,1 ± 3,0 / 83,0 ± 3,0 dB; L_{wA} = 88,4 ± 2,31 / 92,5 ± 1,92 dB;
a_h = 1,35 ± 1,5 / 1,11 ± 1,5 m/s²

YATO	[V d.c.]	
YT-85010	36 (18 x2)	1

Cordless grass trimmer

18 V Li-Ion | 8000 min⁻¹ | ⌀ 250/300 mm | 123 103 cm | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



NEW

18V Li-Ion

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85019	18	2000	1	1	1
YT-85020	18	-	-	lack	1

Cordless grass and shrub shears



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828355	18	2000	1	1	8
YT-828356	18	-	-	lack	8

Extension pole for grass shears



For YT-828335,YT-828336,YT-828357,YT-828358

YATO	
YT-828337	1

Cordless grass and shrub shears



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828335	18	2000	1	1	10
YT-828336	18	-	-	lack	10

Cordless hedge trimmer



L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 87,0 ± 3,0 dB; a_h = 3,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82832	18	2000	1	1	2
YT-82833	18	-	-	lack	2

Cordless grass and shrub shears



YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828357	18	2000	1	1	10
YT-828358	18	-	-	lack	10

Cordless hedge trimmer (tool only)



Battery not included
Ohne Akku / Bez akumulátora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池

L_{pA} = 82,7 ± 3,0 dB; L_{wA} = 90,5 ± 2,02 dB; a_h = 4,08 ± 1,5 / 3,09 ± 1,5 m/s²

YATO	[V d.c.]	
YT-828353	36 (18 x2)	2

Cordless hedge trimmer

18 V Li-Ion | 1550 min⁻¹ | 450 mm | ⌀16 mm | ROTATING HANDLE OBROTOWY UCHWYT | SOFT GRIP MIĘKKI UCHWYT



18V Li-Ion

L_{pA} = 84,4 ± 3,0 dB; L_{wA} = 92,0 ± 3,0 dB; a_h = 2,27 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828331	18	2000	1	1	2
YT-828332	18	-	-	lack	2

Cordless mini chainsaw

18 V Li-Ion | 7" 17.6 cm | 3/8" 7.62 mm | 31 | 0.043" 1.1 mm | 8.0 m/s | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



18V Li-Ion

L_{pA} = 78,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB; a_h = 1,4 ± 0,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828133	18	2000	1	1	4
YT-828134	18	-	-	lack	4

Cordless chainsaw

36 V 2x 18V Li-Ion | 4500 min⁻¹ | 14" 35.5 cm | 3/8" 9.52 mm | 52 | 0.043" 1.1 mm | 0.17 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘWANIA ŁAŃCUCHA



18V Li-Ion

L_{pA} = 81,9 ± 3,0 dB; L_{wA} = 92,8 ± 2,6 dB; a_h = 2,57 ± 1,5 / 4,92 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82812	36 (18 x2)	2000	1	2	2
YT-82813	36 (18 x2)	-	-	lack	2

Cordless hedge trimmer

18 V Li-Ion | 1550 min⁻¹ | 550 mm | ⌀16 mm | ROTATING HANDLE OBROTOWY UCHWYT | SOFT GRIP MIĘKKI UCHWYT



18V Li-Ion

L_{pA} = 84,4 ± 3,0 dB; L_{wA} = 92,0 ± 3,0 dB; a_h = 2,27 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828333	18	2000	1	1	2
YT-828334	18	-	-	lack	2

Cordless mini chainsaw

18 V Li-Ion | 4" 10 cm | 0.3" 7.62 mm | 26 | 0.043" 1.1 mm | 4.8 m/s | SOFT GRIP MIĘKKI UCHWYT



18V Li-Ion

L_{pA} = 78,0 ± 3,0 dB; L_{wA} = 89,0 ± 3,0 dB; a_h = 3,425 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828135	18	2000	1	1	4
YT-828136	18	-	-	lack	4

Cordless chainsaw

18 V Li-Ion | 12" 30 cm | 3/8" 9.52 mm | 45 | 0.05" 1.3 mm | 6.5 m/s | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘWANIA ŁAŃCUCHA | DOUBLE BRAKE PODWÓJNY HAMULEC | SOFT GRIP MIĘKKI UCHWYT



18V Li-Ion

L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 102,0 ± 2,66 dB; a_h = 5,407 ± 1,5 / 4,137 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828137	18	4000	2	1	2
YT-828138	18	-	-	lack	2

Cordless hedge trimmer

18 V Li-Ion | 2100 min⁻¹ | 420 mm | 274 - 207 cm | EASY TRANSPORT ŁATWY TRANSPORT







18V Li-Ion

L_{pA} = 77,3 ± 3,0 dB; L_{wA} = 88,1 ± 3,0 dB; a_h = 1,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-82834	18	2000	1	1	2
YT-82835	18	-	-	lack	2

Brushless cordless chainsaw

36 V 2x 18V Li-Ion | 8000 min⁻¹ | 16" 40 cm | 3/8" 9.52 mm | 56 | 0.05" 1.3 mm | 15 m/s | 0.25 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘWANIA ŁAŃCUCHA | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | SOFT GRIP MIĘKKI UCHWYT





18V Li-Ion

L_{pA} = 95,5 ± 3,0 dB(A); L_{wA} = 102,4 ± 2,54 dB(A); a_h = 3,25 ± 1,5 / 5,19 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-828131	36 (18 x2)	4000	2	2	2
YT-828132	36 (18 x2)	-	-	lack	2


YATO
YATO

Cordless lawn mower

36 V 2x 18V Li-Ion | 3300 min⁻¹ | 65 20 mm | 340 mm | 35 L | 2x ⌀150 mm | 2x ⌀175 mm

18V Li-Ion











L_{pA} = 77,9 ± 3,0 dB; L_{wA} = 90,2 ± 1,85 dB; a_h = 0,5 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85220	36 (18 x2)	2000	1	2	1
YT-85221	36 (18 x2)	-	-	brak	1

Brushless cordless lawn mower

36 V 2x 18V Li-Ion | 2900 min⁻¹ | 75 25 mm | 370 mm | 35 L | AUTO & ECO MODE TRYB EKO & AUTOMATYCZNY | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | FOLDABLE HANDLE SKŁADANY UCHWYT | SOFT GRIP MIĘKKI UCHWYT

18V Li-Ion











L_{pA} = 76,1 ± 3,0 dB(A); L_{wA} = 89,2 ± 2,31 dB(A); a_h = 0,54 ± 1,5 / 0,68 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85222	36 (18 x2)	4000	2	2	1
YT-85223	36 (18 x2)	-	-	brak	1

Cordless lawn mower

36 V 2x 18V Li-Ion | 2900 min⁻¹ | 75 25 mm | 430 mm | 50 L | AUTO & ECO MODE TRYB EKO & AUTOMATYCZNY | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | FOLDABLE HANDLE SKŁADANY UCHWYT | SOFT GRIP MIĘKKI UCHWYT

18V Li-Ion











L_{pA} = 72,8 ± 3,0 dB(A); L_{wA} = 87,1 ± 2,95 dB(A); a_h = 0,34 ± 1,5 / 0,37 ± 1,5 m/s²

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-85224	36 (18 x2)	4000	2	2	1
YT-85225	36 (18 x2)	-	-	brak	1

Cordless chain sharpener

18 V Li-Ion | 6500 min⁻¹ | 0-35° | 108x23 x3.2 mm | METAL GUIDE METALOWA PROWADNICA







18V Li-Ion

L_{pA} = 59,1 ± 3,0 dB; L_{wA} = 72,1 ± 3,0 dB

YATO	[V d.c.]	Battery capacity [mAh]	[h]	Battery quantity	
YT-84980	18	2000	1	1	4
YT-84981	18	-	-	lack	4

Battery

18 V Li-Ion | 2.0 Ah | 3.0 Ah | 4.0 Ah | 6.0 Ah | 9.0 Ah | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII



18V Li-Ion

Given charging time is based on 2.2A charger YT-828498

YATO	[V d.c.]	mAh	charging time	
YT-828461	18	2000	1.0	20
YT-828462	18	3000	1.5	20
YT-828463	18	4000	2.0	20
YT-828464	18	6000	3.0	20
YT-828465	18	9000	4.5	20

Cordless tiller(tool only)

18 V Li-Ion | 270 min⁻¹ | 160 mm | 155 mm

Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池





18V Li-Ion

L_{pA} = 81,5 ± 3,0 dB; L_{wA} = 86,4 ± 0,58 dB; a_h = 2,722 ± 1,5 / 2,138 ± 1,5 m/s²

YATO	[V d.c.]	
YT-85271	18	1

Car battery charger

for 18 V Li-Ion | 2A | USB



YATO	[V d.c.]	[min]	
YT-828503	18	70 (YT-828461), 100 (YT-828462), 135 (YT-828463), 200 (YT-828464), 300 (YT-828465)	40

Starter kit – batteries and charger

for 18 V Li-Ion | 2x 4.0 Ah | 1h | 4.5 V | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII



18V Li-Ion

YATO	[V d.c.]	
YT-828510	18	8

Battery charger

for 18 V Li-Ion | 12A



YATO	[V d.c.]	[min]	
YT-828502	18	35 (YT-828461), 24 (YT-828462), 32 (YT-828463), 36 (YT-828464), 54 (YT-828465)	12
YT-828502BS	18		12
YT-828502UL	18		12

Battery charger



YATO	[V d.c.]	[min]	
YT-828498	18	60 (YT-828461), 90 (YT-828462), 120 (YT-828463), 180 (YT-828464), 270 (YT-828465)	24
YT-828498BS	18		24
YT-828498UL	18		24

Intelligent battery charger



YATO	[V d.c.]	[min]	
YT-828501	18	35 (YT-828461), 40 (YT-828462), 55 (YT-828463), 78 (YT-828464), 120 (YT-828465)	16
YT-828501BS	18		16
YT-828501UL	18		16

Battery charger



YATO	[V d.c.]	
YT-82912	12	20

Intelligent battery charger



YATO	[V d.c.]	[min]	
YT-828500	18	35 (YT-828461), 40 (YT-828462), 55 (YT-828463), 78 (YT-828464), 120 (YT-828465)	24
YT-828500BS	18		24
YT-828500UL	18		24

Battery



For YT-82901,YT-82902,YT-82903,YT-82904

YATO	[V d.c.]	
YT-82909	12	40

Solar and car battery charger



YATO	[V d.c.]	[min]	
YT-828504	18	70 (YT-828461), 100 (YT-828462), 135 (YT-828463), 200 (YT-828464), 300 (YT-828465)	4

Battery charger



YATO	[V d.c.]	[min]	
YT-828499	18	60 (YT-828461), 90 (YT-828462), 120 (YT-828463), 180 (YT-828464), 270 (YT-828465)	16
YT-828499BS	18		16
YT-828499UL	18		16

Battery



For YT-82903,YT-82905

YATO	[V d.c.]	
YT-82910	12	20

Cordless sabre saw



L_{pA} = 83,58 ± 3,0 dB;
L_{wA} = 94,58 ± 3,0 dB;
a_h = 12,86 ± 1,5 / 10,13 ± 1,5 / 13,78 ± 1,5 / 11,92 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82904	12	6

Cordless ratchet

12 V Li-Ion | 3/8" 9.5 mm | 45 Nm | 0-250 min⁻¹ | 2.0 Ah | 1h | IMPACT FUNCTION FUNKCJA UDARU





3/8" (9.5 mm): 12, 13, 14, 17 mm;
1/2" (12.7 mm)

L_{pA} = 78,66 ± 3,0 dB; L_{wA} = 89,66 ± 3,0 dB; a_h = 2,898 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82902	12	10

Cordless polisher

12 V Li-Ion | 5/16" 8 mm | 0-2800 min⁻¹ 0-6300 min⁻¹ | Ø 80 mm | 2.0 Ah | 1h





L_{pA} = 78,6 ± 3,0 dB; L_{wA} = 89,6 ± 3,0 dB; a_h = 4,213 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82903	12	5

Cordless screwdriver

3.6 V 1300mAh Li-Ion | 3.0 Nm | 230 min⁻¹ | WORKING AREA LIGHT OŚWIETLENIE OBSZARU PRACY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII





L_{pA} = 62,0 ± 3,0 dB; L_{wA} = 73,0 ± 3,0 dB; a_h = 0,39 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82760	3.6	20

Cordless ratchet (tool only)

12 V Li-Ion | 1/2" 12.7 mm | 80 Nm | 0-170 min⁻¹ | IMPACT FUNCTION FUNKCJA UDARU | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY



Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería 没有电池

L_{pA} = 78,7 ± 3,0 dB;
L_{wA} = 89,7 ± 3,0 dB;
a_h = 7,373 ± 1,5 m/s²

YATO	[V d.c.]	
YT-829021	12	10

Cordless angle grinder (tool only)

12 V Li-Ion | 19500 min⁻¹ | 76x10 mm | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY





Battery not included
Ohne Akku / Bez akumulatora / Без батареи / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería 没有电池

• *Spindle lock for easy blade change*
L_{pA} = 68,5 ± 3,0 dB; L_{wA} = 79,5 ± 3,0 dB;
a_h = 1,23 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82905	12	5

Brushless cordless drill

12 V Li-Ion | 35 Nm | 0-550 min⁻¹ 0-1950 min⁻¹ | 23+1 CLUTCH SETTING POZYCJE SPRZĘGŁA | 10 mm | 2.0 Ah | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII | USB | C TYPE



YATO	[V d.c.]	Battery	
YT-82852BL	12	2X2.0Ah	10

Cordless mini grinder

52 PCS | 3,6 V 1500mAh Li-Ion | 5000-18000 min⁻¹ | 2.3 mm 3.2 mm | LED LIGHT BRIDA | USB CABLE KABEL | USB



L_{pA} = 79,0 ± 3,0 dB; L_{wA} = 90,0 ± 3,0 dB; a_h = 1,177 ± 1,5 m/s²

YATO	[V d.c.]	
YT-82763	3.6	20

Turbo air duster with accessories

7.4 V 4000mAh Li-Ion | 130000 min⁻¹ | x3 | USB

NEW





YATO	
YT-82936	24

NON-SPARKING

Mini grinder

83 PCS | 220-240V~ 50Hz | 130 W | 10000-35000 min⁻¹ | 2.3 mm 3.2 mm | LED



L_{pA} = 80,5 ± 3,0 dB; L_{wA} = 91,5 ± 3,0 dB; a_h = 2,197 ± 1,5 m/s²

YATO	[W]	
YT-82077	130	10

Electric impact wrench

230V~ 50Hz | 1200 W | 2000 Nm | 1900 min⁻¹ | 1800 min⁻¹ | 3/4" 19 mm | 4 m

HIGH INDUSTRIAL



YATO	
YT-82025	2

Angle grinder

760 W | 11000 min⁻¹ | 230V~ 50Hz | ⌀ 100 mm | M10



BACK SWITCH

YATO	[W]	
YT-82082	760	8
YT-82082BS	760	8

Electric impact wrench

230V~ 50Hz | 1020 W | 600 Nm | 2600 min⁻¹ | 2700 min⁻¹ | 1/4" 6.3 mm | 1/2" 12.7 mm | 4 m



17, 19, 21, 23 mm

L_{pA} = 100,0 ± 3,0 dB; L_{wA} = 111,0 ± 3,0 dB; a_h = 18,9 ± 1,5 m/s²

YATO	[W]	
YT-82021	1020	3
YT-82021BS	1020	3

Power cutter

4 kW | 4700 min⁻¹ | 93.6 cm³ | 1/2" 12.7mm | 400x25.4 mm | 145 mm | 40 : 1 | 1L



Disc not included

L_{pA} = 93,35 ± 2,5 / 107,95 ± 2,5 dB; L_{wA} = 112,33 ± 2,5 / 115,5 ± 2,5 dB; a_h = 6,99 ± 1,5 / 7,79 ± 1,5 / 10,26 ± 1,5 / 9,77 ± 1,5 m/s²

YATO	[W]	
YT-84820	4000	1

Angle grinder

760 W | 11000 min⁻¹ | 220-240V~ 50Hz | 110-130V~ 50Hz | ⌀ 115 mm | M14



YATO	[W]	[V]	
YT-82088	760	220	8
YT-82088BS	760	220	8
YT-82088UL	760	110	8

Electric Impact wrench

230V~ 50Hz | 1020 W | 800 Nm | 2600 min⁻¹ | 2700 min⁻¹ | 1/4" 6.3 mm | 1/2" 12.7mm | 4 m

NEW



YATO	
YT-82022	3

Straight grinder

230-240V~ 50Hz | 750 W | 10000-30000 min⁻¹ | ⌀ 6.0 mm | 3 m



L_{pA} = 75,0 ± 3,0 dB; L_{wA} = 85,0 ± 3,0 dB; a_h = 2,5 ± 1,5 m/s²

YATO	[W]	
YT-82080	750	8

Angle grinder

110-130V~ 60Hz | 760 W | 11000 min⁻¹ | ⌀ 115 mm | M14

NEW



YATO	
YT-820821UL	9

Electric impact wrench

230V~ 50Hz | 450 W | 450 Nm | 0-3300 min⁻¹ | 0-3300 min⁻¹ | 1/4" 6.3 mm | 1/2" 12.7mm | 4 m



17, 19, 21, 23 mm

L_{pA} = 96,0 ± 3,0 dB; L_{wA} = 107,0 ± 3,0 dB; a_h = 17,648 ± 1,5 m/s²

YATO	[W]	
YT-82020	450	4
YT-82020BS	450	4

Straight grinder

220-240V~ 50/60Hz | 850 W | ⌀ 6.0 mm | 3 m | SOFT START MIĘKKI START | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI

NEW



YATO	
YT-82081	8

Angle grinder

110V-120V~ 50/60Hz | 850 W | 11000 min⁻¹ | ⌀ 115 mm

NEW



YATO	
YT-82087UL	10

Angle grinder

760 W | 11000 min⁻¹ | 220-240V~ 50Hz | ⌀125 mm | M14



YATO	[W]	
YT-82092	760	8
YT-82092BS	760	8

Angle grinder

230V~ 50Hz | 110V~ 60Hz | 1100 W | 11000 min⁻¹ | ⌀125 mm | M14 | 2.5 m



L_{pA} = 79,0 ± 3,0 dB; L_{wA} = 90,0 ± 3,0 dB; a_h = 3,98 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82100	1100	220	6
YT-82100UL	1100	110	6

Angle grinder

230-240V~ 50Hz | 1700 W | 10500 min⁻¹ | ⌀125 mm | M14 | SOFT START MIĘKKI START | 3 m



L_{pA} = 97,0 ± 3,0 dB;
L_{wA} = 105,0 ± 3,0 dB;
a_h = 4,5 ± 1,5 / 6,0 ± 1,5 / 2,8 ± 1,5 m/s²

YATO	[W]	
YT-821023	1700	6

Angle grinder

720 W | 220-240V~ 50Hz | 3000-11000 min⁻¹ | ⌀125 mm | M14 | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 3 m



YATO	[W]	
YT-82089	720	10

Angle grinder

230-240V~ 50Hz | 1400 W | 3000-12000 min⁻¹ | ⌀125 mm | M14 | 3 m



L_{pA} = 89,3 ± 3,0 dB; L_{wA} = 100,3 ± 3,0 dB; a_h = 6,95 ± 1,5 m/s²

YATO	[W]	
YT-82098	1400	6

Angle grinder

230-240V~ 50Hz | 1700 W | 2850-10500 min⁻¹ | ⌀125 mm | M14 | SOFT START MIĘKKI START | 3 m



L_{pA} = 97,0 ± 3,0 dB;
L_{wA} = 105,0 ± 3,0 dB;
a_h = 4,5 ± 1,5 / 6,0 ± 1,5 / 2,8 ± 1,5 m/s²

YATO	[W]	
YT-821024	1700	6

Angle grinder

220-240V~ 50/60Hz | 850 W | 12000 min⁻¹ | ⌀125 mm | M14 | 3 m



L_{pA} = 87,3 ± 3,0 dB; L_{wA} = 98,3 ± 3,0 dB; a_h = 3,378 ± 1,5 / 4,746 ± 1,5 m/s²

YATO	[W]	
YT-82097	850	6
YT-82097BS	850	6

Angle grinder

230-240V~ 50Hz | 1100 W | 3000-12000 min⁻¹ | ⌀125 mm | M14 | SPEED REGULATOR REGULACJA PRĘDKOŚCI | SOFT START MIĘKKI START | 3 m





Fitting discs: see chapter 10
L_{pA} = 87,3 ± 3,0 dB; L_{wA} = 95,3 ± 3,0 dB; a_h = 6,743 ± 1,5 m/s²

YATO	[W]	
YT-82101	1100	8

Angle grinder

220 V~ 50Hz | 1400 W | 9600 min⁻¹ | ⌀125 mm | M14 | 2 m

HIGH INDUSTRIAL



YATO	[W]	
YT-820983	1400	6

Angle grinder

220-240V~ 50/60Hz | 900 W | 1300-4000 min⁻¹ | ⌀125 mm | INOX | M14 | 3 m



L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 105,0 ± 3,0 dB; a_h = 8,2 ± 1,5 m/s²

YATO	[W]	
YT-82096	900	6

Angle grinder

230-240V~ 50Hz | 1400 W | 3000-12000 min⁻¹ | ⌀125 mm | M14 | 3 m



L_{pA} = 89,3 ± 3,0 dB; L_{wA} = 100,3 ± 3,0 dB; a_h = 6,95 ± 1,5 m/s²

YATO	[W]	
YT-82099	1400	6
YT-82099BS	1400	6

Angle grinder

220-240V~ 50/60Hz | 720 W | 12000 min⁻¹ | ⌀125 mm | M14

NEW



YATO	[W]	
YT-820833	720	8

Angle grinder

220-240V~ 50Hz | 900 W | ⌀ 125 mm | 4500-11000 min⁻¹ | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | M14 | 3 m | NEW



YATO	[W]	
YT-820950	900	8

Angle grinder

220-240V~ 50-60Hz | 1500 W | 3000-11000 min⁻¹ | ⌀ 125 mm | M14 | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | SOFT START MIĘKKI START | ANTIKUST PROTECTION ZABEZPIECZENIE PRZECIWPYŁOWE | 3 m | NEW



YATO	[W]	
YT-821020	1500	8

Angle grinder

220-230V~ 50Hz | 110-130V~ 50Hz | 2400 W | 6600 min⁻¹ | ⌀ 230 mm | M14 | 3 m



L_{pA} = 91,9 ± 3,0 dB; L_{wA} = 102,9 ± 3,0 dB; a_h = 7,448 ± 1,5 / 5,2 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82105	2400	220	2
YT-82105UL	2400	110	2
YT-82105BS	2400	220	2

Angle grinder

220-240V~ 50-60Hz | 1050 W | 3000-11000 min⁻¹ | ⌀ 125 mm | M14 | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | SOFT START MIĘKKI START | 3 m | NEW



YATO	[W]	
YT-821014	1050	8

Angle grinder

220-240V~ 50-60Hz | 1700 W | 3000-12000 min⁻¹ | ⌀ 125 mm | M14 | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | SOFT START MIĘKKI START | ANTIKUST PROTECTION ZABEZPIECZENIE PRZECIWPYŁOWE | 3 m | NEW



YATO	[W]	
YT-821021	1700	8

Angle grinder

230-240V~ 50Hz | 2600 W | 2800-6500 min⁻¹ | ⌀ 230 mm | M14 | SPEED REGULATOR REGULACJA PRĘDKOŚCI | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | SOFT START MIĘKKI START | 3 m



• *Pivot handle*

L_{pA} = 93,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 7,72 ± 1,5 m/s²

YATO	[W]	
YT-82106	2600	2

Angle grinder

220-240V~ 50-60Hz | 1300 W | 3000-11000 min⁻¹ | ⌀ 125 mm | M14 | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | SOFT START MIĘKKI START | 3 m | NEW



YATO	[W]	
YT-821017	1300	8

Angle grinder

220 V~ 50Hz | 8600 min⁻¹ | 1400 W | ⌀ 150 mm | M14 | NEW



YATO	[W]	
YT-98000	1400	8

Angle grinder

230V~ 50Hz | 2800 W | 6600 min⁻¹ | ⌀ 230 mm | M14 | 3 m



L_{pA} = 91,8 ± 3,0 dB; L_{wA} = 102,8 ± 3,0 dB; a_h = 4,478 ± 1,5 / 4,956 ± 1,5 m/s²

YATO	[W]	
YT-82110	2800	2
YT-82110BS	2800	2

Flat-head angle grinder

230-240V~ 50Hz | 1400 W | 3000-11000 min⁻¹ | ⌀ 125 mm | M14 | SOFT START MIĘKKI START | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 3 m | NEW



YATO	[W]	
YT-821018	1400	6

Angle grinder

220-240V~ 50Hz | 110-130V~ 50/60Hz | 2000 W | 8500 min⁻¹ | ⌀ 180 mm | M14 | 3 m



L_{pA} = 92,5 ± 3,0 dB; L_{wA} = 103,5 ± 3,0 dB; a_h = 7,03 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82104	2000	220	4
YT-82104BS	2000	220	4
YT-82104UL	2000	110	4

Angle grinder

max 3500 W | 220-240V~ 50-60Hz | ⌀ 230 mm | 6200 min⁻¹ | M14 | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | SOFT START MIĘKKI START | ANTIKUST PROTECTION ZABEZPIECZENIE PRZECIWPYŁOWE | 3 m | NEW



YATO	[W]	
YT-82114	3500	4

Power tool set – rotary hammer and angle grinder



YATO	
YT-821200	2

Dust extraction shroud



For YT-6045, YT-60374, YT-43979

YATO	
YT-82982	30

Drill stand



YATO	H [mm]	
YT-82970	500	3

Drill stand



YATO	H [mm]	
YT-82971	400	6

Dust extraction shroud



For YT-6046, YT-60375, YT-43981

YATO	
YT-82984	18

Angle grinder stand



YATO	
YT-82976	3

Dust extraction shroud



YATO	
YT-82980	40

Universal mitre saw stand



YATO	Max. load capacity [kg]	
YT-82179	200	1

Angle grinder stand



YATO	
YT-82972	4

Universal guide rail with clamps





YATO	L [mm]	
YT-36990	1500	5

Biscuit jointer – angle grinder attachment



YATO	
YT-829861	8

Dust extraction shroud



For YT-82110, YT-59965

YATO	
YT-82990	4

Dust extraction shroud



Dla YT-82098, YT-82101
Pasujące tarcze: YT-60322, YT-83265

YATO	
YT-82994	30

Orbital attachment for angle grinder



YATO	
YT-829783	16

Dust extraction shroud



For YT-82094, YT-82097, YT-82100, YT-82101

YATO	
YT-82992	20

Dust extraction shroud



YATO	
YT-82995	10

Dust extraction shroud



For YT-82098, YT-82099, YT-60470

YATO	
YT-82986	12

Dust extraction shroud



YATO	
YT-82996	10

Slider for grinding tiles



YATO	
YT-82985	10

Dust extraction shroud



For YT-82098, YT-82099, YT-56961

YATO	
YT-82988	10

Dust extraction shroud



YATO	
YT-82997	10

Dust extraction shroud



YATO	
YT-82998	4

Belt sander – angle grinder attachment



YATO	
YT-829781	20

Concrete grinder



L_{pA} = 95,0 ± 3,0 dB;
L_{WA} = 103,0 ± 3,0 dB;
a_h = < 2,5 ± 1.5 m/s²

YATO	[W]	
YT-82163	1500	1

Wall chaser



YATO	[W]	
YT-82016	1800	1

Burnishing machine – angle grinder attachment



YATO	
YT-829785	12

Concrete grinder



YATO	[W]	
YT-82164	1400	4

Wall chaser



YATO	[W]	
YT-82017	2400	1

Belt sander – angle grinder attachment



YATO	
YT-829788	16

Electric nibbler



L_{pA} = 88,0 ± 3,0; L_{WA} = 99,0 ± 3,0; a_h = 11,57 ± 1,5 m/s²

TWO BLADES IN SET
DWA OSTRZA W KOMPLECIE

YATO	[W]	
YT-82395	600	5
YT-82395BS	600	5

Wall chaser



YATO	[W]	
YT-82019	3500	2

Table for circular saw



YATO	Ø [mm]	
YT-821505	140-235	4

Wall chaser



For YT-59962
L_{pA} = 93,0 ± 3,0 dB; L_{WA} = 105,0 ± 3,0 dB;
a_h = 2,8 ± 1,5 m/s²

YATO	[W]	
YT-82015	1700	4
YT-82015BS	1700	4

Concrete cutter



L_{pA} = 99,0 ± 3,0 dB; L_{WA} = 110,0 ± 3,0 dB; a_h = 8,22 ± 1,5 m/s²

YATO	[W]	
YT-82158	2600	1
YT-82158BS	2600	1

Concrete cutter



YATO	[W]	
YT-821583	4000	1

Electric tile cutter



YATO	[W]	
YT-821595	1400	8

Table tile saw





YATO	[W]	
YT-821597	1500	1

Marble / stone cutter



YATO	[W]	[V]	
YT-82160	1300	220	6
YT-82160BS	1300	220	6
YT-82160UL	1300	110	6

Electric tile cutter



YATO	[W]	
YT-821596	1400	8

Electric tile cutter



L_{pA} = 102,6 ± 3,0 dB; L_{wA} = 113,6 ± 3,0 dB; a_h = 5,753 ± 1,5 m/s²

YATO	[W]	
YT-82159	1400	4

Electric saw for hollow bricks



YATO	[W]	
YT-82284	1700	2

Electric saw for hollow bricks



YATO	[W]	
YT-82157	1200	2

Electric tile cutter



- *Vacuum cleaner connection*
- *Guide rail 1500 mm (3 x 500 mm) with clamps*

L_{pA} = 91,0 ± 3,0 dB; L_{wA} = 102,0 ± 3,0 dB; a_h = 4,46 ± 1,5 m/s²

YATO	[W]	
YT-821591	1400	2

Wet stone polisher



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 93,0 ± 3,0 dB; a_h = 5,58 ± 1,5 m/s²

YATO	[W]	
YT-82161	1300	6
YT-82161BS	1300	6

Orbital polisher

220-240V~ 50Hz | 720 W | 2100-5000 min⁻¹ | ⌀150 mm | M8 | 5 m



L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = 5,56 ± 1,5 m/s²

YATO	[W]	
YT-82200	720	4
YT-82200BS	720	4

Car polisher

230-240V~ 50Hz | 1400 W | 600-3200 min⁻¹ | ⌀180 mm | M14 | 5 m



YATO	[W]	
YT-82198	1400	6

Electric paddle mixer

220-230V~ 50/60Hz | 1200 W | 0-1000 min⁻¹ | max ⌀130 mm | 3-16mm | ⌀40 mm | ⌀16 mm | 3 m



• *Screwdriving: max T40 x 400 mm*

L_{pA} = 71,63 ± 3,0 dB;
L_{wA} = 82,63 ± 3,0 dB; a_h = 3,148 ± 1,5 m/s²

YATO	[W]	
YT-82055	1200	4
YT-82055BS	1200	4

Orbital polisher

230-240V~ 50Hz | 900 W | 1800-5500 min⁻¹ | ⌀150 mm | M8 | 21 mm | DUAL ACTION RUCH ORBITALNY | NEW | SOFT START MIĘKKI START | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 4 m



YATO	[W]	
YT-82915	900	6

Car polisher

220-230V~ 50/60Hz | 110V-120V~ 50/60Hz | 1400 W | 1500-3800 min⁻¹ | ⌀180 mm | M14 | 2 m



YATO	[W]	[V]	
YT-82197UL	1400	110	4
YT-82197BS	1400	220	4

Electric drill/driver

220-240V~ 50/60Hz | 400 W | 85 Nm | 0-480 min⁻¹ 0-1800 min⁻¹ | 13 mm | 4 m



L_{pA} = 88,0 ± 5,0 dB; L_{wA} = 99,0 ± 5,0 dB; a_h = 6,57 ± 1,5 m/s²

YATO	[W]	
YT-82063	400	8

Orbital polisher

230-240V~ 50Hz | 950 W | 1800-5500 min⁻¹ | ⌀150 mm | M8 | 21 mm | DUAL ACTION RUCH ORBITALNY | NEW | SOFT START MIĘKKI START | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 4 m



YATO	[W]	
YT-82916	950	4

Band saw

220-240V~ 50Hz | 1100 W | 0.7-2.4 m/s | 14 TPI | 1140x12.7 x0,6 mm | 127 mm | 3 m



L_{pA} = 89,0 ± 3,0 dB;
L_{wA} = 100,0 ± 3,0 dB;
a_h = 6,62 ± 1,5 / 6,08 ± 1,5 m/s²

YATO	[W]	
YT-82185	1100	1
YT-82185BS	1100	1

Impact drill

620 W | 220-240V~ 50/60Hz | 110-130V~ 56-60Hz | 0-2300 min⁻¹ | 13 mm | ⌀20 mm | ⌀10 mm | 2 m



YATO	[W]	
YT-82032BS	620	5
YT-82032UL	620	5

Car polisher

220-240V~ 50Hz | 1400 W | 600-3500 min⁻¹ | ⌀180 mm | M14 | 5 m | HIGH INDUSTRIAL



L_{pA} = 89,5 ± 3,0 dB; L_{wA} = 100,5 ± 3,0 dB; a_h = 1,489 ± 1,5 / 1,785 ± 1,5 m/s²

YATO	[W]	
YT-82196	1400	2
YT-82196BS	1400	2

Cut off machine

230V~ 50Hz | 110-130V~ 50/60Hz | 2450 W | 4000 min⁻¹ | 355x25,4 mm | 0-45° | SOFT START MIĘKKI START | LONG LIFE MOTOR TRWAŁY SILNIK | 200°C



L_{pA} = 95,8 ± 3,0 dB; L_{wA} = 108,8 ± 3,0 dB

YATO	[W]	
YT-82181	2450	1
YT-82181BS	2450	1
YT-82181UL	2450	1

Impact drill

220-240V~ 50-60Hz | 650 W | 13 mm | 0-2800 min⁻¹ | T | 0-48000 min⁻¹ | ⌀25 mm | ⌀12 mm | 3 m



YATO	[W]	
YT-82038	650	8

Impact drill

710 W | 220-240V~ 50/60Hz | 110-130V~ 50/60Hz | 0-2300 min⁻¹ | 13 mm | ⌀25 mm | ⌀10 mm | 2 m



YATO	[W]	[W]	
YT-82033	710	220	5
YT-82033BS	710	220	5
YT-82033UL	710	110	5

Impact drill

220-240V~ 50Hz | 850 W | 0-1100 min⁻¹ 0-2800 min⁻¹ | T | 0-44800 min⁻¹ | ⌀25 mm | ⌀13 mm | 13 mm | 3 m



L_{pA} = 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 dB; a_h = 2,39 ± 1,5 / 8,78 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82037	850	220	5
YT-82037BS	850	220	5

Drill for metal

220-240V~ 50-60Hz | 650 W | 13 mm | 40 Nm | 0-1600 min⁻¹ | FOR METAL DO METALU | ⌀20 mm | 3 m



YATO	[W]	
YT-82048	650	8

Impact drill

220-240V~ 50Hz | 710 W | 0-2800 min⁻¹ | T | 0-44800 min⁻¹ | ⌀25 mm | ⌀13 mm | 13 mm | 3 m



L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 91,0 ± 3,0 dB; a_h = 2,95 ± 1,5 / 8,46 ± 1,5 m/s²

YATO	[W]	
YT-82034	710	5
YT-82034BS	710	5

Impact drill

220-240V~ 50Hz | 1050 W | 0-1100 min⁻¹ 0-2800 min⁻¹ | T | 0-44800 min⁻¹ | ⌀25 mm | ⌀13 mm | 13 mm | 3 m

HIGH INDUSTRIAL



L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 108,0 ± 3,0 dB; a_h = 2,85 ± 1,5 / 10,1 ± 1,5 m/s²

YATO	[W]	
YT-82044	1050	5
YT-82044BS	1050	5

Electric drill

220-240V~ 50Hz | 110-130V~ 50/60Hz | 550 W | 0-2700 min⁻¹ | 10 mm | ⌀20 mm | ⌀10 mm



YATO	[W]	[V]	
YT-82031	550	220	5
YT-82031BS	550	220	5
YT-82031UL	550	110	5

Impact drill

220-240V~ 50Hz | 110-130V~ 50Hz | 810 W | 0-2800 min⁻¹ | T | 0-44800 min⁻¹ | ⌀25 mm | ⌀13 mm | 13 mm | 3 m



L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 2,29 ± 1,5 / 8,5 ± 1,5 m/s²

YATO	[W]	
YT-82036	810	5
YT-82036BS	810	5
YT-82036UL	810	5

Impact drill

220-240V~ 50/60Hz | 1200 W | 0-1200 min⁻¹ 0-3000 min⁻¹ | T | 0-48000 min⁻¹ | ⌀30 mm | ⌀20 mm | ⌀16 mm | 3-16mm | 3 m



L_{pA} = 82,0 ± 5,0 dB; L_{wA} = 93,0 ± 5,0 dB; a_h = 12,2 ± 1,5 / 2,2 ± 1,5 m/s²

YATO	[W]	
YT-82045	1200	5

Electric drill/driver

230V~ 50Hz | 300 W | 40 Nm | 0-400 min⁻¹ 0-1450 min⁻¹ | 13 mm | 4 m



L_{pA} = 83,1 ± 3,0 dB; L_{wA} = 94,1 ± 3,0 dB; a_h = 3,32 ± 1,5 m/s²

YATO	[W]	
YT-82060	300	6

Key-type drill chuck



YATO	⬡ [mm]	Thread size	
YT-820300	1.5-10	G3/8 24UNF	10/50

Key-type drill chuck



YATO	⬡ [mm]	Thread size	
YT-820303	3-16	G5/8 16UNF	5/20

Drill chuck key



YATO	⬡ [mm]	L [mm]	
YT-820311	1.5-13	85	24/96

Key-type drill chuck



YATO	⬡ [mm]	Thread size	
YT-820301	1.5-13	G1/2 20UNF	5/40

Self-locking drill chuck



YATO	⬡ [mm]	Thread size	
YT-820304	2-13	G1/2 20UNF	5/40

Rotary hammer



L_{pA} = 92,3 ± 3,0 dB;
L_{wA} = 103,3 ± 3,0 dB;
a_h = 11,964 ± 1,5 / 10,037 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82122	850	220	3
YT-82122BS	850	220	3
YT-82122UL	850	110	3

Key-type drill chuck



YATO	⬡ [mm]	Thread size	
YT-820302	1.5-13	G1/2 20UNF	5/40

Self-locking drill chuck



YATO	⬡ [mm]	Thread size	
YT-820305	1.5-13	G1/2 20UNF	5/40

Rotary hammer



YATO	[W]	[V]	
YT-82121	800	220	5
YT-82121BS	800	220	5
YT-82121UL	800	110	5

Rotary hammer

220-240V~ 50/60Hz | 900 W | 3.2J | 0-1250 min⁻¹ | 0-5500 min⁻¹ | ⌀26 mm | SDS PLUS | 3 m | NEW



YATO	[W]	
YT-821210	900	3

Rotary hammer

230V~ 50Hz | 110-130V~ 50Hz | SDS PLUS | 1500 W | 800 min⁻¹ | 3900 min⁻¹ | 5.0J | ⌀32 mm | 2 m



L_{pA} = 94,6 ± 3,0 dB;
L_{wA} = 105,6 ± 3,0 dB; a_h = 19,167 ± 1,5 / 13,314 ± 1,5 m/s²

YATO	[W]	
YT-82127	1500	2
YT-82127BS	1500	2

Rotary hammer

1100 W | 220-240V~ 50Hz | SDS PLUS | 770 min⁻¹ | 4200 min⁻¹ | 4.5J | ⌀28 mm | 3 m



YATO	[W]	
YT-82116	1100	3

Rotary hammer

220-240V~ 50Hz | SDS PLUS | 1100 W | 0-900 min⁻¹ | 4300 min⁻¹ | 4.5J | ⌀28 mm | SPEED REGULATOR REGULACJA PRĘDKOŚCI | 3 m



L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 109,0 ± 3,0; a_h = 15,91 ± 1,5 / 12,97 ± 1,5 m/s²

YATO	[W]	
YT-82118	1100	2
YT-82118BS	1100	2

Chiselling hammer

220-240V~ 50Hz | SDS MAX | 1150 W | 4850 min⁻¹ | 15J | 4.8 kg | 2.5 m



L_{pA} = 83,5 ± 3,0 dB; L_{wA} = 97,5 ± 2,4 dB; a_h = 15,546 ± 1,5 m/s²

YATO	[W]	
YT-82133	1150	2

Rotary hammer

1500 W | 220-240V~ 50Hz | SDS PLUS | 850 min⁻¹ | 4500 min⁻¹ | 6.0J | ⌀36 mm | 3 m



YATO	[W]	
YT-82117	1500	3

Rotary hammer

230V~ 50Hz | 110-130V~ 50Hz | SDS PLUS | 1100 W | 850 min⁻¹ | 5000 min⁻¹ | 5.0J | ⌀32 mm | 3 m



L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 106,0 ± 3,0 dB; a_h = 14,65 ± 1,5 / 12,77 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82123	1100	220	2
YT-82123BS	1100	220	2
YT-82123UL	1100	110	3

Rotary hammer

220-240V~ 50Hz | SDS MAX | 1300 W | 300-540 min⁻¹ | 2900 min⁻¹ | 20J | ⌀150 mm | ⌀50 mm





L_{pA} = 95,0 ± 3,0 dB;
L_{wA} = 106,0 ± 3,0 dB;
a_h = 20,93 ± 1,5 / 23,19 ± 1,5 m/s²

YATO	[W]	
YT-82131	1300	2
YT-82131BS	1300	2

Chiselling hammer

1500 W | 220-240V~ 50Hz | SDS MAX | 0-3900 min⁻¹ | 20J | 3 m



YATO	[W]	
YT-82134	1500	2

Rotary hammer

1600 W | 220-240V~ 50/60Hz | SDS MAX | 0-650 min⁻¹ | T 0-3900 min⁻¹ | T | T | 15J | SPEED REGULATOR REGULACJA PRĘDKOŚCI | ⌀ 40 mm | 3 m



YATO	[W]	
YT-82132	1600	2

Demolition hammer

230V~ 50Hz | 1600 W | T 1900 min⁻¹ | 65J | ⬡ | T | OIL COOLING CHŁODZENIE OLEJEM | x2 | 3 m



- *Switch lock for continuous operation*

L_{pA} = 94,0 ± 3,0 dB;
L_{wA} = 105,0 ± 3,0 dB;
a_h = 14,59 ± 1,5 m/s²

YATO	[W]	
YT-82001	1600	1
YT-82001BS	1600	1

Demolition hammer

220-240V~ 50-60Hz | 2000 W | T 2100 min⁻¹ | 80J | ⬡ 28 mm | T | 4 m



YATO	[W]	
YT-82004	2000	1

Rotary hammer

230V~ 50Hz | SDS MAX | 1600 W | 175-350 min⁻¹ | T 1150-2350 min⁻¹ | 25J | ⌀ 52 mm | T | ⛏





L_{pA} = 96,1 ± 3,0 dB; L_{wA} = 107,1 ± 3,0 dB; a_h = 22,31 ± 1,5 / 20,91 ± 1,5 m/s²

YATO	[W]	
YT-82135	1600	1

Demolition hammer

1700 W | 220-240V~ 50-60Hz | SDS MAX | T 800-1700 min⁻¹ | T | 40J | 4m



YATO	[W]	
YT-82003	1700	1

Dust extraction shroud

⬡ 30 mm | ⬡ 28 mm | SDS MAX | CONCRETE BETON | NEW



YATO	
YT-82981	8

Demolition hammer

230V~ 50Hz | 110-130V~ 50Hz | 1600 W | T 1900 min⁻¹ | 70J | ⬡ | OIL COOLING CHŁODZENIE OLEJEM | x2 | HIGH INDUSTRIAL



- *Switch lock for continuous operation*

L_{pA} = 91,3 ± 3,0 dB; L_{wA} = 100,4 ± 2,42 dB; a_h = 14,59 ± 1,5 m/s²

YATO	[W]	
YT-82002	1600	1
YT-82002BS	1600	1
YT-82002UL	1600	1

Demolition hammer

2000 W | 220-240V~ 50/60Hz | ⬡ 28 mm | T 1500 min⁻¹ | T | 98J | ANTI-VIBRATION SYSTEM SYSTEM ANTI-WIBRACYJNY | 4 m | NEW | HIGH INDUSTRIAL



YATO	[W]	
YT-82005	2000	1

Diamond drill

230V~ 50Hz | 2200 W | T 1200 min⁻¹ | ⌀ 180 mm | 1¼" 32mm | 1/4" 6,3mm WATER COUPLING PRZYŁĄCZE WODY | REINFORCED CONCRETE ŻELBET





Fitting core drill bits: see chapter 10
Fitting water tank: YT-86211

L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 103,0 ± 3,0 dB; a_h = 2,90 ± 1,5 m/s²

YATO	[W]	
YT-81980	2200	1
YT-81980BS	2200	1

Diamond drill





Fitting core drill bits: see chapter 10
Fitting water tank: YT-86211

L_{pA} = 92,4 ± 3,0 dB; L_{wA} = 105,4 ± 3,0 dB

YATO	[W]	
YT-81983	2800	1
YT-81983BS	2800	1

Magnetic drill



YATO	[W]	
YT-820502	1800	1

Concrete vibrator (motor and poker shaft)





L_{pA} = <70 dB; L_{wA} = <85 dB; a_h = <2,5 m/s²

YATO	[W]	
YT-82601	2300	1
YT-82601BS	2300	1

Magnetic drill



YATO	[W]	
YT-820500	1050	1

Vibrating concrete screed



L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = 4,3 ± 1,5 m/s²

YATO	[W]	Profile length	
YT-82611	240	1	1

Poker shaft



YATO	Ø [mm]	L [m]	For	
YT-82595	35	3	YT-82600	1
YT-82596	35	4	YT-82601	1
YT-82597	25	1.2	YT-82600 YT-82604	4

Magnetic drill



YATO	[W]	
YT-820501	1300	1

Vibrating screed replacement blade



For YT-82611

YATO	L [m]	
YT-82612	2	1
YT-82613	3	1

Poker shaft



For YT-84827

YATO	Size	
YT-84828	Φ38MM, 6M	1
YT-84829	Φ45MM, 6M	1

Concrete vibrator (motor and poker shaft)

230V~ 50Hz | 1200 W | 5000 min⁻¹ | ø 35 mm | 3.5 m



L_{pA} = <70 dB; L_{wA} = <85 dB; a_h = <2,5 m/s²

YATO	[W]	
YT-82600	1200	1
YT-82600BS	1200	1

Electric paddle mixer

230-240V~ 50Hz | 1850 W | 150-300 min⁻¹ 300-650 min⁻¹ | ø 140 mm | 200L | M27 | SOFT START MIĘKKI START

HIGH INDUSTRIAL



YATO	[W]	
YT-82609	1850	1

Concrete mixer

220 V~ 50Hz | ø 380mm

NEW



YATO	[L]	[W]	
YT-90600	125	550	1
YT-90601	140	650	1
YT-90602	160	800	1
YT-90603	180	800	1
YT-90604	200	800	1

Electric paddle mixer

220-240V~ 50/60Hz | 110 V~ 50/60Hz | 1600 W | 180-480 min⁻¹ 300-750 min⁻¹ | ø 160 mm | 140L | M14



L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 5,23 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82607	1600	220	2
YT-82607UL	1600	110	2
YT-82607BS	1600	220	2

Mixing station

230-240V~ 50Hz | 1600 W | 150-300 min⁻¹ 300-650 min⁻¹ | 50 L | SOFT START MIĘKKI START | 3 m

HIGH INDUSTRIAL



YATO	[W]	
YT-82605	1600	1

Plunge saw

220-230V~ 50Hz | 1300 W | 2000-5000 min⁻¹ | 165x20 x2.4 mm | 90°/55mm 45°/38mm CUTTING DEPTH ADJUSTMENT DETAILS



L_{pA} = 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 dB; a_h = 1,4 ± 1,5 m/s²

YATO	[W]	
YT-82168	1300	2
YT-82168BS	1300	2

Electric paddle mixer

230-240V~ 50Hz | 1850 W | 150-300 min⁻¹ 300-650 min⁻¹ | ø 160 mm | 140L | M14 | SOFT START MIĘKKI START

HIGH INDUSTRIAL



YATO	[W]	
YT-82608	1850	1

Mixing station

230-240V~ 50Hz | 1900 W | 150-650 min⁻¹ | 100L | SOFT START MIĘKKI START | 3 m

HIGH INDUSTRIAL



YATO	[W]	
YT-82606	1900	1

Guide rail for plunge saw

1.4 m | ALUMINUM HIGH QUALITY PROFILE — ALUMINOWY PROFIL WYSOKIEJ JAKOŚCI | POSSIBILITY OF COMBINATION MOŻLIWOŚĆ ŁĄCZENIA



For YT-82168

YATO	L [mm]	
YT-82169	1400	5

Circular saw

220-240V~ 50Hz | 1500 W | 4800 min⁻¹ | 185x20 x2,8 mm | 24T | 65 mm | 90°-65 mm 45°-45 mm | 3 m



Fitting blades: see chapter 10

L_{pA} = 95,1 ± 3,0 dB; L_{wA} = 106,1 ± 3,0 dB; a_h = 2,86 ± 1,5 m/s²

YATO	[W]	
YT-82152	1500	2
YT-82152BS	1500	2
YT-82152UL	1500	2

Circular saw

220-240V~ 50Hz | 1500 W | 5500 min⁻¹ | 185x20 x2,8 mm | 24T | 63 mm | 90°-63 mm 45°-44 mm | 3 m



Fitting blades: see chapter 10

L_{pA} = 95,0 ± 3,0 dB; L_{wA} = 106,0 ± 3,0 dB; a_h = 3,526 ± 1,5 / 2,905 ± 1,5 m/s²

YATO	[W]	
YT-82151	1500	2

Circular saw

220-240V~ 50Hz | 2800 W | 4800 min⁻¹ | 235x25,4 x3,0 mm | 24T | 85 mm | 90°-85 mm 45°-60 mm | HIGH CUTTING RANGE DUZY ZAKRES CIĘCIA | 3 m



Fitting blades: see chapter 10

L_{pA} = 99,0 ± 3,0 dB; L_{wA} = 110,0 ± 3,0 dB; a_h = 1,847 ± 1,5 m/s²

YATO	[W]	
YT-82154	2800	2

Carpentry track saw

1600 W | 220-240V~ 50-60Hz | 5500 min⁻¹ | ⌀ 190 mm | 66 mm | 60T | 90°-66 mm 45°-44 mm | Al | 3 m



YATO	[W]	
YT-821533	1600	2

Circular saw with table saw function

2000 W | 230-240V~ 50/60Hz | 5700 min⁻¹ | ⌀ 210 mm | 67 mm | 90°-67 mm 45°-45 mm | 60T | Al





YATO	[W]	
YT-82155	2000	2

Track saw guide rail with clamps

1m | ALUMINUM HIGH QUALITY PROFILE ALUMINIOWY PROFIL WYSOKIEJ JAKOŚCI | POSSIBILITY OF COMBINATION MOŻLIWOŚĆ ŁĄCZENIA | for / dla: YT-821533



For YT-821533,YT-82167

YATO	L [mm]	
YT-821534	1000	5

Plunge saw

220-240V~ 50-60Hz | 1400 W | 2000-5500 min⁻¹ | 165x20 mm | 90°/55mm 45°/40mm



Compatible with YT-821534

YATO	[W]	
YT-82167	1400	2

Jig saw

220-240V~ 50/60Hz | 600 W | 600-3000 min⁻¹ | 65 mm | 8,0 mm | 45° | 3 m



YATO	[W]	
YT-82266	600	10

Jig saw



L_{pA} = 88,0 ± 5,0 dB; L_{wA} = 1 96,0 ± 5,0 dB; a_h = 4,5 ± 1,5 / 5,0 ± 1,5m/s²

YATO	[W]	
YT-82265	400	10

Miter saw

NEW



YATO	[W]	
YT-821710	1700	1

Miter saw

NEW



YATO	[W]	
YT-82176	2000	1

Jig saw



YATO	[W]	[V]	
YT-82275	550	220	5
YT-82275UL	550	110	5
YT-82275BS	550	220	5

Miter saw

NEW



YATO	[W]	
YT-821722	1500	1

Miter saw



Fitting blades: see chapter 10

L_{pA} = 93,0 ± 3,0 dB; L_{wA} = 105,0 ± 3,0 dB

YATO	[W]	
YT-82174	1800	1

Jig saw

HIGH INDUSTRIAL



L_{pA} = 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 dB; a_h = 8,87 ± 1,5 / 5,51 ± 1,5 m/s²

YATO	[W]	
YT-82267	750	5
YT-82267BS	750	5

Miter saw

NEW



YATO	[W]	
YT-821732	2000	1

Miter saw



Fitting blades: see chapter 10

L_{pA} = 90,7 ± 3,0 dB; L_{wA} = 103,7 ± 3,0 dB

YATO	[W]	
YT-82175	1800	1
YT-82175BS	1800	1

Miter saw

220-240V~ 50Hz | 1800 W | 5000 min⁻¹ | 255x30 x2.8 mm | 24T | 90°/70mm 45°/35mm CUTTING DEPTH OLEDOROSC CIĘCIA | 90°/305mm 45°/210mm CUTTING LENGTH OLEDOROSC CIĘCIA | 110V~ 60Hz | CLASS / KLASA | 3 m



Fitting blades: see chapter 10
L_{pA} = 94,3 ± 3,0 dB; L_{wA} = 107,3 ± 3,0 dB

YATO	[W]	
YT-82173	1800	1
YT-82173BS	1800	1
YT-82173UL	1800	1

Electric table saw

1800 W | 5000 min⁻¹ | 250x30 x2.8 mm | 24T | 90°-85 mm 45°-60 mm | 893x583 mm | 220-240V~ 50Hz | 110V~ 60Hz



Fitting blades: see chapter 10
L_{pA} = 91,0 ± 3,0 dB; L_{wA} = 104,0 ± 3,0 dB

YATO	[W]	[V]	
YT-82165	1800	220	1
YT-82165UL	1800	110	1

Bench grinder

230V~ 50Hz | 250 W | 2980 min⁻¹ | 150x32 mm | 150x32 x30 mm



L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB

YATO	[W]	
YT-822107	250	1

Planer thicknesser

230V~ 50Hz | 1250 W | 8500 min⁻¹ | 6.3 m/min | 204mm | max 120mm



L_{pA} = 92,8 ± 3,0 dB; L_{wA} = 107,2 ± 3,0 dB (Planer / Strugarka)

YATO	[W]	
YT-82147	1250	1

Bench grinder

230V~ 50Hz | 150 W | 2980 min⁻¹ | 125x12.7 x16 mm | LED LIGHTING OSWIETLENIE



L_{pA} = 82,7 ± 3,0 dB; L_{wA} = 95,7 ± 3,0 dB

YATO	[W]	
YT-822100	150	1

Bench grinder

230V~ 50Hz | 520 W | 2980 min⁻¹ | 150x32 x25 mm | 686x50 mm | EASY BELT REPLACEMENT LATWA WYMIANA PASA



L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB

YATO	[W]	
YT-822110	520	1

Thicknesser

220-240V~ 50Hz | 1800 W | 10000 min⁻¹ | 330mm



L_{pA} = 86,5 ± 3,0 dB; L_{wA} = 99,5 ± 3,0 dB

YATO	[W]	
YT-82148	1800	1

Bench grinder

230V~ 50Hz | 250 W | 2980 min⁻¹ | 150x12.7 x20 mm | LED LIGHTING OSWIETLENIE



L_{pA} = 80,7 ± 3,0 dB; L_{wA} = 93,7 ± 3,0 dB

YATO	[W]	
YT-822103	250	1

Bench grinder

230V~ 50Hz | 520 W | 150x32 x25 mm | 200x20 x40 mm | 2980 min⁻¹ | 130 min⁻¹ | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO



L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB

YATO	[W]	
YT-822112	520	1

NON-SPARKING

Electric planer



L_{pA} = 84,0 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB; a_h = 7,11 ± 1,5 m/s²

YATO	[W]	
YT-82144	1300	2

Router



L_{pA} = 92,0 ± 3,0 dB; L_{wA} = 102,0 ± 3,0 dB; a_h = 2,388 ± 1,5 m/s²

YATO	[W]	
YT-82390	710	4
YT-82390BS	710	4

Router



YATO	[W]	
YT-82385	1400	2

Electric planer



L_{pA} = 87,0 ± 3,0 dB; L_{wA} = 98,0 ± 3,0 dB; a_h = 7,68 ± 1,5 m/s²

YATO	[W]	[V]	
YT-82141	810	230	6
YT-82141BS	810	230	6
YT-82141UL	810	110	6

Router



L_{pA} = 81.0 ± 3.0 dB; L_{wA} = 89.0 ± 3.0 dB; a_h = 1.067 ± 1.5 m/s²

YATO	[W]	
YT-82389	850	8
YT-82389UL	850	8

Belt sander



Fitting abrasive bands: see chapter 10

L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 5,1 ± 1,5 m/s²

YATO	[W]	
YT-82240	1010	4
YT-82240BS	1010	4

Electric planer



YATO	[W]	
YT-82142	650	6
YT-82142UL	650	6

Router



Fitting router bits: see chapter 10

L_{pA} = 94,0 ± 3,0 dB; L_{wA} = 105,0 ± 3,0 dB; a_h = 3,41 ± 1,5 m/s²

YATO	[W]	
YT-82380	2100	2
YT-82380BS	2100	2

Belt sander



Fitting abrasive bands: see chapter 10

L_{pA} = 88 ± 3 dB; L_{wA} = 99 ± 3 dB; a_h = 6,47 ± 1,5 m/s²

YATO	[W]	
YT-82242	1200	2

Sabre saw

230-240V~ 50Hz | 1050 W | 0-2500 min⁻¹ | 28 mm | 150 mm | 10 mm | 3 m



L_{pA} = 92,2 ± 3,0 dB; L_{wA} = 103,2 ± 3,0 dB; a_h = 25,65 ± 1,5 m/s²

YATO	[W]	
YT-82281	1050	4
YT-82281BS	1050	4

Finishing sander

230V~ 50Hz | 260 W | 13000 min⁻¹ | 90x187 mm | x6 P60-P240 | P60 P80 P100 P120 P180 P240



L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 93,0 ± 3,0 dB; a_h = 5,4 ± 1,5 m/s²

YATO	[W]	
YT-82230	260	4
YT-82230BS	260	4

Drywall sander

220-240V~ 50-60Hz | 900 W | ⌀ 180 mm | 900-2100 min⁻¹ | LED | VACUUM SYSTEM SYSTEM ODPYLANIA | SPEED REGULATOR REGULACJA PRĘDKOŚCI | NEW | 4 m



YATO	[W]	
YT-82342	900	4

Sabre saw

220-240V~ 50-60Hz | 710 W | 0-3000 min⁻¹ | 20 mm | 150 mm | 10 mm | 3 m | NEW



YATO	[W]	
YT-82282	710	5

Finishing sander

220-240V~ 50-60Hz | 600 W | 3000-7000 min⁻¹ | IP20 | 70x400 mm | 3 m | NEW



YATO	[W]	
YT-82205	600	6

Triangle back pad for drywall sander

280 mm



For YT-82350
Fitting sand papers: YT-84610, YT-84611, YT-84612, YT-84613, YT-84614, YT-84615, YT-84616

YATO	Dimensions [mm]	
YT-82354	280x280x280	20/60

Orbital sander

220-240V~ 50/60Hz | 350 W | 4000-10000 min⁻¹ | ⌀ 150 mm | 5.0 mm | 3 m | BRUSHLESS MOTOR BEZSZCZOTKOWY | HIGH INDUSTRIAL



L_{pA} = 80,0 ± 3,0 dB; L_{wA} = 91,0 ± 3,0 dB; a_h = 3,7 ± 1,5 m/s²

YATO	[W]	
YT-82206	350	6

Orbital sander

220-240V~ 50-60Hz | 400 W | ⌀ 150 mm | 4000-10000 min⁻¹ | 5.0 mm | SPEED REGULATOR REGULACJA PRĘDKOŚCI | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 3 m | NEW



YATO	[W]	
YT-82208	400	8

Telescopic drywall sander

230-240V~ 50Hz | 710 W | 600-1500 min⁻¹ | 3000-6000 min⁻¹ | ⌀ 225 mm | ⌀ 210 215 225 mm | x6 P60-P240 | P60 P80 P100 P120 P180 P240 | M6





• *Vacuum self suction system integrated*
Fitting sand papers: see chapter 10
L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 99,0 ± 3,0 dB; a_h = 3,48 ± 1,5 / 3,51 ± 1,5 m/s²

YATO	[W]	
YT-82350	710	2
YT-82350BS	710	2

Orbital sander

220-240V~ 50/60Hz | 450 W | 4000-13000 min⁻¹ | ⌀ 150 mm | 2.0 mm



L_{pA} = 82,0 ± 3,0 dB; L_{wA} = 90,0 ± 3,0 dB; a_h = 12,5 ± 1,5 m/s²

YATO	[W]	
YT-82207	450	6
YT-82207BS	450	6

Drywall sander

230V~ 50Hz | 1220 W | 1500-2300 min⁻¹ | ⌀ 225 mm | ⌀ 210 215 225 mm | x6 P60-P240 | P60 P80 P100 P120 P180 P240





• *Vacuum self suction system integrated*
Fitting sand papers: see chapter 10
L_{pA} = 85,0 ± 3,0 dB; L_{wA} = 96,0 ± 3,0 dB; a_h = 4,83 ± 1,5 m/s²

YATO	[W]	
YT-82340	1220	2
YT-82340BS	1220	2

Telescopic drywall sander

220-240V~ 50-60Hz | 400 W | 4000-8500 min⁻¹ | Ø 225 mm | LED LIGHTING OSWIETLENIE | IP20 | BRUSHLESS MOTOR SILNIK BEZSZCZOTKOWY | 4 m

NEW



YATO	[W]	
YT-82356	400	2

Plaster smoothing and rendering machine

220-240V~ 50Hz | 750 W | 110 min⁻¹ | Ø 375 mm | WET WORK PRACA NA MOKRO



L_{pA} = 88,6 ± 3,0 dB; L_{wA} = 99,6 ± 3,0 dB; a_h = 1,528 ± 1,5 m/s²

YATO	[W]	
YT-82330	750	2
YT-82330BS	750	2

Disc for smoothing sand and cement render

Ø 375 mm | PVC



For YT-82330

YATO	Ø [mm]	
YT-82335	375	20

Extension pole for plaster smoothing machine

80-150 cm | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | ALUMINIUM INDIA QUALITY PROFILE ALUMINIOWY PROFIL WYSOKIEJ JAKOŚCI



For YT-82330

YATO	L [mm]	
YT-82332	800-1500	10

Hook and loop fastener disc for sponge and sand paper

Ø 375 mm | PVC



For YT-82330

YATO	Ø [mm]	
YT-82336	375	15

Drywall sander

230-240V~ 50/60Hz | 820 W | 600-1900 min⁻¹ | max 165 cm | Ø 215 mm | Ø 210 215 225 mm | M6 | LED LIGHTING OSWIETLENIE | 4 m



• *Vacuum self suction system integrated*

Fitting abrasive discs: see chapter 10

L_{pA} = 86,0 ± 3,0 dB; L_{wA} = 97,0 ± 3,0 dB;

a_h = 7,91 ± 1,5 m/s²

YATO	[W]	
YT-82355	820	2
YT-82355BS	820	2

Disc for smoothing render and cement floors

Ø 375 mm | STEEL STAL



For YT-82330

YATO	Ø [mm]	
YT-82333	375	8

Sponge disc for rendering gypsum walls

Ø 390 mm



For YT-82330

YATO	Ø [mm]	
YT-82337	390	28

Sand paper for plaster smoothing machine

5 PCS | P24 | Ø 400 mm



For YT-82330

YATO	Grit	Ø [mm]	
YT-82334	P24	400	20

Back pad for drywall sander

Ø 225 mm



For YT-82340, YT-82350

Fitting sand papers: YT-83470, YT-83471, YT-83472, YT-83473, YT-83474, YT-83475, YT-83476, YT-83477, YT-84600, YT-84601, YT-84602, YT-84603, YT-84604, YT-84605, YT-84606

YATO	Ø [mm]	
YT-82353	225	15/60

NON-SPARKING

Burnishing machine

1300 W | 230-240V~ 50Hz | 1100-3500 min⁻¹ | ⌀120/19 x100 mm | WOOD, DREWNO | METAL | SOFT START MIĘKKI START | CONSTANT SPEED STABILIZACJA PRĘDKOŚCI | 3 m



YATO	[W]	
YT-81956	1300	4

Paint and lacquer stripper

720 W | 230-240V~ 50Hz | 10000 min⁻¹ | ⌀ 80 mm | 3 m | HIGH INDUSTRIAL



YATO	[W]	
YT-82375	720	6

HVLP paint sprayer

220-230V~ 50/60Hz | 1380 W | 800 ml | HVLP | 5 m | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | EASY CLEAN ŁATWE CZYSZCZENIE | 3 m



• *For wall paints*

L_{pA} = 85,2 ± 3,00 dB; L_{wA} = 96,2 ± 3,00 dB; a_h = <1,5 m/s²

YATO	[W]	
YT-82555	1380	2
YT-82555BS	1380	2

Burnishing machine

1300 W | 230V~ 50Hz | 900-3700 min⁻¹ | ⌀120/19 x100 mm | WOOD, DREWNO | METAL | 3 m





• *Included wheel drums: nylon and steel wire*

L_{pA} = 88,0 ± 3,0 dB; L_{wA} = 99,0 ± 3,0 dB; a_h = 8,85 ± 1,5 m/s²

YATO	[W]	
YT-81953	1300	2
YT-81953BS	1300	2

Electric spray gun

230V~ 50Hz | 500 W | ⌀ 1.8 mm | 0.4 l/min | 1000 ml



L_{pA} = 102,0 ± 3,0 dB; L_{wA} = 113,0 ± 3,0 dB; a_h = 2,12 ± 1,5 m/s²

YATO	[W]	
YT-82550	500	4
YT-82550BS	500	4

Airless paint sprayer

220-240V~ 50Hz | 650 W | 1.1 l/min | 20.7 MPa | 310 250 mm | AIRLESS BEZ-POWIETRZNY | 7.5 m



• *For wall paints*

L_{pA} = 93,3 ± 3,0 dB; L_{wA} = 104,3 ± 3,0 dB; a_h = ≤2,5 m/s²

YATO	[W]	
YT-82560	650	1
YT-82560BS	650	1

Burnishing machine

230-240V~ 50Hz | 300 W | 1600-3000 min⁻¹ | ⌀60/11.5 x60 mm | WOOD, DREWNO | METAL | 3 m | NEW



YATO	[W]	
YT-81963	300	5

Electric spray gun

220-240V~ 50Hz | 600 W | ⌀ 2.6 mm | 1.0 l/min | 1000 ml



L_{pA} = 80,4 ± 3,0 dB; L_{wA} = 91,4 ± 3,0 dB; a_h = 0,67 ± 1,5 m/s²

YATO	[W]	
YT-82553	600	6
YT-82553BS	600	6

Spray gun

22.7 MPa | 3 FILTERS FILTRY



For YT-82560, YT-82562

YATO	
YT-82566	20

Nozzle

5 PCS | 513 | 515 | 517 | 519 | 521



For YT-82560, YT-82562

YATO	
YT-82563	20

Airless spray gun extension

2 PCS | 1000 mm | 1800 mm | Al



YATO	L [mm]	
YT-82568	1000, 1800	25

Multi-purpose oscillating tool

220-240V~ 50Hz | 400 W | 10000-20000 min⁻¹ | IP20 | 3 m | NEW



YATO	[W]	
YT-82221	400	6

Nozzle

3 PCS | 517



For YT-82560, YT-82562

YATO	
YT-82564	20

Multi-purpose oscillating tool

230-240V~ 50Hz | 300 W | 15000-22000 min⁻¹ | 2 m





L_{pA} = 89,2 ± 3,0 dB; L_{wA} = 100,2 ± 3,0 dB; a_h = 4,464 ± 1,5 m/s²

YATO	[W]	
YT-82220	300	4

Airless spray gun extension

3 PCS | 300 mm | 450 mm | 600 mm | Al



YATO	L [mm]	
YT-82567	300, 450, 600	10

Multi-purpose oscillating tool

230-240V~ 50Hz | 500 W | 8000-16000 min⁻¹









• *Additional vacuum system*

L_{pA} = 106,4 ± 3,0 dB; L_{wA} = 117,4 ± 3,0 dB; a_h = 12,71 ± 1,5 m/s²

YATO	[W]	
YT-82223	500	5
YT-82223BS	500	5

Industrial vacuum cleaner

220-240V~ 50/60Hz | 1400 W | 18 kPa | 20 L | WET AND DRY SUCHO I MOKRO | max 2000 W | IPX4 | 4.5 m





YATO	[W]	
YT-85700	1400	1
YT-85700BS	1400	1

Industrial vacuum cleaner

220-240V~ 50/60Hz | 2400 W | 18 kPa | 70 L | WET AND DRY SUCHO I MOKRO | ADJUSTABLE POWER REGULACJA MOCY | IPX4 | 6 m





YATO	[W]	
YT-85710	2400	1
YT-85710BS	2400	1

Industrial vacuum cleaner

220-240V~ 50/60Hz | 1400 W | 18 kPa | 30 L | WET AND DRY SUCHO I MOKRO | max 2000 W | IPX4 | 4.5 m





YATO	[W]	
YT-85701	1400	1
YT-85701BS	1400	1

Industrial vacuum cleaner

220-240V~ 50/60Hz | 1600 W | 18 kPa | 30 L | WET AND DRY SUCHO I MOKRO | BLOW FUNCTION FUNKCJA DMUCHAWY | max 2000 W | IPX4 | 5 m





YATO	[W]	
YT-85715	1600	1
YT-85715BS	1600	1

Multifunctional vacuum cleaner for pond

220-240V~ 50/60Hz | 1400 W | 18 kPa | 30 L | WET AND DRY SUCHO I MOKRO | BLOW FUNCTION FUNKCJA DMUCHAWY | IPX4 | 4.5 m



- *Wet and dry fl oor nozzle (width: 30 cm)*
- *Round brush (rotating head)*
- *Crevice nozzle*
- *Nozzle for cleaning pond*
- *Long hose (430 cm)*
- *Drainage hose (200 cm)*
- *Plastic tubes (4 PCS)*
- *Pond debris bag*
- *Cloth fi lter*
- *Sponge fi lter*



YATO	[W]	
YT-85720	1400	1
YT-85720BS	1400	1

Industrial vacuum cleaner

220-240V~ 50-60Hz | 1600 W | 30 L | HEPA | max 2000 W | IPX4 | 7.5 m



- *Self cleaning filter*
- *HEPA filter*



YATO	[W]	
YT-85716	1600 / 3600	1
YT-85716BS	1600 / 3600	1

Synthetic vacuum bag

1 PCS



YATO		
YT-85741	For YT-85715	100

Industrial vacuum cleaner

220-240V~ 50/60Hz | 1600 W | 22 kPa | 40L | HEPA | max 2000 W | IPX4

NEW



- *Self-cleaning fi lter*
- *HEPA fi lter*

YATO	[W]	
YT-85717	1600 / 3600	1

Dust extractor

220-240V~ 50/60Hz | 1200 W | 55 L | HEPA | ø 100 mm

NEW



YATO	[W]	
YT-85770	1200	1

Synthetic vacuum bag

1 PCS



YATO		
YT-85740	For YT-85715	100
YT-85744	For YT-85716	100

Industrial vacuum cleaner

220-240V~ 50/60Hz | 1600 W | 22 kPa | 40L | HEPA | max 2000 W | IPX4

NEW



- *Self-cleaning fi lter*
- *HEPA fi lter*
- *Can be used with pneumatic tools*

YATO	[W]	
YT-85718	1600 / 3600	1

Ash separator

18 L | 1 m | FOR GRILL AND FIREPLACE DO GRILLA I KOMINKA | FIREPROOF HOSE WĄŻ ŻARO-ODPORNY

NEW



YATO	[W]	
YT-85706	4000	1

Sponge filter and cloth filter



YATO		
YT-85750	For YT-85720	20

Vacuum filter

1 PCS | HEPA



YATO		
YT-85742	For YT-85715	100

Steam cleaner

1350 W | 220-240V~ 50-60Hz | 550 ml | 0.1 MPa | 32 mg/min | max °C 110 | 15 s | 3 m



YATO	[W]	
YT-85760	1350	6

Hot knife for polystyrene foam

230V~ 50Hz | 220 W | 70-450 °C | LED | STYROFOAM STYROPIAN | POLYPROPYLENE POLYPROPYLEN | PVC







YATO	[W]	Max. cutting length (mm)	
YT-82190	220	220	10

Vacuum filter

1 PCS



YATO		
YT-85743	For YT-85715	100

Wall paper stripper

230-240V~ 50Hz | 2000 W | 100°C | 4.5 L | IPX4 | 3 m



YATO	[W]	
YT-82320	2000	4
YT-82320BS	2000	4

Hot knife for polystyrene foam

230V~ 50Hz | 150 W | °C max 550 | max 200 mm | x2 BLADES OSTRZA | LED | STYROFOAM STYROPIAN | POLYPROPYLENE POLYPROPYLEN | PVC



• *Included blades: 150, 200 mm*

YATO	[W]	Max. cutting length [mm]	
YT-82191	150	150, 200	10

Vacuum filter

1 PCS | HEPA



YATO		
YT-85745	For YT-85716	22

Foam cutter – attachment for hot knife

STYROFOAM STYROPIAN

NEW



For YT-821915, YT-821916

YATO	
YT-821919	1

Hot knife for polystyrene foam

220-240V~ 50-60Hz | 250 W | max 200 mm | x2 BLADES OSTRZA | STYROFOAM STYROPIAN | POLYPROPYLENE POLYPROPYLEN | PVC | 3 m

NEW



YATO	[W]	
YT-821901	250	1

Transformer soldering gun

230-240V~ 50Hz | 200 W | S2 20% | LED



YATO	[W]	[°C]	
YT-82451	200	70~200, 201~350, 351~500	10

Transformer soldering gun

220-240V~ 50Hz | 180 W | 0-600 °C | S2 20% | LED



YATO	[W]	[°C]	
YT-8245	180	0~600	10

Hot air gun

230-240V~ 50Hz | 2000 W | 550 °C | 500 l/min



YATO	[W]	
YT-82288	2000	10
YT-82288BS	2000	10

Cordless plastic welder with accessories

40 W | 3.7 V 2000mAh Li-Ion



YATO	[W]	
YT-824480	40	10

Staple set for plastic welder

800 PCS



For YT-824480, YT-824485

YATO	
YT-824490	20

Hot air gun with accessories

230-240V~ 50Hz | 2000 W | 550 °C | 500 l/min



YATO	[W]	
YT-82291	2000	5
YT-82291BS	2000	5
YT-82291UL	2000	5

Plastic welder with accessories

220-240V~ 50/60Hz | 60 W



YATO	[W]	
YT-824485	60	10

Hot air gun with accessories

2000 W | 230-240V~ 50Hz | 550 °C | 500 l/min | LED



YATO	[W]	
YT-82292	2000	5

Hot air gun with accessories

230-240V~ 50Hz | 2000 W | 600 °C | 500 l/min | LCD



YATO	[W]	
YT-82293	2000	5
YT-82293BS	2000	5

Hot air gun with accessories

220-240V~ 50Hz | 2000 W | 450/600 °C | 250-500 l/min | 1.8 m





YATO	[W]	
YT-82294	2000	5
YT-82294BS	2000	5

Hot air gun with accessories

220-240V~ 50Hz | 1600 W | 50-650 °C | 250-500 l/min | LCD | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m







YATO	[W]	
YT-82296	1500-1600	5
YT-82296BS	1500-1600	5

Gasoline generator

2x 220-240V 50-60Hz | 2x 110-120V 60Hz | max 5500 W | 420 cm³ | 15 L | 1.1 L | Pb | V



YATO	[V]	
YT-85441	220	1
YT-85441UL	110	1

Hot air gun with accessories

220-240V~ 50Hz | 2000 W | 50-600 °C | 250-500 l/min | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m







YATO	[W]	
YT-82295	2000	5
YT-82295BS	2000	5

Hot air gun accesories set

5 PCS



For YT-82294, YT-82295, YT-82296

YATO	
YT-82301	50

Open frame type diesel gensets

3 kW | 13 L | V | 311 cm³ | 2x 220-240V 50Hz



YATO	[V]	
YT-85423	220	1

Hot air gun with accessories

220-230V~ 50Hz | 110V-120V~ 50/60Hz | 1800 W | 40-600 °C | 60-600 °C | 300-500 l/min | TEMPERATURE REGULATION REGULACJA TEMPERATURY

HIGH INDUSTRIAL



YATO	[W]	[V]	
YT-82300	1800	220	5
YT-82300BS	1800	220	5
YT-82300UL	1800	110	5

Hot air gun

220-230V~ 50/60Hz | 3000 W | 100-600 °C | 750 l/min | LCD | TEMPERATURE REGULATION REGULACJA TEMPERATURY | 1.8 m

NEW

HIGH INDUSTRIAL





YATO	
YT-82297	5

Open frame type diesel gensets

4.5 kW | 13 L | V | 418 cm³ | 2x 220-240V 50Hz



YATO	[V]	
YT-85424	220	1

Gasoline generator

2x 220-240V 50Hz | 2x 110-120V 60Hz | max 3500 W | 223 cm³ | 15 L | 0.6 L | Pb | V



YATO	[V]	
YT-85435	220	1
YT-85435UL	110	1

Silent type diesel gensets

6.0 kW | 220-240V~ 50Hz | 498 cm³ | 17 L | 1.65 L



YATO	[V]	
YT-85443	220	1
YT-85443-380	380	1

Silent type diesel gensets

4.5 kW | 220-240V~ 50Hz | 418 cm³ | 17 L | 1.65 L



YATO	[V]	
YT-85444	220	1

Open frame type diesel gensets

418 cm³ | 13 L | 2x 220-240V 50Hz | V | 4 kW | 180 A



YATO	[V]	
YT-85426	220	1

Silent type diesel gensets

7.5 kW | 220-240V~ 50Hz | 668 cm³ | 25 L | 2.1 L



YATO	[V]	
YT-85445	220	1
YT-85445-380	380	1

Silent type diesel gensets

11 kW | 220-240V~ 50Hz | 997 cm³ | 26 L | 2.8 L



YATO	[V]	
YT-85446	220	1
YT-85446-380	380	1

Open frame type diesel gensets

2x 220-240V 50Hz | 6 kW | 498 cm³ | 13 L | V



YATO	[V]	
YT-85425	220	1

Silent type diesel gensets

4.5 kW | 220-240V~ 50Hz | 418 cm³ | 17 L | 1.65 L



YATO	[V]	
YT-85442	220	1

Automatic transfer switch

230V | 50A | 3-12 kW



YATO	[V]	
YT-85438	230	1
YT-85438-380	380	1

Welding machine



YATO	[V]	
YT-81350	220-240	1

Portable power station



YATO	[W]	
YT-83090	300	2

Portable power station



YATO	[W]	
YT-83095	2400	1

Inverter welder



- *Manual arc welding*
- *TIG welding*
- *Adjustable working angle*

YATO	[V]	
YT-81352	220-240	1

Portable power station



YATO	[W]	
YT-83091	600	2

Portable power station



YATO	[W]	
YT-83096	3600	1

Inverter welder



YATO	[V]	
YT-81353UL	110-240	1

Portable power station



YATO	[W]	
YT-83092	1200	1

Electric heater



YATO	[W]	
YT-99720	3000	1

Foldable solar panel

100 W | 4in1 4w1 | IP67



MC4: DC7909, DC8020, XT60, Anderson

YATO	[W]	
YT-98200	100	2

Foldable solar panel

200 W | 4in1 4w1 | IP67



MC4: DC7909, DC8020, XT60, Anderson

YATO	[W]	
YT-98201	200	1

Gas fired heater

220-240V~ 50Hz | 15 kW | 70 MPa | 320 m³/h



YATO	[kW]	
YT-99730	15	1

Direct oil fired heater

220-240V~ 50Hz | 30 kW | 750 m³/h | 2.4 kg/h | 38 L



YATO	[kW]	
YT-99740	30	1

Electric heater

220-240V~ 50Hz | 3 kW | 30 m² | 245 m³/h | PTC



YATO	[W]	
YT-99705	3000	1

Gas fired heater

220-240V~ 50Hz | 30 kW | 70 MPa | 650 m³/h



YATO	[kW]	
YT-99733	30	1

Direct oil fired heater

220-240V~ 50Hz | 50 kW | 1100 m³/h | 4.0 kg/h | 50 L



YATO	[kW]	
YT-99743	50	1

Traditional lubricated compressor

2800 min⁻¹ | 50 L | 120 l/min | 2x



YATO	[l]	[v]	
YT-23238	50	230	1
YT-23238UL	50	110	1

Air compressor

230-240V~ 50Hz | 1.5kW 2KM | 1500 W | 2850 min⁻¹ | 0.8 MPa | 200 l/min | 24 L



L_{pA} =74,2 ± 3,0 dB; L_{wA} = 93,7 ± 2,23 dB

YATO	[W]	
YT-23300	1500	1

Air compressor

230V~ 50Hz | 2200 W | 2,2kW 3KM | 2850 min⁻¹ | 2x | 0.8 MPa | 412 l/min | 50 L



L_{pA} =75,1 ± 2,11 dB; L_{wA} = 95,1 ± 2,11 dB

YATO	[W]	
YT-23306	2200	1

Air compressor

230V~ 50Hz | 2.2kW 3KM | 2200 W | 1100 min⁻¹ | 2x | 1.0 MPa | 360 l/min | 200L



L_{pA} =74,7 ± 3,0 dB; L_{wA} = 93,8 ± 2,28 dB

YATO	[W]	
YT-23320	2200	1

Gasoline air compressor

100L | 360 l/min | 1.0 MPa | 11000 min⁻¹ | NEW



YATO		
YT-23312		1

Air compressor

230V~ 50Hz | 2200 W | 2.2kW 3KM | 2850 min⁻¹ | 2x | 0.8 MPa | 412 l/min | 100L



L_{pA} =75,1 ± 2,11 dB; L_{wA} = 95,1 ± 2,11 dB

YATO	[W]	
YT-23311	2200	1

Air compressor

400V~ 50Hz | 2.2kW 3KM | 2200 W | 1100 min⁻¹ | 2x | 1.0 MPa | 360 l/min | 200L | HIGH INDUSTRIAL



L_{pA} =74,7 ± 3,0 dB; L_{wA} = 93,8 ± 2,28 dB

YATO	[W]	
YT-23321	2200	1

Air compressor

230-240V~ 50Hz | 1.5kW 2KM | 1500 W | 2850 min⁻¹ | 0.8 MPa | 200 l/min | 50 L



L_{pA} =74,2 ± 3,0 dB; L_{wA} = 93,7 ± 2,23 dB

YATO	[W]	
YT-23305	1500	1

Air compressor

230V~ 50Hz | 2.2kW 3KM | 2200 W | 1100 min⁻¹ | 2x | 1.0 MPa | 360 l/min | 100L



L_{pA} =74,7 ± 3,0 dB; L_{wA} = 93,8 ± 2,28 dB

YATO	[W]	
YT-23310	2200	1

Oil-free air compressor

230V~ 50Hz | 550 W | 0.55kW 0.75KM | 1450 min⁻¹ | 8 bar | 0.8 MPa | 107 l/min | 6L | NEW



YATO	[W]	
YT-23340	550	1

Air compressor

220 V~ 60Hz | 1.5 m



YATO	
YT-232405	1

Air compressor

220 V~ 60Hz | 4.0 kW | 80 Gal | 0-115 psi | 160 kg | 8 bar | 1.8 m | USA | NEW



YATO	
YT-232407	1

Dirty water submersible pump

220-240V~ 50Hz | 900 W | Q max 18000 l/h



∠	Q [l/h]
0	18000
1	17000
2	16000
3	15000
4	14000
5	12000
6	11000
7	10000
8	8000
9	7000
10	6000
11	5000
12	4000
13	3000
14	2000
15	100



YATO	[W]	[l/h]	H max. [m]	
YT-85333	900	18000	8.9	4
YT-85333BS	900	18000	8.9	4

Oil-free air compressor

230V~ 50Hz | 750 W | 0.75kW 1.0KM | 1450 min⁻¹ | 8 bar | 0.8 MPa | 140 l/min | 24 L | NEW



YATO	[W]	
YT-23342	750	1

Deep well pump

230V~ 50Hz | 370 W | 550 W | Q max 5400 l/min | Q max 6000 l/h | 20 m





YATO	[W]	[l/h]	
YT-85300	370	5400	1
YT-85300BS	370	5400	1
YT-85301	550	6000	1
YT-85301BS	550	6000	1

Dirty water submersible pump

220-240V~ 50Hz | 400 W | Q max 11000 l/h



∠	Q [l/h]
0	11000
1	10500
2	10000
3	9500
4	9000
5	8000
6	7000
7	6000
8	5000
9	4000
10	3000
11	2000
12	1000



YATO	[W]	[l/h]	H max. [m]	
YT-85330	400	11000	5.8	4
YT-85330BS	400	11000	5.8	4

Oil-free air compressor

230V~ 50Hz | 1500 W | 1.5kW 2KM | 1450 min⁻¹ | 8 bar | 0.8 MPa | 280 l/min | 50 L | NEW



YATO	[W]	
YT-23345	1500	1

Dirty water submersible pump

230V~ 50Hz | 750 W | Q max 11000 l/h

∠	Q [l/h]
0	11000
1	10500
2	10000
3	9500
4	9000
5	8500
6	8000
7	7500
8	7000
9	6500
10	6000
11	5000
12	4000
13	3000
14	2000
15	1000



YATO	[W]	[l/h]	H max. [m]	
YT-85341	750	11000	8.5	3
YT-85341BS	750	11000	8.5	3

Dirty water submersible pump

230V~ 50Hz | 1100 W | Q max 17000 l/h

∠	Q [l/h]
0	17000
1	16500
2	16000
3	15000
4	14000
5	13000
6	12000
7	11000
8	10000
9	9000
10	8000
11	7000
12	6000
13	5000
14	4000
15	3000
16	2000
17	1000



YATO	[W]	[l/h]	H max. [m]	
YT-85343	1100	17000	10	3
YT-85343BS	1100	17000	10	3

Submersible pump for dirty water and wastewater

230V~ 50Hz | 400 W | Q max 12000 l/h



H	Q [l/h]
3	12000
4	9000
5	6000
6	3000
7	1500
7.5	500

YATO	[W]	[l/h]	H max. [m]	
YT-85349	400	12000	7.5	1

Submersible pump for dirty water and wastewater

230V~ 50Hz | 750 W | Q max 16000 l/h



H	Q [l/h]
0	16000
1	15000
2	14000
3	13500
4	12500
5	11500
6	11000
7	10500
8	9500
9	8000
10	5500
11	3500
12	2000
13	500

YATO	[W]	[l/h]	H max. [m]	
YT-85350	750	16000	13	1
YT-85350BS	750	16000	13	1

Water pump

220-240V~ 50Hz | ⌀ 1"x1" | 2850 min⁻¹



YATO	[W]	l/min	
YT-85310	370	35	4
YT-85311	550	45	4
YT-85312	750	55	4

Submersible pump for rainwater

230V~ 50Hz | 550 W | Q max 5000 l/h | H 25 m | 7 m | 2.5 bar (max.) | max °C 35 | IPX8 | 10 m

- *Float switch*
- *High pressure*
- *For clean water*





YATO	[W]	[l/h]	H max. [m]	
YT-85286	550	5000	25	4

Submersible pump for rainwater

230V~ 50Hz | 550 W | Q max 4600 l/h | H 25 m | 7 m | 2.5 bar (max.) | max °C 35 | IPX8 | AUTO ON / OFF AUTO WŁ. WYŁ. | 10 m

- *Sensor switch*
- *High pressure*
- *For clean water*





YATO	[W]	[l/h]	H max. [m]	
YT-85287	550	4600	25	4

Drill pump

Q max 2.4 m³/h | H 3.0 m | 3400 min⁻¹ (max.) | ⌀ 8 mm | STANDARD

NEW



YATO	
YT-89000	6/60

Electronic pressure switch

230-240V~ 50/60Hz | 40°C AMBIENT MAX | 60°C AMBIENT MAX | 10A max | 10Bar max | IP54 | 1" 25 mm



YATO	
YT-85390	12

Flood protection set

230V~ 50Hz | 750 W | 8.0m | 7m | Q max 12000 l/h | 10 m



YATO	[W]	
YT-85323	750	1

Hydrophore pump

230V~ 50Hz | 1200 W | 1" 25mm | 4000 l/h | 50 m | 9 m | max °C 35 | 19 L | IPX4 | INOX



L_{pA} = 69,43 ± 1,49 dB; L_{wA} = 82,35 ± 1,49 dB

YATO	[W]	[l/h]	H max. [m]	
YT-85370	1200	4000	50	1
YT-85370BS	1200	4000	50	1

Garden pump with filter

230V~ 50Hz | 850 W | Q max 3600 l/h | 38 m | 8 m | 3.8 bar (max.) | 1" 25mm | max °C 35 | IPX4 | 1.2 m



- *Built-in pre-filter*
- *Current pressure built-in gauge*
- *Waterproof housing*
- *Comfortable carry handle*
- *For clean water*

L_{pA} = 60,89 ± 3,0 dB; L_{wA} = 72,01 ± 3,0 dB

YATO	[W]	[l/h]	H max. [m]	
YT-85363	850	3600	38	1

Electronic hydrophore pump with filter

230V~ 50Hz | 850 W | Q max 3600 l/h | 38 m | 8 m | 3.8 bar (max.) | 1" 25mm | max °C 35 | IPX4 | LCD | AUTO ON / OFF AUTO WL. WYŁ. | 1.2 m



- *Built-in pre-filter*
- *24 h automatic working mode*
- *Current pressure built-in gauge*
- *Automatic hydrophore working mode*
- *Protection against dry running*
- *Waterproof housing*
- *Comfortable carry handle*
- *For clean water*

L_{pA} = 60,89 ± 3,0 dB; L_{wA} = 72,01 ± 3,0 dB

YATO	[W]	[l/h]	H max. [m]	
YT-85371	850	3600	38	1

Electronic pressure switch

220-240V~ 50-60Hz | 2.2 kW | 0,5-6 bar START | 1" 25mm | AUTO ON / OFF AUTO WŁ. WYŁ. | 10Bar max | 16 A max | max °C 60 | LCD | IP65 | 1 m | 0.5 m



YATO	[W]	
YT-85392	2200	12

Garden pump with filter

230V~ 50Hz | 1300 W | Q max 5000 l/h | 53 m | 8 m | 5.3 bar (max.) | 1" 25mm | max °C 35 | IPX4 | 1.2 m



- *Built-in pre-filter*
- *Current pressure built-in gauge*
- *Waterproof housing*
- *Comfortable carry handle*
- *For clean water*

L_{pA} = 63,69 ± 3,0 dB; L_{wA} = 74,97 ± 1,0 dB

YATO	[W]	[l/h]	H max. [m]	
YT-85364	1300	5000	53	1

Electronic hydrophore pump with filter

230V~ 50Hz | 1300 W | Q max 5000 l/h | 53 m | 8 m | 5.3 bar (max.) | 1" 25mm | max °C 35 | IPX4 | LCD | AUTO ON / OFF AUTO WŁ. WYŁ. | 1.2 m



- *Built-in pre-filter*
- *24 h automatic working mode*
- *Current pressure built-in gauge*
- *Automatic hydrophore working mode*
- *Protection against dry running*
- *Waterproof housing / For clean water*
- *Comfortable carry handle*

L_{pA} = 63,69 ± 3,0 dB; L_{wA} = 74,97 ± 1,0 dB

YATO	[W]	[l/h]	H max. [m]	
YT-85372	1300	5000	53	1

Electronic pressure switch

220-240V~ 50-60Hz | AUTO ON / OFF AUTO WŁ. WYŁ. | 1.1 kW | 10Bar max | 1.5-2.2 bar START | 10 A max | 1" 25mm | max °C 60 | IP65 | 1 m | 0.5 m



YATO	[W]	
YT-85393	1100	12

Electronic pressure switch

220-240V~ 50-60Hz | AUTO ON / OFF AUTO WŁ. WYŁ. | 1.1 kW | 10Bar max | 0-6 bar START | 10 A max | 1" 25 mm | max °C 60 | IP65 | 1 m | 0.5 m



- *Monitors water pressure*
- *Protects against dry running*
- *Provides constant water pressure*
- *Manual pressure regulation*

TYPE PC-59

YATO	[W]	
YT-85394	1100	12

High pressure washer

230-240V~ 50Hz | 110V-120V~ 50/60Hz | 1500 W | 12 MPa (max.) | 8.0 MPa | 5 l/min | IPX5





L_{pA} = 77,3 ± 3,0 dB; L_{wA} = 84,3 ± 3,0 dB; a_h = 2,08 ± 1,5 m/s²

YATO	[W]	
YT-85910	1500	1
YT-85910BS	1500	1
YT-85910UL	1500	1

Pressure Washer

418 cm³ | 3400 min⁻¹ | Q max 20,7 l/min | 240 bar (max.) | 4 STROKE OHV | 12 V 20000mAh | 10 HP | 10" | 8 m | E-START

NEW



YATO	
YT-85960	1

Brushless high pressure washer

230V~ 50Hz | 1800 W | 13,5 MPa (max.) | 9 MPa | 6 l/min | IPX5



YATO	[W]	
YT-85903	1800	1
YT-85903BS	1800	1

High pressure washer

220-240V~ 50Hz | 110V-120V~ 50/60Hz | 2000 W | 15 MPa (max.) | 10 MPa | 6 l/min | IPX5





L_{pA} = 85,8 ± 3,0 dB; L_{wA} = 95,39 ± 3,0 dB; a_h = 2,64 m/s²

YATO	[W]	
YT-85915	2000	1
YT-85915BS	2000	1
YT-85915UL	2000	1

Pressure Washer

4.3 kW | 209 cm³ | 3600 min⁻¹ | Q max 9 l/min | 240 bar (max.) | 4 STROKE OHV | 10" | 6 m | E10

NEW



YATO	
YT-85970	1

Battery sprayer with solar panel

12V | 0.15-0.4 MPa | 3.1 l/min | 16 L | 8.0 Ah | PP | SS



YATO	[V d.c.]	
YT-86220	12	1

Leaf vacuum / blower

3 in 1 3 w 1 | 230-240V~ 50Hz | 3000 W | 11500-15500 min⁻¹ | 10-16 m³/min | 100-300 km/h | 45 L | 15:1









- *Vacuuming*
- *Blowing*
- *Shredding*

L_{pA} = 90,8 ± 3,0 dB; L_{wA} = 102,3 ± 2,1 dB; a_h = 2,702 ± 1,5 m/s²

YATO	[W]	
YT-85182	3000	1

Leaf vacuum / blower

3 in 1 / 3 w 1 | 220-240V~ 50Hz | 3500 W | 9000-15000 min⁻¹ | 13.2 m³/min | 270 km/h | 35 L

- Vacuuming
- Blowing
- Shredding



L_{pA} = 90,2 ± 3,0 dB; L_{wA} = 102,4 ± 3,0 dB; a_h = 4,27 ± 1,5 m/s²

YATO	[W]	
YT-85180	3500	1
YT-85180BS	3500	1

Electric weed sweeper

230-240V~ 50Hz | 400 W | 1800 min⁻¹ | ⌀ 110 mm | SOFT GRIP MIĘKKI UCHWYT | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | ADJUSTABLE ADDITIONAL HANDLE REGULOWANY UCHWYT DODATKOWY



L_{pA} = 83,0 ± 3,0 dB; L_{wA} = 91,0 ± 3,0 dB; a_h = 2,2 ± 1,5 m/s²

YATO	[W]	
YT-85800	400	6
YT-85800BS	400	6

Blower

220-240V~ 50/60Hz | 600 W | 6000-16000 min⁻¹ | 4 m³/min | SUCTION FUNCTION FUNKCJA ZASYSANIA | BLOW FUNCTION FUNKCJA DMUCHAWY | 2 m





L_{pA} = 82,1 ± 2,5 dB;
L_{wA} = 95,0 ± 2,5 dB;
ah = 2,994 ± 1,5 m/s²

YATO	[W]	
YT-85170	600	4
YT-85170BS	600	4

Electric grass trimmer

230-240V~ 50Hz | 550 W | 10000 min⁻¹ | ⌀ 300 mm | ⌀ 1.6 mm 6 m | 126 / 106 cm | 2 POSITIONS POZYCJE | HEAD ANGLE ADJUSTMENT REGULACJA KĄTA GŁOWICY



L_{pA} = 73,45 ± 1,52 dB;
L_{wA} = 93,17 ± 1,52 dB;
a_h = 4,556 ± 1,5 / 4,306 ± 1,5 m/s²

YATO	[W]	
YT-85234	550	4
YT-85234BS	550	4

Electric grass trimmer

230-240V~ 50Hz | 250 W | 12500 min⁻¹ | ⌀ 220 mm | ⌀ 1.2 mm 6 m



L_{pA} = 70,21 ± 0,88 dB;
L_{wA} = 90,18 ± 0,88 dB; a_h = 1,853 ± 1,5 / 2,835 ± 1,5 m/s²

YATO	[W]	
YT-85230	250	12

Electric hedge trimmer

230-240V~ 50Hz | 600 W | 1700 min⁻¹ | 510 mm | ⌀ 16 mm | SOFT GRIP MIĘKKI UCHWYT



L_{pA} = 91,0 ± 3,0 dB(A); L_{wA} = 98,9 ± 3,0 dB(A); a_h = 3,344 ± 1,5 / 4,308 ± 1,5 m/s²

YATO	[W]	
YT-84770	600	4

Electric pole saw

220-240V~ 50Hz | 710 W | 4500 min⁻¹ | 10" 25 cm | 3/8" 9,52 mm | 40 | 9,5 m/s | 255 188 cm | AUTOMATIC CHAIN LUBRICATION | QUICK CHAIN TENSION SYSTEM | HEAD ANGLE ADJUSTMENT | TELESCOPIC HANDLE | SOFT GRIP





L_{pA} = 88,7 ± 3,0; L_{wA} = 100,3 ± 3,0; a_h = 1,353 ± 1,5 / 2,134 ± 1,5 m/s²

YATO	[W]	
YT-84800	710	2

Gasoline brushcutter

1.25 kW | 1.7 KM | 42.7 cm³ | 255x25.4 mm | 0.85 L | 40 : 1 | ANTI-VIBRATION SYSTEM | EASY START | EASY TRANSPORT



YATO	[KW]	
YT-84995	1.25	2

Electric pole hedge trimmer

230-240V~ 50Hz | 600 W | 1500 min⁻¹ | 510 mm | ⌀20mm | 274 207 cm | 65Mn | HEAD ANGLE ADJUSTMENT | TELESCOPIC HANDLE | SOFT GRIP





L_{pA} = 84,7 ± 3,0; L_{wA} = 96,0 ± 3,0; a_h = 2,74 ± 1,5 / 2,84 ± 1,5 m/s²

YATO	[W]	
YT-84790	600	2

Gasoline brushcutter

1.25 kW | 1.7 KM | 42.7 cm³ | ⌀ 430 mm | 255x25.4 mm | 0.85 L | 40 : 1 | ANTI-VIBRATION SYSTEM | EASY START | EASY TRANSPORT





L_{pA} = 96,3 ± 3,0 dB; L_{wA} = 110,3 ± 3,0 dB; a_h = 3,992 ± 1,5 / 10,403 ± 1,5 m/s²

YATO	[kW]	[kM]	
YT-85003	1.25	1.7	1

Gasoline brushcutter

31 cm³ | 0.8 kW | 9500 min⁻¹ (max.) | ⌀ 430 mm | 255x25.4 mm | 4 STROKE SUNY | 0.9 L



L_{pA} = 89,16 ± 3,0 dB; L_{wA} = 109,0 ± 3,0 dB; a_h = 7,912 ± 1,5 m/s² / 8,254 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85004	0.8	1.09	1

Gasoline brushcutter with accessories

52 cm³ | 1.45 kW | 9500 min⁻¹ (max.) | ⌀ 430 mm | 255x25.4 mm | 2 STROKE SUNY | 1.2 L | 25 : 1



Included: nylon trimmer heads (2 PCS), metal trimmer head, 3-tooth blade, trimmer line, spark plugs (2 PCS), fuel tank, knife for brushcutter guard, tool kit, double harness

L_{pA} = 88,96 ± 3,0 dB; L_{wA} = 109,0 dB ± 3,0; a_h = 7,824 ± 1,5 m/s² / 8,856 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85005	1.45	1.97	1

Trimmer head

Ø 2.2-3.0 mm | 200-430 mm | 30≤ cm³ | Al



For YT-84995, YT-85003, YT-85010

YATO	
YT-85111	10/40

Brushcutter wire brush

Ø d | STEEL WIRE DRUT STALOWY



For YT-84995, YT-85003, YT-85004, YT-85005, YT-85010

YATO	Ø [mm]	Ød [mm]	max ↻ [min⁻¹]	
YT-85141	150	25.4	10000	30

Gasoline earth auger

1.4 kW | 51.2 cm³ | 320 min⁻¹ (max.) | 40 : 1 | ANTI-VIBRATION SYSTEM - SYSTEM ANTI-WIBRACYJNY | 50 cm | Ø 100 mm | Ø 150 mm | Ø 200 mm





- *Tool-free drill exchange*
- *Balanced and easy to oparate*

L_{pA} = 103,8 ± 3,00 dB; L_{wA} = 107,54 ± 3,00 dB; a_h = 12,469 ± 1,5 m/s²

YATO	[kW]	[kM]	
YT-84660	1.4	1.9	1

Trimmer head

Ø 2.2-3.0 mm | M12x1.75L ø4 ADAPTER | 30≤ cm³



For YT-84995, YT-85003, YT-85010

YATO	
YT-85121	10/40

TCT blade for brushcutters

Ø 255x25.4 mm | 30≤ cm³ | 40T



For YT-84995, YT-85003, YT-85004, YT-85005, YT-85010

YATO	
YT-85150	20/40

Extension for auger drill bit

500 mm



YATO	L [mm]	
YT-84675	500	20

Trimmer head

Ø 2.0-3.0 mm | 300-430 mm | 30≤ cm³



For YT-84995, YT-85003, YT-85010

YATO	
YT-85135	25/100

3-tooth brushcutter blade

255x25.4 x1.6 mm | 30≤ cm³



For YT-84995, YT-85003, YT-85004, YT-85005, YT-85010

YATO	
YT-85155	25/50

Earth auger drill bit



YATO	Ø [mm]	L [mm]	
YT-84670	100	785	1
YT-84671	150	785	1
YT-84672	200	785	1

Electric multi-brush

230-240V~ 50Hz | 500 W | 750-1300 min⁻¹ | ⌀ 100 mm | SOFT GRIP MIĘKKI UCHWYT | TELESCOPIC HANDLE UCHWYT TELESKOPOWY | ADJUSTABLE ADDITIONAL HANDLE REGULOWANY UCHWYT DODATKOWY













L_{pA} = 83,7 ± 3,0 dB; L_{wA} = 94,7 ± 3,0 dB; a_h = 3,39 ± 1,5 m/s²

YATO	[W]	
YT-85803	500	2
YT-85803BS	500	2

Logger filing vice





YATO	
YT-85075	2/60

Electric chainsaw 2 in 1

2 in 1 2 w 1 | 230-240V~ 50Hz | 750 W | 10" 25 cm | 3/8" 9,52 mm | 40 | 0,043" 1,1 mm | 12 m/s | 170 110 cm | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘCIA ŁAŃCUCHA | SOFT GRIP MIĘKKI UCHWYT



- *Chainsaw*
- *Pole chainsaw*

L_{pA} = 89,5 ± 3,0 dB; L_{wA} = 102,7 ± 2,47 dB; a_h = 2,67 ± 1,5 / 3,32 ± 1,5 m/s²

YATO	[W]	
YT-84877	750	1
YT-84877BS	750	1

Gasoline chainsaw

1800 W | 1.8 kW | 45.1 cm³ | 11000 min⁻¹ (max.) | 18" 44 cm | 3/8" 9,32 mm | 0,058" 1,47 mm | 0.24 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘCIA ŁAŃCUCHA



YATO	[W]	
YT-84891	1800	1

Electric chainsaw

230-240V~ 50Hz | 2000 W | 16" 40 cm | 3/8" 9,32 mm | 56 | 0,05" 1,2 mm | 15 m/s | 0.2 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘCIA ŁAŃCUCHA



L_{pA} = 96,9 ± 3,0 dB; L_{wA} = 104,9 ± 2,36 dB; a_h = 6,36 ± 1,5 / 5,65 ± 1,5 m/s²

YATO	[W]	
YT-84871	2000	2

Electric chainsaw

230-240V~ 50Hz | 1600 W | 14" 36 cm | 3/8" 9,52 mm | 52 | 0,05" 1,3 mm | 12 m/s | 0.17 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘCIA ŁAŃCUCHA



L_{pA} = 96,0 ± 3,0 dB; L_{wA} = 104,3 ± 2,64 dB; a_h = 5,15 ± 1,5 / 5,08 ± 1,5 m/s²

YATO	[W]	
YT-84868	1600	2

Electric chainsaw

230-240V~ 50Hz | 2000 W | 7000 min⁻¹ | 16" 40 cm | 3/8" 9,32 mm | 0,05" 1,3 mm | 13 m/s | 0.11 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ



L_{pA} = 90,2 ± 3,0 dB; L_{wA} = 103,2 ± 3,0 dB; a_h = 8,393 ± 1,5 / 6,002 ± 1,5 m/s²

YATO	[W]	
YT-84870	2000	2
YT-84870BS	2000	2

Electric chainsaw

230-240V~ 50Hz | 2400 W | 16" 40 cm | 3/8" 9,32 mm | 56 | 0,05" 1,3 mm | 15 m/s | 0.2 L | AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TŁUCZEŃ | QUICK CHAIN TENSION SYSTEM SYSTEM SZYBKIEGO NAPIĘCIA ŁAŃCUCHA



L_{pA} = 96,5 ± 3,0 dB; L_{wA} = 104,5 ± 2,36 dB; a_h = 6,55 ± 1,5 / 6,02 ± 1,5 m/s²

YATO	[W]	
YT-84872	2400	2

NON-SPARKING

Gasoline chainsaw



L_{pA} = 95,4 ± 3,0 dB; L_{wA} = 108,4 ± 3,0 dB; a_h = 7,199 ± 1,5 / 7,492 ± 1,5 m/s²

YATO	[kW]	[KM]	L [mm]	
YT-84893	0.75	1	300	2

Gasoline chainsaw



YATO	[kW]	L [mm]	
YT-84892	2.1	600	1

Gasoline chainsaw



L_{pA} = 94,59 ± 1,34 dB;
L_{wA} = 113,46 ± 1,34 dB; a_h = 7,234 ± 1,5 / 9,528 ± 1,5 m/s²

YATO	[kW]	[KM]	L [mm]	
YT-84910	2.5	3.4	480	1

Gasoline chainsaw



L_{pA} = 93,35 ± 1,08 dB;
L_{wA} = 112,33 ± 1,08 dB; a_h = 5,600 ± 1,5 / 4,884 ± 1,5 m/s²

YATO	[kW]	[KM]	L [mm]	
YT-84895	1.3	1.7	330	1

Chainsaw guide bar



YATO	Mounting type	L	For chainsaws	For chains	For chainsaws	
YT-84925	P	10" (250 mm)	40	YT-84948, YT-84960	-	20
YT-84927	P	12" (300 mm)	44	YT-84949, YT-849495, YT-84960	YT-85090, YT-828137, YT-828138	20
YT-84931	P	14" (360 mm)	52	YT-84951, YT-84960	YT-84985, 79675	20
YT-84935	P	16" (400 mm)	56	YT-84953, YT-84960	YT-84870	20
YT-849355	P	18" (450 mm)	62	YT-84956, YT-84960	-	20

Gasoline chainsaw



L_{pA} = 89,69 ± 1,37 dB;
L_{wA} = 109,19 ± 1,37 dB; a_h = 5,650 ± 1,5 / 6,027 ± 1,5 m/s²

YATO	[kW]	[KM]	L [mm]	
YT-84901	1.8	2.4	360	1

Chainsaw guide bar



YATO	Mounting type	L	For chainsaws	For chains	For chainsaws	
YT-84915	P	8" (200 mm)	33	YT-849470	-	20
YT-84916	P	10" (250 mm)	40	YT-849472	-	20
YT-84917	P	12" (300 mm)	45	YT-849474	-	20
YT-84918	P	14" (360 mm)	52	YT-849475	YT-82812, YT-82813	20
YT-84919	P	16" (400 mm)	56	YT-849477	-	20

Guide bar



For YT-828135, YT-828136

YATO	L	Links quantity	For chainsaws	
YT-84914	4" (100 mm)	26	YT-828135, YT-828136	250

Chainsaw guide bar



YATO	Mounting type	L	Links quantity	For chains	
YT-849299	G	12" (300 mm)	44	YT-84949	20
YT-84930	G	14" (360 mm)	50	YT-84950, YT-84960	20
YT-849301	G	16" (400 mm)	55	YT-849529	20

Chainsaw guide bar



For YT-82836, YT-82837, YT-849479

YATO	L	Links quantity	
YT-84921	8" (200 mm)	33	20

Chainsaw guide bar



YATO	Mounting type	L	Links quantity	For chains	
YT-849381	U	12" (300 mm)	45	YT-849495	20
YT-849382	U	14" (360 mm)	52	YT-84951	20
YT-849383	U	16" (400 mm)	56	YT-84953, YT-84954	20

Chainsaw guide bar



For YT-849479

YATO	Mounting type	L	For chainsaws	For chains	
YT-84923	P	8" (200 mm)	33	YT-849479	20

Chainsaw guide bar



YATO	Mounting type	L	Links quantity	For chains	
YT-84928	E	12" (300 mm)	50	YT-849395, YT-84963	20
YT-849311	E	14" (360 mm)	60	YT-849405, YT-84963	20

Chainsaw guide bar





YATO	Mounting type	L	Links quantity	For chains	
YT-84929	U	13" (330 mm)	56	YT-84940	20
YT-84938	U	20" (500 mm)	78	YT-849441	20

Chainsaw guide bar





YATO	Mounting type	L	Links quantity	For chains	
YT-84933	U	15" (380 mm)	64	YT-84945, YT-84962	20
YT-849331	U	16" (400 mm)	66	YT-849451	20
YT-849332	U	18" (450 mm)	72	YT-849452	20

Chainsaw guide bar





YATO	Mounting type	L	For chainsaws	For chains	For chainsaws	
YT-849329	U	13" (330 mm)	56	YT-849449	-	20
YT-849333	U	20" (500 mm)	78	YT-849453	YT-84905	20

Guide bar for hollow bricks saw





For YT-82157, YT-821571

YATO	
YT-821572	50

Chainsaw guide bar





YATO	Mounting type	L	Links quantity	For chains	For chainsaws	
YT-84934	U	15" (380 mm)	64	YT-84941, YT-84963	-	20
YT-849351	U	16" (400 mm)	66	YT-84942, YT-84963	-	20
YT-84936	U	18" (450 mm)	72	YT-84943, YT-84963	YT-84900	20
YT-84937	U	20" (500 mm)	76	YT-84944, YT-84963	YT-84910	20

Guide for depth-gauge





YATO	L [mm]	For	
YT-85051	150	YT-85022	200

Chain for chainsaw



YATO	L	Links quantity	For guide bars	For chainsaws	
YT-849479	8" (200 mm)	33	YT-84921, YT-84923	YT-82836, YT-82837	50
YT-84948	10" (250 mm)	40	YT-84925	-	50
YT-84949	12" (300 mm)	44	YT-849299, YT-84927	-	50
YT-849495	12" (300 mm)	45	YT-849381, YT-849299, YT-84927	YT-84893, YT-828137, YT-828138	50
YT-84950	14" (360 mm)	50	YT-84930	-	50

YATO	L	Links quantity	For guide bars	For chainsaws	
YT-84951	14" (360 mm)	52	YT-84931, YT-849382	YT-84868, YT-84895, 79675	50
YT-849529	16" (400 mm)	55	YT-849301	-	50
YT-84953	16" (400 mm)	56	YT-84935, YT-849383	YT-84870, YT-84871, YT-84872	50
YT-84954	16" (400 mm)	57	YT-849383	-	50
YT-84956	18" (450 mm)	62	YT-849355	-	50

Chain for chainsaw



YATO	L	Links quantity	For guide bars	For chainsaws	
YT-849470	8" (200 mm)	33	YT-84915	-	50
YT-849472	10" (250 mm)	40	YT-84916	-	50
YT-849474	12" (300 mm)	45	YT-84917	-	50
YT-849475	14" (360 mm)	52	YT-84918	YT-82812, YT-82813	50
YT-849477	16" (400 mm)	56	YT-84919	-	50

Saw chain



YATO	L	Links quantity	
YT-849465	4" (100 mm)	26	200

Chain for chainsaw



YATO	L	Links quantity	For guide bars	For chainsaws	
YT-849449	13" (330 mm)	56	YT-849329	-	50
YT-84945	15" (380 mm)	64	YT-84933	-	50
YT-849451	16" (400 mm)	66	YT-849331	-	50
YT-849452	18" (450 mm)	72	YT-849332	-	50
YT-849453	20" (500 mm)	78	YT-849333	YT-84905	50

Chain for hollow bricks saw



For YT-82157, YT-821572

YATO	
YT-821571	100

Chain for chainsaw



YATO	L	Links quantity	For guide bars	For chainsaws	
YT-849395	12" (300 mm)	50	YT-84928	-	50
YT-84940	13" (330 mm)	56	YT-84929	-	50
YT-849405	14" (360 mm)	60	YT-849311	-	50
YT-84941	15" (380 mm)	64	YT-84934	-	50
YT-84942	16" (400 mm)	66	YT-849351	-	50
YT-84943	18" (450 mm)	72	YT-84936	YT-84900	50
YT-84944	20" (500 mm)	76	YT-84937	YT-84910	50
YT-849441	20" (500 mm)	78	YT-84938	-	50

Chain regulating plate



For guide bars A041/P

For YT-82812,YT-82813,YT-828136,YT-828137

YATO	
YT-84939	200

Chain for chainsaw



For YT-82812, YT-82813

YATO	Links quantity	
YT-84959	1632	1

Chain for chainsaw



For YT-84900, YT-84934, YT-84936

Dolmar, Husqvarna, Jonsered, Makita, NAC, Oleo-Mac, Partner

YATO	Links quantity	
YT-84963	1846	1

Spare link for chainsaw



For YT-84955

YATO	
YT-84978	100

Chain for chainsaw



For YT-84930, YT-84931, YT-84935

Alpina, Dolmar, Husqvarna, McCulloch, Oleo-Mac, Partner

YATO	Links quantity	
YT-84960	1632	1

Spare link for chainsaw



For YT-84940, YT-84941, YT-84942, YT-84943, YT-84944, YT-84963

YATO	
YT-84975	120

Chainsaw chain breaker



YATO	
YT-84971	4

Chain for chainsaw



For YT-84932

Alpina, Dolmar, Echo, Husqvarna, Jonsered, Makita, Oleo-Mac, Partner

YATO	Links quantity	
YT-84961	1632	1

Spare link for chainsaw



For YT-84945, YT-84962

YATO	
YT-84976	100

Chain sharpener



YT-84991
Disc: For YT-84990





L_{pA} = 63,5 ± 3,0 dB; L_{wA} = 76,5 ± 3,0 dB

YATO	
YT-84990	4
YT-84990BS	4

Chain for chainsaw



For YT-84905, YT-84933

Dolmar, Husqvarna, Jonsered, Makita, Oleo-Mac, Partner

YATO	Links quantity	
YT-84962	1846	1

Spare link for chainsaw



For YT-84950, YT-84951, YT-84953, YT-84954, YT-84960

YATO	
YT-84977	120

Electric lawn mower



L_{pA} = 82,8 ± 3,0 dB; L_{wA} = 93,7 ± 2,4 dB; a_h = 3,15 ± 1,5 m/s²

YATO	[W]	
YT-85205	1800	1
YT-85205BS	1800	1

Blade for lawn mower



For YT-85205

YATO	L [mm]	
YT-85161	380	50

Electric scarifier



L_{pA} = 90,2 ± 3,0 dB;
L_{wA} = 105,17 ± 3,0 dB;
a_h = 1,679 ± 1,5 m/s²

YATO	[W]	
YT-84840	1800	1

Electric lawn mower



L_{pA} = 82,3 ± 3,0 dB; L_{wA} = 93,1 ± 1,91 dB; a_h = 2,72 ± 1,5 m/s²

YATO	[W]	
YT-85200	1300	1
YT-85200BS	1300	1

Blade for lawn mower



For YT-85200

YATO	L [mm]	
YT-85160	320	80

Gasoline lawn mower



YATO	[W]	
YT-85255	3500	1

Electric lawn mower



L_{pA} = 83,6 ± 3,0 dB; L_{wA} = 94,6 ± 1,8 dB; a_h = 3,45 ± 1,5 m/s²

YATO	[W]	
YT-85208	2000	1
YT-85208BS	2000	1

Blade for lawn mower



For YT-85208

YATO	L [mm]	
YT-85162	430	50

Gasoline lawn mower



YATO	[W]	
YT-85245	2200	1

Gasoline lawn mower



L_{pA} = 82,2 ± 3,0 dB;
L_{wA} = 93,78 ± 1,61 dB;
a_h = 4,832 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85520	2.1	2.86	1

Gasoline lawn mower



• *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 80,1 ± 3,0 dB;
L_{wA} = 94,62 ± 1,17 dB;
a_h = 5,177 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85528	3.5	4.76	1

Gasoline lawn mower



L_{pA} = 82,2 ± 3,0 dB;
L_{wA} = 93,78 ± 1,61 dB;
a_h = 4,832 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85521	2.1	2.86	1

Gasoline lawn mower



• *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 83,0 ± 3,0 dB;
L_{wA} = 95,35 ± 1,69 dB;
a_h = 4,067 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85532	3.5	4.76	1

Gasoline lawn mower



• *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 81,0 ± 3,0 dB;
L_{wA} = 94,46 ± 0,93 dB;
a_h = 7,618 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85525	2.4	3.26	1

Gasoline lawn mower



• *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 90,5 ± 2,5 dB;
L_{wA} = 95,5 ± 2,5 dB;
a_h = 4,6 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85533	4.5	6.12	1

Gasoline lawn mower



- *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 84,5 ± 3,0 dB;
L_{wA} = 95,7 ± 2,46 dB;
a_h = 6,61 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85537	4.5	6.12	1

Robotic lawn mower



YATO	
YT-852090	1

Gasoline lawn mower



- *4 in 1: rear collection, side dischrage, mulching, rear discharge*

L_{pA} = 90,7 ± 3,0 dB;
L_{wA} = 95,35 ± 1,69 dB;
a_h = 5,165 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85545	3.5	4.76	1

Robotic lawn mower



YATO	Maximum work area [m²]	Battery capacity	Charging time [min]	Working time [min]	
YT-852091	500	2000	95	80	1
YT-852092	800	4000	75	150	1
YT-852093	1000	5000	85	165	1

Gasoline scarifiler



L_{pA} = 86,8 ± 3,0 / 89,1± 3,0 dB;
L_{wA} = 99,63 ± 3,0 / 100,42 ± 3,0 dB;
a_h = 5,382 ± 1,5 / 4,926 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85570	4.1	5.58	1

Boundary wire for robotic mower



For YT-852090,YT-852091,YT-852092,YT-852093

YATO	
YT-852095	1

Garage for robotic mower

Al PC

NEW



For:YT-852091,YT-852092,YT-852093

YATO	
YT-852094	5

Wire connectors for robotic mower

25 PCS

NEW



For YT-852090,YT-852091,YT-852092,YT-852093

YATO	
YT-852098	30

Wire pegs for robotic mower

100 PCS PP

NEW



For YT-852090,YT-852091,YT-852092,YT-852093

YATO	
YT-852097	20



Gasoline tiller

2.9 kW | 166 cm³ | 3000 min⁻¹ | 360/600 mm | 6" | 4 STROKE SUNY | METAL ENCLOSURE METALOWA OBUDOWA | E10



L_{pA} = 90,2 ± 2,15 dB;
L_{wA} = 93,0 ± 1,5 dB;
a_h = 4,1 ± 1,5 / 5,2 ± 1,5 m/s²

LONCIN

YATO	[kW]	[KM]	
YT-85590	2.9	3.94	1

Electric tiller

230-240V~ 50Hz | 1500 W | 220 mm | 450 mm | ⌀ 205 mm



L_{pA} = 80,4 ± 3,0 dB;
L_{wA} = 91,57 ± 1,28 dB;
a_h = 0,968 ± 1,5 / 0,947 ± 1,5 m/s²

YATO	[W]	
YT-84850	1500	1

Gasoline tiller

1.45 kW | 7500 min⁻¹ | 52 cm³ | 100 150 mm | 300 mm | 2 STROKE SUNY | 1050 ml | 25 : 1



L_{pA} = 89,5 ± 3,0 dB;
L_{wA} = 109,5 ± 3,0 dB;
a_h = 7,102 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-84861	1.45	1.97	1

Gasoline tiller

3.6 kW | 173 cm³ | 170 mm | 600 mm | x6 BLADES OSTRZA | 270 mm | ⌀150 mm | 1.5 L | 0.6 L



L_{pA} = 77,9 ± 0,199 dB;
L_{wA} = 92,58 ± 0,199 dB;
a_h = 3,10 ± 1,5 / 3,02 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-84860	3.6	4.08	1

Gasoline tiller

4.1 kW | 196 cm³ | 3600 min⁻¹ | 480 mm | 4 STROKE SUNY | METAL ENCLOSURE METALOWA OBUDOWA | E10



L_{pA} = 80,2 ± 3,0 dB;
L_{wA} = 95,2 ± 3,0 dB;
a_h = 8,95 ± 1,5 m/s²

LONCIN

YATO	[kW]	[KM]	
YT-85592	4.1	5.58	1

Gasoline tiller

4.1 kW | 196 cm³ | 3600 min⁻¹ | 350/850 mm | 4 STROKE SUNY | METAL ENCLOSURE METALOWA OBUDOWA | E10



L_{pA} = 80,2 ± 3,0 dB;
L_{wA} = 95,2 ± 3,0 dB;
a_h = 8,95 ± 1,5 m/s²

LONCIN

YATO	[kW]	[KM]	
YT-85591	4.1	5.58	1

Gasoline sweeper



- Gearbox: 3 speeds forward, reverse gear
- Option of installing a dust collector or a plow

LONCIN

L_{pA} = 80,9 ± 3,0 dB; L_{wA} = 94,41 ± 3,0 dB; a_h = 4,646 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85600	3.5	4.76	1

Gasoline shredder



LONCIN

L_{pA} = 97,0 ± 3,0 dB; L_{wA} = 107,0 ± 3,0 dB

YATO	[kW]	[KM]	
YT-85580	3.5	4.76	1

Collector for sweeper



For YT-85600

YATO	Working width [mm]	
YT-85605	1000	1

Tractor - gasoline lawn mower



- Hydrostatic drive

LONCIN

L_{pA} = 84,6 ± 3,0 dB; L_{wA} = 97,98 ± 1,06 dB; a_h = 6.113 ± 2.4 / 6.103 ± 2.4 / 1.937 ± 0.8 m/s²

YATO	[kW]	[KM]	
YT-85551	11	14.96	1

Plow for sweeper



For YT-85600

YATO	Working width [mm]	
YT-85606	1000	1

Tractor - gasoline lawn mower



- Gearbox: 5 forward gears, neutral, reverse gear

LONCIN

L_{pA} = 84,4 ± 3,0 dB; L_{wA} = 98,93 ± 1,11 dB; a_h = 3.1 ± 1.5 / 3.1 ± 1.5 m/s²

YATO	[kW]	[KM]	
YT-85552	8.2	10.88	1

Tractor - gasoline lawn mower

8.8 kW | 432 cm³ | 3600 min⁻¹ | 90 / 120 mm | 760 mm | 170 L | 10"/15" | 4 STROKE SUMY | METAL ENCLOSURE METALOWA OBUDOWA | E-START | E10



LONCIN

L_{pA} = 78,8 ± 3,0 dB; L_{wA} = 100,4 ± 2,03 dB; a_h = 4,74 ± 1,5 / 0,64 ± 1,5 m/s²

- *Gearbox type: mechanical*
- *Gears: 5 forward gears, neutral, reverse gear*
- *3 in 1: rear collection, side discharge, mulching*

YATO	[kW]	[KM]	
YT-85550	8.8	11.97	1

Rotary tiller for walk-behind tractor

650 mm | 250 - 150 mm | METAL ENCLOSURE METALOWA OBUDOWA | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85861	1

Walk-behind tractor

4.1 kW | 196 cm³ | 3600 min⁻¹ | 4 STROKE SUMY | 104/84 kg | E10 | E-START

NEW



LONCIN

L_{pA} = 82,5± 3,0 dB; L_{wA} = 96,1 ± 2,23 dB; a_h = 5,33 ± 1,5 m/s²

- *Adjustable steering wheel*
- *Gearbox: 3 forward and 3 reverse gears*
- *Start type: recoil and electric*
- *Lubrication system: oil bath lubrication*
- *Clutch type: oil clutch*
- *PTO speed: 990 RPM at 3600 engine RPM*

YATO	[kW]	[KM]	
YT-85850	4.1	5.58	1

Rotary plow for walk-behind tractor

400 mm | 300 mm | METAL ENCLOSURE METALOWA OBUDOWA | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85862	1

Walk-behind tractor

9 kW | 420 cm³ | 3600 min⁻¹ | 4 STROKE SUMY | 120/104 kg | E10 | E-START

NEW



LONCIN

L_{pA} = 85,8 ± 3,0 dB; L_{wA} = 104,6 ± 1,98 dB; a_h = 5,91 ± 1,5 m/s²

- *Adjustable steering wheel with steering assistance*
- *Gearbox: 3 forward and 2 reverse gears*
- *Start type: recoil and electric*
- *Lubrication system: oil bath lubrication*
- *Clutch type: dry clutch*
- *PTO speed: 990 RPM at 3600 engine RPM*
- *Differential lock*

YATO	[kW]	[KM]	
YT-85851	9	12.24	1

Rotary tiller for walk-behind tractor

880 mm | 250 - 150 mm | METAL ENCLOSURE METALOWA OBUDOWA | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85860	1

Flail mower for walk-behind tractor

600 mm | 100 ÷ 12 mm | x28 BLADES OSTRZA | PP | NBR | CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85864	1

Quick hitch for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85865	4

Ridge plow for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85868	1

Sickle bar mower for walk-behind tractor

1170 mm | PP | CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85863	1

Reversible plow for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85866	1

Potato digger for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85869	1

Sickle bar mower for walk-behind tractor

1200 mm | max ⌀ 20 mm | NBR | CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85881	1

Moldboard plow for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85867	1

Cultivator for walk-behind tractor

CARBON STEEL STAL WĘGLOWA | NEW



For YT-85850, YT-85851

YATO	
YT-85870	1

Sweeper for walk-behind tractor

1000 mm | ⌀ 500 mm | NYLON | NBR | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85872	1

PTO adapter for walk-behind tractor

CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85880	6

Wheel weights for walk-behind tractor

CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85878	1

Snow plow for walk-behind tractor

1000 mm | 500 mm | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85873	1

PTO extension for walk-behind tractor

CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85876	6

Gasoline water pump

1.45 kW | 52 cm³ | 21 m | 8 m | 7500 min⁻¹ | Q max 7500 l/h | 1" 25 mm | 2 STROKE ENGINE | 1.2 L | 25 : 1



L_{pA} = 93,3 ± 3,0 dB;
L_{wA} = 103,3 ± 3,0 dB

YATO	
YT-85420	1

Snow thrower for walk-behind tractor

1000 mm | 600 mm | Al | BRASS MOSIĄDZ | CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85874	1

Axle extentions for walk-behind tractor

CARBON STEEL STAL WĘGLOWA

NEW



For YT-85850, YT-85851

YATO	
YT-85877	1

Gasoline water pump

4.0 kW | 3600 min⁻¹ | 208 cm³ | ⌀ 50 mm 2" | Q max 500 l/min | Q max 30 m³/h | 25 m | 8 m | 3.6 L



L_{pA} = 82,1 ± 3,0 dB; L_{wA} = 95,4 ± 3,0 dB

YATO	
YT-85401	1

Gasoline water pump

4.0 kW | 3600 min⁻¹ | 208 cm³ | ⌀ 80 mm 3" | Q max 800 l/min | Q max 50 m³/h | 20 m | 8 m | 3.6 L



L_{pA} = 81,9 ± 3,0 dB; L_{wA} = 95,0 ± 3,0 dB

YATO	
YT-85402	1

Diesel water pump

4.0 kW | 3000 min⁻¹ | 296 cm³ | ⌀ 80 mm 3" | Q max 60 m³/h | 28 m | 7 m | 12.5 L



YATO	
YT-85411	1

Gasoline backpack sprayer

2.13 kW | 2.9 KM | 41.5 cm³ | 20 L | 17 m³/min | max 12 m



L_{pA} = 99,0 ± 3,0 dB; L_{wA} = 111,0 ± 3,0 dB; a_h = 0,8 ± 1,5 / 0,9 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-86240	2.13	2.9	1

Gasoline water pump

4.0 kW | 3600 min⁻¹ | 208 cm³ | ⌀ 100 mm 4" | Q max 1300 l/min | Q max 78 m³/h | 20 m | 8 m | 3.6 L



L_{pA} = 81,9 ± 3,0 dB; L_{wA} = 94,9 ± 3,0 dB

YATO	
YT-85403	1

Diesel water pump

6.3 kW | 3000 min⁻¹ | 418 cm³ | ⌀ 100 mm 4" | Q max 80 m³/h | 7 m | 12.5 L



YATO	
YT-85412	1

Gasoline leaf vacuum/blower

0.75 kW | 3 in 1 3 w 1 | 7000 min⁻¹ | 25.4 cm³ | 540 m³/h | 252 km/h | 35 L | 2 STROKE SUNY | 25 : 1 | 0.45 L



L_{pA} = 94,0 ± 3,0 dB; L_{wA} = 106,2 ± 3,0 dB; a_h = 3,132 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85191	0.75	1.02	1

Diesel water pump

2.8 kW | 3000 min⁻¹ | 211 cm³ | ⌀ 50 mm 2" | Q max 30 m³/h | 25 m | 7 m | 12.5 L



YATO	
YT-85410	1

Diesel water pump

6.5 kW | 3000 min⁻¹ | 418 cm³ | ⌀ 80 mm 3" | Q max 40 m³/h | 75 m | 6 m | 12.5 L



YATO	
YT-85415	1

Gasoline backpack leaf blower

1.45 kW | 7500 min⁻¹ (max.) | 52 cm³ | 890 m³/h | 280 km/h | 2 STROKE SUNY | 25 : 1 | 1.5 L



L_{pA} = 98,5 ± 3,0 dB; L_{wA} = 108,3 ± 3,0 dB; a_h = 4,194 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-85192	1.45	1.97	1

Gasoline hedge trimmer

0.75 kW | 600 mm | 7000 min⁻¹ | 25.4 cm³ | 2 STROKE SUWT | ANTI-VIBRATION SYSTEM SYSTEM ANTY-WIBRACYJNY | 500 ml | 25 : 1



L_{pA} = 94,0 ± 3,0 dB; L_{wA} = 111,0 ± 3,0 dB; a_h = 4,25 ± 1,5 / 2,92 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-84797	0.75	1.02	1

Gasoline stump grinder

9 kW | 420 cm³ | 3600 min⁻¹ | 250 mm | 170 mm | ⌀300 mm | 8T | TCT | 4 STROKE SUWT | METAL ENCLOSURE METALOWA OBUDOWA | E10



LONCIN

L_{pA} = 84,8 ± 3,0 dB; L_{wA} = 104,8 ± 3,0 dB

YATO	[kW]	[KM]	
YT-86125	9	12.24	1

Electric dumper

1000 W | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | 48 V 32000mAh | 8-10h | 6-7h | max 500 kg | max 5.3 km/h | 30 W | METAL ENCLOSURE METALOWA OBUDOWA | LCD



- *Electromagnetic brake*
- *Tipping method: hydraulic power unit*

L_{pA} = 85,2 ± 3,0 dB; L_{wA} = 64,5 ± 3,0 dB; a_h = 2,24 ± 1,5 m/s²

YATO	[W]	
YT-86106	1000	1

Electric wheelbarrow

500 W | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | 24 V 12000mAh | 8h | 4-5h | max 150 kg

NEW



YATO	[W]	
YT-86097	500	1

Gasoline dumper

4.1 kW | 196 cm³ | 3600 min⁻¹ | max 300 kg | max 3.6 km/h | 4x4 | 3+N+R | 4 STROKE SUWT | METAL ENCLOSURE METALOWA OBUDOWA | E10



LONCIN

L_{pA} = 82,2 ± 3,0 dB; L_{wA} = 97,45 ± 0,67 dB; a_h = 2,48 ± 1,5 / 3,15 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-86115	4.1	5.58	1

Electric dumper

1000 W | BRUSHLESS MOTOR SILNIK BEZ-SZCZOTKOWY | 48 V 32000mAh | 8-10h | 6-7h | max 500 kg | max 5.3 km/h | 30 W | METAL ENCLOSURE METALOWA OBUDOWA | LCD

NEW



YATO	[W]	
YT-86120	1000	1

Gasoline shredder

4.8 kW | 196 cm³ | 3600 min⁻¹ | ø100 mm | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10



- *Dual V-belt*
- *Emergency stop*
- *360 degree rotating discharge chute*

LONCIN

L_{pA} = 89,7 ± 3,0 dB; L_{wA} = 104,9 ± 3,0 dB

YATO	[kW]	[KM]	
YT-86155	4.8	6.53	1

Gasoline shredder

9 kW | 420 cm³ | 3600 min⁻¹ | ø150 mm | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10 | E-START



- *Dual V-belt*
- *Emergency stop*
- *360 degree rotating discharge chute*

LONCIN

L_{pA} = 91,5 ± 3,0 dB; L_{wA} = 109,68 ± 3,0 dB

YATO	[kW]	[KM]	
YT-86158	9	12.24	1

Gasoline trencher

9 kW | 420 cm³ | 3600 min⁻¹ | 100 mm | 600 mm | 27T | TCT | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10



- *Emergency stop*

LONCIN

L_{pA} = 88,6 ± 2,5 dB; L_{wA} = 110,8 ± 2,5 dB; a_h = 9,99 ± 1,5 m/s²

YATO	[kW]	[KM]	
YT-86140	9	12.24	1

Gasoline shredder

4.1 kW | 196 cm³ | 3600 min⁻¹ | ø50 mm | 65 L | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10 | 10"

NEW



LONCIN

L_{pA} = 84,8 ± 3,0 dB; L_{wA} = 104,8 ± 3,0 dB

YATO	[kW]	[KM]	
YT-86150	4.1	5.44	1

Gasoline trencher

4.1 kW | 196 cm³ | 3600 min⁻¹ | 100 mm | 450 mm | TCT | 21T | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10

NEW



LONCIN

YATO		
YT-86139		1

Gasoline log cutte

4.1 kW | 196 cm³ | 3600 min⁻¹ | ø 60 mm | 50-80 mm | 2 m³/h | x6 BLADES CUTTER | 4 STROKE SUWY | METAL ENCLOSURE METALOWA OBUDOWA | E10

NEW



LONCIN

YATO		
YT-86160		1

Gasoline log cutter

4.1 kW | 196 cm³ | 3600 min⁻¹ | ⌀ 80 mm | 60-120 mm | 4 m³/min | x6 BLADES/OSTRZA | 4 STROKE SUWT | METAL ENCLOSURE METALOWA OBUDOWA | E10

NEW



YATO		
YT-86161		1

Log splitter stand

935x860 x725 mm

NEW



For YT-79950, YT-79951

YATO		
YT-79952		1

Electric log splitter

220-240V~ 50Hz | 2200 W | 5t | 20.6 MPa (max.) | ⌀ 50-250 mm | 200-520 mm | IP54

NEW



YATO	[W]	
YT-79950	2200	1

Gasoline concrete vibrator

196 cm³ | 3600 min⁻¹ | 3.6 L | 0.6 L



- *Fuel type: gasoline*
- *Power: 6.5HP*
- *Fuel tank: 3.6L*
- *Engine oil tank: 0.6L*
- *Impact Frequency: 3600 vpm/min-1*
- *Rated speed: 3600 rpm/min-1*
- *Displacement: 196CC*

YATO		
YT-84827		1

Electric log splitter

230V~ 50Hz | 2300 W | 7t | 24.2 MPa (max.) | ⌀ 50-250 mm | 200-520 mm | IP54

NEW



YATO	[W]	
YT-79951	2300	1

Electric log splitter

230V~ 50Hz | 3000 W | 8t | 21 MPa | ⌀ 80-300 mm | 100-550 mm | IP54

NEW



YATO	[W]	
YT-79955	3000	1

Plate compactor

196 cm³ | 3600 min⁻¹ | 3.6 L | 0.6 L



- Fuel type: gasoline
- Power: 6.5HP
- Fuel tank: 3.6L
- Engine oil tank: 0.6L
- Impact force: 11KN
- Speed: 41CM/S
- Size of foot: 53X35CM
- Compaction depth: 25CM
- Impact Frequency: 5600 vpm/min-1
- Rated speed: 3600 rpm/min-1
- Displacement: 196CC

YATO	
YT-84835	1

Tamping rammer

35.8 cm³ | 7000 min⁻¹ | 0.65 L | 0.1 L



- HONDA GX35
- Fuel type: gasoline
- Power: 1.4HP
- Fuel tank: 0.65L
- Engine oil tank: 0.1L
- Impact force: 9.1KN
- Max.jumping stroke: 5cm
- Impact Frequency: 790 vpm/min
- Rated speed: 7000 rpm/min-1
- Displacement: 35.8CC
- Size of foot: 27X13.5cm

YATO	
YT-84830	1

Tamping rammer

149 cm³ | 3600 min⁻¹ | 2.8 L | 0.5 L



- Fuel type: gasoline
- Power: 4.0HP
- Fuel tank: 2.8L
- Engine oil tank: 0.5L
- Impact force: 13.7KN
- Max.jumping stroke: 8.5cm
- Impact Frequency: 640-680 vpm/min-1
- Rated speed: 3600 rpm/min-1
- Displacement: 149CC
- Size of foot: 34.5X28.5cm

YATO	
YT-84831	1

Plate compactor

196 cm³ | 3600 min⁻¹ | 3.6 L | 0.6 L



- Fuel type: gasoline
- Power: 6.5HP
- Fuel tank: 3.6L
- Engine oil tank: 0.6L
- Water tank: 13.3L
- Impact force: 16KN
- Speed: 33CM/S
- Size of foot: 58X50CM
- Compaction depth: 30CM
- Impact Frequency: 4580 vpm/min-1
- Rated speed: 3600 rpm/min-1
- Displacement: 196CC

YATO	
YT-84836	1

Tamping rammer

196 cm³ | 3600 min⁻¹ | 2.8 L | 0.6 L



- Fuel type: gasoline
- Power: 6.5HP
- Fuel tank: 2.8L
- Engine oil tank: 0.6L
- Impact force: 10KN
- Max.jumping stroke: 6.5cm
- Impact Frequency: 450-650 vpm/min-1
- Rated speed: 3600 rpm/min-1
- Displacement: 196CC
- Size of foot: 34.5X28.5cm

YATO	
YT-84832	1

Concrete cutter

196 cm³ | 3600 min⁻¹ | 3.6 L | 0.6 L



- Fuel type: gasoline
- Power: 6.5HP
- Fuel tank: 3.6L
- Engine oil tank: 0.6L
- Water tank: 12L
- Max.cutting depth: 11CM
- Rated speed: 3600 rpm/min-1
- Displacement: 196CC

YATO	
YT-84821	1

Concrete cutter

389 cm³ | 3600 min⁻¹ | 6,5 L | 1.1 L



- *Fuel type: gasoline*
- *Power: 13HP*
- *Fuel tank: 6.5L*
- *Engine oil tank: 1.1L*
- *Water tank: 35L*
- *Blade size: 25.4X30-45CM*
- *Max.cutting depth: 14CM*
- *Rated speed: 3600 rpm/min-1*
- *Displacement: 389CC*

YATO	
YT-84822	1

Walk-behind power trowel

196 cm³ | 3600 min⁻¹ | 3.6 L | 0.6 L



- *Fuel type: gasoline*
- *Power: 6.5HP*
- *Fuel tank: 3.6L*
- *Engine oil tank: 0.6L*
- *Rated speed: 3600 rpm/min-1*
- *Rotor diameter: 91CM*
- *Finish blades: 35X15CM*
- *Displacement: 196CC*

YATO	
YT-84825	1

Surface finshing screed



- *Chinese petrol engine, 0.9hp;IO5*
- *Air-cooled,4-stroke*
- *Power kw(hp):0.7(0.9)*
- *Without blade*

YATO	
YT-84810	1

Pan for power trowel



For 84825

YATO	Size	
YT-84826	Φ97mm	1

Blade for surface finshing screed



YATO	Size	
YT-84811	1.22M	1
YT-84812	1.88M	1
YT-84813	2.44M	1
YT-84814	3.0M	1

YATO	Size	
YT-84815	3.66M	1
YT-84816	4.47M	1
YT-84817	4.88M	1

Mini skid steer

18.2 kW | 1123 cm³ | max 650 kg | 6.1 l/h | D | 28 L | 1510 kg

NEW



YATO	
YT-86400	1

MINI TRACK SKID STEER YT-86400



YT-86400

KEY SPECS:

- **Power: 18.2 kW (24.7 HP)**
- **Weight: 1510 kg**
- **Tipping Load: 928 kg**
- **Rated Operating Capacity: 650 kg**
- **Width: 915 mm**
- **Hinge Pin Height: 2212 mm**

ADVANTAGES:

- *Joystick control: fully hydraulic, intuitive control for both drive and attachments*
- *Fast cycle times: lift (3.69 s) / lower (2.79 s) for maximum efficiency*
- *Multi-tool system: compatible with over 33 types of professional attachments*
- *All-season performance: liquid-cooled engine and high-flow hydraulics for year-round heavy-duty use*

APPLICATIONS:

- *Construction: earthworks in confined or restricted spaces*
- *Landscaping: ideal for sensitive surfaces (low PSI)*
- *Municipal Services: sidewalk and park maintenance*
- *Agriculture: greenhouse and stable operations*



www.yato.com





YT-86400

ENGINE

MANUFACTURER	Kubota
MODEL	D1105
TYPE	diesel, 3-cylinder, liquid-cooled
START	electric
FUEL CONSUMPTION	6,1 l/h
FUEL TANK CAPACITY	28 l
ENGINE OIL CAPACITY	4 l

HYDRAULIC SYSTEM

CONTROL	fully hydraulic joysticks
HYDRAULIC TANK CAPACITY	32 l
MAXIMUM SYSTEM PRESSURE	27,5 MPa
HYDRAULIC PUMP	Bondioli & Pavesi (Italy)
PUMP TYPE	-double axial piston pumps in a closed circuit (drive) -double gear pump (attachments)
CONTROL VALVES	Hydro (EBI) Control – Italy
HYDRAULIC HOSES	Letone
HYDRAULIC CYLINDERS	Juxing

DRIVE SYSTEM

MAIN DRIVE	fully hydraulic
DRIVE MOTORS	Impro
TRANSMISSION	direct drive from the hydraulic motor to the sprocket
UNDERCARRIAGE TYPE	tracked
TRACKS	rubber
TRACK WIDTH	230 mm
NUMBER OF TRACK ROLLERS	5 on each side
WORKING PRESSURE OF THE DRIVE SYSTEM	24,9 MPa

OPERATING PARAMETERS

RATED LOAD CAPACITY (35%)	650 kg
MAXIMUM LIFTING CAPACITY (50%)	928 kg
MACHINE WEIGHT (WITHOUT ATTACHMENTS)	1510 kg
BUCKET CAPACITY	0,14 m³
TRAVEL SPEED	6 km/h
LIFTING TIME	3,69 s
LOWERING TIME	2,79 s
BUCKET TILT TIME	1,62 s
GRADEABILITY	15°

DIMENSIONS AND OPERATING GEOMETRY

OVERALL DIMENSIONS (L × W × H)	2976 × 915 × 1466 mm
LENGTH WITHOUT ATTACHMENT	2272 mm
LENGTH WITH BUCKET	2976 mm

33 TYPES OF ATTACHMENTS



Mini excavator



YATO	
YT-86300	1

Sieve bucket for mini excavator

540x600 x410 mm | 52 kg



For YT-86300

YATO	
YT-86332	1

Rake for mini excavator

500x500 mm | 30 kg



For YT-86300

YATO	
YT-86322	1

Narrow bucket for mini excavator

530x200 x410 mm | 22 kg



For YT-86300

YATO	
YT-86326	1

Ripper for mini excavator

690x175 mm | 27 kg



For YT-86300

YATO	
YT-86320	1

Hydraulic quick hitch for mini excavator

360x220 x270 mm | 24 kg



For YT-86300

YATO	
YT-86328	1

Mud bucket for mini excavator

800 mm | 38 kg



For YT-86300

YATO	
YT-86324	1

Tree digging blade for mini excavator

390x720 mm | 32 kg



For YT-86300

YATO	
YT-86334	1

Mechanical quick hitch for mini excavator

360x220 x270 mm | 24 kg



For YT-86300

YATO	
YT-86330	1

Mini excavator

NEW



YATO	
YT-86305	1

Sieve bucket for mini excavator

590x600 x480 mm | 55 kg

NEW



For YT-86305

YATO	
YT-86333	1

Rake for mini excavator

500x500 mm | 36 kg

NEW



For YT-86305

YATO	
YT-86323	1

Narrow bucket for mini excavator

670x300 x570 mm | 36 kg

NEW



For YT-86305

YATO	
YT-86327	1

Ripper for mini excavator

750x290 mm | 35 kg

NEW



For YT-86305

YATO	
YT-86321	1

Hydraulic quick hitch for mini excavator

440x250 x290 mm | 37 kg

NEW



For YT-86305

YATO	
YT-86329	1

Mud bucket for mini excavator

800 mm | 50 kg

NEW



For YT-86305

YATO	
YT-86325	1

Tree digging blade for mini excavator

400x750 mm | 36 kg

NEW



For YT-86305

YATO	
YT-86335	1

Mechanical quick hitch for mini excavator

440x250 x290 mm | 33 kg

NEW



For YT-86305

YATO	
YT-86331	1

PROFESSIONAL COMPACT TRACK EXCAVATORS YT-86300 / YT-86305



- *Year-Round Productivity: comfortable, enclosed cabin equipped with heating, ventilation, and radio*
- *Japanese Heart: the YANMAR engine ensures low fuel consumption and long-term durability*
- *Intuitive Control: high-precision joysticks and ergonomically positioned controls for ease of use*
- *Versatility: convenient attachment changes made easy with quick coupler systems*

KEY SPECS:

- *Operating Weight: 2.78 t*
- *Engine Power: 15.2 kW / 20.6 HP*
- *Bucket Digging Force: 24.5 kN*
- *Max. Digging Depth: 2480 mm*
- *Overall Width: 1600 mm*

YT-86305

YT-86300





KEY SPECS:

- *Operating Weight: 1.95 t*
- *Engine Power: 11.2 kW / 15.2 HP*
- *Bucket Digging Force: 15 kN*
- *Max. Digging Depth: 2200 mm*
- *Transport Width: 950 mm*

YATO Professional compact track excavators

YATO mini excavators are machines designed for professionals who refuse to compromise. Regardless of the model, every machine guarantees peak operational performance thanks to Japanese YANMAR power units and advanced industrial-grade hydraulic systems.





YT-86305

YT-86300



YT-86305

Designed for intensive earthmoving, roadwork,and foundation projects. It offers 60% more digging force than the YT-86300 and a significantly longer arm reach while maintaining excellent stability.

- *Power: a massive 24.5 kN breakout force allows for efficient operation in hard, clay-heavy soil.*
- *Reach: a digging reach of over 4.5 meters reduces the need for frequent machine repositioning.*
- *Stability: a wider chassis and higher mass guarantee steady operation with heavy attachments.*
- *Engine: the YANMAR 3TNV80F (15.2 kW) provides ample power reserves in all conditions.*

YT-86300

Ideal for utility installations, landscaping, and indoor projects. Thanks to the adjustable track width (starting at just 95 cm), it accesses areas where other machines simply cannot fit.

- *Compact Geometry: perfect for installation and gardening work.*
- *Low Ground Pressure: only 30 kPa, minimizing surface damage (e.g., on lawns).*
- *YANMAR Reliability: low fuel consumption from the 3-cylinder diesel engine.*
- *Year-Round Comfort: fully enclosed, heated cabin equipped with radio and ventilation.*



ATTACHMENT	YT-86300	YT-86305
MECHANICAL QUICK COUPLER	YT-86330	YT-86331
HYDRAULIC QUICK COUPLER	YT-86328	YT-86329
NARROW BUCKET	YT-86326	YT-86327
SIEVE/SKELETON BUCKET	YT-86332	YT-86333
GRADING/DITCHING BUCKET	YT-86324	YT-86325
RAKE	YT-86322	YT-86323
RIPPER	YT-86320	YT-86321
TREE SHEAR / WOOD BLADE	YT-86334	YT-86335







MODEL COMPARISON

PARAMETER	YT-86300	YT-86305
OPERATING WEIGHT	1,95 t	2,78 t
ENGINE	YANMAR 3TNV70F	YANMAR 3TNV80F
ENGINE POWER	11,2 kW / 2200 rpm	15,2 kW / 2500 rpm
BUCKET DIGGING FORCE	15 kN	24,5 kN
MAX. DIGGING DEPTH	2200 mm	2480 mm
MAX. DIGGING REACH	3810 mm	4560 mm
OVERALL WIDTH	950 / 1280 mm (retractable)	1600 mm
BUCKET CAPACITY	0,05 m³	0,08 m³
FUEL TANK CAPACITY	20 l	35 l
GRADEABILITY	55%	58%



- *Intuitive dashboard*



Compact multi-purpose tractor



YT-85830

ENGINE	
TYPE	XY377-C, 3-cylinder Diesel
RATED POWER	18.5 kW (25 HP)
RATED SPEED	3000 rpm
EMISSIONS	EURO V (compliant with EU 2016/1628)
ENGINE WEIGHT	99 kg

DRIVETRAIN & TRANSMISSION	
GEARBOX	6 forward (A6 version), 1 reverse
DRIVE	4x4 (Driven front and rear axles)
POWER TAKE-OFF (PTO)	2 speeds, clockwise rotation

DIMENSIONS & WEIGHTS	
OVERALL LENGTH	approx. 2500 mm
OVERALL WIDTH	970–1200 mm (adjustable)
HEIGHT	1807–2090 mm
WHEELBASE	1270 mm
TRACK WIDTH	Front: 960–1200 mm, Rear: 770–1200 mm (adjustable)
GROUND CLEARANCE	285 mm
CURB WEIGHT	695–710 kg (depending on variant)
MAX. PERMISSIBLE WEIGHT	819–834 kg

WHEELS & AXLES	
FRONT TIRES	5.00-12, tube-type, steel rims
REAR TIRES	8-16, tubeless, steel rims
AXLES	Steered front axle, driven and braked rear axle
TURNING RADIUS	1700 mm

BRAKING & SAFETY	
BRAKING SYSTEM	Braked rear axle (per type-approval)
OPERATOR PROTECTION	ROPS compliant (Roll-Over Protective Structure)
NOISE LEVEL	≤ 85.8 dB(A) with closed cab/station












YATO

LED floodlight

230V~ 50/60Hz | 10 W | 950 lm | 6500K | 30000 h | IP65



YATO	
YT-818221	20

LED floodlight

230V~ 50/60Hz | 50 W | 4750 lm | 6500K | 30000 h | IP65



YATO	
YT-818251	8

LED floodlight

230V~ 50/60Hz | 30 W | 2850 lm | 6500K | 30000 h | IP65 | CABLE H05RN-F KABLE | 1.5 m



YATO	
YT-818381	10

LED floodlight

230V~ 50/60Hz | 20 W | 1900 lm | 6500K | 30000 h | IP65



YATO	
YT-818231	16

LED floodlight with motion sensor

230V~ 50/60Hz | 20 W | 1900 lm | 6500K | 10±2 m | 30000 h | IP54



YATO	
YT-818271	16

LED floodlight

230V~ 50/60Hz | 50 W | 4750 lm | 6500K | 30000 h | IP65 | CABLE H05RN-F KABLE | 1.5 m



YATO	
YT-818391	8

LED floodlight

230V~ 50/60Hz | 30 W | 2850 lm | 6500K | 30000 h | IP65



YATO	
YT-818241	10

LED floodlight with motion sensor

230V~ 50/60Hz | 50 W | 4750 lm | 6500K | 10±2 m | 30000 h | IP54



YATO	
YT-818291	8

Solar LED floodlight with motion detector

4W | 3.7 V 2200mAh Li-Ion | 380 lm | 4000K | 6h | 3h | 10 m | OFF ON | IP44



YATO	
YT-81860	12

Solar LED wall lamp

120 lm | 3.7 V 900mAh LiHon | 8h
12h | 3m
ON/OFF | IP65

SMD LED



A++ A+ A

YATO		
YT-81855		12/48

Workshop LED lamp

220-240V~ 50Hz | 50 W
max 3000 W | 3800 lm
5000K | CRI 80
30000 h | 360°
IP44 | 1.5 m

SMD LED

G A↑G



YATO		
YT-08495		4

Workshop LED lamp

220-240V~ 50Hz | 100 W
max 3000 W | 7500 lm
5000K | CRI 80
30000 h | 360°
IP44 | 1.5 m

SMD LED

G A↑G



YATO		
YT-08496		4

Hybrid floodlight

CRI 70 | 7.4 V 4000mAh LiIon | 5000 lm | 6h
1-5h | 1.8 0.96 m | CABLE H05RN-F KABEL | 2x 0.75 mm²
5m

SMD LED



YATO	[lm]	
YT-81811	5000	2

LED floodlight with tripod

230V~ 50/60Hz | 20 W
1900 lm | 6500K
30000 h | 1.2 0.6 m
IP65 | CABLE H05RN-F KABEL
2 m

SMD LED

E A↑G



YATO		
YT-818141		6

LED floodlight with tripod

230V~ 50/60Hz | 30 W
2850 lm | 6500K
30000 h | 1.2 0.6 m
IP65 | CABLE H05RN-F KABEL
2 m

SMD LED

E A↑G



YATO		
YT-818161		6

LED floodlight with tripod

230V~ 50/60Hz | 20W x2
1900lm x2 | 6500K
30000 h | 1.2 0.6 m
IP65 | CABLE H05RN-F KABEL
2 m

SMD LED

E A↑G



YATO		
YT-818151		4

LED floodlight with tripod

230V~ 50/60Hz | 30W x2
2850lm x2 | 6500K
30000 h | 1.2 0.6 m
IP65 | CABLE H05RN-F KABEL
2 m

SMD LED

E A↑G



YATO		
YT-818171		4

NON-SPARKING

Cordless floodlight (tool only)

18 V Li-Ion | 1600 lm | 2 lighting modes | 180° | metal frame | transport handle

Battery not included

Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池



18V Li-Ion

- 2 lighting modes: 50%, 100%

YATO	[V d.c.]	
YT-82961	18	6

Cordless floodlight (tool only)

18 V Li-Ion | 65 W | 6000 lm | 6500K | 2 lighting modes | IK07 | LED charge indicator | magnet

COB LED

E (A–G)

Battery not included

Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池



18V Li-Ion

- IPX4 (when using battery)
- 2 lighting modes: high: 6000 lm (DC), 3200 lm (AC), low: 1800 lm (DC), 1000 lm (AC)
- Possibility to use with other brands battery adapters: Bosch Pro YT-829601, DeWalt YT-829602, Milwaukee YT-829603, Makita YT-829604

YATO	[V d.c.]	
YT-829600	18	4

LED rechargeable floodlight

1200 lm | 3,7 V 4400mAh Li-Ion | 2.5-3h | 2-5h | magnet | IK07 | USB cable | IP54

COB LED



YATO		
YT-818214		20

Cordless floodlight (tool only)

30 W | 3600 lm | 18 V Li-Ion | 2 lighting modes | IK07

COB LED

Battery not included

Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池



18V Li-Ion

YATO	[V d.c.]	
YT-82965	18	5

LED rechargeable floodlight

5W | 3.7 V 2000mAh Li-Ion | 300 lm | 7000K | 5.5h | 3.5-4h | 5 lighting modes | IP54 | USB battery charged | magnet

COB LED





A++ A+ A

YATO		
YT-81819		40

LED floodlight

10 W | 6V | 680 lm | 4x AA | 3 lighting modes | PA6 | magnet

COB LED

A++ A+ A





- 3 lighting modes: 100%, 30%, strobe

YATO		
YT-81821		8/16

Cordless floodlight (tool only)

18 V Li-Ion | 50 W | 5000 lm | 2 lighting modes | IK07

COB LED

Battery not included

Ohne Akku / Bez akumulatora / Без батарею / Bez aku / Akkumulátor nélkül / Fără baterie / Sans batterie / Senza batteria / Sin batería / 没有电池



18V Li-Ion

YATO	[V d.c.]	
YT-82966	18	5

LED rechargeable floodlight

10 W | 3.7 V 4400mAh Li-Ion | 800 lm | 6000K | 5.5h | 2.5h | 4400 mAh | USB

COB LED





A++ A+ A

YATO		
YT-81820		6/12

LED rechargeable floodlight

2000 lm | x3 modes | 360° | 3,7 V 4400mAh Li-Ion | 2.5-9h | 4.5h | 4400 mAh | IP54 | IK07 | LED charge indicator | USB cable | USB

COB LED



YATO		
YT-818216		12

Battery adapter for floodlight



For: YT-829600

YATO		
YT-829601	BOSCH PRO	50
YT-829602	DEWALT	50
YT-829603	MILWAUKEE	50
YT-829604	MAKITA	50

Battery adapter for floodlight



For: YT-829670

YATO		
YT-829672	MILWAUKEE	24
YT-829673	DEWALT	24
YT-829674	MAKITA	24
YT-829675	METABO	24

Tripod for floodlight

190 : 120 cm



For YT-829670

YATO	H [mm]	
YT-829671	1200-1900	6

Rechargeable worklight

3 in 1 / 3 w 1 · 3,7 V 2200mAh Li-Ion · 4h · 1m · IP54 · USB · USB CABLE KABEL · POWER LED



YATO	
YT-08521	10

Workshop LED battery lamp

CRI 95 · 5W · 3.7 V 2600mAh Li-Ion · 400 lm · 4500K · 4h · 4h · IP65 · IK07 · x1 HOOK HAK · COB LED

A++ A+ A









YATO	
YT-08509	12

Cordless floodlight (tool only)

18 V Li-Ion · 360° · 4 LIGHTING MODES TRYBY ŚWIECENIA · 10000 lm · 2700-6500 K · 100000 h NON-BLINDING LIGHT NIEOŚLEPIAJĄCE ŚWIATŁO · LED CHARGE INDICATOR WSKAŹNIK NAŁADOWANIA BATERII · IP65 · IK08 · x1 HOOK HAK · SMD LED

E A G

Battery not included

Ohne Akku / Bez akumulatora
Без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion



• Possibility to use with other brands battery adapters: Milwaukee YT-829672, DeWalt YT-829673, Makita YT-829674, Metabo YT-829675

YATO	[lm]	
YT-829670	10000	2

Cordless work light (tool only)

5W · 500 lm · 18 V Li-Ion · 180° · USB POWERED CABLE/WIRE · SMD LED

Battery not included

Ohne Akku / Bez akumulatora
Без батареи / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池



18V Li-Ion

YATO	[W]	
YT-829683	5	1/20

NON-SPARKING

Workshop flashlight

5W | UV | 390-405 nm | 3.7 V 2600mAh Li-Ion | 4h | 4,5h | IP65 | IK07 | x1 HOOK | USB CHARGING | x2









YATO	
YT-08500	12

Workshop LED battery lamp

350 lm | 4 | 3.7 V 1100mAh Li-Ion | 2-7.5h | 3h | IK07 | USB | USB CABLE





YATO	
YT-08525	20

Workshop LED battery lamp

FRONT LIGHT | 7+3 W | 60-600 lm | 120 lm | 6500K | 3.7 V 2600mAh Li-Ion | 4-5h | 1.5-16.5h | IP54 | x1 HOOK | USB | USB







YATO	
YT-08519	20

Workshop LED battery lamp

FRONT LIGHT | CRI 80 | 6+1 W | 3.7 V 2600mAh Li-Ion | 600/250 lm | 4h | 1.5-10h | IP54 | IK07 | x1 HOOK | USB | x2







YATO	
YT-08558	12

Workshop LED battery lamp

FRONT LIGHT | 5+3 W | 3.7 V 2600mAh Li-Ion | 600/260 lm | 6500K | 4h | 2.5-5.5h | USB | USB







YATO	
YT-08518	12

Workshop LED battery lamp

5+5 W | 3.7 V 2600mAh Li-Ion | 50/500 lm | 6500K | 4h | 2-16h | 2m | IP54 | IK07 | x1 HOOK | USB | USB





YATO	
YT-08527	12

Workshop LED battery lamp

800 lm | 3.7 V 2600mAh Li-Ion | 2.5-9h | 4h | USB | USB CABLE KABEL | IP54 | IK07 | x2 | COB+SMD LED | NEW



YATO	
YT-085171	20

Workshop LED battery lamp

FRONT LIGHT LATARKA 3.5+3 W | 3.7 V 2600mAh Li-Ion | 330 lm | 6000K | 4h | 4h | USB BATTERY CHARGER ŁADOWARKA | USB | IP54 | IK07 | x2 HOOKS HAKI | POLYCARBONATE DIFFUSER KLOSZ Z POLIWĘGLANU | x3 | SMD LED







YATO	
YT-085081	12

Workshop LED battery lamp

FRONT LIGHT LATARKA 1+7 LED | 250 lm | 3.7 V 1800mAh Li-Ion | 3,5-4h | 2-15h | x2 HOOKS HAKI | USB | USB BATTERY CHARGER ŁADOWARKA | 12V BATTERY CHARGER ŁADOWARKA | USB CABLE KABEL | USB | x2 | COB LED





YATO	
YT-08504	10

Workshop LED battery lamp

1000 lm | 3.7 V 5200mAh Li-Ion | 3-18h | 3.5h | USB | USB BATTERY CHARGER ŁADOWARKA | IP65 | IK07 | x2 | COB+SMD LED | NEW



YATO	
YT-085172	12

Workshop LED battery lamp

FRONT LIGHT LATARKA 30+7 LED | 3.7 V 2000mAh Li-Ion | 140 lm | 4h | 4h | USB | USB BATTERY CHARGER ŁADOWARKA | x2 HOOKS HAKI | POLYCARBONATE DIFFUSER KLOSZ Z POLIWĘGLANU | x3 | LED







A++ A+ A

YATO	
YT-08507	12

Workshop LED battery lamp

FRONT LIGHT LATARKA 30+7 LED | 3.7 V 1800mAh Li-Ion | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | 12V BATTERY CHARGER ŁADOWARKA | 45/100 lm | 8000K | 4-5h | 3.5-15h | x2 HOOKS HAKI | x2 | LED





YATO	
YT-085051	10

Workshop LED battery lamp



YATO	
YT-08524	12

LED workshop lamp



YATO	
YT-08511	20/80

Under bonnet work lamp



YATO	
YT-08534	20

LED workshop lamp



YATO	
YT-08513	50

LED workshop lamp



YATO	
YT-08522	12/48

Telescopic LED flashlight with magnet



YATO	
YT-085121	50

LED workshop lamp

60+1 LED | 3,7 V 1800mAh Li-Ion | AC | 12V | 4h | 3h | x1



YATO	
YT-08520	5/20

UV LED flashlight and glasses set

100 LED | UV | 395 nm | 6x AA



YATO	
YT-08582	12

Multifunctional LED flashlight

6 in 1 6 w 1 | 6 | 400 lm | 3,7 V 300mAh Li-Ion | 1h | IPX4 | USB | USB



- *Flashlight with warning light*
- *Glass breaker*
- *Seat belt cutter*
- *Screwdriver*
- *Whistle*
- *Bottle opener*

YATO	[W]	[lm]	
YT-085609	2 (COB LED), 3 (POWER LED)	400 / 200 / 50 / 120 / 35	24

Under bonnet work lamp

120 LED | 60 LED | 120 LED | 7,4 V 1800mAh Li-Ion | AC | 12V | 750 lm | 4.5-5h | 3.5-8h | x2 | x2





YATO	
YT-08529	4

UV LED flashlight and glasses set

1W | UV | 395 nm | 3,7 V 1500mAh Li-Ion | 6-8h | 3.5-4h | ZOOM | USB



YATO	
YT-08587	12

LED flashlight

FRONT LIGHT LATARKA | 5W | 3,7 V 1500mAh Li-Po | 500 lm | 3h | 2-9h | 1500 mAh | IPX4 | IK07 | x1 | USB | x2





YATO	[W]	[lm]	
YT-08556	5+1	500 / 200 / 60	50

UV LED flashlight and glasses set

51 LED | UV | 395 nm | 3x AAA



YATO	
YT-08581	40

UV LED flashlight and glasses set

3W | UV | 395 nm | 3,7 V 1500mAh Li-Ion | 6-8h | 3.5-4h | FLASH MIGANIE | USB



YATO	
YT-08588	12

LED flashlight

500 lm | 8 | 3,7 V 450mAh Li-Ion | 2-3h | IPX4 | USB | USB



YATO	[W]	[lm]	
YT-085608	8	500 / 300 / 100 / 30	24

LED flashlight

3 in 1 / 3 w 1 | 3,7 V 800mAh Li-Ion | 600 lm | 4 lighting modes | 2-10h | 3.5h | IP65 | IK07 | USB cable | USB charging | magnet



YATO	[W]	[lm]	
YT-08554	8	600 / 300 / 150 / 50	24

LED flashlight

6W | 500 lm | 230m | 4 lighting modes | POWER LED | IPX7 | XPG3 | 6 V 4x C/R14



YATO	[W]	[lm]	
YT-08564	6	500	6/24

LED flashlight

5W | 3,7 V 700mAh Li-Ion | 3h | 350 lm | 150m | 4 lighting modes | POWER LED | ZOOM | IPX4 | USB charging



YATO	[W]	[lm]	
YT-08569	5	350	12/96

LED Flashlight

5W | UV | 3,7 V 2000mAh Li-Ion | 200/300 lm | 7000K | 5.5h | 2-3h | IP54 | USB charging | magnet | COB LED



A++ A+ A



YATO	[W]	[lm]	
YT-08580	5	150/ 200 / 300	50

LED flashlight

200 lm | 5W | XPG2 | IPX4 | ZOOM | 150m | 3 lighting modes | 6 V 4x C/R14 | POWER LED



YATO	[W]	[lm]	
YT-08566	5	200	8/24

LED flashlight

9 LED | 3x AAA | LED



YATO		
YT-08570		24/192

LED flashlight

10 W | 3.7 V 2200mAh Li-Ion | 900 lm | 200m | 5 lighting modes | ZOOM | 5-6h | 3-7h | 2200 mAh | IP64 | USB charging | POWER LED



- Glass breaker
- Bottle opener

YATO	[W]	[lm]	
YT-08559	10	900	30

LED flashlight

10 W | 1000 lm | 350m | 3 lighting modes | ZOOM | IPX4 | 6 V 4x C/R14 | POWER LED



YATO	[W]	[lm]	
YT-08567	10	1000	8/16

LED flashlight

3W | 100 lm | ZOOM | IP64 | 1x AA | POWER LED



YATO	[W]	[lm]	
YT-08571	3	100	24/96

LED Flashlight

3.7 V 2200mAh Li-Ion | USB CHARGING | 4 LIGHTING MODES | 200m | ZOOM | IPX4 | 6W | XTE | 500 lm



YATO	[W]	[lm]	
YT-08578	6	500	4/32

LED flashlight

3000 lm | 8 LIGHTING MODES | 3.7 V 2600mAh Li-Ion | 3h | IPX4 | USB | USB CABLE | POWER LED



YATO	[lm]	
YT-085612	3000	20

LED flashlight

25 W | 3.7 V 5000mAh Li-Ion | 6x AA | 2500 lm | 180m | 4 LIGHTING MODES | 6h | 8h | IPX4 | IK07 | USB | USB CABLE | COB LED



YATO	[W]	[lm]	
YT-085606	25	2500 / 1250 / 250	6/12

LED flashlight

1000 lm | 7 LIGHTING MODES | 3.7 V 700mAh Li-Ion | 2.5 h | IPX4 | USB | USB CABLE | POWER LED



YATO	[lm]	
YT-085610	1000	24

LED flashlight

2500 lm | 5 LIGHTING MODES | 3.7 V 2600mAh Li-Ion | 4h | IPX4 | USB | USB CABLE | POWER LED



YATO	[W]	[lm]	
YT-085613	20	2500 / 1500 / 500	24

LED flashlight

50 W | 7.4 V 2600mAh Li-Ion | 9x AA | 5000 lm | 280m | 4 LIGHTING MODES | 5h | 8h | IPX4 | IK07 | USB | USB CABLE | COB LED



YATO	[W]	[lm]	
YT-085607	50	5000 / 2500 / 500	6/12

LED flashlight

2000 lm | 8 LIGHTING MODES | 3.7 V 2000mAh Li-Po | 3h | IPX4 | USB | USB CABLE | POWER LED



YATO	[lm]	
YT-085611	2000	20

LED flashlight

10 W | 3.7 V 4000mAh Li-Ion | 1000 lm | 920m | 4 LIGHTING MODES | ZOOM | 3h | 6h | 4000 mAh | IPX7 | IK07 | USB | USB CABLE | SMD LED



YATO	[W]	[lm]	
YT-085602	10	1000 / 6000 / 300 / 30	6/24

LED flashlight

100 W | 7.4 V 5000mAh Li-Ion | 8000 lm | 3 LIGHTING MODES | ZOOM | 1.5-15h | 5000 mAh | IPX4 | IK07 | USB | USB CABLE | COB LED



YATO	[W]	[lm]	
YT-085601	100	8000 / 4500 / 1150	5/20

Cordless flashlight (tool only)

3W | 300 lm | 18 V Li-Ion | IK07 | COB LED



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO		
YT-829690		18

Spotlight

3.7 V 3000mAh Li-Ion | 380/200 lm | 500m | 6 lighting modes | 6h | 4h | x1 hook | USB cable | USB

POWER LED



YATO	[lm]	
YT-08547	380/200	24

Spotlight

10 W | 900 lm | 200m | FLASH MIGANIE | IP68 | 4x AA

POWER LED



YATO	[W]	[lm]	
YT-08550	10	900/450	10/20

Cordless flashlight (tool only)

18 V Li-Ion | 250 lm | 5 lighting modes | RED FLASH CZERWONE MIGANIE | 180° | IK07 | x1 hook

COB LED



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO	[lm]	
YT-829691	250	1/20

Spotlight

3.7 V 4400mAh Li-Ion | 530 lm | 500m | 11 lighting modes | 5h | 3h | 4400 mAh | IP54 | x1 hook | USB battery charger

POWER LED





YATO	[lm]	
YT-08579	530/170	10

Spotlight

15 W | 3.7 V 4400mAh Li-Ion | 1200 lm | 250m | FLASH MIGANIE | 6h | 5-6h | 4400 mAh | IP68 | USB battery charger

POWER LED



YATO	[W]	[lm]	
YT-08551	15	1200/600	10/20

Cordless flashlight (tool only)

18 V Li-Ion | 6000 lm | LED | IP20 | 3 lighting modes

NEW

POWER LED



Battery not included
Ohne Akku / Bez akumulatora
Без батарею / Bez aku
Akkumulátor nélkül
Fără baterie / Sans batterie
Senza batteria / Sin batería
没有电池

18V Li-Ion

YATO		
YT-829693		4

Spotlight

16+10 W | 3.7 V 8000mAh Li-Ion | 600/1000 lm | 244m | 9 lighting modes | FLASH MIGANIE | 6h | 4,5-25h | 8000 mAh | IP54 | IK07 | USB | USB cable | ABS PC TPE

POWER-COB LED





YATO	[W]	[lm]	
YT-08548	16 (POWER LED - LUXEON V2), 10 (COB LED)	600 (POWER LED), 1000 (COB LED)	10

LED headlamp

2 in 1 2 w 1 | 3W | 3.7 V 700mAh Li-Po | 350 lm | 47m | 3 lighting modes | FLASH MIGANIE | 2h | 1,5-4h | IPX4 | IK07 | USB | ultra light

POWER LED





YATO	[lm]	
YT-08597	350 (wysoki), 120 (niski)	10/60

LED head flashlight

3W | 100 lm | ZOOM | 3x AAA | POWER LED



YATO	[W]	[lm]	
YT-08590	3	100	50/100

LED headlamp

3000 lm | 5 | 3.7 V 2600mAh Li-Ion | 4.5h | IPX4 | USB | USB | POWER LED



YATO	[lm]	
YT-085943	3000	12

LED headlamp

3.7 V 1200mAh Li-Po | 600 lm | 4 | ZOOM | 3-4h | 2-8h | IP65 | IK08 | USB | USB | POWER LED



YATO	[lm]	
YT-085941	600	24

LED head flashlight

10 W | 450 lm | ZOOM | 3 | 4x AA | POWER LED



YATO	[W]	[lm]	
YT-08591	10	450	6/24

LED headlamp

500 lm | 6 | COLOUR | 3.7 V 400mAh Li-Ion | 2h | IPX4 | USB | USB | POWER LED



YATO	[lm]	
YT-085944	500	32

LED headlamp

3.7 V 1200mAh Li-Po | 1000 lm | 5 | 3-4h | 1.5-9h | IP65 | IK08 | USB | USB | POWER LED



YATO	[lm]	
YT-085942	100 (COB LED), 1000 (POWER LED)	24

LED head flashlight

500 lm | 6 | IP44 | 3x AAA | POWER LED



YATO	[lm]	
YT-08595	500	12/72

LED head flashlight

3.7 V 1000mAh Li-Po | 500 lm | 6 | 4-5h | 4.5-9h | IP44 | USB | POWER LED



YATO	[lm]	
YT-08596	500	12/72

LED head flashlight

3.7 V 1400mAh Li-Po | 480 lm | 2-2.5h | 1.5-10h | 1m | IP54 | USB | COB LED



YATO	[lm]	
YT-08592	480 (300 lm - POWER 100%, 90 lm - POWER 30%, 250 lm - COB 100%, 480 lm - POWER + COB)	6/24

LED head flashlight

3.7 V 1000mAh Li-Po | 3x AAA | 500 lm | 2-2.5h | 1h 20min - 10h | 1m | IP54 | USB | COB LED



YATO	[lm]	
YT-08593	500 (400 lm - POWER 100%, 120 lm - POWER 30%, 200 lm - COB 100%, 500 lm - POWER + COB)	6/24

LED headlamp for colour match

CRI 96 | 3.7 V 1500mAh Li-Ion | 160 lm | 2700K 4500K 6500K | 3h | 3h | IP65 | IK07 | USB | POWER LED







YATO	[lm]	
YT-08490	160	40

Universal travel adapter with USB

USB QC 3.0 | USB PD | UK | USA | EURO | AUS



YATO		
YT-81300		50

LED head flashlight

3.7 V 2200mAh Li-Po | 800 lm | 4h | 1.5-5h | 1m | IP54 | USB | COB LED



YATO	[lm]	
YT-08594	800 (600 lm - POWER 100%, 250 lm - POWER 30%, 250 lm - COB 100%, 800 lm - POWER + COB)	6/24

LED headlamp

2+1.5 W | 3.7 V 500mAh Li-Po | 200/150 lm | 21m | 4 | 1.5h | 2-20h | IP54 | IK07 | USB | SMD LED





YATO	[lm]	
YT-08598	200 (wysoki), 40 (niski), 150 (latarka)	10/100

Universal travel adapter with USB

65W | USB QC 3.0 | USB PD | UK | USA | EURO | AUS



YATO		
YT-81303		40

Neck flashlight

3.7 V 2000mAh Li-Ion | 150 lm x2 | 4h | 3.5-6.5h | 1/4" 6.3mm | USB | SMD LED



YATO	[lm]	
YT-08599	150 x2	6/12

Voltage tester

12-250V A.C. | 50-500 Hz | TEST | LCD | 130 mm | CONTINUITY TEST | NO BATTERY NEEDED



- no battery needed
- pocket clip

YATO	L [m]	
YT-2862	130	20/500

Universal travel adapter

UK | USA | EURO | AUS



YATO		
YT-81302		50

Universal travel adapter with USB

USB 5V/2.4A | UK | USA | EURO | AUS



YATO	
YT-81301	50

Rubber protection extension cord

230V~ 50Hz | 16A | CABLE H07RN-F KABEL | 3x 1.5 mm² | E/F | E | IP44



YATO	L [m]	
YT-8116	10	4
YT-81162	20	4

Extension cord

230V~ 50Hz | 16A | CABLE H07RN-F KABEL | 3x 1.5 mm² | 3 m | ON / OFF | E/F | IP44



YATO	L [m]		Socket type	
YT-81240	3	3	E	10
YT-81241	3	4	E	10
YT-81242	3	5	E	10

Cable reel

25m | ~400V ~230V | 16A | CABLE H07RN-F KABEL | 5x 2.5 mm² | 3P+N+E | IP44



~230 V; 2P+E:
P_{max} = 1200 W coiled
P_{max} = 3000 W uncoiled

~400 V; 3P+N+E:
P_{max} = 3000 W coiled
P_{max} = 9000 W uncoiled

YATO	L [m]	
YT-8120	25	1

Cable reel

230V~ 50Hz | 16A | CABLE H05RR-F KABEL | 3x 2.5 mm² | E/F | E | IP44



P_{max} = 1200 W coiled
P_{max} = 3600 W uncoiled

YATO	L [m]	
YT-8106	30	1
YT-8107	40	1
YT-8108	50	1

Cable reel

230V~ 50Hz | 16A | CABLE H05RR-F KABEL | 3x 1.5 mm² | E/F | E | IP44



P_{max} = 1000 W coiled
P_{max} = 3000 W uncoiled

YATO	L [m]	
YT-81052	20	2
YT-81053	30	2
YT-81054	40	2

Auto retract electric cable reel

10A ~250V | CABLE H05VV-F KABEL | 3G 1.5 mm² | E | E/F | IP34 | EASILY MOUNT LATWY MONTAŻ | x4 ANCHORS KOTWY





- P_{max} = 2500 W coiled
- P_{max} = 2500 W uncoiled

YATO	L [mm]	
YT-81220	10	4
YT-81221	20	2

NON-SPARKING



Non-sparking double open end spanner





Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64700	YT-67700	5.5*7	90	23	20
YT-64701	YT-67701	6*7	92	25	22
YT-64702	YT-67702	6*8	94	28	25
YT-64703	YT-67703	7*9	96	28	25
YT-64704	YT-67704	8*9	98	34	31
YT-64705	YT-67705	8*10	100	34	31
YT-64706	YT-67706	9*10	105	50	45
YT-64707	YT-67707	9*11	110	50	45
YT-64708	YT-67708	10*11	115	60	55
YT-64709	YT-67709	10*12	120	60	55
YT-64710	YT-67710	10*13	122	60	55
YT-64711	YT-67711	10*14	124	75	69
YT-64712	YT-67712	11*13	126	75	69
YT-64713	YT-67713	12*13	128	75	69
YT-64714	YT-67714	12*14	130	75	69
YT-64715	YT-67715	13*17	140	120	110
YT-64716	YT-67716	14*15	143	115	105
YT-64717	YT-67717	14*17	150	120	110
YT-64718	YT-67718	16*17	157	130	120
YT-64719	YT-67719	16*18	163	145	130
YT-64720	YT-67720	17*19	170	150	135

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64721	YT-67721	17*21	173	185	165
YT-64722	YT-67722	17*22	176	220	200
YT-64723	YT-67723	18*19	179	200	180
YT-64724	YT-67724	19*21	182	210	190
YT-64725	YT-67725	19*22	185	220	200
YT-64726	YT-67726	19*24	190	235	210
YT-64727	YT-67727	20*22	195	250	225
YT-64728	YT-67728	21*23	200	270	235
YT-64729	YT-67729	21*26	205	275	245
YT-64730	YT-67730	22*24	210	312	285
YT-64731	YT-67731	22*27	215	320	292
YT-64732	YT-67732	23*26	220	330	302
YT-64733	YT-67733	24*26	225	345	310
YT-64734	YT-67734	24*27	230	345	310
YT-64735	YT-67735	24*30	233	365	330
YT-64736	YT-67736	25*28	236	365	330
YT-64737	YT-67737	26*29	240	485	430
YT-64738	YT-67738	26*32	243	465	420
YT-64739	YT-67739	27*29	246	485	430
YT-64740	YT-67740	27*30	250	485	430
YT-64741	YT-67741	27*32	255	600	549

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64742	YT-67742	29*32	260	610	540
YT-64743	YT-67743	30*32	265	610	540
YT-64744	YT-67744	30*36	270	815	730
YT-64745	YT-67745	32*34	270	815	730
YT-64746	YT-67746	32*36	300	885	800
YT-64747	YT-67747	34*36	300	885	800
YT-64748	YT-67748	36*38	330	1350	1210
YT-64749	YT-67749	36*41	330	1350	1210
YT-64750	YT-67750	38*40	330	1350	1210
YT-64751	YT-67751	41*46	355	1690	1530
YT-64752	YT-67752	46*50	370	2050	1850
YT-64753	YT-67753	50*55	385	2160	1950
YT-64754	YT-67754	50*60	400	2488	2275
YT-64755	YT-67755	55*60	415	2700	2450
YT-64756	YT-67756	60*65	435	3950	3600
YT-64757	YT-67757	65*70	460	4850	3600
YT-64758	YT-67758	65*75	485	5510	3650
YT-64759	YT-67759	70*80	535	6800	3800
YT-64760	YT-67760	75*80	545	7000	3750
YT-64761	YT-67761	75*85	565	8260	3850

Non-sparking double open end spanner set

9 PCS



8*10,10*12,12*14,14*17,17*19,19*22,22*24,24*27,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64770	YT-67770	2810	2570

Non-sparking double open end spanner set

11 PCS



8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,
27*30,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64771	YT-67771	3530	3230

Non-sparking double open end spanner set

13 PCS





5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,
24*27,27*30,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64772	YT-67772	3610	3295

Non-sparking bi-hexagonal ring spanner

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64780	YT-67780	5.5*7	115	22	20
YT-64781	YT-67781	6*7	115	25	23
YT-64782	YT-67782	6*8	120	50	46
YT-64783	YT-67783	7*9	130	50	46
YT-64784	YT-67784	8*9	130	55	50
YT-64785	YT-67785	8*10	130	55	50
YT-64786	YT-67786	9*10	135	70	65
YT-64787	YT-67787	9*11	140	70	65
YT-64788	YT-67788	10*11	140	80	75
YT-64789	YT-67789	10*12	140	85	78
YT-64790	YT-67790	10*13	140	85	78
YT-64791	YT-67791	10*14	140	120	110
YT-64792	YT-67792	11*13	160	120	110
YT-64793	YT-67793	12*13	160	120	110
YT-64794	YT-67794	12*14	160	151	140
YT-64795	YT-67795	14*15	220	205	180
YT-64796	YT-67796	14*17	220	205	180
YT-64797	YT-67797	16*17	220	220	202
YT-64798	YT-67798	16*18	220	220	202
YT-64799	YT-67799	17*19	250	225	205

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64800	YT-67800	17*21	250	290	265
YT-64801	YT-67801	17*22	250	290	265
YT-64802	YT-67802	18*19	250	295	270
YT-64803	YT-67803	19*21	280	310	280
YT-64804	YT-67804	19*22	280	310	280
YT-64805	YT-67805	19*24	310	355	320
YT-64806	YT-67806	20*22	285	310	280
YT-64807	YT-67807	21*23	285	405	360
YT-64808	YT-67808	21*26	320	450	410
YT-64809	YT-67809	22*24	310	455	415
YT-64810	YT-67810	22*27	340	520	475
YT-64811	YT-67811	23*26	340	520	475
YT-64812	YT-67812	24*26	340	520	475
YT-64813	YT-67813	24*27	340	520	475
YT-64814	YT-67814	24*30	350	550	501
YT-64815	YT-67815	25*28	350	580	530
YT-64816	YT-67816	26*29	350	705	645
YT-64817	YT-67817	26*32	370	640	570
YT-64818	YT-67818	27*29	350	705	645
YT-64819	YT-67819	27*30	360	705	645

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64820	YT-67820	27*32	380	805	736
YT-64821	YT-67821	29*32	380	805	736
YT-64822	YT-67822	30*32	380	805	736
YT-64823	YT-67823	30*36	395	1050	960
YT-64824	YT-67824	32*34	400	1080	980
YT-64825	YT-67825	32*35	405	1145	1030
YT-64826	YT-67826	32*36	405	1145	1030
YT-64827	YT-67827	34*36	420	1165	1065
YT-64828	YT-67828	35*41	426	1600	1465
YT-64829	YT-67829	36*38	434	1600	1465
YT-64830	YT-67830	36*41	445	1600	1465
YT-64831	YT-67831	38*40	460	1600	1465
YT-64832	YT-67832	41*46	470	2077	1905
YT-64833	YT-67833	46*50	490	2530	2315
YT-64834	YT-67834	50*55	510	2580	2360
YT-64835	YT-67835	50*60	520	3002	2745
YT-64836	YT-67836	55*60	530	3203	2905
YT-64837	YT-67837	60*70	560	4105	3605

Non-sparking bi-hexagonal ring spanner set

9 PCS

BE-CU AI-CU



8*10,10*12,12*14,14*17,17*19,19*22,22*24,24*27,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64840	YT-67840	2815	2575

Non-sparking bi-hexagonal ring spanner set

11 PCS



8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,
27*30,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64841	YT-67841	2815	2575

Non-sparking bi-hexagonal ring spanner set

13 PCS

BE-CU AI-CU



5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,
24*27,27*30,30*32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-64842	YT-67842	2815	2575

NON-SPARKING

Non-sparking combination spanner

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65139	YT-68139	6	105	22	20
YT-65140	YT-68140	7	120	37	34
YT-65141	YT-68141	8	120	37	34
YT-65142	YT-68142	9	135	55	50
YT-65143	YT-68143	10	135	55	50
YT-65144	YT-68144	11	150	75	70
YT-65145	YT-68145	12	150	75	70
YT-65146	YT-68146	13	175	122	110
YT-65147	YT-68147	14	175	122	110
YT-65148	YT-68148	15	165	122	110
YT-65149	YT-68149	16	195	155	140
YT-65151	YT-68151	17	180	155	140

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65152	YT-68152	18	215	210	190
YT-65153	YT-68153	19	205	210	190
YT-65154	YT-68154	20	215	225	200
YT-65155	YT-68155	21	245	225	200
YT-65156	YT-68156	22	245	250	220
YT-65157	YT-68157	23	265	260	220
YT-65158	YT-68158	24	265	260	230
YT-65159	YT-68159	25	265	260	230
YT-65161	YT-68161	26	290	420	380
YT-65162	YT-68162	27	290	420	380
YT-65163	YT-68163	30	320	560	500
YT-65164	YT-68164	32	340	670	600

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65165	YT-68165	34	360	850	750
YT-65166	YT-68166	35	360	890	800
YT-65167	YT-68167	36	430	890	800
YT-65168	YT-68168	38	430	1200	1300
YT-65169	YT-68169	41	430	1440	1300
YT-65171	YT-68171	46	480	1890	1700
YT-65172	YT-68172	50	520	2220	2000
YT-65173	YT-68173	55	560	2460	2500
YT-65174	YT-68174	60	595	3300	2900
YT-65175	YT-68175	65	595	3250	3300
YT-65176	YT-68176	70	630	4550	4300

Non-sparking combination spanner set

9 PCS



8,10,12,14,17,19,22,24,27mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65177	YT-68177	1815	1655

Non-sparking combination spanner set

11 PCS

BE-CU AI-CU



8,10,12,14,17,19,22,24,27,30,32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65178	YT-68178	3235	2955

Non-sparking combination spanner set

13 PCS

BE-CU AI-CU



8,10,12,13,14,16,17,19,22,24,27,30,32mm

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65179	YT-68179	3485	3175

Non-sparking open end impact wrench



BE-CU AI-CU

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65190	YT-68190	17	125	150	135
YT-65191	YT-68191	18	125	150	135
YT-65192	YT-68192	19	125	150	135
YT-65193	YT-68193	22	135	190	175
YT-65194	YT-68194	24	150	245	220
YT-65195	YT-68195	26	150	335	300
YT-65196	YT-68196	27	175	335	300
YT-65197	YT-68197	28	190	435	390
YT-65198	YT-68198	29	190	435	390
YT-65199	YT-68199	30	190	435	390
YT-65200	YT-68200	32	190	515	460
YT-65201	YT-68201	36	200	725	730
YT-65202	YT-68202	38	230	955	860

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65203	YT-68203	41	230	955	860
YT-65204	YT-68204	42	250	1100	1100
YT-65205	YT-68205	45	250	1100	1100
YT-65206	YT-68206	46	250	1225	1100
YT-65207	YT-68207	50	275	1560	1200
YT-65208	YT-68208	52	305	1850	1500
YT-65209	YT-68209	55	305	1850	1500
YT-65210	YT-68210	56	315	2190	1970
YT-65211	YT-68211	60	315	2190	1970
YT-65212	YT-68212	63	335	2670	2400
YT-65213	YT-68213	65	335	2670	2400
YT-65214	YT-68214	70	370	3250	2925
YT-65215	YT-68215	75	375	3660	3300

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65216	YT-68216	76	400	4500	4070
YT-65217	YT-68217	80	400	4500	4070
YT-65218	YT-68218	85	400	5290	4770
YT-65219	YT-68219	90	435	6640	6000
YT-65220	YT-68220	95	445	7730	7000
YT-65221	YT-68221	100	485	11600	8000
YT-65222	YT-68222	110	512.5	13500	10000
YT-65223	YT-68223	120	537.5	16820	10500
YT-65224	YT-68224	130	567.5	19450	11000
YT-65225	YT-68225	140	602.5	24590	12500
YT-65226	YT-68226	150	637.5	28450	14000

Non-sparking british tapping open end wrench



BE-CU AI-CU

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657920	YT-689020	11/16"	118	111	98
YT-657921	YT-689021	3/4"	125	140	124
YT-657922	YT-689022	13/16"	140	195	172
YT-657923	YT-689023	7/8"	140	195	172
YT-657924	YT-689024	15/16"	150	245	216
YT-657925	YT-689025	1"	170	337	297
YT-657926	YT-689026	1-1/16"	170	337	297
YT-657927	YT-689027	1-1/8"	185	455	402
YT-657928	YT-689028	1-1/4"	185	517	456
YT-657929	YT-689029	1-7/16"	200	741	654
YT-657930	YT-689030	1-1/2"	210	814	718
YT-657931	YT-689031	1-5/8"	220	966	852
YT-657932	YT-689032	1-3/4"	240	1229	1084

Non-sparking ring impact wrench



BE-CU AI-CU

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64850	YT-67850	17	138	200	180
YT-64851	YT-67851	19	138	200	180
YT-64852	YT-67852	22	140	245	220
YT-64853	YT-67853	24	155	245	220
YT-64854	YT-67854	27	165	350	315
YT-64855	YT-67855	30	175	475	430
YT-64856	YT-67856	32	175	465	430
YT-64857	YT-67857	34	185	580	520
YT-64858	YT-67858	36	195	580	520
YT-64859	YT-67859	38	205	755	680

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64860	YT-67860	41	215	755	680
YT-64861	YT-67861	46	225	990	890
YT-64862	YT-67862	50	240	1145	1030
YT-64863	YT-67863	55	255	1440	1300
YT-64864	YT-67864	60	265	1620	1450
YT-64865	YT-67865	65	285	1995	1800
YT-64866	YT-67866	70	315	2435	2200
YT-64867	YT-67867	75	326	3010	2720
YT-64868	YT-67868	80	340	3600	3250
YT-64869	YT-67869	85	355	4330	3915

Be-Cu	Al-Cu	[mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64870	YT-67870	90	375	5500	4970
YT-64871	YT-67871	95	390	5450	4920
YT-64872	YT-67872	100	410	7080	6100
YT-64873	YT-67873	105	420	7000	6320
YT-64874	YT-67874	110	445	9130	8250
YT-64875	YT-67875	120	480	11000	9930
YT-64876	YT-67876	130	510	12610	11400
YT-64877	YT-67877	140	520	13000	11750
YT-64878	YT-67878	150	565	14500	13100

Non-sparking british tapping ring wrench

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657940	**YT-689040**	11/16"	138	160	140
YT-657941	**YT-689041**	3/4"	138	183	161
YT-657942	**YT-689042**	13/16"	140	207	183
YT-657943	**YT-689043**	7/8"	140	207	183
YT-657944	**YT-689044**	15/16"	155	269	238
YT-657945	**YT-689045**	1"	165	355	313

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657946	**YT-689046**	1-1/16"	165	355	313
YT-657947	**YT-689047**	1-1/8"	175	460	406
YT-657948	**YT-689048**	1-1/4"	175	470	415
YT-657949	**YT-689049**	1-7/16"	195	615	543
YT-657950	**YT-689050**	1-1/2"	205	719	635

Non-sparking hex key

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65227	**YT-68227**	1.5	59	25	6	5
YT-65228	**YT-68228**	2	59	25	6	5
YT-65229	**YT-68229**	2.5	59	25	6	5
YT-65230	**YT-68230**	3	59	25	8	7
YT-65231	**YT-68231**	4	65	30	10	8
YT-65232	**YT-68232**	5	79	32	16	12
YT-65234	**YT-68234**	6	85	37	25	20
YT-65236	**YT-68236**	7	88	43	34	30
YT-65237	**YT-68237**	8	92	44	50	45
YT-65238	**YT-68238**	9	97	44	61	55
YT-65239	**YT-68239**	10	110	45	82	70

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65240	**YT-68240**	11	119	48	100	90
YT-65241	**YT-68241**	12	130	52	145	130
YT-65242	**YT-68242**	13	140	54	180	160
YT-65243	**YT-68243**	14	150	58	211	191
YT-65244	**YT-68244**	15	156	60	260	230
YT-65245	**YT-68245**	16	162	63	300	270
YT-65246	**YT-68246**	17	168	65	370	335
YT-65247	**YT-68247**	18	173	69	450	402
YT-65248	**YT-68248**	19	177	72	490	445
YT-65249	**YT-68249**	21	184	74	652	595
YT-65251	**YT-68251**	22	186	77	675	615

Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65252	**YT-68252**	23	192	82	825	755
YT-65253	**YT-68253**	24	192	82	825	755
YT-65254	**YT-68254**	25	200	84	925	840
YT-65255	**YT-68255**	26	206	90	1025	940
YT-65256	**YT-68256**	27	213	93	1220	1115
YT-65257	**YT-68257**	28	192	25	1018	1235
YT-65258	**YT-68258**	29	240	105	1615	1475
YT-65259	**YT-68259**	30	240	105	1615	1475
YT-65261	**YT-68261**	32	266	116	2065	1885
YT-65262	**YT-68262**	36	294	128	2905	2650
YT-65260	**YT-68260**	41	320	140	4120	3760

Non-sparking hex key



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65280	**YT-68280**	2	50	16	3	3
YT-65281	**YT-68281**	3	63	20	5	5
YT-65282	**YT-68282**	4	70	25	12	11
YT-65283	**YT-68283**	5	80	28	22	20
YT-65284	**YT-68284**	6	90	32	30	27
YT-65285	**YT-68285**	7	95	34	50	45
YT-65286	**YT-68286**	8	100	36	56	91
YT-65287	**YT-68287**	9	106	38	85	76
YT-65288	**YT-68288**	10	112	40	100	90
YT-65289	**YT-68289**	11	118	42	140	125
YT-65290	**YT-68290**	12	125	45	162	113

Non-sparking english hex wrench



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-657900	**YT-689000**	1/16"	85	25	8	7
YT-657901	**YT-689001**	5/64"	85	25	8	7
YT-657902	**YT-689002**	3/32"	85	25	8	7
YT-657903	**YT-689003**	7/64"	100.5	30.5	13	12
YT-657904	**YT-689004**	1/8"	100.5	30.5	13	12
YT-657905	**YT-689005**	9/64"	100.5	30.5	13	12
YT-657906	**YT-689006**	5/32"	100.5	30.5	13	12
YT-657907	**YT-689007**	3/16"	115.5	37.5	35	31
YT-657908	**YT-689008**	7/32"	115.5	37.5	35	31
YT-657909	**YT-689009**	1/4"	115.5	37.5	35	31
YT-657910	**YT-689010**	5/16"	125.5	37	69	61
YT-657911	**YT-689011**	3/8"	140.5	49	119	105
YT-657912	**YT-689012**	7/16"	160.5	54	183	162
YT-657913	**YT-689013**	1/2"	160.5	54	183	162
YT-657914	**YT-689014**	9/16"	150.5	58	221	195

Non-sparking double socket ratchet handle

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-64620	**YT-67620**	14*17	280	410	370
YT-64621	**YT-67621**	17*19	310	450	410
YT-64622	**YT-67622**	19*22	345	530	480
YT-64623	**YT-67623**	22*24	365	680	620
YT-64624	**YT-67624**	24*27	380	860	780
YT-64625	**YT-67625**	27*30	400	990	900
YT-64626	**YT-67626**	30*32	400	1025	930
YT-64627	**YT-67627**	32*36	450	1450	1300
YT-64628	**YT-67628**	36*41	495	1860	1690

Non-sparking adjustable wrench

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65320	**YT-68320**	13	100	33	30
YT-65321	**YT-68321**	18	150	135	120
YT-65322	**YT-68322**	24	200	281	255
YT-65323	**YT-68323**	30	250	440	401
YT-65324	**YT-68324**	36	300	720	655
YT-65325	**YT-68325**	46	375	1410	1290
YT-65326	**YT-68326**	55	450	2261	2065
YT-65327	**YT-68327**	65	600	4705	4301

Non-sparking hinged pipe vice

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65340	**YT-68340**	25	200	510	465
YT-65341	**YT-68341**	30	250	845	770
YT-65342	**YT-68342**	40	300	1280	1170
YT-65343	**YT-68343**	50	350	1675	1530
YT-65344	**YT-68344**	60	450	2650	2420
YT-65345	**YT-68345**	75	600	3950	3610
YT-65346	**YT-68346**	125	900	6600	6005
YT-65347	**YT-68347**	150	1200	12500	11405

Non-sparking chain pipe pliers



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657970	**YT-689070**	600	4418	3898
YT-657971	**YT-689071**	900	8517	7515

Non-sparking pipe cutter



Be-Cu	Al-Cu	L [mm]
YT-657990	**YT-689090**	2"(50mm)

Non-sparking t-handle hex key

BE-CU AI-CU



Be-Cu	Al-Cu	⬡ [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65300	**YT-68300**	2	90	100	55	50
YT-65301	**YT-68301**	3	90	100	55	50
YT-65302	**YT-68302**	4	90	100	75	70
YT-65303	**YT-68303**	5	90	100	85	75
YT-65304	**YT-68304**	6	90	100	100	90
YT-65305	**YT-68305**	8	90	100	100	90
YT-65306	**YT-68306**	10	90	100	150	135

Non-sparking oil tank spanner

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-64631	**YT-67631**	350	70*95	630	580

Non-sparking valve handle

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-64650	**YT-67650**	30*200	200	44	280	250
YT-64651	**YT-67651**	32*300	300	50	540	490
YT-64652	**YT-67652**	35*250	250	47	364	325
YT-64653	**YT-67653**	40*300	300	50	470	422
YT-64654	**YT-67654**	45*350	350	58	610	540
YT-64655	**YT-67655**	48*375	375	62	660	595
YT-64656	**YT-67656**	50*400	400	67	705	615
YT-64657	**YT-67657**	55*450	450	73	960	870

Be-Cu	Al-Cu	L [mm]	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-64658	**YT-67658**	60*500	500	79	1205	1105
YT-64659	**YT-67659**	65*550	550	82	1370	1250
YT-64660	**YT-67660**	70*600	600	85	1540	1360
YT-64661	**YT-67661**	75*650	650	88	1705	1540
YT-64662	**YT-67662**	80*700	700	91	1910	1650
YT-64663	**YT-67663**	85*750	750	97	2250	2015
YT-64664	**YT-67664**	90*800	800	103	2380	2130

Non-sparking oil tank spanner

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-64630	**YT-67630**	300	70	630	580

Non-sparking torque wrench



Be-Cu	⭘ [mm]	Nm	L [mm]	
YT-64900	1/4"(6.3mm)	6-30N.m	290	1
YT-64901	3/8"(9.5mm)	6-30N.m	290	1
YT-64902	3/8"(9.5mm)	20-110N.m	380	1
YT-64903	1/2"(12.7mm)	40-210N.m	530	1
YT-64904	1/2"(12.7mm)	70-350N.m	648	1
YT-64905	3/4"(19mm)	100-500N.m	858	1
YT-64906	3/4"(19mm)	140-700N.m	1085	1
YT-64907	1"(25.4mm)	140-980N.m	1230	1

Non-sparking c-hook spanner



Be-Cu	Al-Cu	Size [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657980	**YT-689080**	32-75	215	274	242
YT-657981	**YT-689081**	50-120	285	546	482
YT-657982	**YT-689082**	115-170	308	714	630

Non-sparking cutting shear





Be-Cu	Al-Cu	Size [mm]	B [mm]	Be-Cu [g]	Al-Cu [g]
YT-65393	**YT-68393**	150	61	110	100

Non-sparking lineman pliers





Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65350	**YT-68350**	6"	150	180	165
YT-65351	**YT-68351**	7"	175	355	330
YT-65352	**YT-68352**	8"	200	465	435

Non-sparking claw valve wrench



Be-Cu	Al-Cu	Size [mm]
YT-658020	**YT-689120**	40*355

Non-sparking tin shear



Be-Cu	Al-Cu	Size [mm]	B [mm]	Be-Cu [g]	Al-Cu [g]
YT-65395	**YT-68395**	300	75	488	410

Non-sparking diagonal side cutting pliers





Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65357	**YT-68357**	6"	150	213	195
YT-65358	**YT-68358**	8"	200	380	350

Non-sparking claw valve wrench



Be-Cu	Al-Cu	Size [mm]
YT-658021	**YT-689121**	60*36*370
YT-658022	**YT-689122**	80*48*430
YT-658023	**YT-689123**	102*62*550

Non-sparking adjustable combination pliers





Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65370	**YT-68370**	6"	150	213	195
YT-65371	**YT-68371**	8"	200	380	350

Non-sparking carpenter's pliers





Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65377	**YT-68377**	8"	200	325	300

Non-sparking tower pliers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65375	**YT-68375**	7"	180	250	225

Non-sparking long nose pliers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65362	**YT-68362**	6"	150	190	170
YT-65363	**YT-68363**	8"	200	335	300

Non-sparking wire stripping pliers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65380	**YT-68380**	170	225	205	170

Non-sparking flat nose pliers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65360	**YT-68360**	6"	150	165	151
YT-65361	**YT-68361**	8"	200	281	257

Non-sparking bent nose pliers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65367	**YT-68367**	6"	150	190	170

Non-sparking cable cutter

EN Non-sparking cable cutter



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65411	**YT-68411**	6	600	3350	3070
YT-65413	**YT-68413**	8	900	9250	8400

Non-sparking water pump ploers



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65383	**YT-68383**	10"	250	425	370
YT-65384	**YT-68384**	12"	300	670	600

Non-sparking slotted screwdriver



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65464	**YT-68464**	75*5	180	70	65
YT-65466	**YT-68466**	100*5	205	75	70
YT-65467	**YT-68467**	100*6	215	85	80
YT-65468	**YT-68468**	125*6	240	100	95
YT-65469	**YT-68469**	150*6	265	110	105
YT-65470	**YT-68470**	150*7	265	125	120
YT-65471	**YT-68471**	150*8	277	140	135
YT-65472	**YT-68472**	200*8	327	165	155

Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65473	**YT-68473**	250*9	377	185	175
YT-65474	**YT-68474**	250*11	377	260	245
YT-65475	**YT-68475**	300*10	427	245	230
YT-65476	**YT-68476**	300*11	427	290	275
YT-65477	**YT-68477**	350*11	477	320	300
YT-65478	**YT-68478**	400*12	550	450	430
YT-65479	**YT-68479**	450*13	600	450	430

Non-sparking phillips screwdriver



Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65490	**YT-68490**	50*PH0	134	35	32
YT-65491	**YT-68491**	75*PH1	159	70	63
YT-65492	**YT-68492**	100*PH1	205	75	70
YT-65493	**YT-68493**	125*PH2	240	100	95
YT-65494	**YT-68494**	150*PH2	265	110	105
YT-65495	**YT-68495**	200*PH3	327	165	155

Be-Cu	Al-Cu	Size [inch]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65496	**YT-68496**	250*PH3	377	185	170
YT-65497	**YT-68497**	300*PH4	427	245	230
YT-65498	**YT-68498**	350*PH4	477	270	255
YT-65499	**YT-68499**	400*PH4	550	295	280
YT-65500	**YT-68500**	450*PH4	600	320	300

Non-sparking square file knife

200 mm



Be-Cu	L [mm]	
YT-658041	8"(200mm)	1

Non-sparking flat file

200 mm



Be-Cu	L [mm]	
YT-658030	8"(200mm)	1

Non-sparking triangle file

200 mm



Be-Cu	L [mm]	
YT-658032	8"(200mm)	1

Non-sparking common knife



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65641	**YT-68741**	80*185	75	105
YT-65642	**YT-68742**	145*250	95	125

Non-sparking half round file

200 mm



Be-Cu	L [mm]	
YT-658031	8"(200mm)	1

Non-sparking round file knife

200 mm



Be-Cu	L [mm]	
YT-658040	8"(200mm)	1

Non-sparking knife





Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65645	**YT-68745**	90*203	80	110

Non-sparking hand saw



Be-Cu	Al-Cu	Size [mm]
YT-658000	**YT-689100**	300

Non-sparking putty knife

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65655	**YT-68755**	75*200	100	165
YT-65656	**YT-68756**	100*200	105	195
YT-65657	**YT-68757**	150*250	215	310

Non-sparking punch

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65690	**YT-68790**	3*9*110	20	15
YT-65691	**YT-68791**	4*10*110	57	50
YT-65692	**YT-68792**	6*12*115	105	95
YT-65693	**YT-68793**	8*14*120	130	115
YT-65694	**YT-68794**	10*16*145	200	180
YT-65695	**YT-68795**	12*18*160	280	260
YT-65696	**YT-68796**	14*20*180	410	380
YT-65697	**YT-68797**	16*24*200	640	600
YT-65698	**YT-68798**	18*30*225	1070	960
YT-65699	**YT-68799**	20*32*225	1230	1110

Non-sparking saw blade



Be-Cu	L [mm]	
YT-658010	300	1

Non-sparking machinists punch

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65680	**YT-68780**	14*150	165	155
YT-65681	**YT-68781**	18*200	385	355
YT-65682	**YT-68782**	20*250	610	555
YT-65683	**YT-68783**	20*300	725	660

Non-sparking punch

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65701	**YT-68801**	5*11*150	105	95
YT-65702	**YT-68802**	6*12*150	130	115
YT-65703	**YT-68803**	7*13*150	150	135
YT-65704	**YT-68804**	8*14*150	170	150
YT-65705	**YT-68805**	10*16*175	255	230
YT-65706	**YT-68806**	12*18*175	335	300
YT-65707	**YT-68807**	13*29*255	1180	1060

Non-sparking putty knife

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65651	**YT-68751**	25*200	75	90
YT-65652	**YT-68752**	40*200	95	115
YT-65653	**YT-68753**	50*200	105	120
YT-65654	**YT-68754**	65*200	115	125

Non-sparking Machinists punch



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65685	**YT-68785**	5*150	235	215
YT-65686	**YT-68786**	8*150	285	255
YT-65687	**YT-68787**	10*150	345	315

Non-sparking flat punch

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65710	**YT-68810**	14*160	175	160
YT-65711	**YT-68811**	16*160	231	210
YT-65712	**YT-68812**	18*160	295	271
YT-65713	**YT-68813**	18*200	382	342
YT-65714	**YT-68814**	20*200	473	430
YT-65715	**YT-68815**	24*250	822	751
YT-65716	**YT-68816**	24*300	1025	942
YT-65717	**YT-68817**	25*300	1302	1002
YT-65718	**YT-68818**	25*400	1502	1360
YT-65719	**YT-68819**	25*500	1903	1730
YT-65720	**YT-68820**	30*500	2730	2481
YT-65721	**YT-68821**	16*180	290	270

Non-sparking wrecking bar

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65722	YT-68822	25*500	1975	1805
YT-65723	YT-68823	25*600	2380	2175
YT-65724	YT-68824	25*800	3175	2905
YT-65725	YT-68825	25*1000	3985	3645
YT-65726	YT-68826	25*1200	4795	4385
YT-65727	YT-68827	25*300	1302	1002

Non-sparking ball pein hammer

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65570	YT-68670	280	230	230
YT-65571	YT-68671	280	340	340
YT-65572	YT-68672	310	450	450
YT-65573	YT-68673	340	680	680
YT-65574	YT-68674	390	910	910
YT-65575	YT-68675	400	1130	1130

Non-sparking claw hammer

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65590	YT-68690	280	230	230
YT-65591	YT-68691	300	450	450
YT-65592	YT-68692	330	680	680
YT-65593	YT-68693	390	910	910

Non-sparking hearing needle

BE-CU AI-CU



Be-Cu	Al-Cu	Size [mm]	Be-Cu [g]	Al-Cu [g]
YT-65730	YT-68830	6*250	85	75
YT-65731	YT-68831	8*300	150	135
YT-65732	YT-68832	7*400	160	145
YT-65733	YT-68833	10*500	335	306

Non-sparking mechanical hammer

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65580	YT-68680	310	500	500
YT-65582	YT-68682	340	1000	1000
YT-65583	YT-68683	400	1500	1500
YT-65584	YT-68684	450	2000	2000
YT-65585	YT-68685	900	3000	3000
YT-65586	YT-68686	900	5000	5000

Non-sparking scaling hammer

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65588	YT-68688	280	150	150
YT-65589	YT-68689	280	300	300

Non-sparking metal wedge



Be-Cu	Al-Cu	Size [mm]	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657960	YT-689060	150	25	207	183
YT-657961	YT-689061	230	40	782	690
YT-657962	YT-689062	250	40	1275	1175

Non-sparking sledge hammer

BE-CU AI-CU



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65615	YT-68715	310	450	450
YT-65616	YT-68716	360	1000	1000
YT-65617	YT-68717	400	1400	1400
YT-65618	YT-68718	400	1500	1500
YT-65619	YT-68719	400	1800	1800
YT-65620	YT-68720	400	2000	2000
YT-65621	YT-68721	400	2200	2200
YT-65622	YT-68722	660	2500	2500
YT-65623	YT-68723	665	2700	2700
YT-65624	YT-68724	665	3000	3000
YT-65625	YT-68725	900	3600	3600

Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-65626	YT-68726	900	4000	4000
YT-65627	YT-68727	900	4500	4500
YT-65628	YT-68728	900	5000	5000
YT-65629	YT-68729	900	5400	5400
YT-65630	YT-68730	900	6400	6400
YT-65631	YT-68731	900	7200	7200
YT-65632	YT-68732	900	8000	8000
YT-65633	YT-68733	900	8200	8200
YT-65634	YT-68734	900	9100	9100
YT-65635	YT-68735	900	9900	9900

Non-sparking wooden handle octagonal hammer



Be-Cu	Al-Cu	L [mm]	Be-Cu [g]	Al-Cu [g]
YT-657972	**YT-689072**	900	5000	5000
YT-657973	**YT-689073**	900	8000	8000

Non-sparking point shovel



Al-CU

Al-CU

Be-Cu	Al-Cu	L [mm]	B [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65745	**YT-68845**	990	240	420	1553	1420

Non-sparking square shovel



Al-CU

Al-CU

Be-Cu	Al-Cu	L [mm]	B [mm]	H [mm]	Be-Cu [g]	Al-Cu [g]
YT-65740	**YT-68840**	940	175	340	1410	1290
YT-65741	**YT-68841**	990	240	418	1804	1650

Non-sparking chain block



Be-Cu	Al-Cu	Size [t]	Lifting [mm]	Be-Cu [g]	Al-Cu [g]
YT-65760	**YT-68860**	0.5	2.5	10200	9000
YT-65761	**YT-68861**	1	2.5	13600	12300
YT-65762	**YT-68862**	1.5	2.5	20000	18100
YT-65763	**YT-68863**	2	3.0	22000	20000
YT-65764	**YT-68864**	3	3.0	23600	21500
YT-65765	**YT-68865**	5	3.0	36000	32700
YT-65766	**YT-68866**	10	3.0	68500	62200
YT-65767	**YT-68867**	16	3.0	187000	170000
YT-65768	**YT-68868**	20	3.0	201000	182700

Non-sparking tool set

32 PCS



Non-sparking 1/2"sock
et:8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,
23,24,26,27,28,30,32mm
Non-sparking 13/16"spark plug
*Non-sparking flexible ratchet handle:1/2"*245mm*
*Non-sparking sliding T-bar handle:1/2"*250mm*
*Non-sparking rapid rocker:1/2"*400mm*
*Non-sparking socket extension bar:1/2"*125mm,1/2*250mm*
Non-sparking universAl joint:1/2"
Non-sparking bit adapter:1/2"
*Non-sparking socket bend handle:1/2"*230mm*

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65540	**YT-68640**	8980	8390

Non-sparking tool set

26 PCS



Non-sparking 3/4"socket: 21,22,23,24,26,27,28,29,30,31,32,34,36,38,41,46,50mm
Non-sparking 1"socket: 55,60,65mm
*Non-sparking reversing ratchet: 3/4"*160mm*
*Non-sparking sliding T-bar handle: 3/4"*250mm*
*Non-sparking socket extension bar: 3/4"*200mm,3/4*430mm*
*Non-sparking universAl joint: 3/4"*120mm*
*Non-sparking sliding T-bar handle: 3/4"*1"*

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65550	**YT-68650**	24900	23060

Non-sparking tool set

17 PCS





Non-sparking hinged pipe vice: 350mm
*Non-sparking adjustable wrench: 200mm*24mm,300mm*36mm*
Non-sparking combination spanner set: 14,17,19,22,24,27mm
Non-sparking lineman pliers: 200mm
Non-sparking long nose pliers: 200mm
Non-sparking adjustable combination pliers: 200mm
*Non-sparking cape chisel: 18mm*160mm*
*Non-sparking flat punch: 18mm*160mm*
*Non-sparking slotted screwdriver: 6*150mm*
*Non-sparking phillips screwdriver: PH2*150mm*
Non-sparking bAll pein hammer: 0.91Kg

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65555	**YT-68655**	9000	8500

Non-sparking tool set

26 PCS



*Non-sparking flat punch: 18*200mm*
Non-sparking adjustable wrench: 200mm
Non-sparking lineman pliers: 200mm
Non-sparking long nose pliers: 150mm
Non-sparking adjustable combination pliers: 200mm
Non-sparking slotted screwdriver: 150,200mm
Non-sparking phillips screwdriver: 150,200mm
Non-sparking 1/2"socket: 8,10,12,14,17mm
Non-sparking sliding T-bar handle: 1/2"250mm
Non-sparking test hammer: 0.15Kg
Non-sparking double open end spanner: 8,10,12,14,17mm
Non-sparking hex key: 4,5,6,8,10

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65556	**YT-68656**	22200	20400

Non-sparking tool set

28 PCS



Non-sparking vAlve handle: 400mm
Non-sparking hinged pipe vice: 300mm,450mm
*Non-sparking adjustable wrench: 200mm*24mm,300mm*36mm*
Non-sparking combination spanner set: 8,10,12,14,17,19,22,24,27,30,32mm
Non-sparking lineman pliers: 200mm
Non-sparking long nose pliers: 200mm
Non-sparking adjustable combination pliers: 200mm
*Non-sparking wrecking bar: 25mm*300mm*
*Non-sparking flat punch: 25mm*300mm*
Non-sparking slotted screwdriver: 100,200mm
Non-sparking phillips screwdriver: 100,200mm
Non-sparking sledge hammer: 1.80Kg
Non-sparking bAll pein hammer: 0.91Kg
Non-sparking claw hammer: 0.45Kg

Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65557	**YT-68657**	23200	22000

Non-sparking tool set

Non-sparking slotted screwdriver: 100,200mm
Non-sparking phillips screwdriver: 100,200mm
Non-sparking sledge hammer: 1.8kg
Non-sparking bAll pein hammer: 0.91kg
Non-sparking claw hammer: 0.45kg
Non-sparking hinged pipe vice: 300,450mm
Non-sparking ratchet handle: 250mm
Non-sparking extension bar: 125,250mm
Non-sparking rapid rocker: 400mm
Non-sparking sliding T-bar handle: 250mm
Non-sparking universAl joint: 1/2"
*Non-sparking putty knife: 25mm*200mm*
*Non-sparking adjustable wrench: 24mm*200mm,36mm*300mm*
Non-sparking combination spanner set: 8,10,12,14,17,19,22,24,27,30,32mm
Non-sparking 1/2"socket: 10,11,12,14,17,19,22,24,27,30,32mm
Non-sparking lineman pliers: 200mm
Non-sparking long nose pliers: 200mm
Non-sparking adjustable combination pliers: 200mm
*Non-sparking wrecking bar: 25*300mm*
*Non-sparking flat punch: 25*300mm*
*Non-sparking cape chisel: 25*300mm*
Non-sparking vAlve handle: 400mm
Non-sparking common knife: 250mm
Non-sparking saw: 500mm
Non-sparking saw blade: 300mm



Be-Cu	Al-Cu	Be-Cu [g]	Al-Cu [g]
YT-65565	**YT-68665**	3000	28000

PRODUCT INDEX

YATO

YATO	page
YT-00760	2
YT-00761	2
YT-00762	2
YT-00763	2
YT-00764	2
YT-00765	2
YT-00766	2
YT-00767	2
YT-00768	2
YT-00769	2
YT-00780	5
YT-00781	5
YT-00782	5
YT-00783	5
YT-00784	5
YT-00785	5
YT-00786	5
YT-00787	5
YT-00788	5
YT-00789	5
YT-00790	5
YT-00791	5
YT-00792	5
YT-00793	5
YT-00794	5
YT-00795	5
YT-00796	5
YT-00797	5
YT-00798	5
YT-00799	5
YT-00800	5
YT-00810	12
YT-00811	12
YT-00812	12
YT-00813	12
YT-00814	12
YT-00815	12
YT-00816	12
YT-00817	12
YT-00818	12
YT-00819	12
YT-00820	12
YT-00821	12
YT-00822	12
YT-00823	12
YT-00824	12
YT-00825	12
YT-00826	12
YT-00827	12
YT-00828	12
YT-00829	12
YT-00830	12
YT-00831	12
YT-00832	12
YT-00833	12
YT-00834	12
YT-00835	12
YT-00836	12
YT-00850	12
YT-00851	12
YT-00852	12
YT-00853	12
YT-00854	12
YT-00855	12
YT-00856	12
YT-00857	12
YT-00858	12
YT-00859	12
YT-00860	12
YT-00861	12
YT-00862	12
YT-00863	12
YT-00864	12
YT-00865	12
YT-00866	12
YT-00867	12
YT-00868	12
YT-00869	12
YT-01234T	481
YT-01320	10
YT-01321	10
YT-01322	10
YT-01323	10
YT-01330	17
YT-01331	17
YT-01332	17
YT-01333	17
YT-01334	17
YT-01335	17
YT-01336	17
YT-01337	17
YT-01338	17
YT-01339	17
YT-01340	17
YT-01341	17
YT-01344	17
YT-0135	17
YT-0136	17
YT-0137	17
YT-0138	17
YT-01385	17
YT-0139	17
YT-0140	17
YT-0143	18
YT-01440	419
YT-01670	22
YT-01671	22
YT-01672	22
YT-01673	22
YT-01674	22
YT-01675	22
YT-01676	22
YT-01677	22
YT-01678	22
YT-01679	22
YT-0170	14
YT-0171	14
YT-0172	14
YT-0173	14
YT-0175	14
YT-01851	5
YT-01852	5
YT-01853	5
YT-01854	5
YT-01855	5
YT-01856	5
YT-01857	5
YT-01858	5
YT-01859	5
YT-01860	5
YT-01861	5
YT-01862	5
YT-01863	5
YT-01864	5
YT-01865	5
YT-01870	5
YT-01871	5
YT-01872	5
YT-01873	5
YT-01874	5
YT-01875	5
YT-01876	5
YT-01878	5
YT-01879	5
YT-01880	5
YT-01881	5
YT-0189	6
YT-0190	18
YT-01906	6
YT-01907	6
YT-01908	6
YT-01909	6
YT-0191	6
YT-0192	6
YT-0193	6
YT-0194	6
YT-0195	6
YT-0196	6
YT-0197	6
YT-0198	6
YT-0199	6
YT-0200	6
YT-0201	6
YT-0202	6
YT-0203	6
YT-0204	6
YT-0205	6
YT-0206	6
YT-02063	7
YT-02064	7
YT-02065	7
YT-02066	7
YT-02067	7
YT-02068	7
YT-02069	7
YT-0208	7
YT-02329	13
YT-02330	13
YT-02331	13
YT-02332	13
YT-02333	13
YT-02334	13
YT-02372	17
YT-02375	17
YT-0290	26
YT-0291	30
YT-0292	34
YT-0297	26
YT-0298	30
YT-0299	34
YT-0307	26
YT-0308	29
YT-0309	33
YT-0313	26
YT-0314	30
YT-0315	34
YT-0331	27
YT-03314	19
YT-03315	19
YT-03316	19
YT-03317	19
YT-03318	20
YT-0332	10
YT-0333	10
YT-0334	10
YT-03349	2
YT-0335	2
YT-0336	2
YT-0337	2
YT-0338	2
YT-0339	2
YT-0340	2
YT-0341	2
YT-0342	2
YT-0343	2
YT-0344	2
YT-0345	2
YT-0346	2
YT-0347	2
YT-0348	2
YT-0349	2
YT-0350	2
YT-0351	2
YT-0352	2
YT-0353	2
YT-0354	2
YT-0355	2
YT-0356	2
YT-0357	2
YT-0358	2
YT-0359	2
YT-0360	2
YT-03605	2
YT-03608	2
YT-03610	2
YT-03611	3
YT-03612	3
YT-03613	3
YT-03614	3
YT-03615	3
YT-03616	3
YT-03617	3
YT-03618	3
YT-0362	3
YT-03621	3
YT-0363	3
YT-0365	4
YT-03651	4
YT-03652	4
YT-0367	10
YT-03671	10
YT-0368	10
YT-0369	10
YT-0370	10
YT-0371	10
YT-0372	10
YT-0373	10
YT-0374	10
YT-0375	10
YT-0376	10
YT-0377	10
YT-0378	10
YT-0380	11
YT-0381	11
YT-03813	11
YT-0383	12
YT-0384	12
YT-0385	12
YT-0386	12
YT-0387	12
YT-0388	12
YT-0389	12
YT-0390	12
YT-0391	12
YT-0392	12
YT-0393	12
YT-0394	12
YT-03950	13
YT-03951	13
YT-03952	13
YT-03953	13
YT-03954	13
YT-03955	13
YT-03956	13
YT-0396	14
YT-0398	14
YT-0400	103
YT-0404	98
YT-0405	98
YT-04051	98
YT-04052	98
YT-0406	98
YT-0407	98
YT-0408	98
YT-0409	98
YT-0410	103
YT-0411	104
YT-0412	105
YT-0413	104
YT-0414	104
YT-0415	105
YT-0416	104
YT-0417	105
YT-0418	105
YT-0419	105
YT-0420	104
YT-0421	423
YT-04211	423
YT-04301	38
YT-04302	38
YT-04303	38
YT-04304	38
YT-04305	38
YT-04306	38
YT-04307	38
YT-04310	37
YT-04311	37
YT-04312	37
YT-04313	37
YT-04314	37
YT-04315	37
YT-04316	37
YT-04317	37
YT-04318	37
YT-04319	37
YT-04320	37
YT-04321	37
YT-04322	37
YT-04323	37
YT-04324	37
YT-04325	37
YT-04326	37
YT-04327	37
YT-04328	37
YT-04329	37
YT-04331	39
YT-04332	38
YT-04341	37
YT-04342	37
YT-04343	37
YT-04344	37
YT-04345	37
YT-04346	37
YT-04350	37
YT-04351	37
YT-04352	37
YT-04353	37
YT-04354	37
YT-04355	37
YT-04356	37
YT-04357	37
YT-04360	37
YT-04370	37
YT-04371	37
YT-04372	37
YT-04373	37
YT-04374	37
YT-04375	37
YT-04381	36
YT-04382	36
YT-04383	36
YT-04384	36
YT-04385	36
YT-04386	36
YT-04387	36
YT-04388	36
YT-04390	38
YT-04391	38
YT-04392	38
YT-04393	38
YT-04394	38
YT-04395	38
YT-04396	38
YT-04397	38
YT-04398	38
YT-04401	38
YT-04411	36
YT-04412	36
YT-04413	36
YT-04417	36
YT-04418	36
YT-04580	397
YT-04581	397
YT-04584	39/397
YT-0461	38
YT-04615	105
YT-04616	105
YT-04617	105
YT-04620	107
YT-04621	107
YT-04622	108
YT-04623	108
YT-04624	108
YT-04625	102
YT-04626	103
YT-04627	103
YT-04629	103
YT-04630	102
YT-04631	102
YT-04632	103
YT-04635	101
YT-04636	102
YT-04637	102
YT-04639	103
YT-04640	103
YT-04641	102
YT-04642	101
YT-04644	102
YT-04645	102
YT-0465	101
YT-0466	101
YT-04665	101
YT-0467	101
YT-04671	101
YT-04677	101
YT-0468	101
YT-04681	102
YT-04682	102
YT-04683	102
YT-04684	102
YT-04685	103
YT-04686	103
YT-0469	102
YT-04690	102
YT-04691	102
YT-04695	101
YT-04699	103
YT-04742	94
YT-04752	94
YT-04762	94
YT-04772	94
YT-04782	94
YT-04792	94
YT-0480	94
YT-0481	94
YT-04812	94
YT-04822	94
YT-0483	94
YT-04832	94
YT-0485	98
YT-0486	98
YT-0487	98
YT-0488	100
YT-0489	100
YT-0490	100
YT-0491	100
YT-0492	100
YT-0493	100
YT-0496	100
YT-0497	100
YT-0498	100
YT-0499	100
YT-0500	117
YT-0501	118
YT-0502	118
YT-0503	120
YT-0504	120
YT-0505	118
YT-0506	118
YT-0507	118
YT-0508	118
YT-0509	119
YT-0511	119
YT-0512	119
YT-05123	121
YT-0519	119
YT-05197	43
YT-0520	43
YT-0521	43
YT-05211	25
YT-05212	25
YT-05213	25
YT-05214	25
YT-05215	25
YT-05220	31
YT-05221	31
YT-05222	31
YT-05223	31
YT-05224	31
YT-05225	31
YT-05226	31
YT-05227	31
YT-05228	31
YT-05229	28
YT-05230	28
YT-05231	28
YT-05232	28
YT-05233	28
YT-05234	28
YT-05235	28
YT-05236	28
YT-05244	25
YT-05245	32
YT-05246	32
YT-05247	32
YT-05248	32
YT-05249	32
YT-05250	32
YT-05251	32
YT-0530	19
YT-05311	18
YT-05312	18
YT-05313	18
YT-05314	18
YT-05315	18
YT-05320	18
YT-05333	426
YT-05335	417
YT-05337	423
YT-05338	416
YT-053381	417
YT-05339	425
YT-0534	29
YT-05341	417
YT-05342	418
YT-05343	418
YT-05344	418
YT-05345	418
YT-05390	403
YT-05430	121
YT-05431	121
YT-05432	121
YT-05433	121
YT-05434	121
YT-05436	121
YT-05438	121
YT-05439	121
YT-05440	121
YT-05441	121
YT-05442	121
YT-05443	121
YT-05444	121
YT-05445	121
YT-05446	121
YT-05450	121
YT-05451	121
YT-05452	121
YT-05453	121
YT-05454	121
YT-05456	121
YT-05458	121
YT-05459	121
YT-05460	121
YT-05461	121
YT-05462	121
YT-05463	121
YT-05464	121
YT-05465	121
YT-05466	121
YT-05490	121
YT-05491	121
YT-05492	121
YT-05493	121
YT-05494	121
YT-05495	121
YT-05496	121
YT-05497	121
YT-05498	121
YT-05499	121
YT-05501	121
YT-05514	121
YT-05515	121
YT-05516	121
YT-05517	121
YT-05518	121
YT-05519	121
YT-05520	121
YT-05583	122
YT-05584	121
YT-05585	121
YT-05586	121
YT-05588	121
YT-05590	121
YT-05591	121
YT-05592	121
YT-05593	121
YT-05594	121
YT-05597	122
YT-0560	119
YT-05601	122
YT-05602	122
YT-05603	122
YT-05604	122
YT-05605	122
YT-05606	122
YT-05607	122
YT-05608	122
YT-05609	122
YT-0561	119
YT-05610	122
YT-05611	122
YT-05615	122
YT-0562	120
YT-0563	120
YT-05631	113
YT-05632	113
YT-05633	113
YT-05634	113
YT-05635	113
YT-05636	113
YT-05640	120
YT-05644	120
YT-05800	408
YT-05801	408
YT-05802	408
YT-05810	407
YT-05811	407
YT-05812	407
YT-05815	407
YT-05816	407
YT-05817	408
YT-05830	407
YT-0585	397
YT-05855	534
YT-05880	422
YT-05890	396
YT-05893	395
YT-05897	396
YT-0590	396
YT-0591	395
YT-0593	426
YT-05934	426
YT-0594	387
YT-0596	387
YT-05971	387
YT-0598	399
YT-05980	388
YT-05981	388
YT-05985	388
YT-0599	388
YT-05991	388
YT-05994	388
YT-05995	388
YT-05997	388
YT-06001	414
YT-06002	410
YT-060022	411
YT-06003	415

YATO	page
YT-06004	410
YT-06005	412
YT-06006	415
YT-06007	416
YT-06008	409
YT-06009	412
YT-0601	414
YT-06010	414
YT-06011	409
YT-06012	409
YT-06013	411
YT-06014	409
YT-06015	416
YT-06016	410
YT-06017	410
YT-060171	409
YT-060175	414
YT-060176	411
YT-060178	413
YT-06018	412
YT-060181	414
YT-06019	408
YT-0602	393
YT-06021	415
YT-06022	414
YT-060225	415
YT-060226	410
YT-06023	409
YT-06024	415
YT-06025	411
YT-060251	412
YT-060252	416
YT-06026	413
YT-060261	414
YT-060262	416
YT-060263	414
YT-06027	415
YT-06029	412
YT-0603	395
YT-060302	435
YT-060303	435
YT-060304	435
YT-060305	435
YT-060306	435
YT-06031	395
YT-060311	395
YT-06032	395
YT-06033	395
YT-06034	396
YT-06035	206
YT-06036	443
YT-06037	396
YT-06038	396
YT-0605	432
YT-0606	404
YT-06061	404
YT-06062	404
YT-06064	405
YT-0607	404
YT-0608	404
YT-06082	404
YT-06086	427
YT-06087	427
YT-0609	393
YT-0610	428
YT-06101	428
YT-0611	430
YT-0612	398
YT-06122	398
YT-06123	398
YT-06127	394
YT-0613	398
YT-0614	398
YT-06144	394
YT-0615	398
YT-06155	399
YT-06157	399
YT-0616	399
YT-06160	398
YT-061602	398
YT-06162	398
YT-06163	398
YT-06166	418
YT-06169	418
YT-0617	416
YT-06172	452
YT-06174	417
YT-06176	417
YT-0618	418
YT-06184	418
YT-06187	418
YT-0620	397
YT-06201	397
YT-06205	405
YT-06208	403
YT-0621	432
YT-06212	433
YT-0622	420
YT-0623	396
YT-0624	396
YT-06251	397
YT-06255	397
YT-06256	397
YT-06260	403
YT-06266	409
YT-0627	406
YT-06272	434
YT-06273	406
YT-06275	407
YT-06278	406
YT-06279	407
YT-0628	433
YT-06282	433
YT-06288	403
YT-06301	404
YT-06311	426
YT-06312	426
YT-06313	426
YT-06314	427
YT-06315	426
YT-06316	426
YT-06317	426
YT-06319	415
YT-0632	409
YT-06321	411
YT-06322	415
YT-06324	416
YT-06325	412
YT-06326	410
YT-06327	414
YT-06328	413
YT-0633	413
YT-06331	411
YT-06332	409
YT-06333	413
YT-06334	413
YT-06336	420
YT-06340	403
YT-06341	403
YT-06342	403
YT-06343	403
YT-0635	408
YT-0636	408
YT-0637	408
YT-06373	408
YT-06377	407
YT-0638	401
YT-0641	393
YT-06412	393
YT-0642	399
YT-0643	434
YT-0645	405
YT-0646	405
YT-0647	405
YT-06475	406
YT-06477	404
YT-0648	406
YT-0650	405
YT-0651	406
YT-0652	406
YT-0653	406
YT-06535	404
YT-06561	428
YT-0657	405
YT-0660	436
YT-0661	437
YT-06611	437
YT-06613	437
YT-0662	437
YT-06622	437
YT-0663	436
YT-06650	471
YT-06651	471
YT-06652	471
YT-06653	471
YT-06654	471
YT-06655	471
YT-06656	471
YT-06657	472
YT-06658	472
YT-06659	472
YT-06660	472
YT-06661	472
YT-06662	472
YT-06663	472
YT-06664	472
YT-06680	465
YT-0671	429
YT-0672	423
YT-06721	424
YT-06722	455
YT-0673	423
YT-0674	424
YT-0677	406
YT-06771	472
YT-06772	461
YT-06773	461
YT-06774	461
YT-06775	461
YT-06776	461
YT-06777	465
YT-06780	462
YT-06782	464
YT-06783	464
YT-067833	464
YT-067834	464
YT-06784	464
YT-067842	464
YT-06785	465
YT-06786	463
YT-06787	464
YT-06790	465
YT-06793	465
YT-0680	428
YT-06802	428
YT-06804	428
YT-06805	428
YT-06806	429
YT-06807	428
YT-06808	429
YT-0681	430
YT-06811	429
YT-06812	429
YT-0682	430
YT-06822	431
YT-0683	428
YT-06835	329
YT-06837	432
YT-0684	427
YT-06845	432
YT-0685	427
YT-068581	462
YT-068582	462
YT-06860	463
YT-06862	462
YT-06864	462
YT-068641	461
YT-06865	461
YT-068652	461
YT-06866	468
YT-068661	467
YT-068667	468
YT-068668	468
YT-06867	468
YT-068671	468
YT-068672	468
YT-06868	467
YT-068683	466
YT-068684	467
YT-068685	467
YT-06869	469
YT-06870	466
YT-06871	462
YT-068711	462
YT-068713	461
YT-06872	462
YT-068721	462
YT-06873	463
YT-06874	464
YT-06875	463
YT-06876	466
YT-06877	465
YT-06878	465
YT-06879	466
YT-068791	466
YT-06880	465
YT-06881	465
YT-06882	464
YT-06883	463
YT-06884	463
YT-06885	463
YT-06888	463
YT-06890	466
YT-06891	466
YT-068911	466
YT-068912	466
YT-068913	467
YT-068914	467
YT-068915	467
YT-068920	158
YT-06895	467
YT-06896	467
YT-0690	391
YT-0691	391
YT-06912	391
YT-06913	391
YT-06914	391
YT-06919	391
YT-0693	445
YT-0694	445
YT-0695	445
YT-0696	445
YT-0697	445
YT-06972	445
YT-06977	391
YT-06980	445
YT-06983	445
YT-06985	445
YT-06987	445
YT-06995	446
YT-0700	389
YT-0701	389
YT-07020	530
YT-07021	530
YT-0704	389
YT-07041	389
YT-07042	389
YT-07043	389
YT-07044	389
YT-07045	389
YT-07046	389
YT-0705	389
YT-07055	331
YT-07057	331
YT-07061	390
YT-07063	390
YT-07065	390
YT-07067	447
YT-07068	446
YT-07069	446
YT-0707	390
YT-07071	390
YT-07078	390
YT-07079	390
YT-0708	390
YT-07082	390
YT-07083	389
YT-07084	389
YT-07087	446
YT-0709	390
YT-0710	390
YT-07101	391
YT-07102	390
YT-07110	390
YT-07115	391
YT-0712	391
YT-07140	391
YT-0716	446
YT-0717	446
YT-0718	446
YT-07183	446
YT-07190	447
YT-07191	447
YT-07195	447
YT-07200	27
YT-07201	27
YT-07202	27
YT-07210	26
YT-07211	30
YT-07212	34
YT-07220	26
YT-07221	30
YT-07222	34
YT-07291	26
YT-07292	29
YT-07293	33
YT-07295	29
YT-0730	27
YT-0731	30
YT-0732	34
YT-07355	34
YT-07370	35
YT-07410	81
YT-07411	81
YT-07412	81
YT-07413	81
YT-07414	81
YT-07415	81
YT-07416	81
YT-07417	81
YT-07418	81
YT-07420	81
YT-07432	83
YT-07433	83
YT-07434	83
YT-07435	83
YT-07436	83
YT-07437	83
YT-07438	83
YT-07439	83
YT-07440	83
YT-07441	83
YT-07442	83
YT-07443	83
YT-07444	83
YT-07445	83
YT-07446	83
YT-07447	83
YT-07448	83
YT-07449	83
YT-07450	83
YT-07451	83
YT-07452	83
YT-07453	83
YT-07454	83
YT-07455	83
YT-07456	83
YT-07457	83
YT-07458	83
YT-07459	83
YT-07460	83
YT-07461	83
YT-07465	83
YT-07466	83
YT-07467	83
YT-07468	83
YT-07469	83
YT-07470	83
YT-07471	83
YT-07472	83
YT-07473	83
YT-07474	83
YT-07475	83
YT-07476	83
YT-07477	83
YT-07478	83
YT-07479	83
YT-07480	83
YT-07481	83
YT-07482	83
YT-07483	83
YT-07484	83
YT-07485	83
YT-07486	83
YT-07487	83
YT-07488	83
YT-07489	83
YT-07490	83
YT-07491	83
YT-07492	83
YT-07493	83
YT-07494	83
YT-07495	82
YT-07496	82
YT-07497	82
YT-07498	82
YT-07499	82
YT-0750	76
YT-07500	76
YT-07511	77
YT-07517	81
YT-07518	81
YT-07520	82
YT-07521	82
YT-07526	82
YT-07531	20
YT-07532	20
YT-07533	20
YT-07534	79
YT-07535	80
YT-0760	76
YT-07601	77
YT-07605	81
YT-07607	81
YT-07609	81
YT-0761	81
YT-07611	77
YT-07612	81
YT-0762	81
YT-07641	82
YT-07642	82
YT-0767	80
YT-07670	77
YT-07672	77
YT-07673	78
YT-07676	78
YT-07677	78
YT-07680	78
YT-07690	78
YT-07692	78
YT-07693	78
YT-07696	78
YT-07697	79
YT-07712	77
YT-07713	79
YT-07714	79
YT-07715	79
YT-07716	79
YT-07717	80
YT-07720	76
YT-07721	76
YT-07722	76
YT-07723	76
YT-07730	76
YT-07731	76
YT-07732	76
YT-07733	76
YT-07735	81
YT-07736	81
YT-07740	76
YT-07741	76
YT-07742	76
YT-07743	76
YT-07744	76
YT-07750	76
YT-07751	76
YT-07752	76
YT-07753	76
YT-07760	76
YT-07761	76
YT-07762	76
YT-07763	76
YT-07764	76
YT-0780	81
YT-0781	81
YT-0782	82
YT-07822	82
YT-07833	77
YT-07834	77
YT-07836	77
YT-07841	80
YT-07850	77
YT-07851	77
YT-07852	77
YT-07853	77
YT-07854	77
YT-07855	77
YT-07856	77
YT-07857	77
YT-07858	77
YT-07859	77
YT-07860	77
YT-07861	77
YT-07862	77
YT-07863	77
YT-07864	77
YT-07870	82
YT-07871	82
YT-07872	82
YT-07873	82
YT-07874	82
YT-07880	82
YT-07881	82
YT-07882	82
YT-07883	82
YT-07884	82
YT-07885	82
YT-07886	82
YT-07887	82
YT-07888	82
YT-07890	80
YT-07892	81
YT-07893	80
YT-07894	80
YT-07895	81
YT-07896	80
YT-07900	80
YT-07901	80
YT-07902	80
YT-07903	79
YT-07904	79
YT-07910	80
YT-07911	80
YT-0795	436
YT-0800	436
YT-08002	436
YT-0801	436
YT-08033	436
YT-08035	436
YT-08040	436
YT-08042	448
YT-08043	448
YT-08060	448
YT-08061	448
YT-0807	22
YT-0808	22
YT-0809	22
YT-0810	22
YT-0811	22
YT-08120	436
YT-0813	285
YT-08144	427
YT-08163	425
YT-08164	425
YT-0818	425
YT-08195	416
YT-08196	416
YT-0820	386
YT-0821	386
YT-0822	386
YT-0823	386
YT-08231	386
YT-08235	386
YT-08236	386
YT-08237	386
YT-0824	386
YT-0825	386
YT-08253	386
YT-08254	386
YT-08255	386
YT-0826	386
YT-08280	439
YT-08295	437
YT-0830	437
YT-08302	438
YT-08304	438
YT-08305	438
YT-0831	438
YT-08312	438
YT-08320	438
YT-0835	438
YT-08353	438
YT-08354	438
YT-0836	402
YT-0837	402
YT-0838	401
YT-08385	401
YT-08390	424
YT-08391	424
YT-0840	424
YT-08403	424
YT-0841	400
YT-0842	400
YT-08422	399
YT-08425	399
YT-08426	400
YT-08427	400
YT-08428	400
YT-08429	400
YT-0843	399
YT-08431	400
YT-08432	400
YT-0844	401
YT-08442	401
YT-08443	401
YT-0845	402
YT-0846	402
YT-08461	402
YT-08462	402
YT-0847	402
YT-08474	402
YT-08477	402
YT-08490	630
YT-08495	619
YT-08496	619
YT-08500	622
YT-08504	623
YT-085051	623
YT-08507	623
YT-085081	623
YT-08509	621
YT-08511	624
YT-085121	624
YT-08513	624
YT-085171	623
YT-085172	623
YT-08518	622
YT-08519	622

YATO	page
YT-08520	625
YT-08521	621
YT-08522	624
YT-08524	624
YT-08525	622
YT-08527	622
YT-08529	625
YT-08534	624
YT-08547	628
YT-08548	628
YT-08550	628
YT-08551	628
YT-08554	626
YT-08556	625
YT-08558	622
YT-08559	626
YT-085601	627
YT-085602	627
YT-085606	627
YT-085607	627
YT-085608	625
YT-085609	625
YT-085610	627
YT-085611	627
YT-085612	627
YT-085613	627
YT-08564	626
YT-08566	626
YT-08567	626
YT-08569	626
YT-08570	626
YT-08571	626
YT-08578	627
YT-08579	628
YT-08580	626
YT-08581	625
YT-08582	625
YT-08587	625
YT-08588	625
YT-08590	629
YT-08591	629
YT-08592	629
YT-08593	630
YT-08594	630
YT-085941	629
YT-085942	629
YT-085943	629
YT-085944	629
YT-08595	629
YT-08596	629
YT-08597	628
YT-08598	630
YT-08599	630
YT-0860	437
YT-08625	192
YT-0863	191
YT-0864	191
YT-0865	191
YT-0866	191
YT-0867	191
YT-08677	191
YT-08678	191
YT-08679	191
YT-08680	359
YT-08681	359
YT-08682	359
YT-08690	359
YT-08707	439
YT-08711	192
YT-08721	191
YT-08723	192
YT-08780	440
YT-08790	439
YT-08791	439
YT-08792	439
YT-08793	439
YT-08795	439
YT-0880	439
YT-08802	439
YT-0881	367
YT-0881ZL	364

YATO	page
YT-0882	367
YT-0883	367
YT-0884	367
YT-0885	367
YT-0886	367
YT-0887	367
YT-08872	367
YT-08873	367
YT-08874	367
YT-08890	380
YT-08893	380
YT-08895	381
YT-08896	381
YT-088970	381
YT-088971	381
YT-088972	381
YT-088973	382
YT-088974	382
YT-088975	382
YT-088976	382
YT-088977	382
YT-088978	382
YT-088979	382
YT-088980	382
YT-088981	382
YT-088982	383
YT-088983	383
YT-088984	383
YT-088985	383
YT-088986	383
YT-088987	383
YT-088988	383
YT-088989	383
YT-088990	383
YT-088991	384
YT-088992	384
YT-088993	384
YT-08900	379
YT-08900ZH	369
YT-08901	379
YT-08901ZH	370
YT-08902	379
YT-08902ZH	369
YT-08903	379
YT-08903ZH	374
YT-08904	379
YT-08904ZH	374
YT-08905	379
YT-08906	379
YT-08907	379
YT-08908	380
YT-08915	380
YT-08916	380
YT-08917	380
YT-08918	380
YT-08919	380
YT-08920	376
YT-08921	376
YT-08922	376
YT-08931	370
YT-08932	370
YT-08933	371
YT-08934	370
YT-08935	371
YT-08936	371
YT-089361	372
YT-08937	371
YT-08938	371
YT-08939	371
YT-08940	371
YT-08941	371
YT-08942	371
YT-08945	372
YT-08946	372
YT-08947	372
YT-08948	372
YT-08950	192
YT-08953	376
YT-08960	381
YT-08961	375
YT-08962	375

YATO	page
YT-08963	375
YT-08964	375
YT-08965	375
YT-08966	375
YT-08967	375
YT-08968	375
YT-08970	381
YT-08977	381
YT-08978	381
YT-08980	373
YT-09000	357
YT-09002	357
YT-09003	357
YT-09004	357
YT-09005	358
YT-09006	358
YT-0902	357
YT-09031	357
YT-09032	357
YT-09033	357
YT-0904	357
YT-09061	376
YT-0907	359
YT-09071	376
YT-09072	376
YT-0908	359
YT-0909	359
YT-09091	373
YT-09092	373
YT-09093	373
YT-0910	359
YT-09101	378
YT-09102	378
YT-09104	377
YT-09107	378
YT-09108	378
YT-0911	359
YT-0913	358
YT-0914	358
YT-09140	358
YT-09141	358
YT-09152	367
YT-09155	367
YT-09201	300
YT-09203	300
YT-09204	300
YT-09205	300
YT-09206	300
YT-09212	300
YT-09220	300
YT-09221	300
YT-09222	300
YT-09223	300
YT-09224	300
YT-09240	300
YT-0950	322
YT-09511	322
YT-09515	322
YT-09524	322
YT-09525	322
YT-09528	322
YT-0953	322
YT-09544	322
YT-09545	322
YT-09546	323
YT-09564	323
YT-0957	323
YT-09575	323
YT-09580	323
YT-0959	324
YT-0960	324
YT-09615	323
YT-09617	324
YT-09618	323
YT-09620	323
YT-0963	325
YT-09632	325
YT-09633	325
YT-0964	325
YT-0965	325
YT-0967	326

YATO	page
YT-09675	325
YT-09676	325
YT-09680	326
YT-09681	326
YT-09695	325
YT-0970	327
YT-09701	328
YT-09702	327
YT-09703	327
YT-09711	329
YT-09715	326
YT-09716	325
YT-09717	327
YT-09730	326
YT-09738	326
YT-09739	326
YT-09740	326
YT-09741	327
YT-09742	327
YT-09743	327
YT-09744	327
YT-09745	327
YT-09746	327
YT-09747	327
YT-09748	327
YT-09749	327
YT-09750	327
YT-09755	326
YT-09795	324
YT-0980	324
YT-09803	324
YT-0982	323
YT-0984	324
YT-0990	328
YT-09901	328
YT-09904	328
YT-09910	328
YT-09911	328
YT-09912	328
YT-0994	326
YT-09944	327
YT-09945	327
YT-09955	327
YT-09958	327
YT-09959	327
YT-09990	329
YT-1000	67
YT-1001	67
YT-1002	67
YT-1003	67
YT-1004	67
YT-1005	67
YT-1006	67
YT-1007	67
YT-1008	67
YT-1009	67
YT-1010	67
YT-1011	67
YT-1012	67
YT-1013	67
YT-1014	67
YT-1015	67
YT-1016	67
YT-1017	67
YT-1018	67
YT-1019	67
YT-1020	67
YT-1022	67
YT-1025	67
YT-10251	71
YT-10252	72
YT-10253	72
YT-10255	72
YT-1030	67
YT-1031	67
YT-1032	67
YT-1033	67
YT-1034	67
YT-1035	67
YT-1036	67
YT-1037	67

YATO	page
YT-1037S	68
YT-1037S1	68
YT-1038	67
YT-1039	67
YT-1040	67
YT-1041	67
YT-1042	67
YT-1043	67
YT-1044	67
YT-1045	67
YT-1046	67
YT-1047	67
YT-1048	67
YT-1049	67
YT-1050	67
YT-1052	67
YT-1054	67
YT-1055	67
YT-10555	73
YT-10556	73
YT-10557	73
YT-10559	435
YT-1056	435
YT-10560	434
YT-10561	434
YT-10562	434
YT-10563	435
YT-10564	435
YT-10565	73
YT-10566	73
YT-1060	68
YT-1061	68
YT-1062	68
YT-10630	67
YT-10632	66
YT-1064	68
YT-10640	68
YT-10642	68
YT-10643	68
YT-10644	432
YT-10645	432
YT-10646	74
YT-10647	432
YT-10648	432
YT-10649	432
YT-1065	71
YT-10650	434
YT-106500	434
YT-106501	434
YT-106502	434
YT-10651	434
YT-106512	434
YT-10652	71
YT-10653	71
YT-10654	72
YT-10655	73
YT-1066	71
YT-10662	70
YT-10663	70
YT-10664	71
YT-1066-H10	434
YT-1066-H12	434
YT-1066-H14	434
YT-1066-H17	434
YT-1066-H19	434
YT-1066-H5	434
YT-1066-H6	434
YT-1066-H7	434
YT-1066-H8	434
YT-1067	68
YT-10670	68
YT-10671	72
YT-1068	71
YT-10681	71
YT-1069	71
YT-10691	72
YT-1070	68
YT-1071	68
YT-1072	68
YT-1073	68
YT-1074	68

YATO	page
YT-1075	68
YT-1076	68
YT-1077	68
YT-1078	68
YT-1079	68
YT-1080	68
YT-1081	68
YT-1082	68
YT-1083	68
YT-1084	68
YT-1085	68
YT-1086	68
YT-1088	68
YT-1091	68
YT-1092	68
YT-1093	68
YT-1096	68
YT-1098	68
YT-1100	68
YT-1102	68
YT-1105	68
YT-1110	68
YT-1115	70
YT-1118	69
YT-1119	69
YT-1121	69
YT-1122	69
YT-1123	69
YT-1124	69
YT-1125	69
YT-1126	69
YT-1127	69
YT-1128	69
YT-1129	69
YT-1130	69
YT-1132	69
YT-1133	69
YT-1134	69
YT-1135	69
YT-1136	69
YT-1138	69
YT-1141	69
YT-1142	69
YT-1143	69
YT-1146	69
YT-1148	69
YT-1150	69
YT-11510	70
YT-1155	70
YT-1160	69
YT-1161	69
YT-1162	69
YT-1163	69
YT-1164	69
YT-11641	69
YT-11671	69
YT-1168	69
YT-1169	70
YT-1180	70
YT-1181	70
YT-1182	70
YT-1183	70
YT-1184	70
YT-1185	70
YT-1186	70
YT-1187	70
YT-1188	70
YT-1189	70
YT-1190	70
YT-1191	70
YT-1192	70
YT-1193	70
YT-1194	70
YT-1195	70
YT-1196	70
YT-1197	70
YT-1198	70
YT-1199	31
YT-11999	70
YT-1200	31
YT-12000	386

YATO	page
YT-12005	408
YT-12007	404
YT-1201	31
YT-1202	31
YT-1203	31
YT-1204	31
YT-1205	31
YT-1206	31
YT-1207	31
YT-1208	31
YT-1209	31
YT-1210	31
YT-1211	31
YT-1212	31
YT-1213	31
YT-1214	31
YT-1215	31
YT-1216	31
YT-1217	31
YT-1218	31
YT-1219	31
YT-1220	31
YT-1221	30
YT-1222	30
YT-1223	30
YT-1224	30
YT-1225	30
YT-1226	30
YT-1227	30
YT-1228	30
YT-1229	30
YT-1230	30
YT-1231	30
YT-1232	30
YT-1233	30
YT-1234	30
YT-1235	30
YT-1236	30
YT-1237	30
YT-1238	30
YT-1239	30
YT-1240	30
YT-1241	33
YT-1242	33
YT-1243	33
YT-12438	33
YT-12439	33
YT-1244	33
YT-12445	33
YT-1246	30
YT-1247	30
YT-1248	30
YT-1249	32
YT-1250	32
YT-1251	32
YT-1252	32
YT-1253	34
YT-12531	34
YT-1254	34
YT-12541	34
YT-1255	33
YT-1256	33
YT-1258	33
YT-1259	35
YT-12622	50
YT-12651	48
YT-12660	51
YT-12661	48
YT-12662	46
YT-12671	48
YT-12681	55
YT-12685	56
YT-12691	54
YT-1270	31
YT-1271	31
YT-1272	31
YT-1273	31
YT-1274	31
YT-1275	31
YT-1276	31
YT-1277	31

YATO	page
YT-1278	31
YT-1279	31
YT-1280	31
YT-1281	31
YT-1282	31
YT-1283	31
YT-1284	31
YT-1285	31
YT-1286	31
YT-1289	31
YT-1291	31
YT-1292	31
YT-12921	31
YT-12930	32
YT-12931	32
YT-12932	32
YT-12933	32
YT-12934	32
YT-12935	32
YT-12936	32
YT-12937	32
YT-12938	32
YT-12939	32
YT-12940	32
YT-12941	32
YT-12942	32
YT-12943	32
YT-12944	32
YT-12945	32
YT-12946	32
YT-12947	32
YT-12948	32
YT-12949	32
YT-12951	33
YT-1296	29
YT-12961	29
YT-1297	25
YT-1301	35
YT-1302	35
YT-1303	35
YT-1304	35
YT-1305	35
YT-1306	35
YT-1307	35
YT-1308	35
YT-1309	35
YT-1310	35
YT-1311	35
YT-1312	35
YT-1313	35
YT-1314	35
YT-1315	35
YT-1316	35
YT-1317	35
YT-1318	35
YT-1319	35
YT-1320	35
YT-1322	35
YT-1323	35
YT-1324	35
YT-1326	35
YT-1328	35
YT-1330	35
YT-1334	43
YT-1335	43
YT-13351	44
YT-1340	35
YT-1341	35
YT-1342	35
YT-1343	69
YT-1345	35
YT-13465	36
YT-1347	36
YT-13475	36
YT-1348	36
YT-13490	36
YT-1350	35
YT-1352	35
YT-1355	35
YT-1356	33
YT-1360	36

YATO	page
YT-13630	43
YT-1385	400
YT-1400	25
YT-14001	25
YT-1401	24
YT-14010	24
YT-1402	24
YT-1403	24
YT-1404	24
YT-1405	24
YT-1406	24
YT-1407	24
YT-1408	24
YT-1409	24
YT-1410	24
YT-1411	24
YT-1412	24
YT-14120	24
YT-14121	24
YT-14122	24
YT-14123	24
YT-14124	24
YT-14125	24
YT-14126	24
YT-14127	24
YT-14128	24
YT-14129	24
YT-1413	24
YT-1414	24
YT-1415	24
YT-1416	24
YT-1417	24
YT-1418	24
YT-1419	24
YT-1420	24
YT-1421	24
YT-1422	24
YT-1423	24
YT-1424	24
YT-14241	24
YT-1425	25
YT-1426	26
YT-1427	26
YT-1429	25
YT-1430	25
YT-1431	25
YT-1432	25
YT-1433	24
YT-1434	24
YT-1435	24
YT-1436	24
YT-1437	25
YT-1438	25
YT-14390	93
YT-14411	44
YT-14415	49
YT-14421	44
YT-14431	45
YT-14432	45
YT-14433	45
YT-14451	46
YT-14461	46
YT-14471	45
YT-14474	45
YT-14481	46
YT-14491	46
YT-14501	55
YT-14502	49
YT-1460	32
YT-1461	32
YT-1462	32
YT-1463	32
YT-1464	32
YT-1465	32
YT-1466	32
YT-1467	32
YT-1468	32
YT-1469	32
YT-1470	32
YT-1471	32
YT-1472	32
YT-1473	32
YT-1474	32
YT-1475	32
YT-1476	32
YT-1478	32
YT-1480	32
YT-1481	32
YT-14820	32
YT-14821	32
YT-14822	32
YT-14824	32
YT-14825	32
YT-14826	32
YT-14827	32
YT-14828	32
YT-14829	32
YT-14830	32
YT-14831	32
YT-14833	32
YT-14834	32
YT-14836	32
YT-14838	32
YT-14839	32
YT-1501	101
YT-1502	101
YT-1503	101
YT-1505	101
YT-1507	101
YT-1508	101
YT-1511	101
YT-1512	101
YT-1513	101
YT-1515	101
YT-1517	101
YT-1518	101
YT-15273	20
YT-15275	20
YT-15277	20
YT-15278	20
YT-15279	20
YT-15280	20
YT-15282	20
YT-15291	20
YT-15292	20
YT-15293	20
YT-1545	90
YT-1547	90
YT-1552	21
YT-1553	21
YT-1554	21
YT-1555	21
YT-1556	21
YT-1557	21
YT-1558	21
YT-1559	21
YT-1565	21
YT-1566	21
YT-1567	21
YT-1571	20
YT-1572	20
YT-1573	20
YT-1574	20
YT-1575	20
YT-1576	20
YT-1577	20
YT-1578	20
YT-15791	20
YT-1580	20
YT-1582	20
YT-1583	20
YT-1584	20
YT-1585	20
YT-1586	20
YT-15982	16
YT-15983	16
YT-15984	16
YT-15985	16
YT-1601	15
YT-1602	15
YT-1603	15
YT-1604	15
YT-1605	15
YT-1606	15
YT-1607	15
YT-1608	15
YT-1609	15
YT-1610	15
YT-1611	15
YT-1612	15
YT-1613	15
YT-1614	15
YT-16148	15
YT-16149	15
YT-1615	15
YT-1616	15
YT-1617	15
YT-1617S	15
YT-1618	15
YT-16181	15
YT-1619	15
YT-1620	15
YT-1621	15
YT-1622	15
YT-1626	19
YT-1627	19
YT-1628	19
YT-1629	19
YT-1630	19
YT-1631	19
YT-1632	19
YT-1633	19
YT-1634	19
YT-1635	19
YT-1636	19
YT-1637	19
YT-1638	19
YT-1639	19
YT-1644	19
YT-1650	19
YT-16505	8
YT-1651	8
YT-1652	8
YT-1653	8
YT-1654	8
YT-1655	8
YT-1656	8
YT-1657	8
YT-1658	8
YT-1659	8
YT-1660	8
YT-1661	8
YT-1662	8
YT-1663	8
YT-1664	8
YT-1665	8
YT-1666	8
YT-1667	8
YT-1668	8
YT-1669	8
YT-1670	8
YT-1671	8
YT-1672	8
YT-1673	8
YT-16733	8
YT-16735	8
YT-16737	8
YT-1674	9
YT-1675	9
YT-1676	9
YT-1677	9
YT-1678	9
YT-1679	9
YT-1680	9
YT-1681	9
YT-1682	9
YT-1683	9
YT-1684	9
YT-1685	9
YT-1686	9
YT-1687	9
YT-1688	9
YT-1689	9
YT-1690	9
YT-16965	9
YT-16966	9
YT-16967	9
YT-16968	9
YT-16973	9
YT-16977	17
YT-17000	449
YT-17001	449
YT-17002	449
YT-17003	449
YT-17004	449
YT-17005	449
YT-17006	449
YT-17007	449
YT-17008	449
YT-17009	449
YT-17015	449
YT-1702	449
YT-17025	449
YT-1704	449
YT-17045	449
YT-1706	449
YT-1707	449
YT-1709	449
YT-1711	449
YT-1713	449
YT-1714	449
YT-1715	449
YT-1720	450
YT-17205	450
YT-17207	450
YT-1721	450
YT-17211	450
YT-17213	450
YT-17214	450
YT-17228	451
YT-17229	451
YT-17230	450
YT-17233	451
YT-17237	451
YT-172601	446
YT-17261	446
YT-17262	446
YT-17310	452
YT-17311	452
YT-17312	452
YT-17400	437
YT-17401	437
YT-17490	436
YT-17505	419
YT-17508	419
YT-1751	419
YT-17510	419
YT-17513	419
YT-17515	419
YT-1752	419
YT-17525	420
YT-17527	408
YT-1753	419
YT-1754	419
YT-1756	440
YT-17562	440
YT-17565	441
YT-17567	441
YT-17568	441
YT-17569	441
YT-1757	440
YT-17571	441
YT-17572	441
YT-17573	441
YT-17574	441
YT-17575	441
YT-17580	442
YT-17581	442
YT-17582	441
YT-17588	442
YT-17595	443
YT-17600	443
YT-17605	443
YT-1762	420
YT-17622	417
YT-17623	417
YT-17625	420
YT-17627	417
YT-1763	441
YT-17631	441
YT-17632	441
YT-17633	441
YT-17634	441
YT-17635	441
YT-1764	441
YT-1765	441
YT-1766	441
YT-1767	441
YT-1768	441
YT-17682	441
YT-176821	441
YT-17683	441
YT-176831	441
YT-17684	441
YT-176841	441
YT-17685	441
YT-176851	441
YT-17686	441
YT-176861	441
YT-17687	441
YT-176871	441
YT-17688	441
YT-1769	441
YT-17695	443
YT-17700	442
YT-17705	442
YT-17708	442
YT-17710	442
YT-17711	442
YT-17712	417
YT-17720	442
YT-18400	222
YT-18410	222
YT-18413	223
YT-18424	223
YT-1843	223
YT-1844	223
YT-1845	223
YT-1846	223
YT-1847	223
YT-1848	223
YT-1849	223
YT-18565	223
YT-18566	223
YT-18567	223
YT-18570	224
YT-18590	534
YT-18592	534
YT-18594	534
YT-18595	535
YT-18596	535
YT-18600	163
YT-18602	163
YT-18611	222
YT-18612	222
YT-18615	222
YT-18616	222
YT-18617	222
YT-18900	224
YT-18907	224
YT-18950	221
YT-18960	222
YT-18963	222
YT-1910	220
YT-1911	220
YT-1912	220
YT-1922	220
YT-1923	220
YT-1925	221
YT-19260	222
YT-19261	222
YT-1930	221
YT-1933	222
YT-1940	142
YT-1941	142
YT-1942	142
YT-1943	142
YT-1944	142
YT-1945	142
YT-1946	142
YT-1947	142
YT-1948	142
YT-1949	148
YT-1950	148
YT-1951	148
YT-1952	148
YT-1953	147
YT-1954	147
YT-1955	147
YT-1956	147
YT-1957	147
YT-1958	147
YT-1960	220
YT-1961	220
YT-1962	220
YT-1963	221
YT-1964	221
YT-1965	221
YT-1966	222
YT-1967	222
YT-1968	222
YT-19682	161
YT-1969	222
YT-19691	162
YT-19692	161
YT-19695	160
YT-19697	161
YT-1970	221
YT-1971	221
YT-1972	221
YT-1973	221
YT-1974	161
YT-19744	161
YT-1976	222
YT-19763	221
YT-19764	221
YT-19765	221
YT-19766	221
YT-19767	221
YT-1980	149
YT-1981	149
YT-1982	149
YT-1983	149
YT-1984	149
YT-1985	149
YT-1986	149
YT-1987	149
YT-1988	149
YT-1989	149
YT-1990	149
YT-1991	149
YT-1992	149
YT-1993	149
YT-1994	149
YT-1995	149
YT-19951	149
YT-19952	149
YT-19953	149
YT-19954	149
YT-19955	149
YT-19961	149
YT-19962	149
YT-19963	149
YT-19964	149
YT-19974	150
YT-19975	150
YT-19976	150
YT-19977	150
YT-19979	150
YT-19981	150
YT-19982	150
YT-19983	150
YT-19984	150
YT-20050	145
YT-20051	145
YT-20052	145
YT-20053	145
YT-20054	145
YT-20055	145
YT-2006	146
YT-2007	146
YT-2008	146
YT-2016	146
YT-2018	146
YT-2026	146
YT-2028	146
YT-2029	146
YT-2030	146
YT-2031	146
YT-2036	146
YT-2037	146
YT-2039	146
YT-20400	146
YT-20401	146
YT-20402	146
YT-20410	146
YT-20411	147
YT-20412	147
YT-20430	161
YT-20433	161
YT-20435	161
YT-2047	148
YT-2048	148
YT-2050	148
YT-2051	148
YT-2052	148
YT-2054	148
YT-2055	148
YT-2056	148
YT-2057	148
YT-2062	148
YT-2063	148
YT-2064	148
YT-2066	148
YT-2067	148
YT-2069	153
YT-2070	153
YT-2071	21
YT-2072	21
YT-2073	21
YT-2074	21
YT-2075	21
YT-2080	145
YT-2081	144
YT-2082	145
YT-2083	145
YT-2084	145
YT-2085	145
YT-2086	145
YT-20890	152
YT-20891	152
YT-20892	152
YT-20893	152
YT-20895	152
YT-20896	152
YT-20897	152
YT-20898	152
YT-2090	153
YT-2091	153
YT-20911	153
YT-20915	153
YT-20916	153
YT-20917	153
YT-20920	129
YT-20921	129
YT-20922	129
YT-20923	129
YT-20924	129
YT-20925	129
YT-20926	129
YT-20927	129
YT-20928	129
YT-20929	129
YT-20930	129
YT-20931	129
YT-20932	129
YT-20933	129
YT-20934	129
YT-20939	129
YT-20940	129
YT-20941	129
YT-20942	129
YT-20950	130
YT-20951	130
YT-20952	130
YT-20953	130
YT-20954	130
YT-20955	130
YT-20956	130
YT-20957	130
YT-20958	130
YT-20959	130
YT-20960	130
YT-20961	130
YT-20962	130
YT-20963	130
YT-20964	130
YT-20965	130
YT-20966	130
YT-20967	130
YT-20968	130
YT-20969	130
YT-20980	130
YT-20981	130
YT-20982	130
YT-20983	130
YT-20984	130
YT-20985	130
YT-20986	130
YT-20987	130
YT-20988	130
YT-20989	130
YT-20990	130
YT-20991	130
YT-20992	130
YT-20993	130
YT-20994	130
YT-20995	130
YT-20996	130
YT-20997	130
YT-20998	130
YT-20999	130
YT-210040	130
YT-210041	130
YT-210042	130
YT-210043	130
YT-210044	130
YT-210045	130
YT-210046	130
YT-210047	130
YT-210048	130
YT-210049	130
YT-210050	130
YT-210051	130
YT-210070	131
YT-210071	131
YT-210072	131
YT-210073	131
YT-210074	131
YT-210075	131
YT-210076	131
YT-210077	131
YT-21008	131
YT-21010	131
YT-21011	131
YT-21012	131
YT-21013	131
YT-21014	131
YT-21016	131
YT-21017	131
YT-21018	131
YT-21019	131
YT-21021	131
YT-21022	131
YT-21030	131
YT-21031	131
YT-21032	131
YT-21033	131

YATO	page
YT-21034	131
YT-21036	131
YT-21037	131
YT-21038	131
YT-21039	131
YT-21041	131
YT-21042	131
YT-21044	131
YT-21047	131
YT-21050	131
YT-21052	131
YT-21053	131
YT-21054	131
YT-21055	131
YT-21056	131
YT-21057	132
YT-21058	132
YT-21059	132
YT-21060	132
YT-21061	132
YT-21062	132
YT-21063	132
YT-21064	132
YT-21065	132
YT-21066	132
YT-21067	132
YT-21069	132
YT-2107	125
YT-210709	129
YT-21071	129
YT-21072	129
YT-210780	130
YT-210781	130
YT-210782	130
YT-210783	130
YT-210784	130
YT-210785	130
YT-210786	130
YT-210790	131
YT-210791	131
YT-210792	131
YT-210793	131
YT-210794	131
YT-21080	132
YT-21081	132
YT-21082	132
YT-21083	132
YT-21085	132
YT-21086	132
YT-21087	132
YT-21088	132
YT-21089	132
YT-21095	129
YT-21096	129
YT-21120	130
YT-21121	130
YT-21122	130
YT-21123	130
YT-21125	130
YT-21126	130
YT-21127	130
YT-211280	130
YT-211281	130
YT-211282	130
YT-211283	130
YT-211284	130
YT-211285	130
YT-211286	130
YT-211287	130
YT-211288	130
YT-211289	130
YT-21131	124
YT-21132	124
YT-21133	124
YT-21134	124
YT-21135	124
YT-21136	124
YT-21137	124
YT-21138	124
YT-21139	124
YT-21140	124
YT-21142	132
YT-21143	132
YT-21145	132
YT-21146	132
YT-21147	133
YT-21151	125
YT-21152	125
YT-21153	125
YT-21154	125
YT-21155	125
YT-21156	125
YT-21158	125
YT-21159	125
YT-21160	125
YT-21161	125
YT-21180	132
YT-21181	132
YT-21190	133
YT-21191	133
YT-21200	133
YT-21210	133
YT-21211	133
YT-21215	133
YT-21216	133
YT-21217	133
YT-21218	133
YT-21221	133
YT-2128	125
YT-21280	134
YT-21284	134
YT-2129	125
YT-21295	135
YT-21296	134
YT-21297	134
YT-21298	134
YT-21299	134
YT-2130	148
YT-2136	150
YT-2137	150
YT-2138	150
YT-2139	150
YT-2140	149
YT-2141	148
YT-2142	149
YT-2143	149
YT-2144	149
YT-2145	148
YT-2146	149
YT-2147	149
YT-2151	151
YT-2152	151
YT-2153	151
YT-2155	151
YT-2156	151
YT-21570	152
YT-21582	192
YT-21649	21
YT-2165	21
YT-21650	21
YT-21651	21
YT-21652	21
YT-21653	21
YT-21654	21
YT-2166	21
YT-2167	21
YT-2168	21
YT-2170	22
YT-2171	22
YT-2172	22
YT-2173	22
YT-21731	535
YT-21735	291
YT-21740	290
YT-217403	290
YT-21741	290
YT-21742	290
YT-21743	290
YT-21744	290
YT-217443	290
YT-21745	290
YT-21746	290
YT-21747	290
YT-21750	291
YT-21751	291
YT-21752	290
YT-21753	290
YT-21758	291
YT-21759	291
YT-2176	21
YT-2177	21
YT-2178	21
YT-2179	21
YT-21793	287
YT-2180	284
YT-21802	284
YT-21805	284
YT-2181	284
YT-2182	284
YT-21825	284
YT-21826	284
YT-21840	290
YT-21842	290
YT-21844	290
YT-21845	290
YT-21846	290
YT-21847	290
YT-21850	290
YT-21851	290
YT-21852	290
YT-21855	290
YT-21856	290
YT-21857	290
YT-21860	290
YT-21955	287
YT-21956	287
YT-21957	287
YT-21960	287
YT-21990	285
YT-21991	291
YT-22000	286
YT-22001	286
YT-22002	286
YT-22005	286
YT-2201	285
YT-2203	285
YT-2204	285
YT-2205	285
YT-2206	285
YT-2210	286
YT-2211	286
YT-2212	286
YT-22123	286
YT-2213	286
YT-2214	286
YT-2215	286
YT-22153	286
YT-22251	287
YT-22255	286
YT-22256	286
YT-2226	286
YT-22260	286
YT-22261	286
YT-22263	287
YT-22264	286
YT-22265	286
YT-22266	286
YT-22267	286
YT-22268	286
YT-22270	288
YT-22271	288
YT-22272	288
YT-22273	288
YT-22274	288
YT-2228	287
YT-2229	288
YT-22292	288
YT-22293	288
YT-22295	288
YT-22296	288
YT-2230	287
YT-22301	288
YT-2230A	287
YT-2231	287
YT-22312	287
YT-22313	289
YT-22314	289
YT-22315	289
YT-22316	289
YT-22318	289
YT-2231A	287
YT-2232	289
YT-2233	289
YT-22332	289
YT-22333	289
YT-22338	289
YT-2234	289
YT-22341	289
YT-22343	289
YT-2235	289
YT-22353	289
YT-22354	289
YT-22355	289
YT-22357	293
YT-22360	292
YT-22361	293
YT-22362	237
YT-22363	292
YT-22364	292
YT-22365	292
YT-22366	288
YT-22373	284
YT-22374	284
YT-22375	284
YT-22376	284
YT-22377	284
YT-22378	284
YT-22380	221
YT-2240	157
YT-22422	156
YT-2243	156
YT-22440	160
YT-22442	156
YT-22443	156
YT-2245	156
YT-22451	156
YT-2251	156
YT-2254	159
YT-2255	158
YT-2256	157
YT-22570	159
YT-2260	160
YT-2261	160
YT-2262	160
YT-2263	160
YT-2264	161
YT-22640	161
YT-2268	160
YT-2270	158
YT-2273	158
YT-22733	169
YT-2274	160
YT-22753	160
YT-2276	160
YT-22760	160
YT-2277	159
YT-2279	162
YT-2280	161
YT-22805	169
YT-2284	156
YT-22851	159
YT-22855	535
YT-22857	159
YT-22860	159
YT-22861	159
YT-22862	159
YT-22863	173
YT-22864	173
YT-22865	173
YT-22870	223
YT-22871	223
YT-22872	223
YT-22873	224
YT-22874	224
YT-22875	224
YT-2290	158
YT-2292	159
YT-2293	159
YT-2294	159
YT-2296	156
YT-2297	156
YT-2298	157
YT-2299	157
YT-2300	157
YT-23001	157
YT-2305	157
YT-23051	157
YT-23052	157
YT-23054	157
YT-2307	157
YT-2313	158
YT-23131	158
YT-23133	158
YT-2316	160
YT-2319	159
YT-23200	167
YT-23238	580
YT-23238UL	580
YT-232405	582
YT-232407	582
YT-23241	529
YT-23242	529
YT-23247	529
YT-23248	529
YT-23300	581
YT-23305	581
YT-23306	581
YT-23310	581
YT-23311	581
YT-23312	581
YT-23320	581
YT-23321	581
YT-23340	581
YT-23342	582
YT-23345	582
YT-2340	329
YT-2341	329
YT-2346	329
YT-2355	329
YT-2357	329
YT-23640	329
YT-23641	329
YT-2370	328
YT-23701	328
YT-23702	328
YT-23703	328
YT-23705	328
YT-2371	329
YT-2372	329
YT-23722	330
YT-23723	330
YT-2373	330
YT-23731	330
YT-23732	330
YT-23733	330
YT-2374	331
YT-2375	329
YT-2376	331
YT-23780	324
YT-2380	331
YT-2381	331
YT-2382	331
YT-2383	331
YT-2384	331
YT-2385	331
YT-2390	333
YT-2391	333
YT-2392	333
YT-2393	333
YT-2394	333
YT-2395	333
YT-2396	333
YT-2397	333
YT-2398	333
YT-2399	333
YT-2401	333
YT-2402	333
YT-2403	333
YT-2404	333
YT-2405	333
YT-2406	333
YT-2407	333
YT-24091	334
YT-24092	334
YT-24093	334
YT-24094	334
YT-24095	334
YT-24100	334
YT-24101	334
YT-24102	334
YT-24103	334
YT-24130	333
YT-24201	332
YT-24201UL	332
YT-24202	332
YT-24203	332
YT-24204	332
YT-24205	332
YT-24206	332
YT-24207	332
YT-24208	332
YT-242081	332
YT-24209	332
YT-24220	332
YT-24221	332
YT-24224	332
YT-24225	332
YT-24230	332
YT-24231	332
YT-24232	332
YT-24233	332
YT-24234	332
YT-24236	332
YT-24237	332
YT-24240	332
YT-24241	332
YT-24242	332
YT-24243	332
YT-24243UL	332
YT-24244	332
YT-24245	333
YT-24246	333
YT-24250	333
YT-24251	333
YT-24253	333
YT-24258	444
YT-24259	444
YT-24260	444
YT-24301	443
YT-2449	151
YT-2450	151
YT-2451	151
YT-2452	151
YT-2453	151
YT-2459	152
YT-2460	152
YT-2461	151
YT-24611	152
YT-2463	152
YT-2466	151
YT-2468	150
YT-2469	151
YT-2472	151
YT-2473	151
YT-2476	151
YT-24770	80
YT-24771	80
YT-24781	287
YT-24790	291
YT-2480	285
YT-24800	292
YT-24801	292
YT-2481	285
YT-2482	285
YT-2483	285
YT-2484	285
YT-2485	285
YT-2486	285
YT-24869	285
YT-2487	285
YT-2488	285
YT-2489	285
YT-2490	285
YT-2491	285
YT-2492	285
YT-2493	285
YT-2494	285
YT-2495	285
YT-24970	292
YT-24971	292
YT-24972	292
YT-24980	293
YT-24983	293
YT-24990	293
YT-24991	293
YT-25000	293
YT-25001	293
YT-25002	293
YT-25003	293
YT-25004	293
YT-25005	293
YT-25010	167
YT-25015	167
YT-25021	535
YT-25030	293
YT-2510	393
YT-25105	392
YT-2511	392
YT-2512	392
YT-2513	392
YT-25145	402
YT-2515	391
YT-2516	391
YT-2517	392
YT-2518	392
YT-2519	392
YT-2520	392
YT-2521	392
YT-2522	392
YT-2523	392
YT-25331	403
YT-2536	433
YT-25384	431
YT-25385	431
YT-25390	393
YT-25391	393
YT-25394	393
YT-2541	394
YT-25410	394
YT-25411	394
YT-25412	394
YT-25413	395
YT-25415	401
YT-25417	394
YT-25418	394
YT-2542	395
YT-2543	395
YT-2544	432
YT-2546	432
YT-2547	432
YT-25472	432
YT-25480	403
YT-25483	403
YT-25650	87
YT-25651	87
YT-25652	87
YT-25653	87
YT-25654	87
YT-25655	87
YT-25656	87
YT-25657	87
YT-25658	87
YT-25659	87
YT-25660	87
YT-25661	87
YT-25663	87
YT-25664	87
YT-25665	87
YT-25670	87
YT-25671	87
YT-25672	87
YT-25673	87
YT-25674	87
YT-25675	87
YT-25676	87
YT-25677	87
YT-25678	87
YT-25679	87
YT-25680	87
YT-25681	87
YT-25683	87
YT-25684	87
YT-25685	87
YT-2575	90
YT-25760	91
YT-25761	106
YT-25762	106
YT-25763	106
YT-25764	107
YT-25802	90
YT-25803	90
YT-25804	90
YT-25805	90
YT-25806	90
YT-25807	90
YT-25808	90
YT-25809	90
YT-25810	90
YT-25811	90
YT-25831	90
YT-25832	90
YT-25833	90
YT-25834	90
YT-25835	90
YT-25836	90
YT-25837	90
YT-25838	90
YT-25839	90
YT-25840	90
YT-25852	90
YT-25854	90
YT-25855	90
YT-25856	90
YT-25861	91
YT-25862	91
YT-25863	91
YT-25891	86
YT-25892	86
YT-25893	86
YT-25894	86
YT-25895	86
YT-25896	86
YT-25899	86
YT-25900	86
YT-25901	86
YT-25902	86
YT-25903	86
YT-25904	86
YT-25905	86
YT-25906	86
YT-25907	86
YT-25908	86
YT-25909	86
YT-25910	86
YT-25911	86
YT-25912	86
YT-25913	86
YT-25914	86
YT-25915	86
YT-25916	86
YT-25917	86
YT-25918	86
YT-25919	86
YT-25920	86
YT-25921	86
YT-25922	86
YT-25923	86
YT-25924	86

YATO	page
YT-25925	86
YT-25926	86
YT-25927	86
YT-25928	86
YT-25929	86
YT-25930	86
YT-25931	86
YT-25932	86
YT-25933	86
YT-25934	86
YT-25935	86
YT-25936	86
YT-25937	86
YT-25938	86
YT-25939	86
YT-25940	86
YT-25941	86
YT-25942	86
YT-25943	86
YT-25950	86
YT-25951	86
YT-25952	86
YT-25953	86
YT-25954	86
YT-25955	86
YT-25956	86
YT-25957	86
YT-25958	86
YT-25959	86
YT-25960	86
YT-25961	86
YT-25965	87
YT-25966	87
YT-25967	88
YT-25968	88
YT-25971	88
YT-25972	87
YT-25975	88
YT-25976	88
YT-25977	88
YT-25980	88
YT-25981	88
YT-25982	87
YT-25985	86
YT-25986	86
YT-25987	86
YT-25988	86
YT-25989	86
YT-25990	86
YT-25991	86
YT-25992	86
YT-25993	86
YT-25994	86
YT-25995	86
YT-25996	86
YT-25997	86
YT-25998	86
YT-2601	90
YT-2603	90
YT-2606	90
YT-2610	90
YT-2620	89
YT-2621	89
YT-2624	88
YT-2631	88
YT-2642	90
YT-2667	90
YT-27198	89
YT-2720	89
YT-2722	89
YT-27298	89
YT-2730	89
YT-2743	90
YT-2745	90
YT-2748	90
YT-2750	90
YT-2753	90
YT-2756	90
YT-2757	90
YT-2760	89
YT-2761	89
YT-2762	89
YT-2763	89
YT-2764	89
YT-2765	89
YT-2766	89
YT-2767	89
YT-2768	89
YT-2769	89
YT-2770	89
YT-2771	89
YT-2772	89
YT-2773	89
YT-2774	89
YT-2775	89
YT-2776	89
YT-2777	89
YT-2778	89
YT-2779	89
YT-2780	92
YT-2782	89
YT-2783	89
YT-2784	89
YT-2787	89
YT-27930	91
YT-27950	92
YT-27951	92
YT-27952	92
YT-27953	92
YT-2797	91
YT-27975	90
YT-2800	92
YT-28000	93
YT-28003	93
YT-2801	93
YT-28015	93
YT-2802	93
YT-2804	92
YT-2805	92
YT-28065	132
YT-28066	132
YT-28067	132
YT-28068	132
YT-28069	132
YT-28070	132
YT-28071	132
YT-28072	132
YT-28073	132
YT-28074	132
YT-28075	132
YT-28076	132
YT-2808	92
YT-28081	127
YT-28082	127
YT-28083	127
YT-28084	127
YT-28085	127
YT-28086	127
YT-28087	127
YT-28088	127
YT-28089	127
YT-28090	127
YT-28091	127
YT-28092	127
YT-2810	93
YT-2811	93
YT-2812	94
YT-28130	126
YT-28131	126
YT-28132	126
YT-28133	126
YT-28134	126
YT-28135	126
YT-28136	126
YT-28140	126
YT-28141	126
YT-28142	126
YT-28143	126
YT-28144	126
YT-28150	127
YT-28153	127
YT-2817	127
YT-28174	127
YT-2818	127
YT-2819	127
YT-2820	127
YT-28201	126
YT-28202	126
YT-28203	126
YT-28204	126
YT-28205	126
YT-28206	126
YT-28207	126
YT-28208	126
YT-28209	126
YT-2821	126
YT-2822	126
YT-2823	126
YT-2824	126
YT-28245	126
YT-2825	126
YT-2826	126
YT-28263	126
YT-282640	127
YT-282641	127
YT-282642	127
YT-282643	127
YT-282644	127
YT-282645	127
YT-282650	127
YT-282651	127
YT-282652	127
YT-282655	127
YT-282656	127
YT-282657	127
YT-282660	127
YT-282661	127
YT-282662	127
YT-282663	127
YT-282670	127
YT-282671	127
YT-282672	127
YT-282673	127
YT-282680	128
YT-282681	128
YT-2827	127
YT-2828	127
YT-28283	128
YT-28290	128
YT-28293	129
YT-28294	129
YT-28295	128
YT-2830	128
YT-28300	128/163
YT-28301	128
YT-28312	163
YT-28320	163
YT-28330	164
YT-2841	89
YT-2842	89
YT-2843	89
YT-2845	89
YT-28522	440
YT-2861	163
YT-2862	630
YT-28630	163
YT-28631	163
YT-2864	163
YT-2865	440
YT-2866	440
YT-28667	440
YT-28919	206
YT-28920	206
YT-28921	205
YT-28922	237
YT-28950	208
YT-28951	208
YT-28952	208
YT-28953	208
YT-28954	208
YT-28955	208
YT-28956	208
YT-28957	208
YT-28958	208
YT-28959	208
YT-28960	208
YT-28961	208
YT-28962	208
YT-28963	208
YT-28964	208
YT-28965	208
YT-28966	208
YT-28967	208
YT-2900	285
YT-29001	284
YT-29003	285
YT-2910	285
YT-2911	285
YT-2912	285
YT-2913	285
YT-2914	285
YT-2916	285
YT-2917	285
YT-2918	285
YT-2919	285
YT-2920	285
YT-2921	285
YT-29220	292
YT-29222	292
YT-2930	212
YT-2931	212
YT-2932	212
YT-2933	212
YT-2934	212
YT-2935	212
YT-2937	212
YT-2939	212
YT-2940	212
YT-2941	212
YT-2942	212
YT-2943	212
YT-2944	212
YT-2945	212
YT-2946	212
YT-2950	211
YT-2951	211
YT-2952	211
YT-2953	211
YT-2954	211
YT-2955	211
YT-2956	211
YT-2960	213
YT-2961	213
YT-2962	213
YT-2963	213
YT-2964	213
YT-2965	213
YT-2966	213
YT-2967	213
YT-2968	213
YT-2969	213
YT-2970	213
YT-2971	213
YT-2972	213
YT-2973	213
YT-2974	213
YT-2975	212
YT-2976	212
YT-2977	212
YT-2978	212
YT-2979	212
YT-2980	215
YT-2981	215
YT-2982	215
YT-2983	215
YT-2984	215
YT-2985	215
YT-2986	214
YT-2987	214
YT-2988	214
YT-2989	215
YT-2990	215
YT-2991	215
YT-2992	215
YT-2993	215
YT-2994	215
YT-2995	215
YT-2996	215
YT-2997	215
YT-29980	319
YT-29982	319
YT-29984	319
YT-3001	316
YT-3002	316
YT-3003	316
YT-3004	316
YT-3005	316
YT-30060	316
YT-30061	316
YT-30062	316
YT-30063	316
YT-30064	316
YT-30071	316
YT-30072	316
YT-30073	316
YT-3022	316
YT-3023	316
YT-3024	316
YT-3025	316
YT-3026	316
YT-30310	317
YT-30311	317
YT-30312	317
YT-30313	317
YT-30320	317
YT-30330	317
YT-30331	317
YT-30340	317
YT-30370	317
YT-30395	317
YT-30397	318
YT-30400	318
YT-30410	315
YT-30414	315
YT-30415	314
YT-30416	314
YT-30417	314
YT-30418	314
YT-30419	314
YT-30420	314
YT-30421	314
YT-30422	315
YT-30423	315
YT-30431	315
YT-30434	312
YT-30435	312
YT-30436	312
YT-30440	313
YT-30460	315
YT-30461	315
YT-30464	316
YT-30465	316
YT-30471	312
YT-30473	312
YT-30475	312
YT-30477	312
YT-30479	312
YT-30482	313
YT-30483	313
YT-30491	313
YT-30492	313
YT-30500	313
YT-30503	313
YT-30520	314
YT-30521	314
YT-30522	315
YT-30540	315
YT-30550	312
YT-30551	313
YT-30552	312
YT-30553	313
YT-30600	276
YT-30610	276
YT-3071	316
YT-3072	316
YT-3073	316
YT-3074	316
YT-3076	316
YT-3077	316
YT-3078	316
YT-3079	316
YT-3081	316
YT-3082	316
YT-3083	316
YT-3084	316
YT-30900	273
YT-3101	228
YT-3102	228
YT-3103	228
YT-3106	228
YT-3107	228
YT-3108	228
YT-31091	229
YT-31092	229
YT-31093	229
YT-31095	229
YT-31096	229
YT-31097	229
YT-31290	229
YT-3130	229
YT-31303	229
YT-31310	229
YT-3133	229
YT-3134	229
YT-31343	229
YT-31350	228
YT-3150	229
YT-3160	230
YT-3161	230
YT-31612	230
YT-3163	230
YT-31631	230
YT-3200	229
YT-3201	229
YT-3202	229
YT-3203	229
YT-3204	229
YT-3220	230
YT-3221	230
YT-3222	230
YT-3223	230
YT-3224	230
YT-3225	230
YT-3230	230
YT-3231	230
YT-3232	230
YT-3233	230
YT-3234	230
YT-3236	204
YT-3237	204
YT-3238	204
YT-3239	204
YT-3240	204
YT-3241	204
YT-3242	204
YT-3243	204
YT-3244	204
YT-3245	204
YT-3246	204
YT-3247	204
YT-3248	204
YT-3249	204
YT-3250	204
YT-3251	204
YT-3252	204
YT-3253	204
YT-3254	204
YT-3255	204
YT-3256	204
YT-3257	204
YT-3258	204
YT-3259	205
YT-3261	206
YT-3262	206
YT-3263	206
YT-3264	206
YT-3265	206
YT-3266	206
YT-3267	206
YT-3268	206
YT-3269	206
YT-3270	206
YT-3271	206
YT-3272	206
YT-3273	206
YT-3274	206
YT-3275	206
YT-3276	206
YT-3277	206
YT-3278	206
YT-3279	206
YT-3280	206
YT-3281	206
YT-3282	206
YT-3283	206
YT-3284	206
YT-3285	206
YT-3286	206
YT-3287	206
YT-3288	206
YT-3289	206
YT-3290	206
YT-3291	206
YT-3292	206
YT-3293	206
YT-3294	206
YT-3295	206
YT-3296	206
YT-3297	206
YT-3298	206
YT-3299	206
YT-3300	206
YT-33010	265
YT-33011	265
YT-33015	265
YT-33021	207
YT-33022	207
YT-33023	207
YT-3303	209
YT-3304	209
YT-33050	209
YT-3306	209
YT-3308	209
YT-3311	209
YT-33120	209
YT-3313	209
YT-3315	209
YT-3317	209
YT-3318	209
YT-33190	209
YT-3321	209
YT-3322	209
YT-3323	209
YT-3324	209
YT-33250	209
YT-3327	209
YT-3329	209
YT-3330	209
YT-3332	209
YT-3333	209
YT-3334	209
YT-3336	209
YT-3338	209
YT-3343	209
YT-3345	209
YT-3346	209
YT-3349	209
YT-3350	209
YT-3351	209
YT-3353	209
YT-3370	211
YT-3371	211
YT-3372	211
YT-3373	211
YT-3374	211
YT-3376	211
YT-3377	211
YT-3380	211
YT-3381	211
YT-33830	214
YT-33831	214
YT-33832	214
YT-33833	214
YT-33834	214
YT-33837	214
YT-33873	205
YT-33920	230
YT-33921	231
YT-33922	231
YT-33923	231
YT-33930	231
YT-33931	231
YT-33932	231
YT-33933	231
YT-33934	231
YT-33935	231
YT-33940	231
YT-33941	231
YT-33950	230
YT-33951	230
YT-33960	231
YT-33961	231
YT-33970	231
YT-33971	231
YT-33972	232
YT-3401	232
YT-3402	232
YT-3403	232
YT-3404	232
YT-3405	232
YT-3407	232
YT-3408	232
YT-3409	232
YT-3410	232
YT-3412	232
YT-3413	232
YT-3414	233
YT-3415	233
YT-3416	233
YT-3417	233
YT-3445	233
YT-34599	230
YT-3460	230
YT-34601	230
YT-34609	230
YT-3461	230
YT-34611	230
YT-34619	230
YT-3462	230
YT-34621	230
YT-34670	261
YT-34671	261
YT-34680	233
YT-34681	233
YT-34682	233
YT-34683	234
YT-34684	234
YT-34685	234
YT-34686	234
YT-34687	235
YT-34688	235
YT-34689	235
YT-34690	236
YT-34691	235
YT-34692	235
YT-34693	236
YT-34700	234
YT-34701	234
YT-34702	235
YT-34703	235
YT-34710	234
YT-34711	234
YT-34712	234
YT-34713	235
YT-3500	15
YT-3501	15
YT-3502	15
YT-3503	15

YATO	page
YT-3504	15
YT-3505	15
YT-3506	15
YT-3507	15
YT-3508	15
YT-3509	15
YT-3510	15
YT-3511	15
YT-3512	15
YT-3513	15
YT-3514	15
YT-3515	15
YT-3516	15
YT-3517	15
YT-3518	16
YT-3519	16
YT-3520	16
YT-3521	16
YT-3522	16
YT-3523	16
YT-3524	16
YT-3525	16
YT-3527	16
YT-3529	16
YT-3530	16
YT-3531	16
YT-3532	16
YT-3533	16
YT-3534	16
YT-3535	16
YT-3536	16
YT-35850	182
YT-35851	182
YT-35852	182
YT-35853	182
YT-35854	182
YT-35855	182
YT-35856	182
YT-35857	182
YT-35858	182
YT-35859	182
YT-35860	182
YT-35861	182
YT-35862	182
YT-35863	182
YT-35864	182
YT-35866	182
YT-35867	182
YT-35868	182
YT-35870	182
YT-35872	182
YT-35873	182
YT-35880	182
YT-35881	182
YT-3590	183
YT-3591	183
YT-35970	297
YT-35980	298
YT-35981	298
YT-35982	298
YT-35983	298
YT-3600	296
YT-36007	296
YT-36011	296
YT-36012	296
YT-36013	297
YT-36060	296
YT-36088	298
YT-3609	296
YT-36091	297
YT-36092	297
YT-36095	296
YT-3610	296
YT-36112	296
YT-36119	296
YT-3612	296
YT-36125	296
YT-36127	297
YT-36128	297
YT-36129	297
YT-36140	297
YT-36150	297
YT-36171	331
YT-36177	331
YT-36190	297
YT-36191	297
YT-36192	298
YT-36200	298
YT-36201	298
YT-36202	298
YT-36203	298
YT-36420	463
YT-36451	298
YT-36452	298
YT-36453	298
YT-36454	298
YT-36460	298
YT-36470	298
YT-36471	298
YT-36472	298
YT-36473	298
YT-36474	298
YT-36475	298
YT-36476	298
YT-36480	298
YT-36481	298
YT-36701	301
YT-36710	301
YT-36711	301
YT-36712	301
YT-36715	301
YT-36720	301
YT-36725	301
YT-36726	301
YT-36727	301
YT-36730	302
YT-36731	302
YT-36740	302
YT-36741	302
YT-36742	302
YT-36980	272
YT-36981	272
YT-36984	273
YT-36990	554
YT-37000	271
YT-37002	271
YT-37010	272
YT-37011	272
YT-37015	272
YT-37016	272
YT-37017	272
YT-3703	271
YT-37036	271
YT-37038	271
YT-37040	272
YT-37042	271
YT-3705	271
YT-37052	271
YT-3706	271
YT-3707	271
YT-3708	271
YT-37090	280
YT-37091	281
YT-37100	281
YT-37101	281
YT-37110	281
YT-37111	281
YT-37112	281
YT-3714	272
YT-37141	272
YT-37150	272
YT-37151	272
YT-37160	272
YT-37161	273
YT-37164	273
YT-37170	273
YT-37177	273
YT-37200	274
YT-37210	278
YT-37214	278
YT-37220	278
YT-37223	278
YT-37235	278
YT-37236	278
YT-37237	278
YT-3725	207
YT-3726	207
YT-3727	207
YT-3728	207
YT-37303	271
YT-37311	270
YT-37317	271
YT-37325	271
YT-3735	273
YT-3736	273
YT-37364	273
YT-37390	264
YT-37391	264
YT-3740	228
YT-37404	264
YT-37410	384
YT-37411	384
YT-37412	384
YT-37420	275
YT-37421	275
YT-37422	275
YT-37423	275
YT-37430	275
YT-37433	276
YT-37434	276
YT-37440	275
YT-37444	276
YT-37450	276
YT-37490	478
YT-37492	452
YT-37493	452
YT-3750	66
YT-3751	66
YT-3752	66
YT-3753	66
YT-3754	66
YT-3755	66
YT-3756	66
YT-3757	66
YT-3758	66
YT-3759	66
YT-3760	66
YT-3761	66
YT-3762	66
YT-3763	66
YT-3764	66
YT-3765	66
YT-3766	66
YT-3767	66
YT-3770	66
YT-3771	66
YT-3772	66
YT-3773	66
YT-3774	66
YT-3775	66
YT-3776	66
YT-3777	66
YT-3778	66
YT-3779	66
YT-3780	66
YT-3781	66
YT-3782	66
YT-3783	66
YT-3790	66
YT-3791	66
YT-3792	66
YT-3793	66
YT-3794	66
YT-3801	27
YT-3802	27
YT-3803	27
YT-3804	27
YT-3805	27
YT-3806	27
YT-3807	27
YT-3808	27
YT-3809	27
YT-3810	27
YT-3811	27
YT-3812	27
YT-3813	27
YT-3814	27
YT-3815	27
YT-3816	27
YT-3817	27
YT-3818	27
YT-3819	27
YT-3820	27
YT-3821	27
YT-3822	27
YT-3823	27
YT-3824	27
YT-3825	27
YT-3826	27
YT-3827	27
YT-3828	27
YT-3829	27
YT-3830	27
YT-3831	27
YT-3832	27
YT-3833	27
YT-3834	27
YT-3835	27
YT-3836	27
YT-3839	28
YT-3840	29
YT-3841	29
YT-3842	28
YT-3843	28
YT-3844	28
YT-3845	28
YT-3846	28
YT-3847	28
YT-3848	28
YT-3849	28
YT-3850	28
YT-3851	29
YT-38510	425
YT-38511	425
YT-38512	425
YT-38513	387
YT-38514	425
YT-38515	425
YT-38516	425
YT-38517	425
YT-3852	29
YT-38520	425
YT-38521	425
YT-38522	425
YT-3853	28
YT-3854	28
YT-38541	29
YT-3855	48
YT-38550	419
YT-38561	48
YT-3857	55
YT-38641	48
YT-38645	44
YT-38650	44
YT-38653	45
YT-38671	47
YT-38680	47
YT-38681	48
YT-38683	48
YT-3870	47
YT-38700	46
YT-38741	47
YT-38742	46
YT-3875	47
YT-38752	47
YT-3877	53
YT-38781	54
YT-38782	53
YT-38784	49
YT-38785	54
YT-38791	58
YT-38801	56
YT-38811	56
YT-38821	47
YT-38831	53
YT-38841	61
YT-38850	50
YT-38861	47
YT-38872	59
YT-38875	59
YT-38881	60
YT-38891	57
YT-38901	57
YT-38911	58
YT-38928	52
YT-38931	60
YT-38941	61
YT-3895	366
YT-38950	366
YT-38951	365
YT-38952	365
YT-3900	194
YT-39000	50
YT-39001	52
YT-39002	42
YT-39003	42
YT-39004	51
YT-39005	42
YT-39006	42
YT-39007	42
YT-39008	42
YT-39009	52
YT-39011	135
YT-3903	194
YT-3904	42
YT-3905	194
YT-3906	42
YT-3908	8
YT-3909	8
YT-3910	194
YT-3913	194
YT-3914	194
YT-3916	194
YT-39171	150
YT-39172	152
YT-3919	194
YT-3922	194
YT-3924	194
YT-3926	194
YT-3928	194
YT-39280	44
YT-39291	51
YT-3930	194
YT-3932	194
YT-3935	194
YT-3938	194
YT-3942	194
YT-3944	194
YT-3945	194
YT-3946	194
YT-3949	194
YT-3950	194
YT-3951	194
YT-3952	194
YT-3954	194
YT-3955	194
YT-3957	194
YT-3958	194
YT-3959	194
YT-39600	126
YT-39601	126
YT-39602	126
YT-39603	126
YT-39604	124
YT-39606	144
YT-39607	144
YT-39608	143
YT-39609	147
YT-39610	142
YT-39611	142
YT-39612	142
YT-39613	152
YT-39614	152
YT-39615	150
YT-39616	144
YT-39617	144
YT-39618	142
YT-39619	142
YT-39620	126
YT-39621	126
YT-39622	124
YT-39623	124
YT-39625	125
YT-39626	124
YT-39627	125
YT-39629	126
YT-39630	124
YT-39631	125
YT-39700	208
YT-39820	197
YT-40010	196
YT-40011	196
YT-40012	196
YT-40013	196
YT-40014	196
YT-40015	196
YT-40016	196
YT-40017	196
YT-40018	196
YT-40019	196
YT-40025	196
YT-40050	201
YT-4007	195
YT-4008	195
YT-4009	196
YT-4010	195
YT-4015	195
YT-4015S	196
YT-4020	195
YT-4025	195
YT-4025S	196
YT-4030	195
YT-4030S	196
YT-4032	195
YT-4032S	196
YT-4035	195
YT-4040	195
YT-4040S	196
YT-4042	195
YT-4045	195
YT-4048	195
YT-4048S	196
YT-4050	195
YT-4050S	196
YT-4052	195
YT-4055	195
YT-4060	195
YT-4065	195
YT-4065S	196
YT-4070	195
YT-4075	195
YT-4080	195
YT-4080S	196
YT-4085	195
YT-4090	195
YT-4090S	196
YT-4100	195
YT-4100S	196
YT-4110	195
YT-4113S	196
YT-4120	195
YT-4120S	196
YT-4140	195
YT-4160	195
YT-41602	196
YT-41603	196
YT-41604	197
YT-41605	197
YT-4161	202
YT-4162	202
YT-4163	202
YT-4164	202
YT-41641	201
YT-41642	201
YT-4165	202
YT-4166	202
YT-4167	202
YT-4168	202
YT-4169	202
YT-4170	202
YT-4171	202
YT-4172	202
YT-4173	202
YT-4174	202
YT-4175	202
YT-4176	202
YT-4177	202
YT-4178	202
YT-4179	202
YT-4180	202
YT-4181	202
YT-4182	202
YT-4183	202
YT-4184	202
YT-4185	202
YT-4186	202
YT-4187	202
YT-4188	202
YT-4189	202
YT-4190	202
YT-4191	202
YT-4192	202
YT-41926	210
YT-41930	201
YT-41931	201
YT-41932	201
YT-41933	201
YT-41934	201
YT-41935	201
YT-41936	201
YT-41937	201
YT-41938	201
YT-41939	201
YT-41940	201
YT-41941	201
YT-41942	201
YT-41943	201
YT-41944	201
YT-41945	201
YT-41946	201
YT-41947	201
YT-41948	201
YT-41949	201
YT-41950	201
YT-419503	201
YT-419504	201
YT-419505	201
YT-419506	201
YT-41951	201
YT-41952	201
YT-41953	201
YT-41954	201
YT-41955	201
YT-41956	201
YT-41957	201
YT-41958	201
YT-41959	201
YT-41960	201
YT-41961	201
YT-41962	201
YT-41963	201
YT-41964	201
YT-41965	201
YT-41966	201
YT-41967	201
YT-41968	201
YT-41969	201
YT-41970	201
YT-41971	201
YT-41972	201
YT-41973	201
YT-41974	201
YT-419750	202
YT-419751	202
YT-419752	202
YT-419753	202
YT-419754	202
YT-419755	202
YT-419756	202
YT-419757	202
YT-419758	202
YT-419759	202
YT-419761	202
YT-419762	202
YT-419763	202
YT-419764	202
YT-419765	202
YT-419766	202
YT-419769	202
YT-419770	202
YT-419771	202
YT-419772	202
YT-419773	202
YT-419774	202
YT-419775	202
YT-419778	202
YT-419779	202
YT-419781	202
YT-419782	202
YT-419783	202
YT-419784	202
YT-419789	202
YT-419791	202
YT-419792	202
YT-419793	202
YT-419794	202
YT-419795	202
YT-419798	202
YT-419799	202
YT-419801	202
YT-419810	202
YT-419812	202
YT-419813	202
YT-419815	202
YT-419816	202
YT-419818	202
YT-419819	202
YT-419821	202
YT-419822	202
YT-419824	202
YT-419826	202
YT-419828	202
YT-419829	202
YT-419831	202
YT-419833	202
YT-419834	202
YT-419836	202
YT-419837	202
YT-419838	202
YT-419839	202
YT-419840	202
YT-419842	202
YT-419844	202
YT-419847	202
YT-419849	202
YT-419854	202
YT-419856	202
YT-4200	204
YT-4201	204
YT-4202	204
YT-4203	204
YT-42033	204
YT-4204	204
YT-4205	204
YT-4206	204
YT-42063	204
YT-4207	204
YT-4208	204
YT-4209	204
YT-4210	204
YT-4211	204
YT-4212	204
YT-4213	204
YT-4214	204
YT-4215	204
YT-42153	204
YT-4216	204
YT-4217	204

YATO	page
YT-4218	204
YT-4219	204
YT-4220	204
YT-4221	204
YT-4222	204
YT-4223	204
YT-4224	204
YT-4225	204
YT-4226	204
YT-4227	204
YT-4228	204
YT-4229	204
YT-4230	204
YT-42310	203
YT-42311	203
YT-42312	203
YT-42313	203
YT-42314	203
YT-42315	203
YT-42316	203
YT-42317	203
YT-42318	203
YT-42319	203
YT-42321	203
YT-42322	203
YT-42323	203
YT-42324	203
YT-42325	203
YT-42326	203
YT-42329	203
YT-42330	203
YT-42331	203
YT-42332	203
YT-42333	203
YT-42334	203
YT-42335	203
YT-42338	203
YT-42339	203
YT-42340	203
YT-42341	203
YT-42342	203
YT-42343	203
YT-42347	203
YT-42348	203
YT-42349	203
YT-42350	203
YT-42351	203
YT-42352	203
YT-42353	203
YT-42354	203
YT-42355	203
YT-42357	203
YT-42361	203
YT-42370	203
YT-42371	203
YT-42379	203
YT-42380	203
YT-42382	203
YT-42383	203
YT-43400	214
YT-43405	214
YT-43410	214
YT-43413	214
YT-43490	201
YT-4350	205
YT-4351	205
YT-4352	205
YT-4353	205
YT-4354	205
YT-4355	205
YT-4357	205
YT-4358	205
YT-4359	205
YT-4361	204
YT-4361S	203
YT-4362	204
YT-4362S	203
YT-4363	204
YT-4364	204
YT-4364S	203
YT-4367	204

YATO	page
YT-4369	204
YT-4369S	203
YT-4370	204
YT-4373	204
YT-4373S	203
YT-4375	204
YT-4376	204
YT-4379	204
YT-4380	204
YT-4382S	203
YT-4383	204
YT-4385	204
YT-4390	203
YT-43910	209
YT-43911	209
YT-43912	209
YT-43913	209
YT-43914	209
YT-43915	209
YT-43916	209
YT-43919	211
YT-43920	211
YT-439330	203
YT-439331	203
YT-439332	203
YT-439333	203
YT-439335	203
YT-439337	203
YT-439341	203
YT-439343	203
YT-439345	203
YT-439347	203
YT-439351	203
YT-439360	203
YT-439361	203
YT-439362	203
YT-439363	203
YT-439365	203
YT-439366	203
YT-439370	203
YT-439371	203
YT-439372	203
YT-439373	203
YT-439374	203
YT-439375	203
YT-439379	203
YT-439380	203
YT-439381	203
YT-439382	203
YT-439383	203
YT-439384	203
YT-439388	203
YT-43940	200
YT-43941	200
YT-43942	200
YT-43943	200
YT-43944	200
YT-43945	200
YT-43946	200
YT-43947	200
YT-43960	200
YT-43962	200
YT-43963	200
YT-43964	200
YT-43965	200
YT-43966	200
YT-43968	200
YT-43990	210
YT-43991	210
YT-43992	210
YT-43993	210
YT-43994	210
YT-43995	210
YT-4400	209
YT-4401	209
YT-4402	209
YT-4403	209
YT-44033	209
YT-44034	209
YT-44045	209
YT-44050	210

YATO	page
YT-44051	210
YT-44052	210
YT-44053	210
YT-44054	210
YT-44055	210
YT-44056	210
YT-44057	210
YT-44058	210
YT-44059	210
YT-44060	210
YT-44061	210
YT-44062	210
YT-44063	210
YT-44064	210
YT-44065	210
YT-44066	210
YT-44067	210
YT-44068	210
YT-44069	210
YT-44070	210
YT-44071	210
YT-44072	210
YT-44073	210
YT-44074	210
YT-44077	211
YT-44100	208
YT-44104	208
YT-44105	208
YT-44106	208
YT-44111	208
YT-44112	208
YT-44113	208
YT-44122	208
YT-44130	209
YT-44135	319
YT-44136	319
YT-44200	197
YT-44201	197
YT-44202	197
YT-44203	197
YT-44204	197
YT-44206	197
YT-44207	197
YT-44209	197
YT-44211	197
YT-44212	197
YT-44213	197
YT-44214	197
YT-44215	197
YT-44216	197
YT-44217	197
YT-44218	197
YT-44219	197
YT-44220	197
YT-44221	197
YT-44222	197
YT-44223	197
YT-44224	197
YT-44225	197
YT-44226	197
YT-44227	197
YT-44228	197
YT-44229	197
YT-44230	197
YT-44231	197
YT-44232	197
YT-44233	197
YT-44235	197
YT-44236	197
YT-44237	197
YT-44238	197
YT-44239	197
YT-44240	197
YT-44250	63
YT-44251	63
YT-4431	194
YT-4431S	195
YT-4432	194
YT-4432S	195
YT-4433	194
YT-4433S	194

YATO	page
YT-4434	194
YT-4434S	195
YT-4435	194
YT-4435S	194
YT-4436	194
YT-4436S	195
YT-4437	194
YT-4437S	194
YT-4438	194
YT-4438S	195
YT-4439	194
YT-4439S	195
YT-4440S	195
YT-4441	194
YT-4441S	195
YT-4442	194
YT-4442S	194
YT-4443S	195
YT-4444S	195
YT-4445	194
YT-4445S	195
YT-4446	194
YT-4446S	194
YT-4447S	195
YT-4448S	195
YT-4449	194
YT-4449S	194
YT-4450	194
YT-4450S	195
YT-4451	194
YT-4451S	195
YT-4452	194
YT-4452S	194
YT-4453	194
YT-4453S	195
YT-4454	194
YT-4454S	195
YT-4455	194
YT-4455S	195
YT-4456S	195
YT-4457	194
YT-4457S	195
YT-4458	194
YT-4458S	194
YT-44591	198
YT-44595	198
YT-4459S	195
YT-4460	195
YT-4461	195
YT-4462	196
YT-44622	200
YT-44625	200
YT-44626	200
YT-44627	200
YT-44630	197
YT-44631	197
YT-44632	197
YT-44633	197
YT-44634	197
YT-44635	197
YT-44637	197
YT-44639	197
YT-44640	197
YT-44642	197
YT-44643	197
YT-44645	197
YT-44650	197
YT-44652	197
YT-44653	197
YT-44654	197
YT-44655	197
YT-44656	197
YT-44657	197
YT-44658	197
YT-44659	197
YT-44660	197
YT-44661	197
YT-44662	197
YT-44663	197
YT-44664	197
YT-44666	197

YATO	page
YT-44667	197
YT-44668	197
YT-44673	200
YT-44674	199
YT-44675	199
YT-44676	200
YT-44677	198
YT-44680	205
YT-44681	205
YT-44682	205
YT-44683	205
YT-44684	205
YT-44685	205
YT-44686	205
YT-44687	205
YT-44688	205
YT-44689	205
YT-44690	205
YT-44693	205
YT-44700	200
YT-44705	199
YT-44721	213
YT-44722	213
YT-44723	213
YT-44724	213
YT-44725	213
YT-44726	213
YT-44729	214
YT-44730	213
YT-44731	214
YT-44732	213
YT-44739	213
YT-44740	213
YT-44741	213
YT-44742	213
YT-44743	213
YT-44744	213
YT-44745	213
YT-44746	213
YT-44747	213
YT-44748	213
YT-44750	199
YT-44751	199
YT-44752	199
YT-44754	199
YT-44755	199
YT-44756	199
YT-44757	199
YT-44758	199
YT-44759	199
YT-44760	199
YT-44761	199
YT-44763	199
YT-44764	199
YT-44765	199
YT-44766	199
YT-44767	199
YT-44768	199
YT-44769	199
YT-44770	199
YT-44772	199
YT-44773	199
YT-44774	199
YT-44776	199
YT-44780	201
YT-44781	201
YT-44782	201
YT-44783	201
YT-44784	201
YT-44785	201
YT-44786	201
YT-44787	201
YT-44789	201
YT-44800	205
YT-44801	205
YT-44802	205
YT-44803	205
YT-44804	205
YT-44805	205
YT-44806	205
YT-44809	205

YATO	page
YT-44820	199
YT-44821	199
YT-44822	199
YT-44823	199
YT-44824	199
YT-44826	199
YT-44827	199
YT-44828	199
YT-44829	199
YT-44830	199
YT-44831	199
YT-44840	211
YT-44841	211
YT-44842	211
YT-44843	211
YT-44845	211
YT-44847	211
YT-44849	212
YT-44860	198
YT-44861	198
YT-44863	198
YT-44865	198
YT-44866	198
YT-44867	198
YT-44868	198
YT-44869	198
YT-44870	198
YT-44871	198
YT-44872	198
YT-44874	198
YT-44875	198
YT-44876	198
YT-44877	198
YT-44878	198
YT-44879	198
YT-44880	198
YT-44881	198
YT-44882	198
YT-44883	198
YT-44884	198
YT-44888	199
YT-4491	176
YT-4492	176
YT-4493	176
YT-4494	176
YT-4495	176
YT-4496	176
YT-4497	176
YT-4498	176
YT-4499	176
YT-4500	176
YT-4501	176
YT-4502	176
YT-4503	176
YT-4504	176
YT-4505	176
YT-4506	176
YT-4507	176
YT-4508	176
YT-4509	176
YT-4510	176
YT-4515	177
YT-4516	177
YT-4517	177
YT-4518	177
YT-4519	176
YT-4520	176
YT-4521	176
YT-4522	176
YT-4523	176
YT-4524	176
YT-4525	176
YT-4526	176
YT-4527	176
YT-45280	176
YT-45281	176
YT-45282	176
YT-45290	177
YT-45291	177
YT-45292	177
YT-45293	177

YATO	page
YT-46821	180
YT-46822	180
YT-46823	180
YT-46831	180
YT-46832	180
YT-46833	180
YT-46834	180
YT-46835	180
YT-46836	180
YT-4690	183
YT-4691	183
YT-4692	183
YT-4693	183
YT-4694	183
YT-4695	183
YT-4700	180
YT-4701	180
YT-47020	183
YT-47021	183
YT-47022	183
YT-4705	180
YT-4710	180
YT-4711	181
YT-4712	181
YT-47121	181
YT-47122	181
YT-47123	181
YT-47124	181
YT-4713	182
YT-4714	181
YT-47141	182
YT-47142	182
YT-47143	182
YT-47144	182
YT-47145	182
YT-47146	182
YT-47147	182
YT-47148	182
YT-47149	182
YT-47150	183
YT-47151	183
YT-47152	182
YT-47155	182
YT-47160	182
YT-47161	182
YT-47170	182
YT-47195	183
YT-4720	184
YT-4721	184
YT-4722	184
YT-4723	184
YT-47295	181
YT-4730	180
YT-47301	180
YT-47302	180
YT-47303	181
YT-47304	181
YT-47330	184
YT-47331	184
YT-47335	184
YT-47336	184
YT-47340	184
YT-47341	184
YT-47344	185
YT-47345	185
YT-47348	185
YT-47370	185
YT-47372	185
YT-47375	185
YT-47377	185
YT-47380	185
YT-47385	185
YT-47496	257
YT-47497	257
YT-4750	256
YT-4751	257
YT-47511	257
YT-47518	257
YT-4752	257
YT-4755	257
YT-47553	249

YATO	page
YT-47554	260
YT-47555	260
YT-47565	258
YT-47568	258
YT-4757	258
YT-4758	258
YT-4759	258
YT-47593	258
YT-4761	259
YT-47612	259
YT-4763	259
YT-4764	259
YT-47658	260
YT-4766	259
YT-4767	259
YT-4768	259
YT-4769	259
YT-47691	259
YT-47695	250
YT-47696	250
YT-47697	250
YT-47698	250
YT-47777	249
YT-47780	258
YT-47782	257
YT-47785	260
YT-47787	260
YT-47791	258
YT-47792	258
YT-47800	258
YT-47801	258
YT-47802	258
YT-47820	260
YT-47860	260
YT-47868	261
YT-47869	261
YT-47870	260
YT-47872	260
YT-47873	260
YT-47880	261
YT-47881	261
YT-47882	261
YT-47883	261
YT-47884	261
YT-47890	260
YT-47892	260
YT-47893	260
YT-47894	260
YT-47895	260
YT-47896	260
YT-47900	261
YT-47901	261
YT-47902	261
YT-47910	261
YT-47911	261
YT-47912	261
YT-47913	261
YT-47920	260
YT-47921	260
YT-47922	260
YT-47930	262
YT-47931	262
YT-47932	262
YT-47933	262
YT-47940	261
YT-47945	262
YT-4800	10
YT-4801	10
YT-4802	10
YT-4803	10
YT-4804	10
YT-4805	10
YT-4806	10
YT-4807	10
YT-4808	10
YT-4809	10
YT-4810	10
YT-4811	10
YT-4812	10
YT-4813	10
YT-4814	10

YATO	page
YT-4815	10
YT-4816	10
YT-4817	10
YT-48180	10
YT-48181	10
YT-48182	10
YT-48183	11
YT-48184	13
YT-48185	14
YT-48186	13
YT-48187	13
YT-48188	14
YT-48200	243
YT-48201	243
YT-48202	243
YT-48203	243
YT-48204	243
YT-48205	243
YT-48206	243
YT-4830	11
YT-4831	11
YT-4832	11
YT-4833	11
YT-4834	11
YT-4835	11
YT-4836	11
YT-48371	11
YT-4840	12
YT-4841	12
YT-4842	12
YT-4843	12
YT-4844	12
YT-4845	12
YT-4846	12
YT-4847	12
YT-4848	12
YT-4849	12
YT-4850	12
YT-4851	12
YT-4852	12
YT-4853	12
YT-4854	12
YT-4860	14
YT-4861	14
YT-4862	14
YT-4863	14
YT-4864	14
YT-4865	14
YT-48651	14
YT-4870	4
YT-4871	4
YT-4872	4
YT-4873	4
YT-4874	4
YT-4875	4
YT-4876	4
YT-4877	4
YT-4878	4
YT-4879	4
YT-4880	4
YT-4881	4
YT-4882	4
YT-4883	4
YT-4884	4
YT-4885	4
YT-48851	4
YT-48852	5
YT-48861	4
YT-48862	4
YT-4901	6
YT-4902	6
YT-4903	6
YT-4904	6
YT-4905	6
YT-4906	6
YT-4907	6
YT-4908	6
YT-4909	6
YT-4910	6
YT-4911	6
YT-4912	6

YATO	page
YT-49123	5
YT-49125	3
YT-49131	16
YT-49132	16
YT-49133	16
YT-49134	16
YT-49135	16
YT-49136	16
YT-49137	16
YT-49138	16
YT-49139	16
YT-49140	16
YT-49141	16
YT-49142	16
YT-49143	16
YT-49144	16
YT-49145	16
YT-49146	16
YT-49147	16
YT-49148	16
YT-49149	16
YT-49150	16
YT-4930	18
YT-4931	18
YT-4932	18
YT-4933	18
YT-4934	18
YT-4935	18
YT-4936	18
YT-4937	18
YT-4937S	18
YT-4938	18
YT-4939	18
YT-4940	18
YT-4941	18
YT-4942	18
YT-4943	18
YT-4944	18
YT-4945	20
YT-4945S	18
YT-4946	18
YT-49470	22
YT-49471	22
YT-49472	22
YT-4962	18
YT-4963	18
YT-4967	18
YT-5030	7
YT-50305	7
YT-5031	7
YT-5032	7
YT-5033	7
YT-5034	7
YT-5035	7
YT-50356	7
YT-5038	7
YT-50385	17
YT-50390	17
YT-5040	24
YT-5041	24
YT-5042	24
YT-5043	24
YT-5044	24
YT-5045	24
YT-5046	24
YT-5047	24
YT-5048	24
YT-5049	24
YT-5055	24
YT-5057	24
YT-5059	28
YT-5060	28
YT-5061	28
YT-5062	28
YT-5063	28
YT-5064	28
YT-5065	28
YT-5066	28
YT-5067	28
YT-5068	28
YT-5069	28

YATO	page
YT-5078	28
YT-5079	31
YT-5080	31
YT-5081	31
YT-5082	31
YT-5083	31
YT-5084	31
YT-5085	31
YT-5086	31
YT-5087	31
YT-5088	31
YT-5089	31
YT-5090	31
YT-5091	31
YT-5092	31
YT-5093	31
YT-5130	264
YT-5131	264
YT-51311	264
YT-51312	264
YT-51320	264
YT-5140	264
YT-5141	264
YT-5142	264
YT-51450	267
YT-51451	268
YT-51452	267
YT-51470	299
YT-51471	299
YT-51960	275
YT-51961	275
YT-51964	275
YT-52245	274
YT-52246	274
YT-52247	274
YT-52550	228
YT-5260	274
YT-5261	274
YT-5262	274
YT-52621	274
YT-52740	274
YT-52760	274
YT-52780	274
YT-52790	274
YT-52840	267
YT-52841	267
YT-52843	267
YT-52850	267
YT-52860	267
YT-52863	228
YT-52870	274
YT-52871	274
YT-5415	277
YT-5416	277
YT-5417	277
YT-54230	276
YT-54233	277
YT-54400	275
YT-55031	277
YT-55034	277
YT-55041	277
YT-55090	277
YT-55210	358
YT-55260	347
YT-55261	348
YT-55262	349
YT-55263	350
YT-55265	138
YT-55266	139
YT-55278	136
YT-55280	346
YT-55281	358
YT-55290	336
YT-55291	337
YT-55292	338
YT-55293	339
YT-55294	340
YT-55295	341
YT-55296	342
YT-55297	343
YT-55298	344

YATO	page
YT-55299	358
YT-55300	345
YT-55302	351
YT-55303	352
YT-55304	353
YT-55305	137
YT-55305T1	135
YT-55305T2	135
YT-55305T3	135
YT-55307	354
YT-55308	355
YT-55309	356
YT-5531	360
YT-55311	363
YT-5532	360
YT-55321	363
YT-5533	360
YT-55331	364
YT-5534	360
YT-55341	364
YT-5535	361
YT-55351	364
YT-5536	361
YT-55361	364
YT-5537	362
YT-55371	364
YT-5538	362
YT-55381	364
YT-5539	362
YT-55391	364
YT-5540	363
YT-55401	364
YT-5541	361
YT-55411	364
YT-5542	361
YT-55421	364
YT-5543	360
YT-55440	362
YT-55443	360
YT-55444	363
YT-55446	359
YT-55448	361
YT-55451	362
YT-55452	359
YT-55453	362
YT-55455	91
YT-55456	360
YT-55457	362
YT-55458	361
YT-55462	361
YT-55463	360
YT-55464	361
YT-55465	363
YT-55466	363
YT-55469	361
YT-55471	363
YT-55472	360
YT-55473	360
YT-55474	362
YT-55476	362
YT-55477	363
YT-55478	363
YT-55479	364
YT-55480	360
YT-55481	360
YT-55500	452
YT-55503	452
YT-55510	452
YT-55511	452
YT-55512	452
YT-55513	452
YT-5555	330
YT-55556	459
YT-55557	459
YT-55565	459
YT-55567	459
YT-55568	459
YT-55570	459
YT-55580	458
YT-55581	458
YT-55582	458

YATO	page
YT-55584	458
YT-55585	458
YT-55600	457
YT-55601	457
YT-55670	451
YT-55671	451
YT-55672	451
YT-55691	445
YT-55808	458
YT-55830	457
YT-55840	456
YT-55841	456
YT-55844	456
YT-55845	456
YT-55846	481
YT-55847	456
YT-55849	456
YT-5710	236
YT-57250	110
YT-57251	110
YT-57252	110
YT-57253	110
YT-57254	110
YT-57255	110
YT-57256	110
YT-57258	110
YT-57259	110
YT-57261	110
YT-57262	110
YT-57263	110
YT-57264	110
YT-57265	110
YT-57266	110
YT-57267	110
YT-57268	110
YT-57269	110
YT-57270	114
YT-57271	114
YT-57272	114
YT-57273	114
YT-5730	114
YT-5731	114
YT-5732	114
YT-5733	114
YT-5734	114
YT-5735	114
YT-5736	114
YT-5737	114
YT-5738	114
YT-5739	114
YT-5740	114
YT-5741	114
YT-5742	114
YT-5743	114
YT-5744	114
YT-5745	114
YT-57451	114
YT-5746	114
YT-5747	114
YT-5748	114
YT-5749	114
YT-5750	114
YT-5751	114
YT-5752	114
YT-5753	114
YT-5754	114
YT-5755	114
YT-5756	114
YT-57561	114
YT-57563	114
YT-57565	114
YT-57566	114
YT-57568	114
YT-5760	114
YT-5761	114
YT-5762	114
YT-5763	114
YT-5764	114
YT-5765	114
YT-5766	114
YT-5767	114

YATO	page
YT-5768	114
YT-5769	114
YT-5770	114
YT-5771	114
YT-5773	114
YT-5774	114
YT-5776	114
YT-5779	114
YT-5780	114
YT-5795	114
YT-5796	114
YT-5797	114
YT-5798	114
YT-5799	114
YT-5800	114
YT-58001	114
YT-5801	114
YT-5802	114
YT-5803	114
YT-5804	114
YT-5805	114
YT-5806	114
YT-5807	114
YT-5808	114
YT-5809	114
YT-5810	114
YT-5811	114
YT-5812	114
YT-5813	114
YT-5814	114
YT-58141	114
YT-58142	114
YT-58144	114
YT-58181	111
YT-58182	111
YT-58183	111
YT-58184	111
YT-58185	111
YT-58186	111
YT-58187	111
YT-58188	111
YT-58189	111
YT-58190	111
YT-58191	111
YT-58192	111
YT-58193	111
YT-58194	111
YT-5820	115
YT-58200	115
YT-58201	115
YT-58202	115
YT-58203	115
YT-58204	115
YT-58205	116
YT-58206	116
YT-58207	116
YT-58208	116
YT-58209	116
YT-58210	116
YT-58211	117
YT-5824	115
YT-5825	115
YT-5826	115
YT-5827	115
YT-5828	115
YT-5829	115
YT-5830	115
YT-5831	115
YT-5832	115
YT-5835	117
YT-5836	117
YT-5837	117
YT-5838	117
YT-5840	110
YT-5841	110
YT-5842	110
YT-5843	110
YT-5844	110
YT-5845	110
YT-5846	110
YT-5847	110

YATO	page
YT-5848	110
YT-5849	110
YT-5851	111
YT-5852	111
YT-5853	111
YT-5854	111
YT-5855	111
YT-5856	111
YT-5857	111
YT-5858	111
YT-5859	111
YT-5860	111
YT-5861	111
YT-5862	111
YT-5863	110
YT-5865	110
YT-5866	110
YT-5867	110
YT-5868	110
YT-5869	110
YT-5870	110
YT-5872	110
YT-5873	110
YT-58731	110
YT-58732	110
YT-58733	110
YT-58734	110
YT-58735	110
YT-58736	110
YT-58737	110
YT-58738	110
YT-58739	110
YT-58740	110
YT-5875	112
YT-5877	111
YT-5878	112
YT-58800	110
YT-58801	110
YT-58802	110
YT-58803	110
YT-58804	110
YT-58805	110
YT-58807	110
YT-58808	110
YT-58809	110
YT-58810	110
YT-58811	110
YT-58812	110
YT-58813	110
YT-58814	110
YT-58815	110
YT-58816	110
YT-58817	110
YT-58818	110
YT-58819	110
YT-58820	110
YT-58821	111
YT-58822	112
YT-58823	111
YT-58824	112
YT-58825	111
YT-58826	112
YT-58827	112
YT-58830	122
YT-58831	122
YT-58832	122
YT-58950	457
YT-58950-6M	457
YT-58950-9M	457
YT-58951	457
YT-58951-6M	457
YT-58951-9M	457
YT-58953	457
YT-58953-6M	457
YT-58953-9M	457
YT-58954	457
YT-58954-6M	457
YT-58954-9M	457
YT-58955	457
YT-58955-6M	457
YT-58955-9M	457

YATO	page
YT-58957	457
YT-58957-6M	457
YT-58957-9M	457
YT-58962	457
YT-58964	457
YT-58964-3M	457
YT-58966	457
YT-58967	457
YT-58968	457
YT-5901	277
YT-5902	277
YT-5904	277
YT-5905	278
YT-5911	457
YT-5913	457
YT-5914	457
YT-59145	241
YT-59146	241
YT-59150	241
YT-59157	241
YT-59158	241
YT-59159	241
YT-59162	241
YT-59190	241
YT-5920	243
YT-5921	243
YT-5922	243
YT-5923	243
YT-5924	243
YT-5925	243
YT-5926	243
YT-5927	243
YT-5930	244
YT-5932	244
YT-5933	244
YT-5935	244
YT-5940	244
YT-5942	244
YT-5945	244
YT-5946	244
YT-5947	244
YT-5948	244
YT-5949	244
YT-59760	242
YT-5983	240
YT-5984	240
YT-59900	242
YT-59902	242
YT-59940	241
YT-59941	241
YT-59951	240
YT-59952	240
YT-59955	240
YT-59956	242
YT-59961	240
YT-59962	240
YT-59965	240
YT-59971	240
YT-59972	240
YT-59973	242
YT-59975	240
YT-59980	242
YT-59981	240
YT-59982	240
YT-59985	240
YT-60003	240
YT-60004	240
YT-60008	242
YT-60009	240
YT-6001	240
YT-6002	240
YT-6003	240
YT-6004	240
YT-6005	240
YT-6011	240
YT-6012	240
YT-6013	240
YT-6014	240
YT-6015	240
YT-6016	240
YT-6017	240

YATO	page
YT-6021	240
YT-6022	240
YT-6023	240
YT-6024	240
YT-6025	240
YT-60270	242
YT-60271	242
YT-6030	240
YT-6031	240
YT-6032	240
YT-60322	243
YT-60323	243
YT-60371	207
YT-60372	207
YT-60373	207
YT-60374	207
YT-60375	207
YT-60376	207
YT-60377	207
YT-60378	207
YT-60379	207
YT-60401	207
YT-60402	207
YT-60403	207
YT-60409	207
YT-60421	207
YT-60422	207
YT-60423	207
YT-60424	207
YT-60425	207
YT-60426	207
YT-60427	207
YT-60428	207
YT-60429	207
YT-60430	207
YT-60431	207
YT-60432	207
YT-60433	207
YT-60434	207
YT-60435	207
YT-60436	207
YT-60441	207
YT-60442	207
YT-60443	207
YT-60444	207
YT-60445	207
YT-60446	207
YT-60447	207
YT-6045	207
YT-6046	207
YT-60463	245
YT-60467	245
YT-60470	245
YT-60480	244
YT-60482	244
YT-60484	244
YT-60488	245
YT-60489	245
YT-6052	245
YT-60522	245
YT-6052T	245
YT-6053	245
YT-6055	245
YT-6056	245
YT-6057	245
YT-60577	245
YT-6058	245
YT-60581	245
YT-60582	245
YT-60583	245
YT-60590	245
YT-60591	245
YT-6060	245
YT-6061	245
YT-6062	245
YT-60621	245
YT-60622	245
YT-60623	245
YT-60624	245
YT-60627	244
YT-60628	244

YATO	page
YT-6063	245
YT-60631	244
YT-60633	245
YT-60634	245
YT-60635	245
YT-60636	245
YT-6065	245
YT-60652	245
YT-6066	245
YT-60665	245
YT-6067	245
YT-60671	245
YT-6068	245
YT-60682	245
YT-60685	245
YT-60686	245
YT-60687	245
YT-60688	245
YT-6069	245
YT-6070	245
YT-6071	245
YT-6072	245
YT-60729	245
YT-60731	245
YT-60732	245
YT-60733	245
YT-6075	245
YT-6076	245
YT-6077	245
YT-6078	245
YT-60782	245
YT-60783	245
YT-60784	245
YT-60785	245
YT-60791	245
YT-60792	245
YT-60794	245
YT-60795	245
YT-6080	245
YT-6081	245
YT-6082	245
YT-6083	245
YT-6085	245
YT-6086	245
YT-60871	244
YT-60929	245
YT-60955	245
YT-60976	245
YT-61009	243
YT-6101	243
YT-61025	243
YT-6103	243
YT-6104	243
YT-6105	243
YT-61068	243
YT-6107	243
YT-61091	243
YT-6110	243
YT-6112	243
YT-6113	243
YT-61131	243
YT-61132	243
YT-61135	242
YT-6114	242
YT-6115	242
YT-6116	242
YT-6117	242
YT-6119	242
YT-6120	242
YT-6121	243
YT-6124	243
YT-6125	243
YT-6126	243
YT-6133	243
YT-6136	243
YT-6137	243
YT-6138	243
YT-61395	252
YT-6140	255
YT-6141	255
YT-6142	255

YATO	page
YT-6143	255
YT-6144	255
YT-6145	255
YT-6146	255
YT-6147	255
YT-6148	255
YT-6149	255
YT-6150	255
YT-6151	255
YT-6152	255
YT-6153	255
YT-6154	255
YT-6155	255
YT-6156	255
YT-6160	254
YT-6161	254
YT-6162	254
YT-6163	254
YT-6164	254
YT-6165	254
YT-61678	236
YT-61679	236
YT-61680	236
YT-61681	236
YT-61700	216
YT-61701	216
YT-61702	216
YT-61703	215
YT-61704	215
YT-61705	215
YT-61706	215
YT-61707	215
YT-61711	216
YT-61712	218
YT-61714	216
YT-61715	216
YT-61716	216
YT-61717	216
YT-61718	216
YT-61719	216
YT-61722	217
YT-61723	217
YT-61724	217
YT-61725	217
YT-61726	217
YT-61727	217
YT-61729	217
YT-61730	218
YT-61731	218
YT-61740	215
YT-61741	215
YT-61742	215
YT-61743	216
YT-61747	218
YT-61750	217
YT-61751	217
YT-61768	215
YT-61769	216
YT-61770	218
YT-61771	218
YT-61772	218
YT-61773	218
YT-61775	218
YT-6180	252
YT-6181	252
YT-6182	253
YT-6183	252
YT-6184	253
YT-6185	252
YT-6186	252
YT-6187	253
YT-6188	252
YT-6189	253
YT-6190	252
YT-6191	252
YT-6192	253
YT-6193	252
YT-6194	253
YT-6219	254
YT-6220	254
YT-6221	254

YATO	page
YT-6222	254
YT-62228	252
YT-62229	252
YT-6223	252
YT-62231	252
YT-62238	252
YT-62239	252
YT-6224	252
YT-62241	252
YT-62243	252
YT-62244	252
YT-62245	252
YT-62246	252
YT-62248	253
YT-62249	253
YT-6225	253
YT-62251	253
YT-62258	252
YT-62259	252
YT-6226	252
YT-62261	252
YT-62268	253
YT-62269	253
YT-6227	253
YT-62271	253
YT-6228	252
YT-6229	252
YT-6230	253
YT-6231	252
YT-6232	253
YT-62328	252
YT-62329	252
YT-6233	252
YT-62331	252
YT-62338	253
YT-62339	253
YT-6234	253
YT-62341	253
YT-62348	252
YT-62349	252
YT-6235	252
YT-62351	252
YT-62358	253
YT-62359	253
YT-6236	253
YT-62361	253
YT-6237	253
YT-6238	253
YT-6239	253
YT-62391	253
YT-62392	253
YT-62393	253
YT-62394	253
YT-62395	254
YT-62396	254
YT-6241	179
YT-6242	179
YT-6243	179
YT-6244	179
YT-6245	179
YT-6246	179
YT-6247	179
YT-6248	179
YT-6249	179
YT-6251	179
YT-6253	179
YT-6256	179
YT-6258	179
YT-6260	179
YT-6280	179
YT-6281	179
YT-62821	179
YT-62822	179
YT-62823	179
YT-62824	179
YT-62825	179
YT-62826	179
YT-62827	179
YT-62828	179
YT-62840	264
YT-62900	236

YATO	page
YT-6330	250
YT-6331	250
YT-6332	250
YT-6333	250
YT-6334	250
YT-6335	250
YT-6337	251
YT-6338	251
YT-6340	251
YT-6341	251
YT-6343	251
YT-6344	251
YT-6346	251
YT-6349	251
YT-6351	251
YT-6353	252
YT-6354	252
YT-6355	252
YT-6356	252
YT-6358	252
YT-6359	252
YT-6360	252
YT-63701	250
YT-63702	250
YT-63703	250
YT-63704	250
YT-63705	252
YT-63740	485
YT-63880	189
YT-63881	189
YT-63882	189
YT-63883	189
YT-63884	189
YT-63885	189
YT-63886	189
YT-63887	189
YT-63951	188
YT-63952	188
YT-63953	188
YT-63954	188
YT-63955	188
YT-63956	188
YT-63957	188
YT-63958	188
YT-6401	188
YT-6402	188
YT-6403	188
YT-6404	188
YT-6405	188
YT-6406	188
YT-6407	188
YT-6408	188
YT-6409	188
YT-6410	188
YT-64111	188
YT-64112	188
YT-64113	188
YT-6412	188
YT-6413	188
YT-6414	188
YT-6415	188
YT-6416	188
YT-6417	188
YT-64183	189
YT-64184	189
YT-64190	188
YT-64191	188
YT-64192	188
YT-6420	188
YT-6421	188
YT-6422	188
YT-6423	188
YT-6424	188
YT-64242	189
YT-64250	188
YT-64251	188
YT-64252	188
YT-64253	188
YT-64254	188
YT-64255	188
YT-64256	188

YATO	page
YT-64257	188
YT-64258	188
YT-64262	189
YT-64263	189
YT-64270	189
YT-64271	189
YT-64272	189
YT-64275	189
YT-64276	189
YT-64277	189
YT-64278	189
YT-64300	190
YT-64307	191
YT-64312	189
YT-64313	189
YT-64314	189
YT-64315	189
YT-64316	189
YT-64317	189
YT-64320	190
YT-6440	188
YT-6441	188
YT-6442	188
YT-6443	188
YT-6444	188
YT-6445	188
YT-6446	188
YT-6447	188
YT-6448	188
YT-6449	188
YT-6450	188
YT-6451	188
YT-6452	188
YT-6453	188
YT-6454	188
YT-64551	276
YT-64552	276
YT-64620	639
YT-64621	639
YT-64622	639
YT-64623	639
YT-64624	639
YT-64625	639
YT-64626	639
YT-64627	639
YT-64628	639
YT-64630	640
YT-64631	640
YT-64650	640
YT-64651	640
YT-64652	640
YT-64653	640
YT-64654	640
YT-64655	640
YT-64656	640
YT-64657	640
YT-64658	640
YT-64659	640
YT-64660	640
YT-64661	640
YT-64662	640
YT-64663	640
YT-64664	640
YT-64700	634
YT-64701	634
YT-64702	634
YT-64703	634
YT-64704	634
YT-64705	634
YT-64706	634
YT-64707	634
YT-64708	634
YT-64709	634
YT-64710	634
YT-64711	634
YT-64712	634
YT-64713	634
YT-64714	634
YT-64715	634
YT-64716	634
YT-64717	634

YATO	page
YT-64718	634
YT-64719	634
YT-64720	634
YT-64721	634
YT-64722	634
YT-64723	634
YT-64724	634
YT-64725	634
YT-64726	634
YT-64727	634
YT-64728	634
YT-64729	634
YT-64730	634
YT-64731	634
YT-64732	634
YT-64733	634
YT-64734	634
YT-64735	634
YT-64736	634
YT-64737	634
YT-64738	634
YT-64739	634
YT-64740	634
YT-64741	634
YT-64742	634
YT-64743	634
YT-64744	634
YT-64745	634
YT-64746	634
YT-64747	634
YT-64748	634
YT-64749	634
YT-64750	634
YT-64751	634
YT-64752	634
YT-64753	634
YT-64754	634
YT-64755	634
YT-64756	634
YT-64757	634
YT-64758	634
YT-64759	634
YT-64760	634
YT-64761	634
YT-64770	634
YT-64771	634
YT-64772	634
YT-64780	635
YT-64781	635
YT-64782	635
YT-64783	635
YT-64784	635
YT-64785	635
YT-64786	635
YT-64787	635
YT-64788	635
YT-64789	635
YT-64790	635
YT-64791	635
YT-64792	635
YT-64793	635
YT-64794	635
YT-64795	635
YT-64796	635
YT-64797	635
YT-64798	635
YT-64799	635
YT-64800	635
YT-64801	635
YT-64802	635
YT-64803	635
YT-64804	635
YT-64805	635
YT-64806	635
YT-64807	635
YT-64808	635
YT-64809	635
YT-64810	635
YT-64811	635
YT-64812	635
YT-64813	635

YATO	page
YT-64814	635
YT-64815	635
YT-64816	635
YT-64817	635
YT-64818	635
YT-64819	635
YT-64820	635
YT-64821	635
YT-64822	635
YT-64823	635
YT-64824	635
YT-64825	635
YT-64826	635
YT-64827	635
YT-64828	635
YT-64829	635
YT-64830	635
YT-64831	635
YT-64832	635
YT-64833	635
YT-64834	635
YT-64835	635
YT-64836	635
YT-64837	635
YT-64840	635
YT-64841	635
YT-64842	635
YT-64850	637
YT-64851	637
YT-64852	637
YT-64853	637
YT-64854	637
YT-64855	637
YT-64856	637
YT-64857	637
YT-64858	637
YT-64859	637
YT-64860	637
YT-64861	637
YT-64862	637
YT-64863	637
YT-64864	637
YT-64865	637
YT-64866	637
YT-64867	637
YT-64868	637
YT-64869	637
YT-64870	637
YT-64871	637
YT-64872	637
YT-64873	637
YT-64874	637
YT-64875	637
YT-64876	637
YT-64877	637
YT-64878	637
YT-64900	640
YT-64901	640
YT-64902	640
YT-64903	640
YT-64904	640
YT-64905	640
YT-64906	640
YT-64907	640
YT-65000	192
YT-65001	192
YT-65002	192
YT-65003	192
YT-65006	192
YT-65007	192
YT-65008	192
YT-6501	190
YT-6502	190
YT-6503	190
YT-6504	190
YT-65048	190
YT-65049	190
YT-6505	190
YT-6506	190
YT-65071	190
YT-65072	190

YATO	page
YT-65073	190
YT-65080	190
YT-65081	190
YT-65082	190
YT-65085	190
YT-6510	290
YT-6511	290
YT-6512	290
YT-6513	290
YT-65136	190
YT-65139	636
YT-65140	636
YT-65141	636
YT-65142	636
YT-65143	636
YT-65144	636
YT-65145	636
YT-65146	636
YT-65147	636
YT-65148	636
YT-65149	636
YT-65151	636
YT-65152	636
YT-65153	636
YT-65154	636
YT-65155	636
YT-65156	636
YT-65157	636
YT-65158	636
YT-65159	636
YT-65161	636
YT-65162	636
YT-65163	636
YT-65164	636
YT-65165	636
YT-65166	636
YT-65167	636
YT-65168	636
YT-65169	636
YT-65171	636
YT-65172	636
YT-65173	636
YT-65174	636
YT-65175	636
YT-65176	636
YT-65177	636
YT-65178	636
YT-65179	636
YT-65190	637
YT-65191	637
YT-65192	637
YT-65193	637
YT-65194	637
YT-65195	637
YT-65196	637
YT-65197	637
YT-65198	637
YT-65199	637
YT-65200	637
YT-65201	637
YT-65202	637
YT-65203	637
YT-65204	637
YT-65205	637
YT-65206	637
YT-65207	637
YT-65208	637
YT-65209	637
YT-65210	637
YT-65211	637
YT-65212	637
YT-65213	637
YT-65214	637
YT-65215	637
YT-65216	637
YT-65217	637
YT-65218	637
YT-65219	637
YT-65220	637
YT-65221	637
YT-65222	637

YATO	page
YT-65223	637
YT-65224	637
YT-65225	637
YT-65226	637
YT-65227	638
YT-65228	638
YT-65229	638
YT-65230	638
YT-65231	638
YT-65232	638
YT-65234	638
YT-65236	638
YT-65237	638
YT-65238	638
YT-65239	638
YT-65240	638
YT-65241	638
YT-65242	638
YT-65243	638
YT-65244	638
YT-65245	638
YT-65246	638
YT-65247	638
YT-65248	638
YT-65249	638
YT-65251	638
YT-65252	638
YT-65253	638
YT-65254	638
YT-65255	638
YT-65256	638
YT-65257	638
YT-65258	638
YT-65259	638
YT-65260	638
YT-65261	638
YT-65262	638
YT-65280	638
YT-65281	638
YT-65282	638
YT-65283	638
YT-65284	638
YT-65285	638
YT-65286	638
YT-65287	638
YT-65288	638
YT-65289	638
YT-65290	638
YT-65300	640
YT-65301	640
YT-65302	640
YT-65303	640
YT-65304	640
YT-65305	640
YT-65306	640
YT-65320	639
YT-65321	639
YT-65322	639
YT-65323	639
YT-65324	639
YT-65325	639
YT-65326	639
YT-65327	639
YT-65340	639
YT-65341	639
YT-65342	639
YT-65343	639
YT-65344	639
YT-65345	639
YT-65346	639
YT-65347	639
YT-65350	641
YT-65351	641
YT-65352	641
YT-65357	641
YT-65358	641
YT-65360	642
YT-65361	642
YT-65362	642
YT-65363	642
YT-65367	642

YATO	page
YT-65370	641
YT-65371	641
YT-65375	642
YT-65377	641
YT-65380	642
YT-65383	642
YT-65384	642
YT-65393	641
YT-65395	641
YT-65411	642
YT-65413	642
YT-65464	642
YT-65466	642
YT-65467	642
YT-65468	642
YT-65469	642
YT-65470	642
YT-65471	642
YT-65472	642
YT-65473	642
YT-65474	642
YT-65475	642
YT-65476	642
YT-65477	642
YT-65478	642
YT-65479	642
YT-65490	643
YT-65491	643
YT-65492	643
YT-65493	643
YT-65494	643
YT-65495	643
YT-65496	643
YT-65497	643
YT-65498	643
YT-65499	643
YT-65500	643
YT-65540	646
YT-65550	646
YT-65555	647
YT-65556	647
YT-65557	647
YT-65565	648
YT-65570	645
YT-65571	645
YT-65572	645
YT-65573	645
YT-65574	645
YT-65575	645
YT-65580	645
YT-65582	645
YT-65583	645
YT-65584	645
YT-65585	645
YT-65586	645
YT-65588	645
YT-65589	645
YT-65590	645
YT-65591	645
YT-65592	645
YT-65593	645
YT-65615	645
YT-65616	645
YT-65617	645
YT-65618	645
YT-65619	645
YT-65620	645
YT-65621	645
YT-65622	645
YT-65623	645
YT-65624	645
YT-65625	645
YT-65626	645
YT-65627	645
YT-65628	645
YT-65629	645
YT-65630	645
YT-65631	645
YT-65632	645
YT-65633	645
YT-65634	645

YATO	page
YT-65635	645
YT-65641	643
YT-65642	643
YT-65645	643
YT-65651	644
YT-65652	644
YT-65653	644
YT-65654	644
YT-65655	644
YT-65656	644
YT-65657	644
YT-65680	644
YT-65681	644
YT-65682	644
YT-65683	644
YT-65685	644
YT-65686	644
YT-65687	644
YT-65690	644
YT-65691	644
YT-65692	644
YT-65693	644
YT-65694	644
YT-65695	644
YT-65696	644
YT-65697	644
YT-65698	644
YT-65699	644
YT-65701	644
YT-65702	644
YT-65703	644
YT-65704	644
YT-65705	644
YT-65706	644
YT-65707	644
YT-65710	644
YT-65711	644
YT-65712	644
YT-65713	644
YT-65714	644
YT-65715	644
YT-65716	644
YT-65717	644
YT-65718	644
YT-65719	644
YT-65720	644
YT-65721	644
YT-65722	645
YT-65723	645
YT-65724	645
YT-65725	645
YT-65726	645
YT-65727	645
YT-65730	645
YT-65731	645
YT-65732	645
YT-65733	645
YT-65740	646
YT-65741	646
YT-65745	646
YT-65760	646
YT-65761	646
YT-65762	646
YT-65763	646
YT-65764	646
YT-65765	646
YT-65766	646
YT-65767	646
YT-65768	646
YT-657900	639
YT-657901	639
YT-657902	639
YT-657903	639
YT-657904	639
YT-657905	639
YT-657906	639
YT-657907	639
YT-657908	639
YT-657909	639
YT-657910	639
YT-657911	639

YATO	page
YT-657912	639
YT-657913	639
YT-657914	639
YT-657920	637
YT-657921	637
YT-657922	637
YT-657923	637
YT-657924	637
YT-657925	637
YT-657926	637
YT-657927	637
YT-657928	637
YT-657929	637
YT-657930	637
YT-657931	637
YT-657932	637
YT-657940	638
YT-657941	638
YT-657942	638
YT-657943	638
YT-657944	638
YT-657945	638
YT-657946	638
YT-657947	638
YT-657948	638
YT-657949	638
YT-657950	638
YT-657960	645
YT-657961	645
YT-657962	645
YT-657970	639
YT-657971	639
YT-657972	646
YT-657973	646
YT-657980	641
YT-657981	641
YT-657982	641
YT-657990	640
YT-658000	644
YT-658010	644
YT-658020	641
YT-658021	641
YT-658022	641
YT-658023	641
YT-658030	643
YT-658031	643
YT-658032	643
YT-658040	643
YT-658041	643
YT-65819	143
YT-6582	143
YT-6583	143
YT-65831	143
YT-6586	143
YT-6587	143
YT-6600	143
YT-6601	143
YT-6602	143
YT-6603	143
YT-6604	143
YT-6605	143
YT-6606	143
YT-6607	143
YT-6608	143
YT-6609	143
YT-6610	143
YT-6611	143
YT-6612	143
YT-6613	144
YT-6614	144
YT-6615	144
YT-6616	144
YT-6617	144
YT-6618	144
YT-6619	144
YT-6622	147
YT-6623	147
YT-6624	147
YT-6625	147
YT-6626	147
YT-6628	147

YATO	page
YT-6629	147
YT-6630	147
YT-66341	142
YT-66342	142
YT-66343	142
YT-66344	142
YT-66345	142
YT-66346	142
YT-66347	142
YT-66348	142
YT-66700	359
YT-6706	302
YT-67220	275
YT-67221	275
YT-67370	402
YT-67371	402
YT-67380	444
YT-67381	444
YT-67382	444
YT-67383	444
YT-67385	444
YT-6740	268
YT-6741	268
YT-67420	269
YT-67421	268
YT-67422	268
YT-67423	269
YT-67424	269
YT-6743	268
YT-67433	268
YT-67434	269
YT-67435	269
YT-67436	269
YT-67440	269
YT-67441	268
YT-6745	268
YT-67460	268
YT-67470	270
YT-6750	269
YT-6751	269
YT-67520	270
YT-6753	269
YT-6754	269
YT-6755	269
YT-67560	270
YT-67562	270
YT-67564	270
YT-67570	270
YT-67571	270
YT-67573	270
YT-67574	270
YT-67580	270
YT-67583	270
YT-67620	639
YT-67621	639
YT-67622	639
YT-67623	639
YT-67624	639
YT-67625	639
YT-67626	639
YT-67627	639
YT-67628	639
YT-67630	640
YT-67631	640
YT-67650	640
YT-67651	640
YT-67652	640
YT-67653	640
YT-67654	640
YT-67655	640
YT-67656	640
YT-67657	640
YT-67658	640
YT-67659	640
YT-67660	640
YT-67661	640
YT-67662	640
YT-67663	640
YT-67664	640
YT-67700	634
YT-67701	634

YATO	page
YT-67702	634
YT-67703	634
YT-67704	634
YT-67705	634
YT-67706	634
YT-67707	634
YT-67708	634
YT-67709	634
YT-67710	634
YT-67711	634
YT-67712	634
YT-67713	634
YT-67714	634
YT-67715	634
YT-67716	634
YT-67717	634
YT-67718	634
YT-67719	634
YT-67720	634
YT-67721	634
YT-67722	634
YT-67723	634
YT-67724	634
YT-67725	634
YT-67726	634
YT-67727	634
YT-67728	634
YT-67729	634
YT-67730	634
YT-67731	634
YT-67732	634
YT-67733	634
YT-67734	634
YT-67735	634
YT-67736	634
YT-67737	634
YT-67738	634
YT-67739	634
YT-67740	634
YT-67741	634
YT-67742	634
YT-67743	634
YT-67744	634
YT-67745	634
YT-67746	634
YT-67747	634
YT-67748	634
YT-67749	634
YT-67750	634
YT-67751	634
YT-67752	634
YT-67753	634
YT-67754	634
YT-67755	634
YT-67756	634
YT-67757	634
YT-67758	634
YT-67759	634
YT-67760	634
YT-67761	634
YT-67770	634
YT-67771	634
YT-67772	634
YT-67780	635
YT-67781	635
YT-67782	635
YT-67783	635
YT-67784	635
YT-67785	635
YT-67786	635
YT-67787	635
YT-67788	635
YT-67789	635
YT-67790	635
YT-67791	635
YT-67792	635
YT-67793	635
YT-67794	635
YT-67795	635
YT-67796	635
YT-67797	635

YATO	page
YT-67798	635
YT-67799	635
YT-67800	635
YT-67801	635
YT-67802	635
YT-67803	635
YT-67804	635
YT-67805	635
YT-67806	635
YT-67807	635
YT-67808	635
YT-67809	635
YT-67810	635
YT-67811	635
YT-67812	635
YT-67813	635
YT-67814	635
YT-67815	635
YT-67816	635
YT-67817	635
YT-67818	635
YT-67819	635
YT-67820	635
YT-67821	635
YT-67822	635
YT-67823	635
YT-67824	635
YT-67825	635
YT-67826	635
YT-67827	635
YT-67828	635
YT-67829	635
YT-67830	635
YT-67831	635
YT-67832	635
YT-67833	635
YT-67834	635
YT-67835	635
YT-67836	635
YT-67837	635
YT-67840	635
YT-67841	635
YT-67842	635
YT-67850	637
YT-67851	637
YT-67852	637
YT-67853	637
YT-67854	637
YT-67855	637
YT-67856	637
YT-67857	637
YT-67858	637
YT-67859	637
YT-67860	637
YT-67861	637
YT-67862	637
YT-67863	637
YT-67864	637
YT-67865	637
YT-67866	637
YT-67867	637
YT-67868	637
YT-67869	637
YT-67870	637
YT-67871	637
YT-67872	637
YT-67873	637
YT-67874	637
YT-67875	637
YT-67876	637
YT-67877	637
YT-67878	637
YT-68000	265
YT-68001	265
YT-68002	266
YT-68005	265
YT-68006	265
YT-68007	266
YT-6801	266
YT-6803	266
YT-68139	636

YATO	page
YT-68140	636
YT-68141	636
YT-68142	636
YT-68143	636
YT-68144	636
YT-68145	636
YT-68146	636
YT-68147	636
YT-68148	636
YT-68149	636
YT-68151	636
YT-68152	636
YT-68153	636
YT-68154	636
YT-68155	636
YT-68156	636
YT-68157	636
YT-68158	636
YT-68159	636
YT-68161	636
YT-68162	636
YT-68163	636
YT-68164	636
YT-68165	636
YT-68166	636
YT-68167	636
YT-68168	636
YT-68169	636
YT-68171	636
YT-68172	636
YT-68173	636
YT-68174	636
YT-68175	636
YT-68176	636
YT-68177	636
YT-68178	636
YT-68179	636
YT-68190	637
YT-68191	637
YT-68192	637
YT-68193	637
YT-68194	637
YT-68195	637
YT-68196	637
YT-68197	637
YT-68198	637
YT-68199	637
YT-68200	637
YT-68201	637
YT-68202	637
YT-68203	637
YT-68204	637
YT-68205	637
YT-68206	637
YT-68207	637
YT-68208	637
YT-68209	637
YT-68210	637
YT-68211	637
YT-68212	637
YT-68213	637
YT-68214	637
YT-68215	637
YT-68216	637
YT-68217	637
YT-68218	637
YT-68219	637
YT-68220	637
YT-68221	637
YT-68222	637
YT-68223	637
YT-68224	637
YT-68225	637
YT-68226	637
YT-68227	638
YT-68228	638
YT-68229	638
YT-68230	638
YT-68231	638
YT-68232	638
YT-68234	638

YATO	page
YT-68236	638
YT-68237	638
YT-68238	638
YT-68239	638
YT-68240	638
YT-68241	638
YT-68242	638
YT-68243	638
YT-68244	638
YT-68245	638
YT-68246	638
YT-68247	638
YT-68248	638
YT-68249	638
YT-68251	638
YT-68252	638
YT-68253	638
YT-68254	638
YT-68255	638
YT-68256	638
YT-68257	638
YT-68258	638
YT-68259	638
YT-68260	638
YT-68261	638
YT-68262	638
YT-68280	638
YT-68281	638
YT-68282	638
YT-68283	638
YT-68284	638
YT-68285	638
YT-68286	638
YT-68287	638
YT-68288	638
YT-68289	638
YT-68290	638
YT-68300	640
YT-68301	640
YT-68302	640
YT-68303	640
YT-68304	640
YT-68305	640
YT-68306	640
YT-68320	639
YT-68321	639
YT-68322	639
YT-68323	639
YT-68324	639
YT-68325	639
YT-68326	639
YT-68327	639
YT-68340	639
YT-68341	639
YT-68342	639
YT-68343	639
YT-68344	639
YT-68345	639
YT-68346	639
YT-68347	639
YT-68350	641
YT-68351	641
YT-68352	641
YT-68357	641
YT-68358	641
YT-68360	642
YT-68361	642
YT-68362	642
YT-68363	642
YT-68367	642
YT-68370	641
YT-68371	641
YT-68375	642
YT-68377	641
YT-68380	642
YT-68383	642
YT-68384	642
YT-68393	641
YT-68395	641
YT-68411	642
YT-68413	642

YATO	page
YT-68464	642
YT-68466	642
YT-68467	642
YT-68468	642
YT-68469	642
YT-68470	642
YT-68471	642
YT-68472	642
YT-68473	642
YT-68474	642
YT-68475	642
YT-68476	642
YT-68477	642
YT-68478	642
YT-68479	642
YT-68490	643
YT-68491	643
YT-68492	643
YT-68493	643
YT-68494	643
YT-68495	643
YT-68496	643
YT-68497	643
YT-68498	643
YT-68499	643
YT-68500	643
YT-6854	184
YT-6855	184
YT-6862	184
YT-6863	184
YT-68640	646
YT-68650	646
YT-68655	647
YT-68656	647
YT-68657	647
YT-68665	648
YT-68670	645
YT-68671	645
YT-68672	645
YT-68673	645
YT-68674	645
YT-68675	645
YT-68680	645
YT-68682	645
YT-68683	645
YT-68684	645
YT-68685	645
YT-68686	645
YT-68688	645
YT-68689	645
YT-68690	645
YT-68691	645
YT-68692	645
YT-68693	645
YT-68715	645
YT-68716	645
YT-68717	645
YT-68718	645
YT-68719	645
YT-68720	645
YT-68721	645
YT-68722	645
YT-68723	645
YT-68724	645
YT-68725	645
YT-68726	645
YT-68727	645
YT-68728	645
YT-68729	645
YT-68730	645
YT-68731	645
YT-68732	645
YT-68733	645
YT-68734	645
YT-68735	645
YT-68741	643
YT-68742	643
YT-68745	643
YT-68751	644
YT-68752	644
YT-68753	644

YATO	page
YT-68754	644
YT-68755	644
YT-68756	644
YT-68757	644
YT-68780	644
YT-68781	644
YT-68782	644
YT-68783	644
YT-68785	644
YT-68786	644
YT-68787	644
YT-68790	644
YT-68791	644
YT-68792	644
YT-68793	644
YT-68794	644
YT-68795	644
YT-68796	644
YT-68797	644
YT-68798	644
YT-68799	644
YT-68801	644
YT-68802	644
YT-68803	644
YT-68804	644
YT-68805	644
YT-68806	644
YT-68807	644
YT-68810	644
YT-68811	644
YT-68812	644
YT-68813	644
YT-68814	644
YT-68815	644
YT-68816	644
YT-68817	644
YT-68818	644
YT-68819	644
YT-68820	644
YT-68821	644
YT-68822	645
YT-68823	645
YT-68824	645
YT-68825	645
YT-68826	645
YT-68827	645
YT-68830	645
YT-68831	645
YT-68832	645
YT-68833	645
YT-68840	646
YT-68841	646
YT-68845	646
YT-68860	646
YT-68861	646
YT-68862	646
YT-68863	646
YT-68864	646
YT-68865	646
YT-68866	646
YT-68867	646
YT-68868	646
YT-689000	639
YT-689001	639
YT-689002	639
YT-689003	639
YT-689004	639
YT-689005	639
YT-689006	639
YT-689007	639
YT-689008	639
YT-689009	639
YT-689010	639
YT-689011	639
YT-689012	639
YT-689013	639
YT-689014	639
YT-689020	637
YT-689021	637
YT-689022	637
YT-689023	637

YATO	page
YT-689024	637
YT-689025	637
YT-689026	637
YT-689027	637
YT-689028	637
YT-689029	637
YT-689030	637
YT-689031	637
YT-689032	637
YT-689040	638
YT-689041	638
YT-689042	638
YT-689043	638
YT-689044	638
YT-689045	638
YT-689046	638
YT-689047	638
YT-689048	638
YT-689049	638
YT-689050	638
YT-689060	645
YT-689061	645
YT-689062	645
YT-689070	639
YT-689071	639
YT-689072	646
YT-689073	646
YT-689080	641
YT-689081	641
YT-689082	641
YT-689090	640
YT-689120	641
YT-689121	641
YT-689122	641
YT-689123	641
YT-6903	174
YT-6907	174
YT-6912	174
YT-6913	174
YT-6916	174
YT-6917	174
YT-6925	278
YT-6926	278
YT-692612	279
YT-6927	278
YT-69280	279
YT-69281	280
YT-69285	279
YT-69287	280
YT-69290	280
YT-69291	280
YT-69300	279
YT-69301	279
YT-69304	279
YT-69310	279
YT-69311	279
YT-69930	280
YT-69931	280
YT-69932	280
YT-69940	278
YT-7000	298
YT-7001	298
YT-70020	299
YT-70021	299
YT-7003	299
YT-7004	299
YT-7005	299
YT-7011	299
YT-7022	299
YT-7023	299
YT-7024	299
YT-7025	299
YT-7026	299
YT-70270	299
YT-70271	299
YT-70272	299
YT-70273	299
YT-70274	299
YT-7032	299
YT-7033	299
YT-7034	299

YATO	page
YT-7051	299
YT-7052	299
YT-7053	299
YT-7054	299
YT-7055	299
YT-70560	486
YT-70561	486
YT-70562	486
YT-70563	486
YT-70564	486
YT-70565	486
YT-70566	486
YT-70567	486
YT-70580	308/486
YT-70581	308/486
YT-70582	308/486
YT-70583	486
YT-70584	486
YT-70585	486
YT-70586	486
YT-70587	486
YT-70588	486
YT-70630	485
YT-70631	485
YT-70632	485
YT-70633	485
YT-70634	485
YT-70635	485
YT-70636	485
YT-70637	485
YT-70638	485
YT-70650	485
YT-70651	485
YT-70652	485
YT-70653	485
YT-70654	485
YT-70655	485
YT-70656	485
YT-70657	485
YT-70658	485
YT-70660	485
YT-70661	485
YT-70662	485
YT-70663	485
YT-70664	485
YT-70665	485
YT-70666	485
YT-70667	485
YT-70668	485
YT-70670	486
YT-70671	486
YT-70672	486
YT-70673	486
YT-70674	486
YT-70675	486
YT-70676	486
YT-70677	486
YT-70678	486
YT-7070	307
YT-7071	307
YT-70713	307
YT-70715	307
YT-70720	307
YT-70721	307
YT-70722	307
YT-70723	307
YT-70724	307
YT-70725	307
YT-70726	307
YT-70727	307
YT-70730	320
YT-70744	317
YT-70745	317
YT-70746	317
YT-70747	317
YT-70748	317
YT-70749	317
YT-70770	308
YT-70771	308
YT-70772	308
YT-70780	308

YATO	page
YT-70781	308
YT-70782	308
YT-70783	308
YT-70786	308
YT-70787	308
YT-70791	307
YT-70792	307
YT-70794	308
YT-70796	309
YT-70797	308
YT-7080	307
YT-7081	307
YT-7082	307
YT-70825	308
YT-7083	307
YT-7084	307
YT-70843	307
YT-70850	307
YT-70851	307
YT-70853	319
YT-70855	307
YT-70870	319
YT-70880	307
YT-70890	309
YT-70990	306
YT-70991	306
YT-71000	318
YT-71003	318
YT-71004	318
YT-71005	318
YT-7103	306
YT-7105	306
YT-71065	304
YT-71066	304
YT-71067	304
YT-71070	304
YT-71071	304
YT-71072	304
YT-71073	304
YT-71075	305
YT-71076	305
YT-71077	305
YT-71080	304
YT-71081	304
YT-71082	304
YT-71085	305
YT-71086	305
YT-71087	305
YT-71090	305
YT-71091	305
YT-71092	305
YT-71094	305
YT-71095	305
YT-71096	305
YT-7110	304
YT-7111	304
YT-7112	304
YT-71121	305
YT-71122	305
YT-71123	305
YT-71140	304
YT-71141	304
YT-71142	304
YT-71143	304
YT-71145	304
YT-71146	304
YT-71150	304
YT-71151	304
YT-71153	304
YT-71155	304
YT-71156	304
YT-7116	305
YT-71161	305
YT-71162	305
YT-71163	305
YT-71164	305
YT-7117	305
YT-7118	305
YT-71185	304
YT-71186	304
YT-71187	304

YATO	page
YT-71188	304
YT-71189	304
YT-7126	304
YT-7127	304
YT-7128	304
YT-7129	306
YT-7130	306
YT-7131	306
YT-71320	305
YT-7149	304
YT-7150	304
YT-7151	304
YT-7152	304
YT-7153	304
YT-7154	304
YT-71540	306
YT-71541	306
YT-71551	306
YT-71552	306
YT-71555	306
YT-71556	306
YT-71560	306
YT-71561	306
YT-71562	306
YT-71565	306
YT-71566	306
YT-71567	306
YT-71570	308
YT-71571	308
YT-71572	308
YT-71650	311
YT-71655	311
YT-71700	307
YT-71701	307
YT-71702	307
YT-71990	309
YT-71993	310
YT-7200	309
YT-72002	309
YT-72003	309
YT-72004	309
YT-7201	309
YT-7205	309
YT-72090	309
YT-72093	309
YT-72100	318
YT-72101	318
YT-72102	318
YT-72106	320
YT-72107	320
YT-72108	320
YT-72115	320
YT-72116	320
YT-72120	320
YT-72121	320
YT-72122	320
YT-72125	320
YT-72126	320
YT-72127	320
YT-72140	319
YT-72141	319
YT-7220	318
YT-7221	318
YT-7222	318
YT-7223	318
YT-72300	310
YT-72301	310
YT-72302	310
YT-72303	310
YT-72305	310
YT-72450	310
YT-72453	310
YT-72460	310
YT-72500	279
YT-72501	279
YT-72502	279
YT-72505	279
YT-72507	279
YT-72510	279
YT-72513	279
YT-72900	310

YATO	page
YT-72960	455
YT-72963	422
YT-72970	431
YT-72971	319
YT-72977	455
YT-72978	455
YT-72982	427
YT-72985	427
YT-72986	427
YT-72990	422
YT-72995	424
YT-72996	424
YT-7301	422
YT-73011	420
YT-73012	421
YT-7302	422
YT-73022	421
YT-73023	421
YT-73024	421
YT-73025	420
YT-73030	422
YT-73031	422
YT-73040	431
YT-73045	432
YT-73050	421
YT-73055	422
YT-7306	423
YT-7307	421
YT-73072	421
YT-73074	421
YT-73079	470
YT-73080	170
YT-73081	170
YT-73082	170
YT-730822	172
YT-73083	171
YT-73084	171
YT-73085	171
YT-73086	171
YT-73089	171
YT-730893	172
YT-730894	172
YT-730895	172
YT-73090	171
YT-73091	171
YT-73092	171
YT-73093	171
YT-730933	172
YT-730934	172
YT-730935	172
YT-73094	172
YT-730944	173
YT-73096	172
YT-73122	305
YT-731240	311
YT-731244	311
YT-731249	311
YT-731250	311
YT-731251	311
YT-731252	311
YT-73128	311
YT-731290	312
YT-73131	310
YT-73135	169/312
YT-73136	169
YT-73137	169
YT-73138	310
YT-73140	169
YT-73141	169
YT-73160	169
YT-73162	170
YT-73163	170
YT-73165	170
YT-73166	170
YT-73167	170
YT-73200	483
YT-73201	483
YT-73270	320
YT-73275	320
YT-73280	320
YT-73283	320

YATO	page
YT-73460	444
YT-73462	444
YT-73470	444
YT-7349	443
YT-7350	443
YT-73521	443
YT-7360	481
YT-7361	481
YT-7362	482
YT-7363	482
YT-73634	482
YT-7364	482
YT-73641	482
YT-7365	482
YT-7366	482
YT-7367	482
YT-7368	482
YT-73744	482
YT-7377	482
YT-7380	483
YT-7381	482
YT-73831	483
YT-73832	483
YT-73840	483
YT-73842	483
YT-73845	483
YT-73855	483
YT-73861	483
YT-73921	488
YT-73924	490
YT-73930	489
YT-73931	489
YT-73932	489
YT-73933	489
YT-73934	489
YT-73935	489
YT-73936	490
YT-73937	490
YT-73938	490
YT-73939	490
YT-73980	488
YT-73981	488
YT-73982	488
YT-73983	488
YT-73984	488
YT-73985	488
YT-7400	474
YT-74001	474
YT-74002	474
YT-74009	478
YT-7405	474
YT-74050	475
YT-74051	475
YT-74060	488
YT-74070	474
YT-74071	474
YT-7409	475
YT-7410	474
YT-7413	475
YT-7414	474
YT-74141	475
YT-7416	475
YT-7417	475
YT-74171	475
YT-74172	475
YT-7419	475
YT-7420	475
YT-74218	487
YT-74220	487
YT-74221	487
YT-74225	486
YT-74227	486
YT-74229	486
YT-74230	486
YT-74231	486
YT-74235	487
YT-74236	486
YT-74261	477
YT-74262	478
YT-74280	477
YT-74283	477

YATO	page
YT-74286	477
YT-74287	477
YT-74288	477
YT-74290	477
YT-74291	477
YT-7430	476
YT-7433	476
YT-74333	475
YT-74336	477
YT-7434	477
YT-7435	476
YT-74351	476
YT-74360	476
YT-74361	476
YT-74370	476
YT-74371	476
YT-74372	476
YT-74373	476
YT-7440	478
YT-74401	476
YT-74402	476
YT-7446	478
YT-7451	484
YT-74510	484
YT-74520	485
YT-7455	484
YT-74551	484
YT-7456	484
YT-7458	485
YT-74592	487
YT-74595	488
YT-7460	487
YT-7461	487
YT-74612	487
YT-74615	487
YT-74621	483
YT-74624	484
YT-74625	484
YT-74626	484
YT-74627	484
YT-74630	484
YT-74631	483
YT-74632	484
YT-74633	484
YT-74658	481
YT-74659	481
YT-7466	481
YT-74660	481
YT-746600	481
YT-74661	481
YT-74662	481
YT-746621	481
YT-74663	481
YT-74664	481
YT-746641	481
YT-746648	481
YT-74665	481
YT-74666	481
YT-74668	481
YT-746681	481
YT-7467	481
YT-74699	480
YT-7470	480
YT-7471	480
YT-74713	481
YT-74719	480
YT-7472	480
YT-74728	480
YT-74729	480
YT-7473	480
YT-74739	480
YT-7474	480
YT-74741	480
YT-74742	480
YT-74743	480
YT-74744	480
YT-74751	480
YT-74752	480
YT-74753	480
YT-74754	480
YT-74755	480

YATO	page
YT-74756	480
YT-74757	480
YT-74758	480
YT-74759	480
YT-74771	480
YT-74772	480
YT-7480	481
YT-7481	481
YT-74990	480
YT-74995	480
YT-75001	225
YT-75002	225
YT-75003	225
YT-7502	227
YT-7503	227
YT-7504	226
YT-7505	226
YT-7506	226
YT-7507	226
YT-75071	226
YT-75072	226
YT-7509	227
YT-7510	227
YT-75101	227
YT-7511	226
YT-7512	226
YT-75121	225
YT-75122	225
YT-75123	225
YT-75124	225
YT-75125	226
YT-75140	228
YT-75150	226
YT-7520	225
YT-75201	225
YT-75202	226
YT-75203	226
YT-75204	226
YT-75210	226
YT-75220	226
YT-7523	225
YT-75230	227
YT-75235	227
YT-7524	227
YT-7525	227
YT-75260	227
YT-75261	227
YT-75262	227
YT-7527	227
YT-7528	227
YT-7529	227
YT-7530	227
YT-7531	227
YT-75311	227
YT-7532	225
YT-7534	225
YT-75360	228
YT-75370	228
YT-75460	267
YT-75461	267
YT-75464	267
YT-75465	267
YT-75467	267
YT-7550	267
YT-7551	267
YT-75520	228
YT-7560	228
YT-7561	228
YT-7600	163
YT-7601	163
YT-76031	224
YT-76040	224
YT-76041	224
YT-76042	224
YT-76043	224
YT-76050	224
YT-76051	224
YT-76052	224
YT-76080	254
YT-76085	252
YT-76086	252

YATO	page
YT-76087	252
YT-76101	252
YT-76103	252
YT-76105	252
YT-76108	252
YT-7620	277
YT-7624	277
YT-76260	276
YT-76261	276
YT-76266	276
YT-76276	273
YT-76590	38
YT-76591	38
YT-76592	38
YT-76593	38
YT-76594	37
YT-76595	37
YT-76596	36
YT-76597	38
YT-7679	36
YT-7680	36
YT-7681	36
YT-7682	38
YT-7683	38
YT-7684	38
YT-7685	38
YT-7686	38
YT-7687	38
YT-7688	38
YT-7689	38
YT-7690	38
YT-7691	38
YT-7692	38
YT-7693	37
YT-7694	37
YT-7695	37
YT-7696	37
YT-7697	37
YT-7698	37
YT-7699	37
YT-7700	36
YT-7701	36
YT-7702	36
YT-7706	36
YT-7707	36
YT-7708	36
YT-77170	37
YT-77171	37
YT-77172	37
YT-77191	434
YT-7723	36
YT-7732	37
YT-7750	39
YT-7751	39
YT-7752	39
YT-7753	40
YT-77540	40
YT-77541	40
YT-77542	40
YT-77930	95
YT-77931	95
YT-77932	95
YT-77933	95
YT-77934	95
YT-77935	95
YT-77940	95
YT-77941	95
YT-77942	95
YT-77943	95
YT-77944	95
YT-77945	95
YT-77946	95
YT-77950	95
YT-77951	95
YT-77952	95
YT-77953	95
YT-77954	95
YT-77955	95
YT-77960	95
YT-77961	95
YT-77962	95

YATO	page
YT-77963	95
YT-77964	95
YT-77965	95
YT-77966	95
YT-77970	95
YT-77971	95
YT-77972	95
YT-77973	95
YT-77974	95
YT-77975	95
YT-77980	95
YT-77981	95
YT-77982	95
YT-77983	95
YT-77984	95
YT-77985	95
YT-77986	95
YT-7800	95
YT-78000	100
YT-78001	100
YT-78002	100
YT-78003	99
YT-78004	99
YT-78005	99
YT-7801	95
YT-78010	99
YT-78011	99
YT-78012	99
YT-78013	99
YT-78014	99
YT-78015	99
YT-78016	99
YT-7802	95
YT-78020	99
YT-78021	99
YT-78022	99
YT-78023	100
YT-78024	100
YT-78025	100
YT-78030	99
YT-78031	99
YT-78032	99
YT-78033	99
YT-78034	99
YT-78035	99
YT-78036	99
YT-7804	95
YT-78040	99
YT-78041	99
YT-78042	99
YT-78043	99
YT-78044	99
YT-78045	99
YT-7805	95
YT-78050	99
YT-78051	99
YT-78052	99
YT-78053	99
YT-78054	99
YT-78055	99
YT-78056	99
YT-78057	99
YT-7806	95
YT-78060	97
YT-78061	97
YT-78062	97
YT-78063	97
YT-78064	97
YT-78065	97
YT-78066	97
YT-78067	97
YT-78068	97
YT-78069	97
YT-7807	95
YT-78070	97
YT-78071	97
YT-78073	97
YT-78075	104
YT-78076	104
YT-78077	104
YT-7808	95

YATO	page
YT-78130	96
YT-78131	96
YT-78132	96
YT-78133	96
YT-78134	96
YT-78135	96
YT-78136	96
YT-78141	95
YT-78142	95
YT-78143	95
YT-78144	95
YT-78145	95
YT-78146	95
YT-78147	95
YT-78150	96
YT-78151	96
YT-78152	96
YT-78153	96
YT-78154	96
YT-78155	96
YT-78156	96
YT-78160	97
YT-78161	97
YT-78162	97
YT-78163	97
YT-78164	97
YT-78165	97
YT-78166	97
YT-78167	97
YT-78170	100
YT-78190	97
YT-78191	97
YT-78192	97
YT-78193	97
YT-78194	97
YT-7821	96
YT-7822	96
YT-7823	96
YT-7824	96
YT-7825	96
YT-7826	96
YT-7827	96
YT-7828	96
YT-7829	96
YT-7830	96
YT-7831	96
YT-7832	96
YT-7833	96
YT-7834	96
YT-78340	490
YT-78341	490
YT-78342	490
YT-78343	490
YT-7840	96
YT-7841	96
YT-7842	96
YT-7843	96
YT-7844	96
YT-7845	96
YT-7848	96
YT-7853	96
YT-7854	96
YT-7855	96
YT-7856	96
YT-7857	96
YT-7858	96
YT-7859	96
YT-7860	96
YT-7861	96
YT-7863	96
YT-7864	96
YT-7865	96
YT-7866	96
YT-7867	96
YT-7869	96
YT-7870	96
YT-7871	96
YT-7872	96
YT-7873	96
YT-7874	96
YT-7881	96

YATO	page
YT-7888	97
YT-7889	97
YT-7890	97
YT-7891	97
YT-7892	97
YT-7893	97
YT-7894	97
YT-7895	97
YT-7896	97
YT-7897	98
YT-7898	98
YT-7899	98
YT-7900	98
YT-7901	98
YT-7902	98
YT-7903	98
YT-7904	98
YT-7905	98
YT-79050	498
YT-79051	498
YT-79052	498
YT-79053	498
YT-79054	498
YT-79055	498
YT-7906	98
YT-7907	98
YT-7908	98
YT-79080	499
YT-79081	499
YT-79082	499
YT-79083	499
YT-79084	499
YT-79085	499
YT-7909	98
YT-79090	499
YT-79091	499
YT-79092	499
YT-79093	499
YT-79094	499
YT-79095	499
YT-7910	98
YT-79100	499
YT-79101	499
YT-79102	499
YT-79103	499
YT-79104	499
YT-79105	499
YT-79110	499
YT-79111	499
YT-79112	499
YT-79113	499
YT-79114	499
YT-79115	499
YT-7912	98
YT-79120	499
YT-79121	499
YT-79122	499
YT-79123	499
YT-79124	499
YT-79125	499
YT-79130	499
YT-79131	499
YT-79132	499
YT-79133	499
YT-79134	499
YT-79135	499
YT-79140	499
YT-79141	499
YT-79142	499
YT-79143	499
YT-79144	499
YT-79145	499
YT-7915	98
YT-7916	98
YT-79160	497
YT-79161	497
YT-79162	497
YT-79163	497
YT-79164	497
YT-79165	497
YT-7917	98

YATO	page
YT-79170	497
YT-79171	497
YT-79172	497
YT-79173	497
YT-79174	497
YT-79175	497
YT-79176	497
YT-79177	497
YT-79178	497
YT-79179	497
YT-7918	98
YT-79180	497
YT-79181	497
YT-79182	497
YT-79183	497
YT-79184	497
YT-79185	497
YT-79186	497
YT-79187	497
YT-79188	497
YT-79189	497
YT-7919	97
YT-79190	497
YT-79191	497
YT-79192	497
YT-79193	497
YT-79194	497
YT-79195	497
YT-79196	497
YT-79197	497
YT-79198	497
YT-79199	497
YT-7920	97
YT-79200	496
YT-79201	496
YT-79202	496
YT-79203	496
YT-79204	496
YT-79205	496
YT-7922	97
YT-7923	97
YT-79240	500
YT-79241	500
YT-79242	500
YT-79243	500
YT-79244	500
YT-79245	500
YT-79250	501
YT-79251	501
YT-79252	501
YT-79253	501
YT-79254	501
YT-79255	501
YT-7929	98
YT-7931	98
YT-7932	98
YT-7934	98
YT-7935	98
YT-7936	98
YT-7937	98
YT-7938	98
YT-7939	98
YT-7940	98
YT-79400	500
YT-79401	500
YT-79402	500
YT-79403	500
YT-79404	500
YT-7941	98
YT-7942	98
YT-7943	98
YT-7944	98
YT-7945	98
YT-7946	98
YT-7947	98
YT-7948	98
YT-7949	98
YT-79520	497
YT-79521	497
YT-79522	497
YT-79523	497

YATO	page
YT-79524	497
YT-79525	497
YT-7953	99
YT-7954	99
YT-79540	496
YT-79541	496
YT-79542	496
YT-79543	496
YT-79544	496
YT-79545	496
YT-7955	99
YT-79550	496
YT-79551	496
YT-79552	496
YT-79553	496
YT-79554	496
YT-79555	496
YT-7956	99
YT-79560	496
YT-79561	496
YT-79562	496
YT-79563	496
YT-79564	496
YT-79565	496
YT-7957	99
YT-79570	496
YT-79571	496
YT-79572	496
YT-79573	496
YT-79574	496
YT-79575	496
YT-7958	99
YT-7959	99
YT-7960	99
YT-7961	99
YT-7962	97
YT-79620	496
YT-79621	496
YT-79622	496
YT-79623	496
YT-79624	496
YT-79625	496
YT-7963	97
YT-7964	97
YT-7965	97
YT-7966	97
YT-79660	496
YT-79661	496
YT-79662	496
YT-79663	496
YT-79664	496
YT-79665	496
YT-7971	98
YT-79716	501
YT-79717	501
YT-79718	501
YT-79719	501
YT-7972	98
YT-79720	501
YT-79721	501
YT-79722	501
YT-79723	501
YT-79724	501
YT-79725	501
YT-79726	501
YT-79727	501
YT-79728	501
YT-79729	501
YT-7973	98
YT-79730	501
YT-79731	501
YT-79732	501
YT-79733	501
YT-7974	98
YT-7975	98
YT-7980	100
YT-79880	521
YT-79881	521
YT-79882	521
YT-79883	521
YT-79884	521

YATO	page
YT-79901	520
YT-79904	520
YT-79905	520
YT-79907	520
YT-79910	520
YT-79915	521
YT-79916	521
YT-79925	521
YT-79926	521
YT-79940	521
YT-79943	521
YT-79950	607
YT-79951	607
YT-79952	607
YT-79955	607
YT-79970	185
YT-79971	185
YT-79972	185
YT-79973	185
YT-79974	186
YT-79975	186
YT-79976	186
YT-79977	186
YT-79978	186
YT-79979	186
YT-79980	186
YT-79981	186
YT-79982	186
YT-79985	186
YT-79986	186
YT-79990	186
YT-8001	185
YT-8002	185
YT-8003	185
YT-8004	185
YT-8005	185
YT-8006	185
YT-80070	185
YT-80071	185
YT-80072	185
YT-80073	185
YT-8011	186
YT-8012	186
YT-80130	186
YT-80140	497
YT-80141	497
YT-80142	497
YT-80143	497
YT-80144	497
YT-80145	497
YT-80146	500
YT-80147	500
YT-80148	500
YT-80149	500
YT-80150	500
YT-80151	500
YT-80152	501
YT-80153	501
YT-80154	501
YT-80155	501
YT-80156	501
YT-80157	501
YT-80164	499
YT-80165	499
YT-80166	499
YT-80167	499
YT-80168	499
YT-80169	499
YT-80176	498
YT-80177	498
YT-80178	498
YT-80179	498
YT-80180	498
YT-80181	498
YT-80182	500
YT-80183	500
YT-80184	500
YT-80185	500
YT-80186	500
YT-80187	500
YT-80188	501

YATO	page
YT-80189	501
YT-80190	501
YT-80191	501
YT-80192	501
YT-80193	501
YT-80194	500
YT-80195	500
YT-80197	500
YT-80199	500
YT-80199A	500
YT-80199B	500
YT-8020	497
YT-8021	497
YT-8022	497
YT-8023	497
YT-8024	497
YT-8025	499
YT-8026	499
YT-8027	499
YT-8028	499
YT-80280	498
YT-80281	498
YT-80282	498
YT-80283	498
YT-80284	498
YT-80285	498
YT-80286	498
YT-80287	498
YT-80288	498
YT-80289	498
YT-8029	499
YT-80290	501
YT-80291	501
YT-80292	501
YT-80293	501
YT-80294	501
YT-8030	501
YT-8031	501
YT-8032	501
YT-8033	501
YT-8034	501
YT-80395	498
YT-80396	498
YT-80397	498
YT-80398	498
YT-80399	498
YT-80400	498
YT-80401	500
YT-80402	500
YT-80403	500
YT-80404	500
YT-80405	500
YT-80406	500
YT-80407	501
YT-80408	501
YT-80409	501
YT-80410	501
YT-80411	501
YT-80412	501
YT-80490	493
YT-80501	492
YT-80503	492
YT-80509	492
YT-80510	492
YT-80511	492
YT-80512	492
YT-80513	492
YT-80514	492
YT-80515	492
YT-80516	492
YT-80517	492
YT-80521	493
YT-80522	493
YT-80523	493
YT-80524	493
YT-80525	493
YT-80526	493
YT-80527	493
YT-80528	493
YT-80529	493
YT-80530	493

YATO	page
YT-80531	493
YT-80532	493
YT-80533	493
YT-80534	493
YT-80535	493
YT-80536	493
YT-80537	493
YT-80538	493
YT-80552	493
YT-80583	492
YT-80584	492
YT-80585	492
YT-80586	492
YT-80587	492
YT-80588	492
YT-80589	492
YT-80590	492
YT-80591	492
YT-805920	493
YT-805921	493
YT-805922	493
YT-805923	493
YT-805924	493
YT-805925	493
YT-805926	493
YT-805927	493
YT-805928	493
YT-805929	493
YT-805930	493
YT-805931	493
YT-805940	494
YT-805941	494
YT-805942	494
YT-805943	494
YT-805944	494
YT-805945	494
YT-805946	494
YT-805947	494
YT-805948	494
YT-805950	491
YT-805951	491
YT-805952	491
YT-805953	491
YT-805954	491
YT-805955	491
YT-805956	491
YT-805957	491
YT-805958	491
YT-805960	491
YT-805961	491
YT-805962	491
YT-805963	491
YT-805964	491
YT-805965	491
YT-805966	491
YT-805967	491
YT-805968	491
YT-80620	492
YT-80621	492
YT-80622	492
YT-80623	492
YT-80624	492
YT-80625	492
YT-80626	492
YT-80627	492
YT-80628	492
YT-80629	493
YT-80630	493
YT-80631	493
YT-80632	493
YT-80633	493
YT-80634	493
YT-80635	493
YT-80636	493
YT-80637	493
YT-80638	493
YT-80639	493
YT-80640	493
YT-80650	494
YT-80651	494
YT-80652	494

YATO	page
YT-80653	494
YT-80654	494
YT-80655	494
YT-80656	494
YT-80657	494
YT-80658	494
YT-80660	494
YT-80661	494
YT-80662	494
YT-80663	494
YT-80664	494
YT-80665	494
YT-80666	494
YT-80667	494
YT-80668	494
YT-80670	494
YT-80671	494
YT-80672	494
YT-80673	494
YT-80674	494
YT-80675	494
YT-80676	494
YT-80677	494
YT-80678	494
YT-80680	494
YT-80681	494
YT-80682	494
YT-80683	494
YT-80684	494
YT-80685	494
YT-80686	494
YT-80687	494
YT-80688	494
YT-80750	492
YT-80751	492
YT-80752	492
YT-80753	492
YT-80754	492
YT-80755	492
YT-80756	492
YT-80757	492
YT-80758	492
YT-807722	495
YT-807723	495
YT-807724	495
YT-807725	495
YT-807726	495
YT-807727	495
YT-807731	495
YT-807732	495
YT-807733	495
YT-807734	495
YT-807735	495
YT-807736	495
YT-807737	495
YT-807741	495
YT-807742	495
YT-807743	495
YT-807744	495
YT-807745	495
YT-807746	495
YT-807747	495
YT-807751	495
YT-807752	495
YT-807753	495
YT-807754	495
YT-807755	495
YT-807756	495
YT-807757	495
YT-807761	495
YT-807762	495
YT-807763	495
YT-807764	495
YT-807765	495
YT-807766	495
YT-807771	495
YT-807772	495
YT-807773	495
YT-807774	495
YT-807775	495
YT-807776	495

YATO	page
YT-80792	494
YT-80793	494
YT-80794	494
YT-80795	494
YT-80796	494
YT-80797	494
YT-80798	494
YT-80799	494
YT-80800	494
YT-80801	494
YT-80802	494
YT-80820	491
YT-80832	492
YT-80833	492
YT-80834	492
YT-80835	492
YT-80836	492
YT-80837	492
YT-80838	492
YT-80839	492
YT-80840	492
YT-80841	491
YT-80842	491
YT-80843	491
YT-80844	491
YT-80845	491
YT-80846	491
YT-80847	491
YT-80848	491
YT-80849	491
YT-808500	491
YT-808501	491
YT-808502	491
YT-808503	491
YT-808504	491
YT-808505	491
YT-808506	491
YT-808507	491
YT-808508	491
YT-808701	491
YT-808702	491
YT-808703	491
YT-808704	491
YT-808705	491
YT-808706	491
YT-808707	491
YT-808708	491
YT-808709	491
YT-80881	496
YT-80882	496
YT-80883	496
YT-80884	496
YT-80885	496
YT-80886	496
YT-80887	496
YT-80888	496
YT-80890	496
YT-80891	496
YT-80892	496
YT-80893	496
YT-80894	496
YT-80895	496
YT-80896	496
YT-80897	496
YT-80898	496
YT-80900	498
YT-80901	498
YT-80902	498
YT-80903	498
YT-80904	498
YT-80905	498
YT-80906	498
YT-80907	498
YT-80908	498
YT-80909	498
YT-80910	498
YT-80911	498
YT-80924	498
YT-80925	498
YT-80926	498
YT-80927	498

YATO	page
YT-80928	498
YT-80929	498
YT-80930	498
YT-80931	498
YT-80932	498
YT-80933	498
YT-80934	498
YT-80935	498
YT-80950	500
YT-80951	500
YT-80952	500
YT-80953	500
YT-80954	500
YT-80955	500
YT-80962	500
YT-80963	500
YT-80964	500
YT-81052	631
YT-81053	631
YT-81054	631
YT-8106	631
YT-8107	631
YT-8108	631
YT-8116	631
YT-81162	631
YT-8120	631
YT-81220	631
YT-81221	631
YT-81240	631
YT-81241	631
YT-81242	631
YT-81300	630
YT-81301	631
YT-81302	630
YT-81303	630
YT-81350	579
YT-81352	579
YT-81353UL	579
YT-81440	468
YT-81441	468
YT-81442	469
YT-81443	469
YT-81450	469
YT-81451	468
YT-81452	469
YT-81453	469
YT-81454	469
YT-81460	469
YT-81461	469
YT-81480	454
YT-81481	454
YT-81482	454
YT-81483	454
YT-81484	454
YT-81490	454
YT-81491	454
YT-81500	440
YT-81501	440
YT-8152	162
YT-8156	162
YT-8159	162
YT-81591	162
YT-81592	162
YT-81593	162
YT-81594	162
YT-81595	162
YT-81596	162
YT-8165	162
YT-81651	162
YT-81652	162
YT-81654	162
YT-81655	162
YT-81656	162
YT-8166	162
YT-8173	162
YT-8174	162
YT-8177	162
YT-81811	619
YT-818141	619
YT-818151	619
YT-818161	619

YATO	page
YT-818171	619
YT-81819	620
YT-81820	620
YT-81821	620
YT-818214	620
YT-818216	620
YT-818221	618
YT-818231	618
YT-818241	618
YT-818251	618
YT-818271	618
YT-818291	618
YT-818381	618
YT-818391	618
YT-81855	619
YT-81860	618
YT-81950	539
YT-81953	571
YT-81953BS	571
YT-81954	249
YT-81955	249
YT-81956	571
YT-81957	250
YT-81958	249
YT-81963	571
YT-81980	562
YT-81980BS	562
YT-81983	563
YT-81983BS	563
YT-82001	562
YT-82001BS	562
YT-82002	562
YT-82002BS	562
YT-82002UL	562
YT-82003	562
YT-82004	562
YT-82005	562
YT-82015	556
YT-82015BS	556
YT-82016	556
YT-82017	556
YT-82019	556
YT-82020	551
YT-82020BS	551
YT-82021	551
YT-82021BS	551
YT-82022	551
YT-82025	551
YT-820300	560
YT-820301	560
YT-820302	560
YT-820303	560
YT-820304	560
YT-820305	560
YT-82031	559
YT-820311	560
YT-82031BS	559
YT-82031UL	559
YT-82032BS	558
YT-82032UL	558
YT-82033	559
YT-82033BS	559
YT-82033UL	559
YT-82034	559
YT-82034BS	559
YT-82036	559
YT-82036BS	559
YT-82036UL	559
YT-82037	559
YT-82037BS	559
YT-82044	559
YT-82044BS	559
YT-82045	559
YT-82048	559
YT-820500	563
YT-820501	563
YT-820502	563
YT-820507	534
YT-82055	558
YT-82055BS	558
YT-82060	559
YT-82063	558
YT-82075	527
YT-82076	527
YT-82077	551
YT-82080	551
YT-82081	551
YT-82082	551
YT-820821UL	551
YT-82082BS	551
YT-820833	552
YT-82087UL	551
YT-82088	551
YT-82088BS	551
YT-82088UL	551
YT-82089	552
YT-82092	552
YT-82092BS	552
YT-820950	553
YT-82096	552
YT-82097	552
YT-82097BS	552
YT-82098	552
YT-820983	552
YT-82099	552
YT-82099BS	552
YT-82100	552
YT-82100UL	552
YT-82101	552
YT-821014	553
YT-821017	553
YT-821018	553
YT-821020	553
YT-821021	553
YT-821023	552
YT-821024	552
YT-82104	553
YT-82104BS	553
YT-82104UL	553
YT-82105	553
YT-82105BS	553
YT-82105UL	553
YT-82106	553
YT-82110	553
YT-82110BS	553
YT-82114	553
YT-82116	561
YT-82117	561
YT-82118	561
YT-82118BS	561
YT-821200	554
YT-82121	560
YT-821210	561
YT-82121BS	560
YT-82121UL	560
YT-82122	560
YT-82122BS	560
YT-82122UL	560
YT-82123	561
YT-82123BS	561
YT-82123UL	561
YT-82127	561
YT-82127BS	561
YT-82131	561
YT-82131BS	561
YT-82132	562
YT-82133	561
YT-82134	561
YT-82135	562
YT-82141	568
YT-82141BS	568
YT-82141UL	568
YT-82142	568
YT-82142UL	568
YT-82144	568
YT-82147	567
YT-82148	567
YT-821505	556
YT-82151	565
YT-82152	565
YT-82152BS	565
YT-82152UL	565
YT-821533	565
YT-821534	565
YT-82154	565
YT-82155	565
YT-82157	557
YT-821571	593
YT-821572	592
YT-82158	556
YT-821583	557
YT-82158BS	556
YT-82159	557
YT-821591	557
YT-821593	536
YT-821594	536
YT-821595	557
YT-821596	557
YT-821597	557
YT-82160	557
YT-82160BS	557
YT-82160UL	557
YT-82161	557
YT-82161BS	557
YT-82163	556
YT-82164	556
YT-82165	567
YT-82165UL	567
YT-82167	565
YT-82168	564
YT-82168BS	564
YT-82169	564
YT-821701	532
YT-821702	532
YT-821710	566
YT-821722	566
YT-82173	567
YT-821732	566
YT-82173BS	567
YT-82173UL	567
YT-82174	566
YT-82175	566
YT-82175BS	566
YT-82176	566
YT-82179	554
YT-82181	558
YT-82181BS	558
YT-82181UL	558
YT-82185	558
YT-82185BS	558
YT-82190	575
YT-821901	575
YT-821905	531
YT-82191	575
YT-821915	531
YT-821916	531
YT-821919	575
YT-82192	533
YT-82194	533
YT-82196	558
YT-82196BS	558
YT-82197BS	558
YT-82197UL	558
YT-82198	558
YT-82200	558
YT-82200BS	558
YT-82205	569
YT-82206	569
YT-82207	569
YT-82207BS	569
YT-82208	569
YT-822100	567
YT-822103	567
YT-822107	567
YT-822110	567
YT-822112	567
YT-82220	572
YT-82221	572
YT-82223	572
YT-82223BS	572
YT-82226	536
YT-82227	536
YT-82230	569
YT-82230BS	569
YT-82240	568
YT-82240BS	568
YT-82242	568
YT-82250	164
YT-82265	566
YT-82266	565
YT-82267	566
YT-82267BS	566
YT-82275	566
YT-82275BS	566
YT-82275UL	566
YT-82281	569
YT-82281BS	569
YT-82282	569
YT-82284	557
YT-82285	531
YT-82288	576
YT-82288BS	576
YT-82291	576
YT-82291BS	576
YT-82291UL	576
YT-82292	576
YT-82293	576
YT-82293BS	576
YT-82294	577
YT-82294	173
YT-82294BS	577
YT-82295	173/577
YT-82295BS	577
YT-82296	173/577
YT-82296BS	577
YT-82297	577
YT-82300	577
YT-82300BS	577
YT-82300UL	577
YT-82301	173/577
YT-82303	166
YT-82304	166
YT-82305	166
YT-82306	167
YT-82307	167
YT-82320	575
YT-82320BS	575
YT-82330	570
YT-82330BS	570
YT-82332	570
YT-82333	570
YT-82334	570
YT-82335	570
YT-82336	570
YT-82337	570
YT-82340	569
YT-82340BS	569
YT-82342	569
YT-82350	569
YT-82350BS	569
YT-82353	570
YT-82354	569
YT-82355	570
YT-82355BS	570
YT-82356	570
YT-82375	571
YT-82380	568
YT-82380BS	568
YT-82385	568
YT-82389	568
YT-82389UL	568
YT-82390	568
YT-82390BS	568
YT-82395	556
YT-82396	237
YT-82398	536
YT-82399	536
YT-8240	166
YT-82401	165
YT-82402	166
YT-82403	165
YT-8241	166
YT-82430	166
YT-82431	166
YT-82433	166
YT-82434	166
YT-82435	166
YT-82436	166
YT-82437	166
YT-82438	166
YT-82439	166
YT-82440	166
YT-82441	166
YT-82442	166
YT-82443	166
YT-82444	166
YT-82445	166
YT-82446	166
YT-82447	166
YT-824480	576
YT-824482	529
YT-824483	529
YT-824485	576
YT-824490	576
YT-8245	576
YT-82451	576
YT-82456	165
YT-82457	165
YT-82458	165
YT-82459	165
YT-82460	165
YT-82460BS	165
YT-82463	165
YT-82467	167
YT-82468	167
YT-82469	167
YT-82470	164
YT-82471	164
YT-82472	164
YT-82473	164
YT-82475	164
YT-82476	164
YT-82477	164
YT-82488	164
YT-824981	167
YT-824982	167
YT-82500	165
YT-82501	168
YT-82502	168
YT-82503	168
YT-82504	168
YT-82505	168
YT-82506	168
YT-82510	168
YT-82512	167
YT-82514	170
YT-82516	167
YT-82520	168
YT-82525	168
YT-82526	168
YT-82530	169
YT-82531	169
YT-82532	169
YT-82540	168
YT-82541	168
YT-82542	168
YT-82550	571
YT-82550BS	571
YT-82553	571
YT-82553BS	571
YT-82555	571
YT-82555BS	571
YT-82560	571
YT-82560BS	571
YT-82563	572
YT-82564	572
YT-82566	571
YT-82567	572
YT-82568	572
YT-82595	563
YT-82596	563
YT-82597	563
YT-82600	564
YT-82600BS	564
YT-82601	563
YT-82601BS	563
YT-82604	531
YT-82605	564
YT-82606	564
YT-82607	564
YT-82607BS	564
YT-82607UL	564
YT-82608	564
YT-82609	564
YT-82611	563
YT-82612	563
YT-82613	563
YT-82700	164
YT-82701	164
YT-82703	164
YT-8271	164
YT-8272	164
YT-8273	164
YT-82742	164
YT-82743	164
YT-82744	164
YT-82751	538
YT-82753	538
YT-827533	539
YT-82760	550
YT-82763	550
YT-82765	530
YT-82767	530
YT-82772	539
YT-827721	539
YT-827722	539
YT-827723	539
YT-827724	539
YT-827725	539
YT-827726	539
YT-827788	526
YT-827790	526
YT-8277905	526
YT-827791	526
YT-8277915	526
YT-827792	527
YT-8277925	527
YT-827793	527
YT-8277935	527
YT-827795	528
YT-827820	526
YT-827821	526
YT-827822	526
YT-82787	526
YT-82791	526
YT-82792	526
YT-82798	526
YT-82799	526
YT-828030	528
YT-828031	528
YT-828033	529
YT-828035	529
YT-828063	527
YT-828064	527
YT-828066	528
YT-828068	528
YT-82807	527
YT-828071	527
YT-828072	527
YT-828073	528
YT-828074	528
YT-828075	528
YT-828076	528
YT-828079	528
YT-828080	532
YT-828081	532
YT-82810	532
YT-82811	532
YT-828118	532
YT-8281185	532
YT-82812	545
YT-82813	545
YT-828131	545
YT-828132	545
YT-828133	545
YT-828134	545
YT-828135	545
YT-828136	545
YT-828137	545
YT-828138	545
YT-82814	533
YT-82815	533
YT-828151	533
YT-828152	533
YT-828153	533
YT-828154	533
YT-82816	533
YT-82817	533
YT-82818	534
YT-82819	534
YT-82822	532
YT-82823	532
YT-828244	536
YT-8282445	536
YT-828245	537
YT-828246	537
YT-828251	537
YT-828252	537
YT-828253	537
YT-828254	537
YT-828255	537
YT-828256	537
YT-828296	536
YT-828297	537
YT-828299	537
YT-8282995	537
YT-82830	542
YT-82831	542
YT-82832	544
YT-82833	544
YT-828331	545
YT-828332	545
YT-828333	545
YT-828334	545
YT-828335	544
YT-828336	544
YT-828337	544
YT-82834	545
YT-82835	545
YT-828353	544
YT-828355	544
YT-828356	544
YT-828357	544
YT-828358	544
YT-82836	542
YT-82837	542
YT-828380	542
YT-828381	542
YT-828382	542
YT-828383	542
YT-828390	542
YT-828391	542
YT-828461	548
YT-828462	548
YT-828463	548
YT-828464	548
YT-828465	548
YT-828498	549
YT-828498BS	549
YT-828498UL	549
YT-828499	549
YT-828499BS	549
YT-828499UL	549
YT-828500	549
YT-828500BS	549
YT-828500UL	549
YT-828501	549
YT-828501BS	549
YT-828501UL	549
YT-828502	548
YT-828502BS	548
YT-828502UL	548
YT-828503	548
YT-828504	549
YT-828510	548
YT-82852BL	550
YT-82854	529
YT-82877	531
YT-82888	530
YT-82889	530
YT-82894	530
YT-82895	530
YT-82902	550
YT-829021	550
YT-82903	550
YT-82904	549
YT-82905	550
YT-82909	549
YT-82910	549
YT-82912	549
YT-82915	558
YT-82916	558
YT-82920	538
YT-82922	538
YT-82924	537
YT-82925	537
YT-82927	538
YT-82929	538
YT-82933	539
YT-82936	550
YT-829383	541
YT-829385	541
YT-82940	540
YT-82950	444
YT-82955	535
YT-82956	535
YT-829600	620
YT-829601	621
YT-829602	621
YT-829603	621
YT-829604	621
YT-82961	620
YT-82965	620
YT-82966	620
YT-829670	621
YT-829671	621
YT-829672	621
YT-829673	621
YT-829674	621
YT-829675	621
YT-829683	621
YT-829690	628
YT-829691	628
YT-829693	628
YT-82970	554
YT-82971	554
YT-82972	554
YT-82976	554
YT-829781	556
YT-829783	555
YT-829785	556
YT-829788	556
YT-82980	554
YT-82981	562
YT-82982	554
YT-82984	554
YT-82985	555
YT-82986	555
YT-829861	555
YT-82988	555
YT-82990	555
YT-82992	555
YT-82994	555
YT-82995	555
YT-82996	555
YT-82997	555
YT-82998	555
YT-83000	453
YT-83001	453
YT-83002	453
YT-83003	453
YT-83033	453
YT-83037	453
YT-8304	453
YT-83060	453
YT-83061	453
YT-83062	453
YT-83062UL	453

YATO	page
YT-83063	453
YT-83064	454
YT-83065	454
YT-83082	454
YT-83085	454
YT-83090	579
YT-83091	579
YT-83092	579
YT-83095	579
YT-83096	579
YT-8310	455
YT-83101	455
YT-8311	455
YT-83113	455
YT-83114	455
YT-83130	471
YT-83140	470
YT-83141	470
YT-83142	470
YT-83143	470
YT-83144	471
YT-83145	470
YT-83146	470
YT-83147	470
YT-83148	470
YT-83151	455
YT-83152	455
YT-83153	455
YT-83160	246
YT-83161	246
YT-83162	246
YT-83163	246
YT-83164	246
YT-83165	246
YT-83166	246
YT-83167	246
YT-83168	246
YT-83169	246
YT-83227	248
YT-83229	248
YT-83230	248
YT-83232	584
YT-83236	248
YT-83251	244
YT-83252	244
YT-83253	244
YT-83254	244
YT-83255	244
YT-83256	244
YT-83260	246
YT-83261	246
YT-83262	246
YT-83263	246
YT-83264	246
YT-83265	246
YT-83266	246
YT-83271	246
YT-83272	246
YT-83273	246
YT-83274	246
YT-83275	246
YT-83276	246
YT-83281	246
YT-83282	246
YT-83283	246
YT-83284	246
YT-83285	246
YT-83286	246
YT-83291	246
YT-83292	246
YT-83293	246
YT-83294	246
YT-83295	246
YT-83296	246
YT-833000	246
YT-833001	246
YT-833002	246
YT-833003	246
YT-833004	246
YT-833005	246
YT-833006	246

YATO	page
YT-833007	246
YT-833008	246
YT-833009	246
YT-83351	248
YT-83352	248
YT-83353	248
YT-83354	248
YT-83355	248
YT-83356	248
YT-83361	248
YT-83362	248
YT-83363	248
YT-83364	248
YT-83365	248
YT-83366	248
YT-83371	248
YT-83372	248
YT-83373	248
YT-83374	248
YT-83375	248
YT-83376	248
YT-83381	249
YT-83382	249
YT-83383	249
YT-83384	249
YT-83385	249
YT-83386	249
YT-83390	249
YT-83391	249
YT-83392	249
YT-83393	249
YT-83394	249
YT-83395	249
YT-83396	249
YT-83397	249
YT-83398	249
YT-83399	249
YT-83400	249
YT-83401	249
YT-83430	247
YT-83431	247
YT-83432	247
YT-83433	247
YT-83434	247
YT-83435	247
YT-83436	247
YT-83437	247
YT-83438	247
YT-83440	248
YT-83441	248
YT-83442	248
YT-83443	248
YT-83444	248
YT-83445	248
YT-83446	248
YT-83447	248
YT-83448	248
YT-83450	247
YT-83451	247
YT-83452	247
YT-83453	247
YT-83454	247
YT-83455	247
YT-83456	247
YT-83457	247
YT-83458	247
YT-834581	248
YT-834582	248
YT-834583	248
YT-834584	248
YT-834585	248
YT-834586	248
YT-834587	248
YT-834588	248
YT-834589	248
YT-834591	247
YT-834592	247
YT-834593	247
YT-834594	247
YT-834595	247
YT-834596	247

YATO	page
YT-834597	247
YT-834598	247
YT-834599	247
YT-83460	248
YT-83461	248
YT-83462	248
YT-83463	248
YT-83464	248
YT-83465	248
YT-83466	248
YT-83467	248
YT-83471	248
YT-83472	248
YT-83473	248
YT-83474	248
YT-83475	248
YT-83476	248
YT-83477	248
YT-8350	246
YT-8351	246
YT-8352	246
YT-8353	246
YT-8354	246
YT-8355	246
YT-8356	246
YT-8357	246
YT-8358	246
YT-83800	247
YT-83801	247
YT-83802	247
YT-83803	247
YT-83804	247
YT-83805	247
YT-83806	247
YT-83807	247
YT-83808	247
YT-8400	246
YT-8401	246
YT-8402	246
YT-8403	246
YT-8404	246
YT-8405	247
YT-8406	247
YT-8407	247
YT-8408	247
YT-8409	247
YT-8410	247
YT-8411	247
YT-8412	247
YT-8413	247
YT-8414	247
YT-8415	247
YT-8416	247
YT-8417	247
YT-8418	247
YT-84660	588
YT-84670	588
YT-84671	588
YT-84672	588
YT-84675	588
YT-84770	586
YT-84790	587
YT-84797	605
YT-84800	587
YT-84810	609
YT-84811	609
YT-84812	609
YT-84813	609
YT-84814	609
YT-84815	609
YT-84816	609
YT-84817	609
YT-84820	551
YT-84821	608
YT-84822	609
YT-84825	609
YT-84826	609
YT-84827	607
YT-84828	563
YT-84829	563
YT-84830	608

YATO	page
YT-84831	608
YT-84832	608
YT-84835	608
YT-84836	608
YT-84840	595
YT-84850	599
YT-84860	599
YT-84861	599
YT-84868	589
YT-84870	589
YT-84870BS	589
YT-84871	589
YT-84872	589
YT-84877	589
YT-84877BS	589
YT-84891	589
YT-84892	590
YT-84893	590
YT-84895	590
YT-84901	590
YT-84910	590
YT-84914	591
YT-84915	590
YT-84916	590
YT-84917	590
YT-84918	590
YT-84919	590
YT-84921	591
YT-84923	591
YT-84925	590
YT-84927	590
YT-84928	591
YT-84929	592
YT-849299	591
YT-84930	591
YT-849301	591
YT-84931	590
YT-849311	591
YT-849329	592
YT-84933	592
YT-849331	592
YT-849332	592
YT-849333	592
YT-84934	592
YT-84935	590
YT-849351	592
YT-849355	590
YT-84936	592
YT-84937	592
YT-84938	592
YT-849381	591
YT-849382	591
YT-849383	591
YT-84939	593
YT-849395	593
YT-84940	593
YT-849405	593
YT-84941	593
YT-84942	593
YT-84943	593
YT-84944	593
YT-849441	593
YT-849449	593
YT-84945	593
YT-849451	593
YT-849452	593
YT-849453	593
YT-849465	593
YT-849470	593
YT-849472	593
YT-849474	593
YT-849475	593
YT-849477	593
YT-849479	593
YT-84948	593
YT-84949	593
YT-849495	593
YT-84950	593
YT-84951	593
YT-849529	593
YT-84953	593

YATO	page
YT-84954	593
YT-84956	593
YT-84959	594
YT-84960	594
YT-84961	594
YT-84962	594
YT-84963	594
YT-84971	594
YT-84975	594
YT-84976	594
YT-84977	594
YT-84978	594
YT-84980	548
YT-84981	548
YT-84990	594
YT-84990BS	594
YT-84995	587
YT-85003	587
YT-85004	587
YT-85005	587
YT-85010	543
YT-85013	543
YT-85014	543
YT-85015	543
YT-85016	543
YT-85017	543
YT-85018	543
YT-85019	543
YT-85020	543
YT-85022	256
YT-85025	256
YT-85026	256
YT-85027	256
YT-85030	256
YT-85031	256
YT-85032	256
YT-85035	256
YT-85036	256
YT-85037	256
YT-85040	256
YT-85041	256
YT-85042	256
YT-85051	592
YT-85060	256
YT-85061	256
YT-85062	256
YT-85065	256
YT-85066	256
YT-85067	256
YT-85075	589
YT-85111	588
YT-85121	588
YT-85135	588
YT-85141	588
YT-85150	588
YT-85155	588
YT-85160	595
YT-85161	595
YT-85162	595
YT-85170	586
YT-85170BS	586
YT-85173	541
YT-85175	541
YT-85176	541
YT-85177	541
YT-85179	541
YT-85180	586
YT-85180BS	586
YT-85182	585
YT-85191	604
YT-85192	604
YT-85200	595
YT-85200BS	595
YT-85205	595
YT-85205BS	595
YT-85208	595
YT-85208BS	595
YT-852090	597
YT-852091	597
YT-852092	597
YT-852093	597

YATO	page
YT-852094	598
YT-852095	597
YT-852097	598
YT-852098	598
YT-85220	547
YT-85221	547
YT-85222	547
YT-85223	547
YT-85224	547
YT-85225	547
YT-85230	586
YT-85234	586
YT-85234BS	586
YT-85245	595
YT-85255	595
YT-85271	548
YT-85283	542
YT-85286	583
YT-85287	583
YT-85290	540
YT-85291	540
YT-85300	582
YT-85300BS	582
YT-85301	582
YT-85301BS	582
YT-85310	583
YT-85311	583
YT-85312	583
YT-85330	582
YT-85330BS	582
YT-85333	582
YT-85333BS	582
YT-85341	582
YT-85341BS	582
YT-85343	582
YT-85343BS	582
YT-85349	583
YT-85350	583
YT-85350BS	583
YT-85363	584
YT-85364	584
YT-85370	584
YT-85370BS	584
YT-85371	584
YT-85372	584
YT-85390	583
YT-85392	584
YT-85393	584
YT-85394	585
YT-85401	603
YT-85402	604
YT-85403	604
YT-85410	604
YT-85411	604
YT-85412	604
YT-85415	604
YT-85420	603
YT-85423	577
YT-85424	577
YT-85425	578
YT-85426	578
YT-85435	578
YT-85435UL	578
YT-85438	578
YT-85438-380	578
YT-85441	577
YT-85441UL	577
YT-85442	578
YT-85443	578
YT-85443-380	578
YT-85444	578
YT-85445	578
YT-85445-380	578
YT-85446	578
YT-85446-380	578
YT-85520	596
YT-85521	596
YT-85525	596
YT-85528	596
YT-85532	596
YT-85533	596

YATO	page
YT-85537	597
YT-85545	597
YT-85550	601
YT-85551	600
YT-85552	600
YT-85570	597
YT-85580	600
YT-85590	599
YT-85591	599
YT-85592	599
YT-85600	600
YT-85605	600
YT-85606	600
YT-85680	540
YT-85682	540
YT-85683	540
YT-85688	540
YT-85689	540
YT-85691	540
YT-85700	574
YT-85700BS	574
YT-85701	574
YT-85701BS	574
YT-85706	574
YT-85710	574
YT-85710BS	574
YT-85715	574
YT-85715BS	574
YT-85716	574
YT-85716BS	574
YT-85717	574
YT-85718	574
YT-85720	574
YT-85720BS	574
YT-85740	574
YT-85741	574
YT-85742	575
YT-85743	575
YT-85744	574
YT-85745	575
YT-85750	574
YT-85760	575
YT-85770	574
YT-85800	586
YT-85800BS	586
YT-85803	589
YT-85803BS	589
YT-85850	601
YT-85851	601
YT-85860	601
YT-85861	601
YT-85862	601
YT-85863	602
YT-85864	602
YT-85865	602
YT-85866	602
YT-85867	602
YT-85868	602
YT-85869	602
YT-85870	602
YT-85872	603
YT-85873	603
YT-85874	603
YT-85876	603
YT-85877	603
YT-85878	603
YT-85880	603
YT-85881	602
YT-85903	585
YT-85903BS	585
YT-85910	585
YT-85910BS	585
YT-85910UL	585
YT-85915	585
YT-85915BS	585
YT-85915UL	585
YT-85930	530
YT-85960	585
YT-85970	585
YT-86097	605
YT-86106	605

YATO	page
YT-86115	605
YT-86120	605
YT-86125	605
YT-86139	606
YT-86140	606
YT-86150	606
YT-86155	606
YT-86158	606
YT-86160	606
YT-86161	607
YT-86211	531
YT-86220	585
YT-86240	604
YT-86400	609
YT-86650	522
YT-86660	523
YT-86700	523
YT-86713	523
YT-86715	523
YT-86760	522
YT-86763	522
YT-86800	520
YT-86801	520
YT-86805	520
YT-86808	520
YT-86809	520
YT-86840	520
YT-86950	522
YT-86951	521
YT-86960	522
YT-86961	522
YT-87650	521
YT-87730	518
YT-87731	518
YT-87732	518
YT-87750	518
YT-87850	513
YT-87860	513
YT-87861	513
YT-87890	514
YT-87891	514
YT-8790	513
YT-8791	513
YT-8800	512
YT-8801	512
YT-8802	512
YT-8805	512
YT-8807	512
YT-8808	512
YT-8809	512
YT-8811	513
YT-88120	514
YT-88121	514
YT-88122	515
YT-88123	515
YT-8815	513
YT-8816	513
YT-8817	513
YT-88180	513
YT-88182	514
YT-88183	514
YT-88185	514
YT-88186	514
YT-88190	514
YT-88191	514
YT-8821	517
YT-88212	517
YT-88213	517
YT-88214	517
YT-88215	517
YT-8822	517
YT-8823	517
YT-8824	517
YT-88250	518
YT-88290	516
YT-88291	516
YT-88292	516
YT-88293	516
YT-88294	516
YT-88295	516
YT-88296	516

YATO	page
YT-88297	516
YT-88298	516
YT-88299	516
YT-88300	516
YT-88307	516
YT-8831	515
YT-8832	515
YT-8833	515
YT-8835	515
YT-8836	515
YT-8838	515
YT-8839	515
YT-8840	515
YT-8841	515
YT-8842	515
YT-8843	514
YT-8845	513
YT-8849	514
YT-88505	513
YT-8851	518
YT-8852	518
YT-8853	518
YT-8854	518
YT-8865	518
YT-8866	518
YT-8867	518
YT-8868	519
YT-8869	519
YT-8870	519
YT-88750	519
YT-8876	517
YT-88770	517
YT-88771	517
YT-88772	517
YT-88780	518
YT-88781	518
YT-8885	519
YT-8886	519
YT-88880	379
YT-88881	379
YT-88882	379
YT-8889	519
YT-8890	519
YT-8891	519
YT-8892	519
YT-8894	519
YT-88940	519
YT-89000	583
YT-89010	504
YT-89011	504
YT-89012	504
YT-89013	504
YT-89014	505
YT-89015	505
YT-89016	505
YT-89018	504
YT-89020	506
YT-89021	506
YT-89022	506
YT-89023	507
YT-89030	504
YT-89031	504
YT-89032	504
YT-89033	505
YT-89040	508
YT-89041	508
YT-89042	508
YT-89043	508
YT-89050	508
YT-89051	508
YT-89052	508
YT-89055	508
YT-89060	508
YT-89061	508
YT-89062	508
YT-89070	505
YT-89075	505
YT-89076	505
YT-89077	505
YT-89078	506
YT-89080	506

YATO	page
YT-89081	506
YT-89100	507
YT-89103	507
YT-89500	509
YT-89510	509
YT-89511	509
YT-89512	509
YT-89513	509
YT-89514	509
YT-89515	509
YT-89610	509
YT-89611	510
YT-89620	510
YT-89630	510
YT-8967	509
YT-8968	509
YT-8970	505
YT-8971	506
YT-8972	506
YT-8973	506
YT-8974	507
YT-8975	507
YT-8976	507
YT-8977	507
YT-8978	507
YT-8979	505
YT-8984	510
YT-8985	510
YT-8986	510
YT-8991	510
YT-89911	511
YT-89912	511
YT-8993	511
YT-89933	511
YT-89934	511
YT-89940	162
YT-89950	163
YT-90100	512
YT-90101	512
YT-90102	512
YT-90120	511
YT-90121	511
YT-90122	511
YT-90130	511
YT-90200	512
YT-90201	512
YT-90600	564
YT-90601	564
YT-90602	564
YT-90603	564
YT-90604	564
YT-98000	553
YT-98200	580
YT-98201	580
YT-9940	507
YT-9941	507
YT-99705	580
YT-99720	579
YT-99730	580
YT-99733	580
YT-99740	580
YT-99743	580
YT-99801	504
YT-99802	504
YT-99803	504
YT-99804	504
YT-99810	505
YT-99811	505
YT-99812	506
YT-99813	506
YT-99814	506
YT-99815	507
YT-99830	508
YT-99831	510
YT-99832	510
YT-99841	509
YT-99845	511
YT-99848	507
YT-99850	511
YT-99852	511



ZP-0175-S
Supermarket island rack 4m



ZP-0010-R
Exhibition racks red w/o lamp w/o drawer



ZP-0010-B
Exhibition racks



ZP-0175-R
Two side island rack



ZP-0241
Exhibition racks



ZP-0010-JP
Racks for cutting disc/ blade



ZP-00112
Vertical floor display stand 2.2x0.4m



ZP-0237-G
Suitcase 20"



ZP-0238
Digital Signage



ZP-0225
Magnetic levitation display stand



ZP-0009
Stand for sockets



ZP-0016
Stand for sockets



ZP-0187/0188
Outdoor light box



ZP-0082-32G
USB storage



ZP-0207
Groud mat 140X70CM



ZP-0215
Wall clock



ZP-0064
YATO Cap



ZP-AR-00230
Non-Woven fabric bag



ZP-0145
Plastic shopping bag



ZP-0051
Pen



ZP-0173
Metal pen



ZP-0137
Tissue box



AR-67330
3 in 1 USB charing cable



ZP-0079-R
YATO Note book-red



ZP-0057-R
ZP-0057-B
Measuring tape gift



ZP-0028
YATO Tape



ZP-0104
Calculator



ZP-0087
YATO Backpack/
Laptop bag



ZP-0069
Power bank-10000Mah



ZP-0171
Automatic windproof 3
folding rain umbrella



ZP-0183
Multifunctional repair tool



ZP-0060
Disposable paper cups
250ml



ZP-0062
Cup



ZP-0206
Coffee cup



ZP-0216
Outdoor advertising
umbrella 3meter



ZP-0030-A
ZP-0030-B
ZP-0030-C
Outdoor flag



ZP-0135
YATO football



ZP-0249
Cup



ZP-0246-B
ZP-0246-B-UL
Inflatable figure



ZP-0246-C
ZP-0246-C-UL
Inflatable figure



Double deck winter
windproof jacket

YATO	Size
ZP-0172-A	M
ZP-0172-B	L
ZP-0172-C	XL
ZP-0172-D	XXL
ZP-0172-E	XXXL



Black polo shirt

YATO	Size
ZP-0042-C	S
ZP-0043-C	M
ZP-0044-C	L
ZP-0045-C	XL
ZP-0046-C	XXL
ZP-0047-C	XXXL



Grey polo shirt

YATO	Size
ZP-0226-G	S
ZP-0227-G	M
ZP-0228-G	L
ZP-0229-G	XL
ZP-0230-G	XXL
ZP-0231-G	XXXL



Red T-shirt

YATO	Size
ZP-0176-R	S
ZP-0177-R	M
ZP-0178-R	L
ZP-0179-R	XL
ZP-0180-R	XXL
ZP-0181-R	XXXL



Red polo shirt

YATO	Size
ZP-0226-R	S
ZP-0227-R	M
ZP-0228-R	L
ZP-0229-R	XL
ZP-0230-R	XXL
ZP-0231-R	XXXL



White T-shirt

YATO	Size
ZP-0176-W	S
ZP-0177-W	M
ZP-0178-W	L
ZP-0179-W	XL
ZP-0180-W	XXL
ZP-0181-W	XXXL



White polo shirt

YATO	Size
ZP-0226-W	S
ZP-0227-W	M
ZP-0228-W	L
ZP-0229-W	XL
ZP-0230-W	XXL
ZP-0231-W	XXXL

MANUFACTURER / PRODUCENT

TOYA S.A.
ul. Sołtysowicka 13-15
51-168 Wrocław
Poland
(+48 71) 32 46 200
fax: (+48 71) 32 46 370
sales@yato.pl (domestic)
export@yato.pl (export)
import@yato.pl (import)

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05-831 Młochów k. Warszawy
Poland
(+48 22) 73 82 800
(+48 22) 73 82 828
sales@yato.pl (domestic)
export@yato.pl (export)

TOYA ROMANIA S.A.
Șos. Ștefănești, 8-8A
Ștefăneștii De Jos, Ilfov
România
(+40 031) 710 8692
office@yato.ro

YATO TOOLS (SHANGHAI) CO., LTD.
No. 1, Lane 1300,
East Kangqiao Road
Shanghai, China 201315
(+86 21) 681 829 50
fax: (+86 21) 681 829 51
yato@yato-sh.com

YATO TOOLS (JIAXING) CO., LTD.
No.1033 Yan Hu Road, Baibu Town,
Haiyan County, Zhejiang Province
(+86 21) 681 829 50
yato@yato-sh.com

YOUR TRUSTED SUPPLIER: / TWÓJ ZAUFANY DOSTAWCA:

www.yato.com

GET ACQUAINTED WITH OUR WIDE OFFER:
ZOBACZ NASZĄ BOGATĄ OFERTĘ: